

Patricio Gonzalez-Hormazabal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2291933/publications.pdf>

Version: 2024-02-01

41
papers

710
citations

471509

17
h-index

552781

26
g-index

43
all docs

43
docs citations

43
times ranked

1284
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Novel Risk Associations between microRNA Polymorphisms and Gastric Cancer in a Chilean Population. <i>International Journal of Molecular Sciences</i> , 2022, 23, 467. | 4.1 | 1 |
| 2 | Vitamin B12 Transport Genes and Nonsyndromic Cleft Lip With or Without Cleft Palate in Chile. <i>Reproductive Sciences</i> , 2022, , 1. | 2.5 | 0 |
| 3 | Heritable genomic diversity in breast cancer driver genes and associations with risk in a Chilean population. <i>Biological Research</i> , 2022, 55, . | 3.4 | 1 |
| 4 | Genetic variants in S-adenosyl-methionine synthesis pathway and nonsyndromic cleft lip with or without cleft palate in Chile. <i>Pediatric Research</i> , 2021, 89, 1020-1025. | 2.3 | 3 |
| 5 | Major Histocompatibility Complex Class I-Related Chain A (MICA) Allelic Variants Associate With Susceptibility and Prognosis of Gastric Cancer. <i>Frontiers in Immunology</i> , 2021, 12, 645528. | 4.8 | 10 |
| 6 | NOD1 rs2075820 (p.E266K) polymorphism is associated with gastric cancer among individuals infected with cagPAI-positive <i>H. pylori</i> . <i>Biological Research</i> , 2021, 54, 13. | 3.4 | 5 |
| 7 | Prevalence of <i>Helicobacter pylori</i> Antimicrobial Resistance Among Chilean Patients. <i>Archives of Medical Research</i> , 2021, 52, 529-534. | 3.3 | 4 |
| 8 | ASHMT1 variant decreases the risk of nonsyndromic cleft lip with or without cleft palate in Chile. <i>Oral Diseases</i> , 2020, 26, 159-165. | 3.0 | 8 |
| 9 | Polymorphisms PSCA rs2294008, IL-4 rs2243250 and MUC1 rs4072037 are associated with gastric cancer in a high risk population. <i>Molecular Biology Reports</i> , 2020, 47, 9239-9243. | 2.3 | 7 |
| 10 | Germline Variants in Driver Genes of Breast Cancer and Their Association with Familial and Early-Onset Breast Cancer Risk in a Chilean Population. <i>Cancers</i> , 2020, 12, 249. | 3.7 | 4 |
| 11 | Duodenogastric biliary reflux assessed by scintigraphic scan in patients with reflux symptoms after sleeve gastrectomy: preliminary results. <i>Surgery for Obesity and Related Diseases</i> , 2019, 15, 822-826. | 1.2 | 27 |
| 12 | The Phylogeographic Diversity of EBV and Admixed Ancestry in the Americasâ€“Another Model of Disrupted Human-Pathogen Co-Evolution. <i>Cancers</i> , 2019, 11, 217. | 3.7 | 8 |
| 13 | Polymorphisms in RAS/RAF/MEK/ERK Pathway Are Associated with Gastric Cancer. <i>Genes</i> , 2019, 10, 20. | 2.4 | 26 |
| 14 | IL-8-251T>A (rs4073) Polymorphism Is Associated with Prognosis in Gastric Cancer Patients. <i>Anticancer Research</i> , 2018, 38, 5703-5708. | 1.1 | 25 |
| 15 | Polymorphisms in <i>twist1</i> and <i>ZEB1</i> Are Associated with Prognosis of Gastric Cancer Patients. <i>Anticancer Research</i> , 2018, 38, 3871-3877. | 1.1 | 13 |
| 16 | Prevalence of clarithromycin resistance in <i>Helicobacter pylori</i> in Santiago, Chile, estimated by real-time PCR directly from gastric mucosa. <i>BMC Gastroenterology</i> , 2018, 18, 91. | 2.0 | 12 |
| 17 | Genetic Variants in pre-miR-146a, pre-miR-499, pre-miR-125a, pre-miR-605, and pri-miR-182 Are Associated with Breast Cancer Susceptibility in a South American Population. <i>Genes</i> , 2018, 9, 427. | 2.4 | 31 |
| 18 | Mutations in BRCA1, BRCA2 and other breast and ovarian cancer susceptibility genes in Central and South American populations. <i>Biological Research</i> , 2017, 50, 35. | 3.4 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Toward an objective measure of functional disability in dysferlinopathy. <i>Muscle and Nerve</i> , 2016, 53, 49-57. | 2.2 | 20 |
| 20 | Association of single nucleotide polymorphisms in Pre-miR-27a, Pre-miR-196a2, Pre-miR-423, miR-608 and Pre-miR-618 with breast cancer susceptibility in a South American population. <i>BMC Genetics</i> , 2016, 17, 109. | 2.7 | 71 |
| 21 | Association of PALB2 sequence variants with the risk of familial and early-onset breast cancer in a South-American population. <i>BMC Cancer</i> , 2015, 15, 30. | 2.6 | 18 |
| 22 | Association of genetic variants at TOX3, 2q35 and 8q24 with the risk of familial and early-onset breast cancer in a South-American population. <i>Molecular Biology Reports</i> , 2014, 41, 3715-3722. | 2.3 | 31 |
| 23 | Raine syndrome: An overview. <i>European Journal of Medical Genetics</i> , 2014, 57, 536-542. | 1.3 | 43 |
| 24 | Role of cytokine gene polymorphisms in gastric cancer risk in Chile. <i>Anticancer Research</i> , 2014, 34, 3523-30. | 1.1 | 25 |
| 25 | Genetic variants in FGFR2 and MAP3K1 are associated with the risk of familial and early-onset breast cancer in a South-American population. <i>Breast Cancer Research and Treatment</i> , 2013, 137, 559-569. | 2.5 | 37 |
| 26 | Endogenous Thyroid-Stimulating Hormone and Radioactive Iodine Uptake in Normal Subjects. <i>Clinical Nuclear Medicine</i> , 2012, 37, 584-586. | 1.3 | 2 |
| 27 | The BARD1 Cys557Ser variant and risk of familial breast cancer in a South-American population. <i>Molecular Biology Reports</i> , 2012, 39, 8091-8098. | 2.3 | 23 |
| 28 | Spectrum of BRCA1/2 point mutations and genomic rearrangements in high-risk breast/ovarian cancer Chilean families. <i>Breast Cancer Research and Treatment</i> , 2011, 126, 705-716. | 2.5 | 42 |
| 29 | Variants in DNA double-strand break repair genes and risk of familial breast cancer in a South American population. <i>Breast Cancer Research and Treatment</i> , 2010, 122, 813-822. | 2.5 | 40 |
| 30 | Absence of CHEK2 1100delC mutation in familial breast cancer cases from a South American population. <i>Breast Cancer Research and Treatment</i> , 2008, 110, 543-545. | 2.5 | 18 |
| 31 | Association of common ATM variants with familial breast cancer in a South American population. <i>BMC Cancer</i> , 2008, 8, 117. | 2.6 | 33 |
| 32 | RAD51 135G>C polymorphism and risk of familial breast cancer in a South American population. <i>Cancer Genetics and Cytogenetics</i> , 2007, 178, 65-69. | 1.0 | 37 |
| 33 | The predictive value of 201Tl rest-redistribution and 18F-fluorodeoxyglucose SPECT for wall motion recovery after recent reperfused myocardial infarction. <i>Annals of Nuclear Medicine</i> , 2004, 18, 97-103. | 2.2 | 2 |
| 34 | MICE TESTICULAR DAMAGE ELICITED BY MALATHION. <i>International Journal of Morphology</i> , 2003, 21, . | 0.2 | 9 |
| 35 | Could the [14C]urea breath test be proposed as a 'gold standard' for detection of <i>Helicobacter pylori</i> infection?. <i>Medical Science Monitor</i> , 2003, 9, CR363-8. | 1.1 | 5 |
| 36 | Simultaneous assessment of function and perfusion during dipyridamole handgrip Tc-99m sestamibi imaging in chronic coronary artery disease. <i>Annals of Nuclear Medicine</i> , 1999, 13, 121-125. | 2.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | A window on Latin America. European Journal of Nuclear Medicine and Molecular Imaging, 1997, 24, 847-851. | 2.1 | 0 |
| 38 | A Window on Latin America. European Journal of Nuclear Medicine and Molecular Imaging, 1997, 24, 103-106. | 2.1 | 0 |
| 39 | P XIV B.19 Comparison between the alkaline single-cell gel (comet) assay and the micronuclei test in mice. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1997, 379, S132. | 1.0 | 0 |
| 40 | Is the addition of ECG gating to technetium-99m sestamibi SPET of value in the assessment of myocardial viability?. European Journal of Nuclear Medicine and Molecular Imaging, 1996, 23, 1315-1322. | 2.1 | 29 |
| 41 | A Window on Latin America. European Journal of Nuclear Medicine and Molecular Imaging, 1996, 23, 235-237. | 2.1 | 0 |