Jerome Brunelin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/229226/publications.pdf

Version: 2024-02-01

		87888	56724
141	7,784	38	83
papers	citations	h-index	g-index
158	158	158	8100
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Evidence-based guidelines on the therapeutic use of transcranial direct current stimulation (tDCS). Clinical Neurophysiology, 2017, 128, 56-92.	1.5	1,213
2	Evidence-based guidelines on the therapeutic use of repetitive transcranial magnetic stimulation (rTMS): An update (2014–2018). Clinical Neurophysiology, 2020, 131, 474-528.	1.5	1,017
3	Prefrontal Transcranial Direct Current Stimulation Changes Connectivity of Resting-State Networks during fMRI. Journal of Neuroscience, 2011, 31, 15284-15293.	3.6	501
4	Examining Transcranial Direct-Current Stimulation (tDCS) as a Treatment for Hallucinations in Schizophrenia. American Journal of Psychiatry, 2012, 169, 719-724.	7.2	434
5	Evidence-Based Guidelines and Secondary Meta-Analysis for the Use of Transcranial Direct Current Stimulation in Neurological and Psychiatric Disorders. International Journal of Neuropsychopharmacology, 2021, 24, 256-313.	2.1	277
6	Regulatory considerations for the clinical and research use of transcranial direct current stimulation (tDCS): Review and recommendations from an expert panel. Clinical Research and Regulatory Affairs, 2015, 32, 22-35.	2.1	208
7	Effects of Fronto-Temporal Transcranial Direct Current Stimulation on Auditory Verbal Hallucinations and Resting-State Functional Connectivity of the Left Temporo-Parietal Junction in Patients With Schizophrenia. Schizophrenia Bulletin, 2016, 42, 318-326.	4.3	170
8	Slow transcranial magnetic stimulation can rapidly reduce resistant auditory hallucinations in schizophrenia. Biological Psychiatry, 2005, 57, 188-191.	1.3	153
9	Emotion recognition and genetic vulnerability to schizophrenia. British Journal of Psychiatry, 2007, 191, 126-130.	2.8	138
10	Sham tDCS: A hidden source of variability? Reflections for further blinded, controlled trials. Brain Stimulation, 2019, 12, 668-673.	1.6	137
11	Frontal Transcranial Direct Current Stimulation Induces Dopamine Release in the Ventral Striatum in Human. Cerebral Cortex, 2018, 28, 2636-2646.	2.9	133
12	Low frequency repetitive transcranial magnetic stimulation improves source monitoring deficit in hallucinating patients with schizophrenia. Schizophrenia Research, 2006, 81, 41-45.	2.0	132
13	Are Hallucinations Due to an Imbalance Between Excitatory and Inhibitory Influences on the Brain?. Schizophrenia Bulletin, 2016, 42, 1124-1134.	4.3	127
14	Transcranial direct current stimulation in psychiatric disorders. World Journal of Psychiatry, 2015, 5, 88.	2.7	124
15	The Efficacy and Safety of Low Frequency Repetitive Transcranial Magnetic Stimulation for Treatment-resistant Depression: TheÂResults From a Large Multicenter French RCT. Brain Stimulation, 2014, 7, 855-863.	1.6	87
16	Can transcranial direct current stimulation (tDCS) alleviate symptoms and improve cognition in psychiatric disorders?. World Journal of Biological Psychiatry, 2014, 15, 261-275.	2.6	86
17	A randomized, controlled trial of computer-assisted cognitive remediation for schizophrenia. Schizophrenia Research, 2011, 125, 284-290.	2.0	85
18	Suicidal behaviors and ideation during emerging viral disease outbreaks before the COVID-19 pandemic: A systematic rapid review. Preventive Medicine, 2020, 141, 106264.	3.4	85

#	Article	IF	Citations
19	Fronto-temporal transcranial Direct Current Stimulation (tDCS) reduces source-monitoring deficits and auditory hallucinations in patients with schizophrenia. Schizophrenia Research, 2015, 161, 515-516.	2.0	83
20	Non-invasive brain stimulation for negative symptoms in schizophrenia: An updated systematic review and meta-analysis. Schizophrenia Research, 2018, 197, 34-44.	2.0	76
21	How can cognitive remediation therapy modulate brain activations in schizophrenia?. Psychiatry Research - Neuroimaging, 2011, 192, 160-166.	1.8	7 5
22	Prefrontal cortex and impulsivity: Interest of noninvasive brain stimulation. Neuroscience and Biobehavioral Reviews, 2016, 71, 112-134.	6.1	74
23	Transcranial direct current stimulation in treatment-resistant obsessive–compulsive disorder: An open-label pilot study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 65, 153-157.	4.8	7 3
24	Transcranial Direct Current Stimulation for Obsessive-Compulsive Disorder: A Systematic Review. Brain Sciences, 2018, 8, 37.	2.3	70
25	Abnormal Striatal Dopamine Transmission in Schizophrenia. Current Medicinal Chemistry, 2013, 20, 397-404.	2.4	68
26	Source monitoring deficits in hallucinating compared to non-hallucinating patients with schizophrenia. European Psychiatry, 2006, 21, 259-261.	0.2	66
27	Effects of acute metabolic stress on the dopaminergic and pituitary–adrenal axis activity in patients with schizophrenia, their unaffected siblings and controls. Schizophrenia Research, 2008, 100, 206-211.	2.0	65
28	Transcranial Direct Current Stimulation for the Treatment of Refractory Symptoms of Schizophrenia. Current Evidence and Future Directions. Current Pharmaceutical Design, 2015, 21, 3373-3383.	1.9	63
29	Impaired verbal source monitoring in schizophrenia: An intermediate trait vulnerability marker?. Schizophrenia Research, 2007, 89, 287-292.	2.0	60
30	Reduced Expression of STOP/MAP6 in Mice Leads to Cognitive Deficits. Schizophrenia Bulletin, 2013, 39, 969-978.	4.3	51
31	Efficacy of Cathodal Transcranial Direct Current Stimulation Over the Left Orbitofrontal Cortex in a Patient With Treatment-Resistant Obsessive-Compulsive Disorder. Journal of ECT, 2015, 31, 271-272.	0.6	47
32	A Comparison of Facial Emotion Processing in Neurological and Psychiatric Conditions. Frontiers in Psychology, 2012, 3, 98.	2.1	45
33	Usefulness of the Montreal Cognitive Assessment (MoCA) to monitor cognitive impairments in depressed patients receiving electroconvulsive therapy. Psychiatry Research, 2018, 259, 476-481.	3.3	45
34	Ethnic minority position and migrant status as risk factors for psychotic symptoms in the general population: a meta-analysis. Psychological Medicine, 2019, 49, 545-558.	4.5	45
35	Effects of repeated transcranial direct current stimulation on smoking, craving and brain reactivity to smoking cues. Scientific Reports, 2018, 8, 8724.	3.3	43
36	Repetitive transcranial magnetic stimulation does not potentiate antidepressant treatment. European Psychiatry, 2004, 19, 382-383.	0.2	42

#	Article	IF	CITATIONS
37	Efficacy and safety of bifocal tDCS as an interventional treatment for refractory schizophrenia. Brain Stimulation, 2012, 5, 431-432.	1.6	42
38	Deviations in cortex sulcation associated with visual hallucinations in schizophrenia. Molecular Psychiatry, 2015, 20, 1101-1107.	7.9	42
39	Impaired fronto-temporal processing of emotion in schizophrenia. Neurophysiologie Clinique, 2007, 37, 77-87.	2.2	41
40	Integrity of the arcuate fasciculus in patients with schizophrenia with auditory verbal hallucinations: A DTI-tractography study. NeuroImage: Clinical, 2016, 12, 970-975.	2.7	40
41	A case report of cTBS for the treatment of auditory hallucinations in a patient with schizophrenia. Brain Stimulation, 2009, 2, 118-119.	1.6	39
42	Low- vs High-Frequency Repetitive Transcranial Magnetic Stimulation as an Add-On Treatment for Refractory Depression. Frontiers in Psychiatry, 2012, 3, 13.	2.6	38
43	Disrupting Pre-SMA Activity Impairs Facial Happiness Recognition: An Event-Related TMS Study. Cerebral Cortex, 2013, 23, 1517-1525.	2.9	37
44	Increased left striatal dopamine transmission in unaffected siblings of schizophrenia patients in response to acute metabolic stress. Psychiatry Research - Neuroimaging, 2010, 181, 130-135.	1.8	36
45	Nicotine Smoking Prevents theÂEffectsÂof Frontotemporal TranscranialÂDirect Current StimulationÂ(tDCS) in Hallucinating Patients With Schizophrenia. Brain Stimulation, 2015, 8, 1225-1227.	1.6	36
46	A single session of repetitive transcranial magnetic stimulation of the prefrontal cortex reduces cue-induced craving in patients with gambling disorder. European Psychiatry, 2017, 41, 68-74.	0.2	36
47	Perceived ethnic discrimination as a risk factor for psychotic symptoms: a systematic review and meta-analysis. Psychological Medicine, 2020, 50, 1077-1089.	4.5	34
48	Maintenance Treatment With Transcranial Magnetic Stimulation in a Patient With Late-Onset Schizophrenia. American Journal of Psychiatry, 2008, 165, 537-538.	7.2	33
49	Non-invasive brain stimulation can induce paradoxical facilitation. Are these neuroenhancements transferable and meaningful to security services?. Frontiers in Human Neuroscience, 2013, 7, 449.	2.0	33
50	Effects of theta-rhythm transcranial alternating current stimulation (4.5ÂHz-tACS) in patients with clozapine-resistant negative symptoms of schizophrenia: a case series. Journal of Neural Transmission, 2016, 123, 1213-1217.	2.8	33
51	Duration but not intensity influences transcranial direct current stimulation (tDCS) after-effects on cortical excitability. Neurophysiologie Clinique, 2018, 48, 89-92.	2.2	32
52	Is rTMS efficient as a maintenance treatment for auditory verbal hallucinations? A case report. Schizophrenia Research, 2006, 84, 183-184.	2.0	31
53	Thalamus abnormalities during working memory in schizophrenia. An fMRI study. Schizophrenia Research, 2011, 125, 49-53.	2.0	31
54	Tone-matching ability in patients with schizophrenia: A systematic review and meta-analysis. Schizophrenia Research, 2017, 181, 94-99.	2.0	27

#	Article	IF	CITATIONS
55	Three repeated sessions of transcranial random noise stimulation (tRNS) leads to long-term effects on reaction time in the Go/No Go task. Neurophysiologie Clinique, 2019, 49, 27-32.	2.2	27
56	Evaluation of the therapeutic effect of theta burst stimulation on drug-resistant auditory hallucinations in a schizophrenic patient and its impact on cognitive function and neuronal excitability: A case study. Clinical Neurophysiology, 2010, 121, 802.	1.5	26
57	Transcranial direct current stimulation in patients with obsessive compulsive disorder: A randomized controlled trial. European Psychiatry, 2019, 62, 38-44.	0.2	26
58	Intermittent theta burst stimulation for negative symptoms of schizophreniaâ€"A double-blind, sham-controlled pilot study. NPJ Schizophrenia, 2021, 7, 10.	3.6	26
59	Twice-daily neuronavigated intermittent theta burst stimulation for bipolar depression: A Randomized Sham-Controlled Pilot Study. Neurophysiologie Clinique, 2019, 49, 371-375.	2.2	25
60	Theta burst stimulation in the negative symptoms of schizophrenia and striatal dopamine release Schizophrenia Research, 2011, 131, 264-265.	2.0	23
61	Effects of theta burst stimulation on glutamate levels in a patient with negative symptoms of schizophrenia. Schizophrenia Research, 2009, 111, 196-197.	2.0	22
62	Efficacy and safety of fronto-temporal transcranial random noise stimulation (tRNS) in drug-free patients with schizophrenia: A case study. Schizophrenia Research, 2014, 159, 251-252.	2.0	22
63	The effects of oxytocin on social cognition in borderline personality disorder. L'Encephale, 2018, 44, 46-51.	0.9	20
64	Usefulness of repetitive transcranial magnetic stimulation as a maintenance treatment in patients with major depression. World Journal of Biological Psychiatry, 2018, 19, 74-78.	2.6	20
65	Management of depression in patients with schizophrenia spectrum disorders: a critical review of international guidelines. Acta Psychiatrica Scandinavica, 2018, 138, 289-299.	4.5	19
66	A Review of the Effects of Transcranial Direct Current Stimulation for the Treatment of Hallucinations in Patients With Schizophrenia. Journal of ECT, 2018, 34, 164-171.	0.6	19
67	The effects of acute nicotine administration on cognitive and early sensory processes in schizophrenia: a systematic review. Neuroscience and Biobehavioral Reviews, 2020, 118, 121-133.	6.1	19
68	N-Acetyl-Aspartate Level is Decreased in the Prefrontal Cortex in Subjects At-Risk for Schizophrenia. Frontiers in Psychiatry, 2013, 4, 99.	2.6	18
69	The application of tDCS in psychiatric disorders: a brain imaging view. Socioaffective Neuroscience & Psychology, 2016, 6, 29588.	2.9	18
70	Neural effects of mindfulness-based interventions on patients with major depressive disorder: A systematic review. Neuroscience and Biobehavioral Reviews, 2018, 88, 98-105.	6.1	18
71	Deviations in early hippocampus development contribute to visual hallucinations in schizophrenia. Translational Psychiatry, 2020, 10, 102.	4.8	18
72	Cognitive insight in individuals with an atâ€risk mental state for psychosis: A metaâ€analysis. Microbial Biotechnology, 2021, 15, 449-456.	1.7	18

#	Article	IF	Citations
73	Anodal tDCS targeting the left temporo-parietal junction disrupts verbal reality-monitoring. Neuropsychologia, 2016, 89, 478-484.	1.6	17
74	Potential impact of bifrontal transcranial random noise stimulation (tRNS) on the semantic Stroop effect and its resting-state EEG correlates. Neurophysiologie Clinique, 2019, 49, 243-248.	2.2	16
7 5	Clinical Effects of Mindfulness-Based Intervention in Patients With First Episode Psychosis and in Individuals With Ultra-High Risk for Transition to Psychosis: A Review. Frontiers in Psychiatry, 2019, 10, 797.	2.6	16
76	The Effects of Transcranial Electrical Stimulation of the Brain on Sleep: A Systematic Review. Frontiers in Psychiatry, 2021, 12, 646569.	2.6	15
77	How Much Do Benzodiazepines Matter for Electroconvulsive Therapy in Patients With Major Depression?. Journal of ECT, 2019, 35, 184-188.	0.6	14
78	N-Acetyl-Aspartate in the dorsolateral prefrontal cortex in men with schizophrenia and auditory verbal hallucinations: A 1.5 T Magnetic Resonance Spectroscopy Study. Scientific Reports, 2018, 8, 4133.	3.3	13
79	Gamma transcranial alternating current stimulation in patients with negative symptoms in schizophrenia: A case series. Neurophysiologie Clinique, 2020, 50, 301-304.	2.2	13
80	Advancing clinical response characterization to frontotemporal transcranial direct current stimulation with electric field distribution in patients with schizophrenia and auditory hallucinations: a pilot study. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 85-92.	3.2	13
81	Reality-monitoring deficits and visual hallucinations in schizophrenia. European Psychiatry, 2019, 62, 10-14.	0.2	12
82	Dissociable source-monitoring impairments in obsessive–compulsive disorder and schizophrenia. European Psychiatry, 2020, 63, e54.	0.2	12
83	Serotonergic response to stress: A protective factor against abnormal dopaminergic reactivity in schizophrenia?. European Psychiatry, 2007, 22, 362-364.	0.2	11
84	Well-informed but not aware: The P.A.C.T. \hat{A}^{\otimes} psychoeducation program for schizophrenia improves knowledge about, but not insight into, the illness. Asian Journal of Psychiatry, 2019, 46, 15-18.	2.0	11
85	Repetitive transcranial magnetic stimulation (rTMS) for schizophrenia patients treated with clozapine. World Journal of Biological Psychiatry, 2021, 22, 14-26.	2.6	11
86	Moving to accelerated protocols of tDCS in schizophrenia: A case report. Brain Stimulation, 2021, 14, 822-824.	1.6	11
87	Un déficit de mémoire de la source spécifique chez les patients schizophrènes comparés à des volontaires sains et des patients présentant un épisode dépressif majeur. Revue Europeenne De Psychologie Appliquee, 2008, 58, 105-110.	0.8	10
88	Can the Effects of Noninvasive Brain Stimulation Alleviating Neuropsychiatric Symptoms Result From a Common Beneficial Regulation of the Hypothalamic-pituitary-adrenal Axis?. Brain Stimulation, 2015, 8, 173-176.	1.6	10
89	Predicting treatment response to $1\mathrm{Hz}$ rTMS using early self-rated clinical changes in major depression. Brain Stimulation, 2020, 13, 1603-1605.	1.6	10
90	Serum Mature BDNF Level Is Associated with Remission Following ECT in Treatment-Resistant Depression. Brain Sciences, 2022, 12, 126.	2.3	10

#	Article	IF	CITATIONS
91	Impaired Modulation of Corticospinal Excitability in Drug-Free Patients With Major Depressive Disorder: A Theta-Burst Stimulation Study. Frontiers in Human Neuroscience, 2019, 13, 72.	2.0	9
92	Sensory-targeted cognitive training for schizophrenia. Expert Review of Neurotherapeutics, 2019, 19, 211-225.	2.8	9
93	Abnormalities of the late positive potential during emotional processing in individuals with psychopathic traits: a meta-analysis. Psychological Medicine, 2020, 50, 2085-2095.	4.5	9
94	Depression Reappraisal and Treatment Effect: Will Response Shift Help Improve the Estimation of Treatment Efficacy in Trials for Mood Disorders?. Frontiers in Psychiatry, 2019, 10, 420.	2.6	8
95	Are basic auditory processes involved in source-monitoring deficits in patients with schizophrenia?. Schizophrenia Research, 2019, 210, 135-142.	2.0	8
96	Bayesian Estimation of the ntPET Model in Single-Scan Competition PET Studies. Frontiers in Physiology, 2020, 11, 498.	2.8	8
97	Response-locked component of error monitoring in psychopathy: A systematic review and meta-analysis of error-related negativity/positivity. Neuroscience and Biobehavioral Reviews, 2021, 123, 104-119.	6.1	8
98	Can seizure therapies and noninvasive brain stimulations prevent suicidality? A systematic review. Brain and Behavior, 2021, 11, e02144.	2.2	8
99	Successful switch to maintenance rTMS after maintenance ECT in refractory bipolar disorder. Brain Stimulation, 2010, 3, 238-239.	1.6	7
100	Effects of smoking status and MADRS retardation factor on response to low frequency repetitive transcranial magnetic stimulation for depression. European Psychiatry, 2016, 38, 40-44.	0.2	7
101	Discovering the individual brain: brain stimulation in psychiatry. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 109-112.	3.2	7
102	Examining transcranial random noise stimulation as an add-on treatment for persistent symptoms in schizophrenia (STIM'Zo): a study protocol for a multicentre, double-blind, randomized sham-controlled clinical trial. Trials, 2021, 22, 964.	1.6	7
103	The Combination of Propofol and Ketamine Does Not Enhance Clinical Responses to Electroconvulsive Therapy in Major Depression—The Results From the KEOpS Study. Frontiers in Pharmacology, 2020, 11, 562137.	3.5	6
104	A Case Report of Transcranial Magnetic Stimulation–Related Seizure in a Young Patient With Major Depressive Disorder Receiving Accelerated Transcranial Magnetic Stimulation. Journal of ECT, 2020, 36, e31-e32.	0.6	6
105	Impaired self-recognition in individuals with no full-blown psychotic symptoms represented across the continuum of psychosis: a meta-analysis. Psychological Medicine, 2021, 51, 2864-2874.	4.5	6
106	Impact of vascular risk factors on clinical outcome in elderly patients with depression receiving electroconvulsive therapy. Journal of Affective Disorders, 2021, 279, 308-315.	4.1	6
107	Higher Negative Self-Reference Level in Patients With Personality Disorders and Suicide Attempt(s) History During Biological Treatment for Major Depressive Disorder: Clinical Implications. Frontiers in Psychology, 2021, 12, 631614.	2.1	6
108	Impact of bifrontal transcranial Direct Current Stimulation on decision-making and stress reactivity. A pilot study. Journal of Psychiatric Research, 2021, 135, 15-19.	3.1	6

#	Article	IF	Citations
109	Frontotemporal Transcranial Direct Current Stimulation Decreases Serum Mature Brain-Derived Neurotrophic Factor in Schizophrenia. Brain Sciences, 2021, 11, 662.	2.3	6
110	Are psychological debriefing groups after a potential traumatic event suitable to prevent the symptoms of PTSD?. Psychiatry Research, 2022, 311, 114503.	3.3	6
111	Summer birth and deficit schizophrenia in Tunisia. Psychiatry Research, 2007, 152, 273-275.	3.3	5
112	Repetitive transcranial magnetic stimulation can alleviate treatment-resistant depression in patients with progressive supranuclear palsy. Parkinsonism and Related Disorders, 2015, 21, 1113-1114.	2.2	5
113	A meta-analysis of craving studies in schizophrenia spectrum disorders. Schizophrenia Research, 2020, 222, 49-57.	2.0	5
114	Improvement of Insight with Non-Invasive Brain Stimulation in Patients with Schizophrenia: A Systematic Review. Journal of Clinical Medicine, 2022, 11, 40.	2.4	5
115	Efficacy of Transcranial Direct Current Stimulation to Improve Insight in Patients With Schizophrenia: A Systematic Review and Meta-analysis of Randomized Controlled Trials. Schizophrenia Bulletin, 2022, 48, 1284-1294.	4.3	5
116	Duration, pitch and intensity features reveal different magnitudes of tone-matching deficit in schizophrenia. Schizophrenia Research, 2020, 215, 460-462.	2.0	4
117	Gamma transcranial alternating current stimulation for treatment of negative symptoms in schizophrenia: Report of two cases. Asian Journal of Psychiatry, 2020, 54, 102423.	2.0	4
118	Using EEG to Predict Clinical Response to Electroconvulsive Therapy in Patients With Major Depression: A Comprehensive Review. Frontiers in Psychiatry, 2021, 12, 643710.	2.6	4
119	Neuroanatomical correlates of reality-monitoring in patients with schizophrenia and auditory hallucinations. European Psychiatry, 2021, 64, 1-28.	0.2	4
120	Ten Sessions of 30 Min tDCS over 5 Days to Achieve Remission in Depression: A Randomized Pilot Study. Journal of Clinical Medicine, 2022, 11, 782.	2.4	4
121	Left auditory cortex dysfunction in hallucinating patients with schizophrenia: An MEG study. Clinical Neurophysiology, 2013, 124, 823-824.	1.5	3
122	Abnormal Striatal Dopamine Transmission in Schizophrenia. Current Medicinal Chemistry, 2013, 20, 397-404.	2.4	3
123	Review of source-monitoring processes in obsessive-compulsive disorder. World Journal of Psychiatry, 2020, 10, 12-20.	2.7	3
124	Persistent auditory hallucinations in out-patients with schizophrenia. Tunisie Medicale, 2016, 94, 390-396.	0.2	3
125	Noninvasive electrical stimulation for psychiatric care in Down syndrome. Brain Stimulation, 2022, 15, 678-679.	1.6	3
126	Is it ethical and safe to use non-invasive brain stimulation as a cognitive and motor enhancer device for military services? A reply to Sehm and Ragert (2013). Frontiers in Human Neuroscience, 2013, 7, 874.	2.0	2

#	Article	IF	CITATIONS
127	Neurostimulation du cortex préfrontal dorsolatéralÂ: quels effets sur la symptomatologie, l'humeur et les émotions dans la dépression et la schizophrénie�. Sante Mentale Au Quebec, 0, 41, 223-239.	0.1	2
128	Early shifts of emotional attention as a possible predictor of remission in patients with depression receiving ECT: Preliminary results of an eye-tracker study. L'Encephale, 2019, 45, S73.	0.9	2
129	Sham tDCS: A hidden source of variability? Reflections for further blinded, controlled trials. L'Encephale, 2019, 45, S76.	0.9	2
130	EFFECTS OF TRANSCRANIAL DIRECT CURRENT STIMULATION ON TREATMENT-RESISTANT PYSCHOTIC SYMPTOMS AND BRAIN FUNCTIONAL-CONNECTIVITY IN PATIENTS WITH SCHIZOPHRENIA. Schizophrenia Research, 2014, 153, S70-S71.	2.0	1
131	Apport de l'imagerie dans le traitement des pathologies psychiatriques par stimulation magnétique transcrânienne répétée (rTMS). Annales Medico-Psychologiques, 2015, 173, 263-266.	0.4	1
132	3rd European Conference on brain stimulation in psychiatry–ÂFrom mechanism to medicine. L'Encephale, 2019, 45, S47-S49.	0.9	1
133	Mixing Apples and Oranges in Assessing Outcomes of Repetitive Transcranial Stimulation Meta-Analyses. Psychotherapy and Psychosomatics, 2020, 89, 106-107.	8.8	1
134	Effect of Transcranial Direct Current Stimulation on Hallucinations in Patients with Schizophrenia., 2021,, 491-499.		1
135	Long-term effect of transcranial random noise stimulation (tRNS) on inhibitory control. Brain Stimulation, 2017, 10, 462.	1.6	0
136	Transcranial direct current stimulation for auditory hallucinations: Evidence from clinical and neurophysiological studies. L'Encephale, 2019, 45, S61.	0.9	0
137	A Polysomnographic and Cluster Analysis of Periodic Limb Movements in Sleep of Restless Legs Syndrome Patients with Psychiatric Conditions. Psychiatry International, 2021, 2, 250-264.	1.0	0
138	Déficit de control de la fuente en pacientes con esquizofrenia que tienen alucinaciones comparado con los que no las tienen. European Psychiatry (Ed Española), 2006, 13, 409-411.	0.0	0
139	The Future of Brain Stimulation to Treat Hallucinations. , 2013, , 513-527.		0
140	Transcranial Direct Current Stimulation for the Treatment of Hallucinations in Patients with Schizophrenia., 2020,, 239-248.		0
141	Noninvasive brain stimulation techniques in psychosis. , 2020, , 611-618.		O