

MÃ³nica Morales Camarzana

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2292299/publications.pdf>

Version: 2024-02-01

22
papers

889
citations

394421

19
h-index

713466

21
g-index

23
all docs

23
docs citations

23
times ranked

941
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Effect of environmental stressors on the mRNA expression of ecdysone cascade genes in <i>Chironomus riparius</i> . <i>Environmental Science and Pollution Research</i> , 2022, 29, 10210-10221. | 5.3 | 4 |
| 2 | BPA and its analogues (BPS and BPF) modify the expression of genes involved in the endocrine pathway and apoptosis and a multi drug resistance gene of the aquatic midge <i>Chironomus riparius</i> (Diptera). <i>Environmental Pollution</i> , 2020, 265, 114806. | 7.5 | 27 |
| 3 | Effects at molecular level of multi-walled carbon nanotubes (MWCNT) in <i>Chironomus riparius</i> (DIPTERA) aquatic larvae. <i>Aquatic Toxicology</i> , 2019, 209, 42-48. | 4.0 | 34 |
| 4 | Bisphenol A (BPA) modulates the expression of endocrine and stress response genes in the freshwater snail <i>Physa acuta</i> . <i>Ecotoxicology and Environmental Safety</i> , 2018, 152, 132-138. | 6.0 | 28 |
| 5 | Endocrine-related genes are altered by antibacterial agent triclosan in <i>Chironomus riparius</i> aquatic larvae. <i>Ecotoxicology and Environmental Safety</i> , 2017, 140, 185-190. | 6.0 | 28 |
| 6 | Cadmium in vivo exposure alters stress response and endocrine-related genes in the freshwater snail <i>Physa acuta</i> . New biomarker genes in a new model organism. <i>Environmental Pollution</i> , 2017, 220, 1488-1497. | 7.5 | 14 |
| 7 | Elements Modulating the Prion Species Barrier and Its Passage Consequences. <i>PLoS ONE</i> , 2014, 9, e89722. | 2.5 | 46 |
| 8 | Characterization of the small heat shock protein Hsp27 gene in <i>Chironomus riparius</i> (Diptera) and its expression profile in response to temperature changes and xenobiotic exposures. <i>Cell Stress and Chaperones</i> , 2014, 19, 529-540. | 2.9 | 72 |
| 9 | Transcriptional changes induced by in vivo exposure to pentachlorophenol (PCP) in <i>Chironomus riparius</i> (Diptera) aquatic larvae. <i>Aquatic Toxicology</i> , 2014, 157, 1-9. | 4.0 | 42 |
| 10 | Genotoxic effects of environmental endocrine disruptors on the aquatic insect <i>Chironomus riparius</i> evaluated using the comet assay. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2013, 758, 41-47. | 1.7 | 60 |
| 11 | DNA damage and transcriptional changes induced by tributyltin (TBT) after short in vivo exposures of <i>Chironomus riparius</i> (Diptera) larvae. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2013, 158, 57-63. | 2.6 | 38 |
| 12 | Characterization of a cytochrome P450 gene (CYP4G) and modulation under different exposures to xenobiotics (tributyltin, nonylphenol, bisphenol A) in <i>Chironomus riparius</i> aquatic larvae. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2012, 155, 333-343. | 2.6 | 44 |
| 13 | Characterization of Hsp70 gene in <i>Chironomus riparius</i> : Expression in response to endocrine disrupting pollutants as a marker of ecotoxicological stress. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2011, 153, 150-158. | 2.6 | 70 |
| 14 | Genome Comparison of a Nonpathogenic Myxoma Virus Field Strain with Its Ancestor, the Virulent Lausanne Strain. <i>Journal of Virology</i> , 2009, 83, 2397-2403. | 3.4 | 27 |
| 15 | Sheep-Passaged Bovine Spongiform Encephalopathy Agent Exhibits Altered Pathobiological Properties in Bovine-PrP Transgenic Mice. <i>Journal of Virology</i> , 2007, 81, 835-843. | 3.4 | 62 |
| 16 | Progression of prion infectivity in asymptomatic cattle after oral bovine spongiform encephalopathy challenge. <i>Journal of General Virology</i> , 2007, 88, 1379-1383. | 2.9 | 74 |
| 17 | Transmission of bovine spongiform encephalopathy. <i>Future Virology</i> , 2006, 1, 393-402. | 1.8 | 1 |
| 18 | Synthesis in Vitro of Rabbit Hemorrhagic Disease Virus Subgenomic RNA by Internal Initiation on (â€“)Sense Genomic RNA. <i>Journal of Biological Chemistry</i> , 2004, 279, 17013-17018. | 3.4 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The coat protein of Rabbit hemorrhagic disease virus contains a molecular switch at the N-terminal region facing the inner surface of the capsid. <i>Virology</i> , 2004, 322, 118-134. | 2.4 | 49 |
| 20 | First field trial of a transmissible recombinant vaccine against myxomatosis and rabbit hemorrhagic disease. <i>Vaccine</i> , 2001, 19, 4536-4543. | 3.8 | 40 |
| 21 | Isolation of an attenuated myxoma virus field strain that can confer protection against myxomatosis on contacts of vaccinates. <i>Archives of Virology</i> , 2000, 145, 759-771. | 2.1 | 22 |
| 22 | Horizontal Transmissible Protection against Myxomatosis and Rabbit Hemorrhagic Disease by Using a Recombinant Myxoma Virus. <i>Journal of Virology</i> , 2000, 74, 1114-1123. | 3.4 | 72 |