

Martin Berg Johansen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2293796/martin-berg-johansen-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

1,608
citations

22
h-index

37
g-index

87
ext. papers

1,964
ext. citations

4.7
avg, IF

4.64
L-index

#	Paper	IF	Citations
80	The risk of preterm birth in combinations of socioeconomic position and mental health conditions in different age groups: a Danish nationwide register-based cohort study. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 696	3.2	0
79	Prevalence of parental mental health conditions among children aged 0-16 years in Denmark: A nationwide register-based cross-sectional study. <i>Scandinavian Journal of Public Health</i> , 2021 , 1403494823	1045	462
78	Parental mental health conditions and use of healthcare services in children the first year of life- a register-based, nationwide study. <i>BMC Public Health</i> , 2021 , 21, 557	4.1	3
77	Heart-Healthy Dietary Intake Improved and Maintained 6 Months After Participation in a Cardiac Rehabilitation Program. <i>Topics in Clinical Nutrition</i> , 2021 , 36, 100-111	0.4	
76	Machine Learning-Based Prediction of Brain Tissue Infarction in Patients With Acute Ischemic Stroke Treated With Theophylline as an Add-On to Thrombolytic Therapy: A Randomized Clinical Trial Subgroup Analysis. <i>Frontiers in Neurology</i> , 2021 , 12, 613029	4.1	1
75	Discontinuation of oral anticoagulation and risk of stroke and death after ablation for typical atrial flutter: A nation-wide Danish cohort study. <i>International Journal of Cardiology</i> , 2021 , 333, 110-116	3.2	2
74	Is Cardiac Rehabilitation Equally Effective in Improving Dietary Intake in All Patients with Ischemic Heart Disease?. <i>Journal of the American College of Nutrition</i> , 2021 , 40, 33-40	3.5	1
73	Regression models for interval censored data using parametric pseudo-observations. <i>BMC Medical Research Methodology</i> , 2021 , 21, 36	4.7	2
72	Perfusion Changes in Acute Stroke Treated with Theophylline as an Add-on to Thrombolysis : A Randomized Clinical Trial Subgroup Analysis. <i>Clinical Neuroradiology</i> , 2021 , 1	2.7	
71	Cell-free DNA promoter hypermethylation as a diagnostic marker for pancreatic ductal adenocarcinoma - An external validation study. <i>Pancreatology</i> , 2021 , 21, 1081-1081	3.8	0
70	Theophylline as an Add-On to Thrombolytic Therapy in Acute Ischemic Stroke: A Randomized Placebo-Controlled Trial. <i>Stroke</i> , 2020 , 51, 1983-1990	6.7	4
69	Regression models using parametric pseudo-observations. <i>Statistics in Medicine</i> , 2020 , 39, 2949-2961	2.3	3
68	Influence of socioeconomic status on the referral process to cardiac rehabilitation following acute coronary syndrome: a cross-sectional study. <i>BMJ Open</i> , 2020 , 10, e036088	3	3
67	Observer Agreement and Accuracy of F-Sodium Fluoride PET/CT in the Diagnosis of Bone Metastases in Prostate Cancer. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 344-349	8.9	8
66	Arrhythmias in Patients on Maintenance Dialysis: A Cross-sectional Study. <i>American Journal of Kidney Diseases</i> , 2020 , 75, 214-224	7.4	6
65	Reporting and handling of equivocal imaging findings in diagnostic studies of bone metastasis in prostate cancer. <i>Acta Radiologica</i> , 2020 , 61, 1096-1104	2	1
64	Level of Physical Activity, Left Ventricular Mass, Hypertension, and Prognosis. <i>Hypertension</i> , 2020 , 75, 693-701	8.5	2

63	Socioeconomic position and risk of atrial fibrillation: a nationwide Danish cohort study. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 7-13	5.1	8
62	Educational level and living arrangements are associated with dietary intake of red meat and fruit/vegetables: A Danish cross-sectional study. <i>Scandinavian Journal of Public Health</i> , 2019 , 47, 557-564 ³		6
61	Medication adherence, biological and lifestyle risk factors in patients with myocardial infarction: a ten-year follow-up on socially differentiated cardiac rehabilitation. <i>Scandinavian Journal of Primary Health Care</i> , 2019 , 37, 182-190	2.7	7
60	Coronary Artery Calcification and Mortality Risk in Patients With Severe Mental Illness. <i>Circulation: Cardiovascular Imaging</i> , 2019 , 12, e008236	3.9	5
59	Body Fat Percentage, Waist Circumference, and Obesity As Risk Factors for Rheumatoid Arthritis: A Danish Cohort Study. <i>Arthritis Care and Research</i> , 2019 , 71, 777-786	4.7	25
58	Dose-Response Association Between Level of Physical Activity and Mortality in Normal, Elevated, and High Blood Pressure. <i>Hypertension</i> , 2019 , 74, 1307-1315	8.5	20
57	Handheld ultrasound to reduce requests for inappropriate echocardiogram (HURRIE). <i>Echo Research and Practice</i> , 2019 , 6, 91-96	2	2
56	Echocardiographic global longitudinal strain is associated with infarct size assessed by cardiac magnetic resonance in acute myocardial infarction. <i>Echo Research and Practice</i> , 2019 , 6, 81-89	2	4
55	Does socially differentiated cardiac rehabilitation affect the use of healthcare services after myocardial infarction? A 10-year follow-up study. <i>BMJ Open</i> , 2019 , 9, e030807	3	2
54	Single and dual coil shock efficacy and predictors of shock failure in patients with modern implantable cardioverter defibrillators-a single-center paired randomized study. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019 , 54, 65-72	2.4	1
53	Tibial plateau fractures are associated with a long-lasting increased risk of total knee arthroplasty a matched cohort study of 7,950 tibial plateau fractures. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 805-809	6.2	20
52	A simple transformation independent method for outlier definition. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1524-1532	5.9	7
51	Beneficial effect of n-3 polyunsaturated fatty acids on inflammation and analgesic use in psoriatic arthritis: a randomized, double blind, placebo-controlled trial. <i>Scandinavian Journal of Rheumatology</i> , 2018 , 47, 27-36	1.9	21
50	Positive predictive value of first-time rheumatoid arthritis diagnoses and their serological subtypes in the Danish National Patient Registry. <i>Clinical Epidemiology</i> , 2018 , 10, 1709-1720	5.9	19
49	Patellar fractures are associated with an increased risk of total knee arthroplasty: A Matched Cohort Study of 6096 Patellar Fractures with a mean follow-up of 14.3 Years. <i>Bone and Joint Journal</i> , 2018 , 100-B, 1477-1481	5.6	6
48	The prognostic efficacy of cell-free DNA hypermethylation in colorectal cancer. <i>Oncotarget</i> , 2018 , 9, 7010-7022	3.3	11
47	Effects of Marine -3 Polyunsaturated Fatty Acids on Heart Rate Variability and Heart Rate in Patients on Chronic Dialysis: A Randomized Controlled Trial. <i>Nutrients</i> , 2018 , 10,	6.7	10
46	Adipose Tissue Lipophilic Index and Risk of Ischemic Stroke-A Danish Case-Cohort Study. <i>Nutrients</i> , 2018 , 10,	6.7	3

45	Reporting and Handling of Indeterminate Bone Scan Results in the Staging of Prostate Cancer: A Systematic Review. <i>Diagnostics</i> , 2018 , 8,	3.8	5
44	Explaining trends in coronary heart disease mortality in different socioeconomic groups in Denmark 1991-2007 using the IMPACTSEC model. <i>PLoS ONE</i> , 2018 , 13, e0194793	3.7	8
43	Chocolate intake and risk of clinically apparent atrial fibrillation: the Danish Diet, Cancer, and Health Study. <i>Heart</i> , 2017 , 103, 1163-1167	5.1	19
42	Mortality and morbidity in offspring of mothers with diabetes compared with a population group: a Danish cohort study with 8-35 years of follow-up. <i>Diabetic Medicine</i> , 2017 , 34, 938-945	3.5	2
41	Social inequality and barriers to cardiac rehabilitation in the rehab-North register. <i>Scandinavian Cardiovascular Journal</i> , 2017 , 51, 316-322	2	8
40	Hypermethylated DNA, a circulating biomarker for colorectal cancer detection. <i>PLoS ONE</i> , 2017 , 12, e0180809	3.7	45
39	Promoter hypermethylation in plasma-derived cell-free DNA as a prognostic marker for pancreatic adenocarcinoma staging. <i>International Journal of Cancer</i> , 2017 , 141, 2489-2497	7.5	17
38	Treatment following myocardial infarction in patients with schizophrenia. <i>PLoS ONE</i> , 2017 , 12, e0189289	3.7	19
37	Cell-free DNA promoter hypermethylation in plasma as a predictive marker for survival of patients with pancreatic adenocarcinoma. <i>Oncotarget</i> , 2017 , 8, 93942-93956	3.3	23
36	The effect of marine n-3 polyunsaturated fatty acids on cardiac autonomic and hemodynamic function in patients with psoriatic arthritis: a randomised, double-blind, placebo-controlled trial. <i>Lipids in Health and Disease</i> , 2016 , 15, 216	4.4	13
35	Risk of atrial fibrillation associated with coffee intake: Findings from the Danish Diet, Cancer, and Health study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 922-30	3.9	17
34	Single-coil and dual-coil defibrillator leads and association with clinical outcomes in a complete Danish nationwide ICD cohort. <i>Heart Rhythm</i> , 2016 , 13, 706-12	6.7	15
33	Assessment of enthesitis in patients with psoriatic arthritis using clinical examination and ultrasound. <i>Muscles, Ligaments and Tendons Journal</i> , 2016 , 6, 241-247	1.9	15
32	Cell-free DNA promoter hypermethylation in plasma as a diagnostic marker for pancreatic adenocarcinoma. <i>Clinical Epigenetics</i> , 2016 , 8, 117	7.7	45
31	Short look-back periods in pharmacoepidemiologic studies of new users of antibiotics and asthma medications introduce severe misclassification. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 478-85	2.6	8
30	Risk of device malfunction in cancer patients with implantable cardiac device undergoing radiotherapy: a population-based cohort study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 343-56	1.6	60
29	The Impact of Diagnosis on Job Retention: A Danish Registry-Based Cohort Study. <i>Rehabilitation Research and Practice</i> , 2015 , 2015, 795980	1.2	1
28	Clopidogrel discontinuation within the first year after coronary drug-eluting stent implantation: an observational study. <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 100	2.3	22

27	Three-year risk of cardiovascular disease among intensive care patients with acute kidney injury: a population-based cohort study. <i>Critical Care</i> , 2014 , 18, 492	10.8	48
26	Psychiatric diagnoses and psychoactive medication use among nonsurgical critically ill patients receiving mechanical ventilation. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 1133-42 ^{27.4}		72
25	The impact of exacerbation frequency on mortality following acute exacerbations of COPD: a registry-based cohort study. <i>BMJ Open</i> , 2014 , 4, e006720	3	55
24	Mortality in elderly ICU patients: a cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2014 , 58, 19-26	1.9	67
23	Five-year risk of end-stage renal disease among intensive care patients surviving dialysis-requiring acute kidney injury: a nationwide cohort study. <i>Critical Care</i> , 2013 , 17, R145	10.8	59
22	Hospitalization with acute exacerbation of chronic obstructive pulmonary disease and associated health resource utilization: a population-based Danish cohort study. <i>Journal of Medical Economics</i> , 2013 , 16, 897-906	2.4	37
21	Type 2 diabetes and 1-year mortality in intensive care unit patients. <i>European Journal of Clinical Investigation</i> , 2013 , 43, 238-47	4.6	11
20	Preadmission metformin use and mortality among intensive care patients with diabetes: a cohort study. <i>Critical Care</i> , 2013 , 17, R192	10.8	36
19	Hospitalization rate and 30-day mortality among patients with status asthmaticus in Denmark: a 16-year nationwide population-based cohort study. <i>Clinical Epidemiology</i> , 2013 , 5, 345-55	5.9	12
18	Concomitant use of clopidogrel and statins and risk of major adverse cardiovascular events following coronary stent implantation. <i>British Journal of Clinical Pharmacology</i> , 2012 , 74, 161-70	3.8	13
17	Quality of ICD-10 colorectal cancer diagnosis codes in the Danish National Registry of Patients. <i>European Journal of Cancer Care</i> , 2012 , 21, 722-7	2.4	20
16	Use of clopidogrel and calcium channel blockers and risk of major adverse cardiovascular events. <i>European Journal of Clinical Investigation</i> , 2012 , 42, 266-74	4.6	12
15	Three-year mortality among alcoholic patients after intensive care: a population-based cohort study. <i>Critical Care</i> , 2012 , 16, R5	10.8	18
14	One-year mortality among Danish intensive care patients with acute kidney injury: a cohort study. <i>Critical Care</i> , 2012 , 16, R124	10.8	57
13	Concomitant use of clopidogrel and proton pump inhibitors is not associated with major adverse cardiovascular events following coronary stent implantation. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 165-74	6.1	43
12	Quality of urological cancer diagnoses in the Danish National Registry of Patients. <i>European Journal of Cancer Prevention</i> , 2012 , 21, 545-51	2	16
11	Incidence of acute kidney injury in cancer patients: a Danish population-based cohort study. <i>European Journal of Internal Medicine</i> , 2011 , 22, 399-406	3.9	131
10	Preadmission beta-blocker use and 30-day mortality among patients in intensive care: a cohort study. <i>Critical Care</i> , 2011 , 15, R87	10.8	27

9	Comparison of Charlson comorbidity index with SAPS and APACHE scores for prediction of mortality following intensive care. <i>Clinical Epidemiology</i> , 2011 , 3, 203-11	5.9	129
8	The impact of pre-admission morbidity level on 3-year mortality after intensive care: a Danish cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2011 , 55, 962-70	1.9	35
7	Hospitalization rates and survival associated with COPD: a nationwide Danish cohort study. <i>Lung</i> , 2011 , 189, 27-35	2.9	19
6	Methotrexate compliance among patients with rheumatoid arthritis: the influence of disease activity, disease duration, and co-morbidity in a 10-year longitudinal study. <i>Scandinavian Journal of Rheumatology</i> , 2010 , 39, 197-205	1.9	39
5	Preadmission statin use and one-year mortality among patients in intensive care - a cohort study. <i>Critical Care</i> , 2010 , 14, R29	10.8	32
4	Use of vitamin K antagonists and risk of subarachnoid haemorrhage: a population-based case-control study. <i>European Journal of Internal Medicine</i> , 2010 , 21, 297-300	3.9	13
3	Time to methotrexate treatment in patients with rheumatoid arthritis referred to hospital. <i>Scandinavian Journal of Rheumatology</i> , 2010 , 39, 19-25	1.9	9
2	Change from oral antidiabetic therapy to insulin and risk of urinary tract infections in Type 2 diabetic patients: a population-based prescription study. <i>Journal of Diabetes and Its Complications</i> , 2010 , 24, 375-81	3.2	6
1	Antiplatelet drugs and risk of subarachnoid hemorrhage: a population-based case-control study. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1468-74	15.4	34