
## Hae-Jun Seok

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2295457/publications.pdf Version: 2024-02-01



HAE-LUN SEOK

#	Article	IF	CITATIONS
1	Highly stretchable transparent bar coated Ag NW/PEDOT:PSS hybrid electrode for wearable and stretchable devices. RSC Advances, 2022, 12, 3055-3061.	3.6	10
2	Ga and Ti co-doped In2O3 films for flexible amorphous transparent conducting oxides. Ceramics International, 2022, 48, 13938-13947.	4.8	11
3	Highly Efficient and Reliable Semitransparent Perovskite Solar Cells via Top Electrode Engineering. Advanced Functional Materials, 2022, 32, .	14.9	20
4	Transparent and flexible passivation of MoS2/Ag nanowire with sputtered polytetrafluoroethylene film for high performance flexible heaters. Scientific Reports, 2022, 12, 6010.	3.3	1
5	Low-Temperature Deposited Highly Flexible In–Zn–V–O Transparent Conductive Electrode for Perovskite Solar Cells. ACS Applied Energy Materials, 2022, 5, 234-248.	5.1	8
6	Compositional Engineering of Hfâ€Đoped InZnSnO Films for Highâ€Performance and Stability Amorphous Oxide Semiconductor Thin Film Transistors. Advanced Electronic Materials, 2021, 7, 2001216.	5.1	15
7	Room Temperature Processed Transparent Amorphous InGaTiO Cathodes for Semi-Transparent Perovskite Solar Cells. ACS Applied Materials & Interfaces, 2021, 13, 27353-27363.	8.0	16
8	Transition of the NiO <sub><i>x</i></sub> Buffer Layer from a p-Type Semiconductor to an Insulator for Operation of Perovskite Solar Cells. ACS Applied Energy Materials, 2021, 4, 5452-5465.	5.1	11
9	Defect-Free Mechanical Graphene Transfer Using <i>n-</i> Doping Adhesive Gel Buffer. ACS Nano, 2021, 15, 11276-11284.	14.6	14
10	The Effect of Cs/FA Ratio on the Longâ€Term Stability of Mixed Cation Perovskite Solar Cells. Solar Rrl, 2021, 5, 2100660.	5.8	10
11	Transparent Molecular Adhesive Enabling Mechanically Stable ITO Thin Films. ACS Applied Materials & Interfaces, 2021, 13, 3463-3470.	8.0	13
12	Steering Interface Dipoles for Bright and Efficient All-Inorganic Quantum Dot Based Light-Emitting Diodes. ACS Nano, 2021, 15, 20332-20340.	14.6	18
13	The Effect of Cs/FA Ratio on the Longâ€Term Stability of Mixed Cation Perovskite Solar Cells. Solar Rrl, 2021, 5, .	5.8	0
14	Thermally-evaporated C <sub>60</sub> /Ag/C <sub>60</sub> multilayer electrodes for semi-transparent perovskite photovoltaics and thin film heaters. Science and Technology of Advanced Materials, 2020, 21, 435-449.	6.1	13
15	Highly transparent and flexible Ag nanowire-embedded silk fibroin electrodes for biocompatible flexible and transparent heater. RSC Advances, 2020, 10, 31856-31862.	3.6	8
16	Comparison of NiO <sub>x</sub> thin film deposited by spin-coating or thermal evaporation for application as a hole transport layer of perovskite solar cells. RSC Advances, 2020, 10, 43847-43852.	3.6	29
17	Electrical and Optical Properties of Amorphous Indium-Zinc-Tin Oxide Thin Films: Oxygen Flow Dependence. Journal of the Korean Physical Society, 2020, 76, 750-756.	0.7	3
18	Study of Sputtered ITO Films on Flexible Invar Metal Foils for Curved Perovskite Solar Cells. Metals, 2019, 9, 120.	2.3	13

HAE-JUN SEOK

#	Article	IF	CITATIONS
19	Transparent Conducting Electrodes for Quantum Dots Light Emitting Diodes. Israel Journal of Chemistry, 2019, 59, 729-746.	2.3	8
20	Fabrication of InZnSiO/Ag/InZnSiO transparence flexible heater on polymer substrate by continuous roll-to-roll sputtering advanced technology. Materials Science in Semiconductor Processing, 2019, 99, 1-7.	4.0	11
21	ZnO:Ga-graded ITO electrodes to control interface between PCBM and ITO in planar perovskite solar cells. Science and Technology of Advanced Materials, 2019, 20, 389-400.	6.1	24
22	Tetrahedral amorphous carbon prepared filter cathodic vacuum arc for hole transport layers in perovskite solar cells and quantum dots LEDs. Science and Technology of Advanced Materials, 2019, 20, 1118-1130.	6.1	5
23	Effective passivation of Ag nanowire network by transparent tetrahedral amorphous carbon film for flexible and transparent thin film heaters. Scientific Reports, 2018, 8, 13521.	3.3	40