

Franco Zoppo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/229780/publications.pdf>

Version: 2024-02-01

50
papers

2,150
citations

411340

20
h-index

299063

42
g-index

50
all docs

50
docs citations

50
times ranked

2392
citing authors

#	ARTICLE	IF	CITATIONS
1	ECG optimisation for CRT systems in the era of automatic algorithms: a comprehensive review. <i>International Journal of Arrhythmia</i> , 2022, 23, .	0.3	1
2	Electroanatomic voltage mapping and characterisation imaging for â€œright ventricle arrhythmic syndromesâ€â€beyond the arrhythmia definition: a comprehensive review. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 2347-2357.	0.7	3
3	Left ventricle pacing challenges in cardiac resynchronization therapy systems. <i>Indian Pacing and Electrophysiology Journal</i> , 2021, 21, 232-240.	0.3	0
4	Transcatheter ablation of the atrioventricular junction in refractory atrial fibrillation: A clinicopathological study. <i>International Journal of Cardiology</i> , 2021, 329, 99-104.	0.8	4
5	Electroanatomic voltage mapping for tissue characterization beyond arrhythmia definition: A systematic review. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 1432-1448.	0.5	0
6	Single-center experience with wearable cardioverter-defibrillator as a bridge before definitive ICD implantation. <i>Indian Pacing and Electrophysiology Journal</i> , 2020, 20, 60-63.	0.3	2
7	Ventricular tachycardia oversensing in Sâ€œICD patients: Caseâ€based brief review. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 261-265.	0.5	0
8	Insights on arrhythmia termination and type 2 breaks after ICD therapy delivery. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 1039-1047.	0.5	1
9	Daily Exposure to Air Pollution Particulate Matter Is Associated with Atrial Fibrillation in High-Risk Patients. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6017.	1.2	11
10	Bridge to avoid ICD implantation with wearable cardioverter defibrillators. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 227-228.	0.1	0
11	Left ventricle automatic pacing threshold management in CRT systems: A comprehensive review. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 2489-2498.	0.8	1
12	Cardiac implantable electronic device remote monitoring in a large cohort of patients and the need for planning. <i>Future Cardiology</i> , 2020, 16, 447-456.	0.5	0
13	Safety steps for a non-fluoroscopic approach in right-sided electrophysiology procedures: A point of view. <i>Indian Pacing and Electrophysiology Journal</i> , 2019, 19, 183-188.	0.3	4
14	Predictors of Zero X-Ray Ablation for Supraventricular Tachycardias in a Nationwide Multicenter Experience. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e005592.	2.1	37
15	Association between air pollution and ventricular arrhythmias in high-risk patients (ARIA study): a multicentre longitudinal study. <i>Lancet Planetary Health</i> , The, 2017, 1, e58-e64.	5.1	44
16	Twelve-year follow-up of catheter ablation for atrial fibrillation: A prospective, multicenter, randomized study. <i>Heart Rhythm</i> , 2017, 14, 486-492.	0.3	27
17	Findings of an observational investigation of pure remote follow-up of pacemaker patients: is the in-clinic device check still needed?. <i>International Journal of Cardiology</i> , 2016, 220, 781-786.	0.8	13
18	Morphology of right atrial appendage for permanent atrial pacing and risk of iatrogenic perforation of the aorta by active fixation lead. <i>Heart Rhythm</i> , 2015, 12, 744-750.	0.3	10

#	ARTICLE	IF	CITATIONS
19	Long-term clinical outcome of patients who failed catheter ablation of atrial fibrillation. <i>Europace</i> , 2015, 17, 403-408.	0.7	6
20	Improving Atrial Fibrillation Detection in Patients with Implantable Cardiac Devices by Means of a Remote Monitoring and Management Application. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014, 37, 1610-1618.	0.5	12
21	The Atrial Fibrillation Ablation Pilot Study: an European Survey on Methodology and results of catheter ablation for atrial fibrillation conducted by the European Heart Rhythm Association. <i>European Heart Journal</i> , 2014, 35, 1466-1478.	1.0	180
22	Prevalence of patent foramen ovale in atrial fibrillation patients with history of cerebral ischemia: A stand-alone additional risk?. <i>International Journal of Cardiology</i> , 2014, 172, e290-e291.	0.8	3
23	Updated National Multicenter Registry on Procedural Safety of Catheter Ablation for Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 1069-1074.	0.8	42
24	Comparison of ThermoCool [®] Surround Flow Catheter Versus ThermoCool [®] Catheter in Achieving Persistent Electrical Isolation of Pulmonary Veins: A Pilot Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 269-273.	0.8	35
25	Reduced fluoroscopy exposure during ablation of atrial fibrillation using a novel electroanatomical navigation system: a multicentre experience. <i>Europace</i> , 2012, 14, 60-65.	0.7	86
26	Predictors of left atrium appendage clot detection despite on-target warfarin prevention for atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2012, 35, 151-158.	0.6	16
27	Late atrial tachycardia following pulmonary vein isolation: Analysis of successful discrete ablation sites. <i>International Journal of Cardiology</i> , 2012, 156, 270-276.	0.8	2
28	Activation mapping to determine the mechanism of atrial tachycardia when pacing techniques are not feasible. <i>Minerva Cardioangiologica</i> , 2012, 60, 275-90.	1.2	1
29	Straight Screw [®] in Atrial Leads [®] Post Shaped [®] in Right Appendage Versus J [®] Shaped Systems for Permanent Atrial Pacing: A Safety Comparison. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011, 34, 325-330.	0.5	13
30	Does catheter ablation cure atrial fibrillation? Single-procedure outcome of drug-refractory atrial fibrillation ablation: a 6-year multicentre experience. <i>Europace</i> , 2010, 12, 181-187.	0.7	139
31	Image integration increases efficacy of paroxysmal atrial fibrillation catheter ablation: results from the CartoMerge [™] Italian Registry. <i>Europace</i> , 2009, 11, 1004-1010.	0.7	123
32	Role of Pulmonary Veins Isolation in Persistent Atrial Fibrillation Ablation:. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009, 32, S116-9.	0.5	11
33	Long [®] Term Outcomes of CRT [®] PM Versus CRT [®] D Recipients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009, 32, S141-5.	0.5	19
34	Integration of Three [®] Dimensional Left Atrial Magnetic Resonance Images into a Real [®] Time Electroanatomic Mapping System: Validation of a Registration Method. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008, 31, 273-282.	0.5	47
35	High prevalence of cooled tip use as compared with 8-mm tip in a multicenter Italian registry on atrial fibrillation ablation: focus on procedural safety. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 888-892.	0.6	4
36	Persistent barium sulphate oesophagus opacification while pulmonary veins ablation. <i>Europace</i> , 2007, 9, 931-931.	0.7	0

#	ARTICLE	IF	CITATIONS
37	Pulmonary vein isolation predicts freedom from arrhythmia after circumferential antral ablation for paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Medicine</i> , 2007, 8, 896-903.	0.6	6
38	Long-term outcome of patients with atrioventricular node reentrant tachycardia. <i>International Journal of Cardiology</i> , 2007, 115, 350-353.	0.8	36
39	Early complications of pulmonary vein catheter ablation for atrial fibrillation: A multicenter prospective registry on procedural safety. <i>Heart Rhythm</i> , 2007, 4, 1265-1271.	0.3	209
40	Atrio-Ventricular Block During Left Atrial Flutter Ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007, 30, 921-924.	0.5	1
41	Catheter ablation treatment in patients with drug-refractory atrial fibrillation: a prospective, multi-centre, randomized, controlled study (Catheter Ablation For The Cure Of Atrial Fibrillation) <i>Tj ETQq1 1 0.784314 rgBT /05rlock</i>	0.5	0
42	Antibiotic Prophylaxis with a Single Dose of Cefazolin During Pacemaker Implantation: Incidence of Long-Term Infective Complications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006, 29, 29-33.	0.5	56
43	Predictive Value of Early Atrial Tachyarrhythmias Recurrence After Circumferential Anatomical Pulmonary Vein Ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2005, 28, 366-371.	0.5	152
44	Pace Mapping of Koch's Triangle Reduces Risk of Atrioventricular Block During Ablation of Atrioventricular Nodal Reentrant Tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2005, 16, 30-35.	0.8	24
45	Autonomic modulation of the sinus node following electrical cardioversion of persistent atrial fibrillation: relation with early recurrence. <i>International Journal of Cardiology</i> , 2005, 102, 219-223.	0.8	18
46	Role of transtelephonic electrocardiographic monitoring in detecting short-term arrhythmia recurrences after radiofrequency ablation in patients with atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2005, 45, 873-876.	1.2	161
47	Long term follow up of radiofrequency catheter ablation of atrial flutter: clinical course and predictors of atrial fibrillation occurrence. <i>British Heart Journal</i> , 2004, 90, 59-63.	2.2	73
48	Different Clinical Courses and Predictors of Atrial Fibrillation Occurrence After Transisthmic Ablation in Patients with Preablation Lone Atrial Flutter, Coexistent Atrial Fibrillation, and Drug Induced Atrial Flutter. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2004, 27, 1507-1512.	0.5	31
49	Electrophysiological Demonstration of Dissociation of Pulmonary Vein Potentials Through Electroanatomically Guided Circumferential Ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 1413-1416.	0.5	0
50	Success of serial external electrical cardioversion of persistent atrial fibrillation in maintaining sinus rhythm. A randomized study. <i>European Heart Journal</i> , 2002, 23, 1522-1528.	1.0	35