

Ayyakkannu Ragupathi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/229840/publications.pdf>

Version: 2024-02-01

25
papers

1,737
citations

257450

24
h-index

552781

26
g-index

29
all docs

29
docs citations

29
times ranked

1661
citing authors

#	ARTICLE	IF	CITATIONS
1	Oxy-sulfonylation of terminal alkynes <i>via</i> C–S coupling enabled by copper photoredox catalysis. <i>Green Chemistry</i> , 2021, 23, 3569-3574.	9.0	27
2	Photoredox synthesis of functionalized quinazolines <i>via</i> copper-catalyzed aerobic oxidative C–H annulation of amidines with terminal alkynes. <i>Green Chemistry</i> , 2021, 23, 5024-5030.	9.0	35
3	Cu ₂ O Nanocrystals-Catalyzed Photoredox Sonogashira Coupling of Terminal Alkynes and Arylhalides Enhanced by CO ₂ . <i>ChemSusChem</i> , 2020, 13, 287-292.	6.8	25
4	Visible light-promoted copper catalyzed regioselective acetamidation of terminal alkynes by arylamines. <i>Green Chemistry</i> , 2020, 22, 1164-1170.	9.0	30
5	Visible light-induced aerobic oxidation of diarylalkynes to 1,2-diketones catalyzed by copper-superoxo at room temperature. <i>Green Chemistry</i> , 2020, 22, 4426-4432.	9.0	39
6	The sustainable room temperature conversion of <i>p</i> -xylene to terephthalic acid using ozone and UV irradiation. <i>Green Chemistry</i> , 2019, 21, 6082-6088.	9.0	24
7	Copper Photoredox Catalyzed A3™ Coupling of Arylamines, Terminal Alkynes, and Alcohols through a Hydrogen Atom Transfer Process. <i>Angewandte Chemie</i> , 2019, 131, 3878-3882.	2.0	13
8	Copper Photoredox Catalyzed A3™ Coupling of Arylamines, Terminal Alkynes, and Alcohols through a Hydrogen Atom Transfer Process. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 3838-3842.	13.8	66
9	<i>meta</i> -Selective C–H Activation of Arenes at Room Temperature Using Visible Light: Dual-Function Ruthenium Catalysis. <i>Angewandte Chemie</i> , 2019, 131, 9931-9935.	2.0	35
10	Visible Light-Induced Excited-State Transition-Metal Catalysis. <i>Trends in Chemistry</i> , 2019, 1, 510-523.	8.5	140
11	<i>meta</i> -Selective C–H Activation of Arenes at Room Temperature Using Visible Light: Dual-Function Ruthenium Catalysis. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 9826-9830.	13.8	135
12	Visible-light-driven copper-catalyzed aerobic oxidative cascade cyclization of <i>N</i> -tosylhydrazones and terminal alkynes: regioselective synthesis of 3-arylcoumarins. <i>Chemical Communications</i> , 2019, 55, 5151-5154.	4.1	33
13	Visible-light induced copper-catalysed denitrogenative oxidative coupling of hydrazinylpyridines with terminal alkynes. <i>Green Chemistry</i> , 2018, 20, 4859-4864.	9.0	35
14	Visible Light-Mediated Copper(I)-Catalysed Aerobic Oxidation of Ynamides/Ynamines at Room Temperature: A Sustainable Approach to the Synthesis of α -Ketoimides/ α -Ketoamides. <i>Advanced Synthesis and Catalysis</i> , 2017, 359, 1138-1143.	4.3	47
15	Visible Light Copper Photoredox-Catalyzed Aerobic Oxidative Coupling of Phenols and Terminal Alkynes: Regioselective Synthesis of Functionalized Ketones via C–C Triple Bond Cleavage. <i>Journal of the American Chemical Society</i> , 2017, 139, 2896-2899.	13.7	135
16	Singlet oxygen-mediated selective C–H bond hydroperoxidation of ethereal hydrocarbons. <i>Nature Communications</i> , 2017, 8, 1812.	12.8	96
17	Copper chloride catalysed room temperature C–C homocoupling of terminal alkynes mediated by visible light. <i>Catalysis Science and Technology</i> , 2016, 6, 7688-7692.	4.1	60
18	Copper-catalysed oxidative C–N coupling of 2-aminopyridine with terminal alkynes featuring a C–C bond cleavage promoted by visible light. <i>Chemical Communications</i> , 2016, 52, 11756-11759.	4.1	63

#	ARTICLE	IF	CITATIONS
19	Visible-light-activated copper(<i>scpi</i>) catalyzed oxidative C _{sp} -C _{sp} cross-coupling reaction: efficient synthesis of unsymmetrical conjugated diynes without ligands and base. <i>Green Chemistry</i> , 2016, 18, 4526-4530.	9.0	88
20	Frontispiece: Photoinduced Copper-Catalyzed Regioselective Synthesis of Indoles: Three-Component Coupling of Arylamines, Terminal Alkynes, and Quinones. <i>Angewandte Chemie - International Edition</i> , 2015, 54, .	13.8	0
21	Photoinduced Copper-Catalyzed Regioselective Synthesis of Indoles: Three-Component Coupling of Arylamines, Terminal Alkynes, and Quinones. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 13896-13901.	13.8	129
22	Visible-light initiated copper(<i>scpi</i>)-catalysed oxidative C-N coupling of anilines with terminal alkynes: one-step synthesis of α -ketoamides. <i>Green Chemistry</i> , 2015, 17, 1113-1119.	9.0	129
23	One-pot room-temperature conversion of cyclohexane to adipic acid by ozone and UV light. <i>Science</i> , 2014, 346, 1495-1498.	12.6	90
24	Visible-light-induced, copper(i)-catalysed C-N coupling between o-phenylenediamine and terminal alkynes: one-pot synthesis of 3-phenyl-2-hydroxy-quinoxalines. <i>Photochemical and Photobiological Sciences</i> , 2013, 12, 2110-2118.	2.9	52
25	Photo-induced Sonogashira C-C Coupling Reaction Catalyzed by Simple Copper(I) Chloride Salt at Room Temperature. <i>Advanced Synthesis and Catalysis</i> , 2012, 354, 3421-3427.	4.3	157