

Michel Grutter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2298755/publications.pdf>

Version: 2024-02-01

74
papers

2,900
citations

172207

29
h-index

197535

49
g-index

109
all docs

109
docs citations

109
times ranked

3315
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of nitrogen dioxide chemiluminescence monitors in a polluted urban environment. <i>Atmospheric Chemistry and Physics</i> , 2007, 7, 2691-2704.	1.9	343
2	Tropospheric emissions: Monitoring of pollution (TEMPO). <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2017, 186, 17-39.	1.1	239
3	Distribution, magnitudes, reactivities, ratios and diurnal patterns of volatile organic compounds in the Valley of Mexico during the MCMA 2002 & 2003 field campaigns. <i>Atmospheric Chemistry and Physics</i> , 2007, 7, 329-353.	1.9	167
4	Characterizing the Aging of Biomass Burning Organic Aerosol by Use of Mixing Ratios: A Meta-analysis of Four Regions. <i>Environmental Science & Technology</i> , 2012, 46, 13093-13102.	4.6	109
5	Electronic absorption spectra of linear carbon chains in neon matrices. IV. C_{2n+1} ($n=2-7$). <i>Journal of Chemical Physics</i> , 1996, 104, 4954-4960.	1.2	100
6	Modelling constraints on the emission inventory and on vertical dispersion for CO and SO_2 in the Mexico City Metropolitan Area using Solar FTIR and zenith sky UV spectroscopy. <i>Atmospheric Chemistry and Physics</i> , 2007, 7, 781-801.	1.9	82
7	Building the COllaborative Carbon Column Observing Network (COCCON): long-term stability and ensemble performance of the EM27/SUN Fourier transform spectrometer. <i>Atmospheric Measurement Techniques</i> , 2019, 12, 1513-1530.	1.2	82
8	Mapping carbon monoxide pollution from space down to city scales with daily global coverage. <i>Atmospheric Measurement Techniques</i> , 2018, 11, 5507-5518.	1.2	75
9	SO_2 emissions from Popocatepetl volcano: emission rates and plume imaging using optical remote sensing techniques. <i>Atmospheric Chemistry and Physics</i> , 2008, 8, 6655-6663.	1.9	67
10	TROPOMI Sentinel-5 Precursor formaldehyde validation using an extensive network of ground-based Fourier-transform infrared stations. <i>Atmospheric Measurement Techniques</i> , 2020, 13, 3751-3767.	1.2	66
11	Formaldehyde levels in downtown Mexico City during 2003. <i>Atmospheric Environment</i> , 2005, 39, 1027-1034.	1.9	59
12	Electronic absorption spectra of linear C_6 , C_8 and cyclic C_{10} , C_{12} in neon matrices. <i>Journal of Chemical Physics</i> , 1999, 111, 7397-7401.	1.2	58
13	Validation of methane and carbon monoxide from Sentinel-5 Precursor using TCCON and NDACC-IRWG stations. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 6249-6304.	1.2	57
14	Electronic Absorption Spectra of the Polyacetylene Chains $HC_{2n}H$, $HC_{2n}H$, and $HC_{2n-1}N$ ($n = 6-12$) in Neon Matrixes. <i>Journal of Physical Chemistry A</i> , 1998, 102, 9785-9790.	1.1	56
15	An evaluation of IASI- NH_3 with ground-based Fourier transform infrared spectroscopy measurements. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 10351-10368.	1.9	56
16	Validation of the CrIS fast physical NH_3 retrieval with ground-based FTIR. <i>Atmospheric Measurement Techniques</i> , 2017, 10, 2645-2667.	1.2	52
17	First detection of ammonia (NH_3) in the Asian summer monsoon upper troposphere. <i>Atmospheric Chemistry and Physics</i> , 2016, 16, 14357-14369.	1.9	51
18	Infrared bands of mass-selected carbon chains C_n ($n = 8-12$) and C_n^+ ($n = 5-10, 12$) in neon matrices. <i>Chemical Physics</i> , 1997, 216, 401-406.	0.9	49

#	ARTICLE	IF	CITATIONS
19	Electronic absorption spectra of C ₄ and C ₆ chains in neon matrices. <i>Journal of Chemical Physics</i> , 1997, 107, 22-27.	1.2	45
20	Global distribution and variability of formic acid as observed by MIPAS-ENVISAT. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	41
21	Electronic Absorption Spectra of BC, BC-, BC ₂ , and B in Neon Matrices. <i>Journal of Physical Chemistry A</i> , 1998, 102, 9106-9108.	1.1	38
22	Electronic absorption spectra of C ₂ NH, C ₂ n ⁻ 1N ⁻ (n=4-7), and C ₂ n ⁻ 1N ⁻ (n=3-7) chains in neon matrices. <i>Journal of Chemical Physics</i> , 1999, 110, 1492-1496.	1.2	38
23	Electronic spectra of long odd-number carbon chains C ₁₇ -C ₂₁ and C ₁₃ -C ₂₁ . <i>Chemical Physics Letters</i> , 1999, 304, 35-38.	1.2	37
24	Technical note: Evaluation of standard ultraviolet absorption ozone monitors in a polluted urban environment. <i>Atmospheric Chemistry and Physics</i> , 2006, 6, 3163-3180.	1.9	37
25	Gas composition of Popocatepetl Volcano between 2007 and 2008: FTIR spectroscopic measurements of an explosive event and during quiescent degassing. <i>Earth and Planetary Science Letters</i> , 2011, 301, 502-510.	1.8	37
26	Volcanic SO ₂ and SiF ₄ ; visualization using 2-D thermal emission spectroscopy Part 1: Slant-columns and their ratios. <i>Atmospheric Measurement Techniques</i> , 2012, 5, 275-288.	1.2	37
27	NDACC harmonized formaldehyde time series from 21 FTIR stations covering a wide range of column abundances. <i>Atmospheric Measurement Techniques</i> , 2018, 11, 5049-5073.	1.2	37
28	The 3 π electronic absorption spectrum of linear C ₄ in a neon matrix. <i>Chemical Physics Letters</i> , 1996, 249, 191-194.	1.2	35
29	Electronic Absorption Spectra of Carbon Chain Anions (n = 2-5) in Neon Matrices. <i>Journal of Physical Chemistry A</i> , 1997, 101, 5292-5295.	1.1	34
30	Physical and chemical properties of the regional mixed layer of Mexico's Megapolis. <i>Atmospheric Chemistry and Physics</i> , 2009, 9, 5711-5727.	1.9	34
31	Top-down estimation of carbon monoxide emissions from the Mexico Megacity based on FTIR measurements from ground and space. <i>Atmospheric Chemistry and Physics</i> , 2013, 13, 1357-1376.	1.9	31
32	Impact of the COVID-19 Lockdown on Air Quality and Resulting Public Health Benefits in the Mexico City Metropolitan Area. <i>Frontiers in Public Health</i> , 2021, 9, 642630.	1.3	31
33	NO ₂ ; vertical profiles and column densities from MAX-DOAS measurements in Mexico City. <i>Atmospheric Measurement Techniques</i> , 2019, 12, 2545-2565.	1.2	29
34	Electronic absorption spectra of carbon chain anions C ₂ n ⁻ (n=4-7) in neon matrices. <i>Journal of Chemical Physics</i> , 1997, 107, 4468-4472.	1.2	27
35	Variability of the Mixed-Layer Height Over Mexico City. <i>Boundary-Layer Meteorology</i> , 2018, 167, 493-507.	1.2	27
36	Tropospheric water vapour isotopologue data (H ₂ O, H ₂ ¹⁸ O, H ₂ ¹⁶ O) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6 Earth System Science Data, 2017, 9, 15-29.	3.7	26

#	ARTICLE	IF	CITATIONS
37	Using ground-based solar and lunar infrared spectroscopy to study the diurnal trend of carbon monoxide in the Mexico City boundary layer. <i>Atmospheric Chemistry and Physics</i> , 2009, 9, 8061-8078.	1.9	24
38	Electronic Absorption Spectra of SiC- and SiC in Neon Matrices. <i>Journal of Physical Chemistry A</i> , 1997, 101, 275-277.	1.1	23
39	Evolution of anthropogenic aerosols in the coastal town of Salina Cruz, Mexico: Part I particle dynamics and land-sea interactions. <i>Science of the Total Environment</i> , 2006, 367, 288-301.	3.9	23
40	Monitoring CO emissions of the metropolis Mexico City using TROPOMI CO observations. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 15761-15774.	1.9	22
41	Electronic spectra of carbon chain anions: $C_2nH^{\sim} (n=5-12)$. <i>Journal of Chemical Physics</i> , 1999, 111, 9280-9286.	1.2	21
42	Higher Excited Electronic Transitions of Polyacetylene Cations HC_2n^+ in Neon Matrixes. <i>Journal of Physical Chemistry A</i> , 2007, 111, 11831-11836.	1.1	20
43	Continuous measurements of SiF ₄ and SO ₂ by thermal emission spectroscopy: Insight from a 6-month survey at the Popocatepetl volcano. <i>Journal of Volcanology and Geothermal Research</i> , 2017, 341, 255-268.	0.8	20
44	Investigating differences in DOAS retrieval codes using MAD-CAT campaign data. <i>Atmospheric Measurement Techniques</i> , 2017, 10, 955-978.	1.2	20
45	A_2X_2 Electronic Absorption Spectrum of CCO in a Neon Matrix. <i>Journal of Physical Chemistry A</i> , 1998, 102, 3459-3461.	1.1	19
46	Variability in the Gas Composition of the Popocatepetl Volcanic Plume. <i>Frontiers in Earth Science</i> , 2019, 7, .	0.8	18
47	New observations of NO ₂ in the upper troposphere from TROPOMI. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 2389-2408.	1.2	18
48	Emission spectrum of mass-selected C_4^+ X ₂ g in a neon matrix. <i>Chemical Physics Letters</i> , 1996, 260, 406-408.	1.2	17
49	Implementation of a Markov Chain Monte Carlo method to inorganic aerosol modeling of observations from the MCMA-2003 campaign - Part 1: Model description and application to the La Merced site. <i>Atmospheric Chemistry and Physics</i> , 2006, 6, 4867-4888.	1.9	16
50	Detection of pollution transport events southeast of Mexico City using ground-based visible spectroscopy measurements of nitrogen dioxide. <i>Atmospheric Chemistry and Physics</i> , 2009, 9, 4827-4840.	1.9	16
51	Volcanic SO ₂ and SiF ₄ visualization using 2-D thermal emission spectroscopy - Part 2: Wind propagation and emission rates. <i>Atmospheric Measurement Techniques</i> , 2013, 6, 47-61.	1.2	16
52	Technical Note: Analysis of non-regulated vehicular emissions by extractive FTIR spectrometry: tests on a hybrid car in Mexico City. <i>Atmospheric Chemistry and Physics</i> , 2006, 6, 5339-5346.	1.9	14
53	Nitrogen dioxide DOAS measurements from ground and space: comparison of zenith scattered sunlight ground-based measurements and OMI data in Central Mexico. <i>Atmosfera</i> , 2013, 26, 401-414.	0.3	13
54	Characterization of a UV camera system for SO ₂ measurements from Popocatepetl Volcano. <i>Journal of Volcanology and Geothermal Research</i> , 2019, 370, 82-94.	0.8	12

#	ARTICLE	IF	CITATIONS
55	Global Atmospheric OCS Trend Analysis From 22 NDACC Stations. <i>Journal of Geophysical Research D: Atmospheres</i> , 2022, 127, .	1.2	12
56	Characterization of aerosol particles during a high pollution episode over Mexico City. <i>Scientific Reports</i> , 2021, 11, 22533.	1.6	11
57	An evaluation of the hybrid car technology for the Mexico Mega City. <i>Journal of Power Sources</i> , 2011, 196, 5704-5718.	4.0	10
58	Solar absorption infrared spectroscopic measurements over Mexico City: Methane enhancements. <i>Atmosfera</i> , 2014, 27, 173-183.	0.3	10
59	Comparison of the GOSAT TANSO-FTS TIR CH ₄ volume mixing ratio vertical profiles with those measured by ACE-FTS, ESA MIPAS, IMK-IAA MIPAS, and 16 NDACC stations. <i>Atmospheric Measurement Techniques</i> , 2017, 10, 3697-3718.	1.2	10
60	Temporal variations of black carbon, carbon monoxide, and carbon dioxide in Mexico City: Mutual correlations and evaluation of emissions inventories. <i>Urban Climate</i> , 2021, 37, 100855.	2.4	10
61	Improved calibration procedures for the EM27/SUN spectrometers of the Collaborative Carbon Column Observing Network (COCCON). <i>Atmospheric Measurement Techniques</i> , 2022, 15, 2433-2463.	1.2	10
62	Evolution of anthropogenic aerosols in the coastal town of Salina Cruz, Mexico: Part II particulate phase chemistry. <i>Science of the Total Environment</i> , 2006, 372, 287-298.	3.9	9
63	Ground-based remote sensing of O ₃ by high- and medium-resolution FTIR spectrometers over the Mexico City basin. <i>Atmospheric Measurement Techniques</i> , 2017, 10, 2703-2725.	1.2	9
64	Characterization and potential for reducing optical resonances in Fourier transform infrared spectrometers of the Network for the Detection of Atmospheric Composition Change (NDACC). <i>Atmospheric Measurement Techniques</i> , 2021, 14, 1239-1252.	1.2	9
65	Fostering a Collaborative Atmospheric Chemistry Research Community in the Latin America and Caribbean Region. <i>Bulletin of the American Meteorological Society</i> , 2016, 97, 1929-1939.	1.7	8
66	Background CO ₂ levels and error analysis from ground-based solar absorption IR measurements in central Mexico. <i>Atmospheric Measurement Techniques</i> , 2017, 10, 2425-2434.	1.2	8
67	Diffusion of mass-selected carbon atoms and molecules in argon and neon matrices. <i>Journal of Chemical Physics</i> , 1997, 107, 5356-5360.	1.2	6
68	NO ₂ fluxes from Tijuana using a mobile mini-DOAS during Cal-Mex 2010. <i>Atmospheric Environment</i> , 2013, 70, 532-539.	1.9	6
69	Spatial distribution and transport patterns of NO ₂ in the Tijuana – San Diego area. <i>Atmospheric Pollution Research</i> , 2015, 6, 230-238.	1.8	6
70	The MAX-DOAS network in Mexico City to measure atmospheric pollutants. <i>Atmosfera</i> , 2016, 29, 157.	0.3	6
71	A low-cost long-term model of coastal observatories of global change. <i>Journal of Operational Oceanography</i> , 2019, 12, 34-46.	0.6	4
72	Formaldehyde total column densities over Mexico City: comparison between multi-axis differential optical absorption spectroscopy and solar-absorption Fourier transform infrared measurements. <i>Atmospheric Measurement Techniques</i> , 2021, 14, 595-613.	1.2	4

#	ARTICLE	IF	CITATIONS
73	Physical and chemical properties of the regional mixed layer of Mexico's Megapolis Part II: evaluation of measured and modeled trace gases and particle size distributions. Atmospheric Chemistry and Physics, 2012, 12, 10161-10179.	1.9	2
74	Evaluation of OMI NO2 Vertical Columns Using MAX-DOAS Observations over Mexico City. Remote Sensing, 2021, 13, 761.	1.8	2