

Evrin Cakir

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2299031/publications.pdf>

Version: 2024-02-01

30
papers

407
citations

758635

12
h-index

794141

19
g-index

31
all docs

31
docs citations

31
times ranked

725
citing authors

#	ARTICLE	IF	CITATIONS
1	Investigation of Cardiovascular Disease and Metabolic Syndrome Risk with Copeptin in Psoriasis Patients: A Case-Control Study. <i>Haseki Tıp Bulteni</i> , 2022, 60, 270-275.	0.2	0
2	Visceral Obesity Mediates the Association Between Metabolic Syndrome and Obstructive Sleep Apnea Syndrome. <i>Metabolic Syndrome and Related Disorders</i> , 2016, 14, 217-221.	0.5	18
3	Circulating E-selectin levels and insulin resistance are associated with early stages of atherosclerosis in nonfunctional adrenal incidentaloma. <i>Archives of Endocrinology and Metabolism</i> , 2015, 59, 310-317.	0.3	7
4	Is There Any Association Between Thrombosis and Tissue Factor Pathway Inhibitor Levels in Patients With Vitamin D Deficiency?. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2015, 21, 428-433.	0.7	17
5	Elastography in the Differential Diagnosis of Thyroid Nodules. <i>Ultrasonic Imaging</i> , 2015, 37, 251-257.	1.4	13
6	Insulin-like growth factor 1, liver enzymes, and insulin resistance in patients with PCOS and hirsutism. <i>Turkish Journal of Medical Sciences</i> , 2014, 44, 781-786.	0.4	13
7	Copeptin, a surrogate marker for arginine vasopressin, is associated with cardiovascular risk in patients with polycystic ovary syndrome. <i>Journal of Ovarian Research</i> , 2014, 7, 31.	1.3	24
8	Is refined carbohydrate consumption related to allergic diseases?. <i>Nutrition</i> , 2014, 30, 401-402.	1.1	1
9	Preclinical Atherosclerosis in Patients with Prolactinoma. <i>Endocrine Practice</i> , 2014, 20, 447-451.	1.1	26
10	Three noninvasive methods in the evaluation of subclinical cardiovascular disease in patients with acromegaly: epicardial fat thickness, aortic stiffness and serum cell adhesion molecules. <i>Clinical Endocrinology</i> , 2014, 80, 726-734.	1.2	27
11	Cushing's syndrome in type 2 diabetes patients with poor glycemic control. <i>Endocrine</i> , 2014, 47, 895-900.	1.1	17
12	Subclinical atherosclerosis and hyperandrogenemia are independent risk factors for increased epicardial fat thickness in patients with PCOS and idiopathic hirsutism. <i>Atherosclerosis</i> , 2013, 226, 291-295.	0.4	44
13	Is there any relationship between recurrent oral aphthous stomatitis and prediabetes?. <i>Medical Hypotheses</i> , 2013, 81, 512-513.	0.8	4
14	Visfatin May Be a Novel Marker for Identifying Stages of Essential Hypertension in Advanced Age Patients. <i>Internal Medicine</i> , 2012, 51, 553-557.	0.3	29
15	Parathyroid adenoma screening efficacies of different imaging tools and factors affecting the success rates. <i>Clinical Imaging</i> , 2012, 36, 688-694.	0.8	12
16	Is hyperandrogenemia protective for fibrocystic breast disease in PCOS?. <i>Gynecological Endocrinology</i> , 2012, 28, 468-471.	0.7	10
17	The relationship between LH and thyroid volume in patients with PCOS. <i>Journal of Ovarian Research</i> , 2012, 5, 43.	1.3	15
18	Is prediabetes risk factor for hair loss?. <i>Medical Hypotheses</i> , 2012, 79, 879.	0.8	4

#	ARTICLE	IF	CITATIONS
19	Medical hypothesis: can gonadotropins influence thyroid volume in women with PCOS?. <i>Thyroid Research</i> , 2012, 5, 17.	0.7	4
20	Heart type fatty acid binding protein response and subsequent development of atherosclerosis in insulin resistant polycystic ovary syndrome patients. <i>Journal of Ovarian Research</i> , 2012, 5, 45.	1.3	11
21	The efficacy of apparent diffusion coefficient value calculation in differentiation between malignant and benign thyroid nodules. <i>Clinical Imaging</i> , 2012, 36, 316-322.	0.8	10
22	Mediterranean climate is associated with early age at menopause and low high-density lipoprotein in postmenopausal women. <i>Gynecological Endocrinology</i> , 2011, 27, 944-947.	0.7	0
23	Impact of hot flashes and night sweats on carotid intima-media thickness and bone mineral density among postmenopausal women. <i>International Journal of Gynecology and Obstetrics</i> , 2011, 113, 235-238.	1.0	21
24	Urine iodine excretion in patients with euthyroid nodular disease. <i>Annals of Saudi Medicine</i> , 2011, 31, 167-170.	0.5	8
25	Comparison of the effects of surgical and natural menopause on carotid intima media thickness, osteoporosis, and homocysteine levels. <i>Menopause</i> , 2011, 18, 73-76.	0.8	21
26	Comparison of the effects of surgical and natural menopause on epicardial fat thickness and β -glutamyltransferase level. <i>Menopause</i> , 2011, 18, 901-905.	0.8	7
27	Cardiovascular disease risk characteristics of the main polycystic ovary syndrome phenotypes. <i>Endocrine</i> , 2011, 39, 272-277.	1.1	32
28	Struma ovarii presenting with Hashimoto's thyroiditis: a case report. <i>Journal of Medical Case Reports</i> , 2011, 5, 572.	0.4	5
29	Second trimester serum alpha-fetoprotein level is a significant positive predictor for intrauterine growth restriction in pregnant women with hyperemesis gravidarum. <i>Journal of the Turkish German Gynecology Association</i> , 2011, 12, 220-224.	0.2	1
30	Oxidative stress markers are not valuable markers in lean and early age of polycystic ovary syndrome patients. <i>Journal of Endocrinological Investigation</i> , 2011, 34, e178-82.	1.8	5