Min Guo

List of Publications by Citations

Source: https://exaly.com/author-pdf/2299358/min-guo-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers2,651
citations25
h-index47
g-index132
ext. papers3,114
ext. citations4.9
avg, IF5.42
L-index

#	Paper	IF	Citations
127	Hydrothermal growth of well-aligned ZnO nanorod arrays: Dependence of morphology and alignment ordering upon preparing conditions. <i>Journal of Solid State Chemistry</i> , 2005 , 178, 1864-1873	3.3	391
126	Density-controlled hydrothermal growth of well-aligned ZnO nanorod arrays. <i>Nanotechnology</i> , 2007 , 18, 035605	3.4	154
125	Electrodeposition of hierarchical ZnO nanorod-nanosheet structures and their applications in dye-sensitized solar cells. <i>ACS Applied Materials & Amp; Interfaces</i> , 2011 , 3, 2358-67	9.5	151
124	Hydrothermal synthesis and characterization of TiO2 nanorod arrays on glass substrates. <i>Materials Research Bulletin</i> , 2009 , 44, 1232-1237	5.1	88
123	Hydrothermal preparation and optical properties of orientation-controlled WO3 nanorod arrays on ITO substrates. <i>CrystEngComm</i> , 2013 , 15, 277-284	3.3	87
122	Preparation and properties of a nano TiO2/Fe3O4 composite superparamagnetic photocatalyst. <i>Rare Metals</i> , 2009 , 28, 423-427	5.5	73
121	Hydrothermal synthesis and structure evolution of metal-doped magnesium ferrite from saprolite laterite. <i>RSC Advances</i> , 2015 , 5, 92778-92787	3.7	69
120	Electrochemical deposition of branched hierarchical ZnO nanowire arrays and its photoelectrochemical properties. <i>Electrochimica Acta</i> , 2011 , 56, 5776-5782	6.7	60
119	Viscosities Behavior of CaO-SiO2-MgO-Al2O3 Slag With Low Mass Ratio of CaO to SiO2 and Wide Range of A12O3 Content. <i>Journal of Iron and Steel Research International</i> , 2011 , 18, 1-6	1.2	59
118	Hydrothermal preparation and photoelectrochemical performance of size-controlled SnO2 nanorod arrays. <i>CrystEngComm</i> , 2010 , 12, 4024	3.3	58
117	Effect of P2O5 and FetO on the Viscosity and Slag Structure in Steelmaking Slags. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2015 , 46, 758-765	2.5	55
116	The Influence of SiO2 on the Extraction of Ti Element from Ti-bearing Blast Furnace Slag. <i>Steel Research International</i> , 2011 , 82, 607-614	1.6	49
115	Extraction of molybdenum and vanadium from the spent diesel exhaust catalyst by ammonia leaching method. <i>Journal of Hazardous Materials</i> , 2015 , 286, 402-9	12.8	47
114	Effect of Al2O3 on the Viscosity and Structure of CaO-SiO2-MgO-Al2O3-FetO Slags. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2015 , 46, 537-541	2.5	45
113	Magnetic multi-metal co-doped magnesium ferrite nanoparticles: An efficient visible light-assisted heterogeneous Fenton-like catalyst synthesized from saprolite laterite ore. <i>Journal of Hazardous Materials</i> , 2018 , 344, 829-838	12.8	41
112	One-step electrodeposition of single-crystal ZnO nanotube arrays and their optical properties. Journal of Alloys and Compounds, 2014 , 588, 217-221	5.7	39
111	Hydrothermal preparation of WO3 nanorod array and ZnO nanosheet array composite structures on FTO substrates with enhanced photocatalytic properties. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 7612-7620	7.1	35

(2013-2019)

110	enhanced electrochromic and pseudocapacitive performance. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 16867-16875	13	35	
109	Hydrothermal growth of well-aligned TiO2 nanorod arrays: Dependence of morphology upon hydrothermal reaction conditions. <i>Rare Metals</i> , 2010 , 29, 286-291	5.5	35	
108	Effects of morphology, size and crystallinity on the electrochromic properties of nanostructured WO3 films. <i>CrystEngComm</i> , 2015 , 17, 5440-5450	3.3	33	
107	Synthesis, structure and magnetic properties of spinel ferrite (Ni, Cu, Co)Fe2O4 from low nickel matte. <i>Ceramics International</i> , 2017 , 43, 16474-16481	5.1	32	
106	Effect of substrate pre-treatment on controllable synthesis of hexagonal WO3 nanorod arrays and their electrochromic properties. <i>CrystEngComm</i> , 2013 , 15, 5828	3.3	32	
105	Hydrothermal Synthesis and Characterization of KxNa(1☑)NbO3 Powders. <i>International Journal of Applied Ceramic Technology</i> , 2007 , 4, 571-577	2	32	
104	Synthesis, structure and magnetic properties of Zn substituted NittoMnMg ferrites. <i>Materials Letters</i> , 2015 , 141, 122-124	3.3	25	
103	Controllable electrodeposition of ZnO nanorod arrays on flexible stainless steel mesh substrate for photocatalytic degradation of Rhodamine B. <i>Applied Surface Science</i> , 2014 , 317, 672-681	6.7	25	
102	Enrichment Mechanism of Phosphate in CaO-SiO2-FeO-Fe2O3-P2O5 Steelmaking Slags. Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science, 2014 , 45, 1666-1682	2.5	25	
101	Facile synthesis of metal-doped magnesium ferrite from saprolite laterite as an effective heterogeneous Fenton-like catalyst. <i>Journal of Molecular Liquids</i> , 2018 , 272, 43-52	6	24	
100	Electrodeposition of hierarchical ZnO nanorod arrays on flexible stainless steel mesh for dye-sensitized solar cell. <i>Thin Solid Films</i> , 2015 , 586, 46-53	2.2	23	
99	Controllable preparation of TiO2 nanowire arrays on titanium mesh for flexible dye-sensitized solar cells. <i>Applied Surface Science</i> , 2015 , 347, 214-223	6.7	23	
98	Hydrothermal synthesis of mixtures of NaA zeolite and sodalite from Ti-bearing electric arc furnace slag. <i>RSC Advances</i> , 2016 , 6, 8358-8366	3.7	22	
97	Low-temperature-controlled synthesis and growth mechanism of AlN whiskers. <i>Materials Research Innovations</i> , 2015 , 19, S2-108-S2-112	1.9	22	
96	Effects of preparing conditions on controllable one-step electrodeposition of ZnO nanotube arrays. <i>Electrochimica Acta</i> , 2014 , 132, 370-376	6.7	21	
95	Crystallization kinetics of glassEeramics prepared from high-carbon ferrochromium slag. <i>Ceramics International</i> , 2016 , 42, 19329-19335	5.1	20	
94	Titanium mesh supported TiO2 nanowire arrays/Nb-doped TiO2 nanoparticles for fully flexible dye-sensitized solar cells with improved photovoltaic properties. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 11118-11128	7.1	20	
93	Preparation and visible-light photocatalytic property of nanostructured Fe-doped TiO2 from titanium containing electric furnace molten slag. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2013 , 20, 1012-1020	3.1	20	

92	Selective Crystallization Behavior of CaO-SiO2-Al2O3-MgO-FetO-P2O5 Steelmaking Slags Modified through P2O5 and Al2O3. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2015 , 46, 2246-2254	2.5	19
91	Facile and large-scale fabrication of (Mg,Ni)(Fe,Al)O heterogeneous photo-Fenton-like catalyst from saprolite laterite ore for effective removal of organic contaminants. <i>Journal of Hazardous Materials</i> , 2020 , 392, 122295	12.8	19
90	Effect of PbI2 solution on air-preparation of perovskite solar cells for enhanced performance. <i>Applied Surface Science</i> , 2018 , 458, 172-182	6.7	18
89	Multiple copper adsorption and regeneration by zeolite 4A synthesized from bauxite tailings. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 21829-21835	5.1	18
88	Enhanced photovoltaic performance of fully flexible dye-sensitized solar cells based on the Nb2O5 coated hierarchical TiO2 nanowire-nanosheet arrays. <i>Applied Surface Science</i> , 2016 , 364, 676-685	6.7	17
87	Electrodeposition of flexible stainless steel mesh supported ZnO nanorod arrays with enhanced photocatalytic performance. <i>Ceramics International</i> , 2017 , 43, 6460-6466	5.1	16
86	Efficient and selective recovery of Ni, Cu, and Co from low-nickel matte via a hydrometallurgical process. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2017 , 24, 249-256	3.1	16
85	A novel hydrothermal method for zinc extraction and separation from zinc ferrite and electric arc furnace dust. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2016 , 23, 146-155	3.1	16
84	Low-Temperature Preparation of KxNa(1៧)NbO3 Lead-Free Piezoelectric Powders by Microwave-Hydrothermal Synthesis. <i>International Journal of Applied Ceramic Technology</i> , 2011 , 8, 591-5	19 ° 6	16
83	Synthesis of oriented core/shell hexagonal tungsten oxide/amorphous titanium dioxide nanorod arrays and its electrochromic-pseudocapacitive properties. <i>Applied Surface Science</i> , 2020 , 515, 146034	6.7	15
82	A novel hydrometallurgical approach to recover valuable metals from laterite ore. <i>Hydrometallurgy</i> , 2014 , 150, 161-166	4	15
81	Influence of acid type and concentration on the synthesis of nanostructured titanium dioxide photocatalysts from titanium-bearing electric arc furnace molten slag. <i>RSC Advances</i> , 2015 , 5, 13478-13	3487	14
8o	Direct fabrication and characterization of metal doped magnesium ferrites from treated laterite ores by the solid state reaction method. <i>Ceramics International</i> , 2015 , 41, 8155-8162	5.1	14
79	Low-Temperature Highly Efficient and Selective Removal of HS over Three-Dimensional Zn-Cu-Based Materials in an Anaerobic Environment. <i>Environmental Science & Environmental </i>	10.3	14
78	Synthesis and characterization of glass-ceramics prepared from high-carbon ferrochromium slag. <i>RSC Advances</i> , 2016 , 6, 52715-52723	3.7	14
77	Extraction and separation of nickel and cobalt from saprolite laterite ore by microwave-assisted hydrothermal leaching and chemical deposition. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2013 , 20, 612-619	3.1	14
76	Effect of substrate pre-treatment on microstructure and enhanced electrochromic properties of WO3 nanorod arrays. <i>RSC Advances</i> , 2015 , 5, 106182-106190	3.7	14
75	Research progress in lead-less or lead-free three-dimensional perovskite absorber materials for solar cells. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2019 , 26, 387-403	3.1	13

(2010-2019)

74	Controllable preparation of CaF2 transparent glass ceramics: Dependence of the light transmittance mechanism on the glass crystallization behaviour. <i>Ceramics International</i> , 2019 , 45, 8510-	·85 1 7	13
73	Hydrothermal synthesis of Ni-Co-Cu alloy nanoparticles from low nickel matte. <i>Journal of Alloys and Compounds</i> , 2018 , 766, 229-240	5.7	13
72	Structural Investigation of Phosphorus in CaO-SiO2-P2O5 Ternary Glass. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2017 , 48, 1139-1148	2.5	12
71	The effect of SrI2 substitution on perovskite film formation and its photovoltaic properties via two different deposition methods. <i>Inorganic Chemistry Frontiers</i> , 2018 , 5, 1354-1364	6.8	12
7°	Effect of Ni substitution content on structure and magnetic properties of spinel ferrites synthesized from laterite leaching solutions. <i>Ceramics International</i> , 2015 , 41, 15283-15286	5.1	11
69	Recovery of metal-doped zinc ferrite from zinc-containing electric arc furnace dust: Process development and examination of elemental migration. <i>Hydrometallurgy</i> , 2016 , 166, 1-8	4	11
68	An improved implementable process for the synthesis of zeolite 4A from bauxite tailings and its Cr3+ removal capacity. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2016 , 23, 850-857	3.1	11
67	Selective and Efficient Extraction of Zinc from Mixed SulfideBxide Zinc and Lead Ore. <i>Mineral Processing and Extractive Metallurgy Review</i> , 2016 , 37, 418-426	3.1	11
66	A novel heterostructure of oriented core/shell tungsten oxide nanorod arrays for electrochromo-pseudocapacitor. <i>Scripta Materialia</i> , 2020 , 174, 1-5	5.6	11
65	Hydrothermal temperature effect on microstructure evolution and Fenton-like catalytic performance of spinel ferrite (Mg,Ni)(Fe,Al)2O4 synthesized from saprolitic nickel laterite. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 568, 11-19	5.1	10
64	Zeolite X Adsorbent with High Stability Synthesized from Bauxite Tailings for Cyclic Adsorption of CO2. <i>Energy & Document Stability</i> , 33, 6641-6649	4.1	10
63	High-performance electrochromo-supercapacitors based on the synergetic effect between aqueous Al3+ and ordered hexagonal tungsten oxide nanorod arrays. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 9927-9938	13	10
62	Efficient and selective hydrothermal extraction of zinc from zinc-containing electric arc furnace dust using a novel bifunctional agent. <i>Hydrometallurgy</i> , 2016 , 166, 107-112	4	10
61	Lead-less mesoscopic perovskite solar cells with enhanced photovoltaic performance by strontium chloride substitution. <i>Ceramics International</i> , 2018 , 44, 18863-18870	5.1	10
60	Utilization of Zn-containing electric arc furnace dust for multi-metal doped ferrite with enhanced magnetic property: From hazardous solid waste to green product. <i>Journal of Hazardous Materials</i> , 2017 , 339, 248-255	12.8	9
59	Facile synthesis of metal-doped Ni-Zn ferrite from treated Zn-containing electric arc furnace dust. <i>Ceramics International</i> , 2017 , 43, 1980-1987	5.1	9
58	Selective Phase Transformation Behavior of Titanium-bearing Electric Furnace Molten Slag during the Molten NaOH Treatment Process. <i>ISIJ International</i> , 2015 , 55, 134-141	1.7	9
57	Microwave Hydrothermal Synthesis and Piezoelectric Properties Investigation of K0.5Na0.5NbO3 Lead-Free Ceramics. <i>Ferroelectrics</i> , 2010 , 404, 69-75	0.6	9

56	(K0.5Na0.5)(Nb1⊠Tax)O3 ceramics with a higher d33: Preparation from a two-stage microwave hydrothermal process. <i>Ceramics International</i> , 2015 , 41, 13331-13340	5.1	8
55	Preparation of transparent Mn-doped CaF2 glass-ceramics from silicon-manganese slag: Dependence of colour-controllable change on slag addition and crystallization behavior. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 3249-3261	6	8
54	Synthesis of TiO2 visible light catalysts with controllable crystalline phase and morphology from Ti-bearing electric arc furnace molten slag. <i>Journal of Environmental Sciences</i> , 2016 , 47, 14-22	6.4	8
53	Thermodynamic study and syntheses of EsiAlON ceramics. <i>Science in China Series D: Earth Sciences</i> , 2009 , 52, 3122-3127		8
52	Viscous Flow and Crystallization Behaviors of P-bearing Steelmaking Slags with Varying Fluorine Content. <i>ISIJ International</i> , 2016 , 56, 546-553	1.7	8
51	Two-step modification towards enhancing the adsorption capacity of fly ash for both inorganic Cu(II) and organic methylene blue from aqueous solution. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 36449-36461	5.1	8
50	Titanium mesh-supported TiO2 nanowire arrays/Yb-Er-F tri-doped TiO2 up-conversion nanoparticles Composite structure: Designation for high efficient flexible dye-sensitized solar cells. <i>Thin Solid Films</i> , 2019 , 681, 103-113	2.2	7
49	Hydrothermal Preparation and Oxygen Storage Capacity of Nano CeO2-based Materials. <i>Chinese Journal of Chemical Physics</i> , 2007 , 20, 711-716	0.9	7
48	Synthesis of SiO2Al2O3 composite aerogel from fly ash: a low-cost and facile approach. <i>Journal of Sol-Gel Science and Technology</i> , 2020 , 93, 281-290	2.3	7
47	Innovative methodology for comprehensive utilization of saprolite laterite ore: Recovery of metal-doped nickel ferrite and magnesium hydroxide. <i>Hydrometallurgy</i> , 2015 , 158, 27-34	4	6
46	Na2S Solution Remediation for Heavy Mercury Contaminated Soil. <i>Journal of Chemical Engineering of Japan</i> , 2017 , 50, 155-160	0.8	6
45	Inexpensive metal oxides nanoparticles doped Na2CO3 fibers for highly selective capturing trace HCl from HCl/CO2 mixture gas at low temperature. <i>Chemical Engineering Journal</i> , 2018 , 352, 634-643	14.7	6
44	Structure and Magnetic Properties of Co, Mn, Mg, and Al Codoped Nickel Ferrites Prepared from Laterite Leaching Solutions. <i>Chemistry Letters</i> , 2014 , 43, 1098-1100	1.7	6
43	Process development for selective precipitation of valuable metals and simultaneous synthesis of single-phase spinel ferrites from saprolite-limonite laterite leach liquors. <i>Hydrometallurgy</i> , 2017 , 173, 98-105	4	6
42	Synthesis of (Ni,Mg,Cu)Fe2O4 from nickel sulfide ore: A novel heterogeneous photo-Fenton-like catalyst with enhanced activity in the presence of oxalic acid. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020 , 390, 112308	4.7	6
41	Characterization of novel shape-stabilized phase change material mortar: Portland cement containing Na2SO4[10H2O and fly ash for energy-efficient building. <i>International Journal of Energy Research</i> , 2019 , 43, 5812-5823	4.5	5
40	Novel efficient heterogeneous visible light assisted Fenton-like catalyst (Ni,Mg,Cu)Fe2O4 from nickel sulfide concentrate. <i>Materials Letters</i> , 2019 , 253, 1-4	3.3	5
39	Preparation of an electrochemical sensor for measuring the silicon content in molten iron. <i>Sensors and Actuators B: Chemical</i> , 2017 , 240, 1189-1196	8.5	5

(2016-2015)

5 5 4 4 4	
4 4	
4	
4	
<u> </u>	
4	
4	
4	
4	
3	
3	
3	
3	
3	
3	
	3 3 3

20	Oxygen-enriched sintering for improved piezoelectric performance of (K0.5Na0.5)(Ta0.3Nb0.7)O3 lead-free ceramics: The impact of defects. <i>Ceramics International</i> , 2018 , 44, 19764-19770	5.1	2
19	Efficient removal of K2O and Fe2O3 impurities from bauxite tailings through active calcination combined with acid leaching. <i>Canadian Metallurgical Quarterly</i> , 2017 , 56, 294-300	0.9	2
18	Preparation and characterization of regenerated MgO-CaO refractory bricks sintered under different atmospheres. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2014 , 21, 1233-1240	3.1	2
17	Repairable electrochromic energy storage devices: A durable material with balanced performance based on titanium dioxide/tungsten trioxide nanorod array composite structure. <i>Chemical Engineering Journal</i> , 2022 , 430, 132821	14.7	2
16	Dynamic Desulfurization Process over Porous Znlūu-Based Materials in a Packed Column: Adsorption Kinetics and Breakthrough Modeling. <i>Energy & Energy & Ener</i>	4.1	2
15	Magnetic Ni-Zn spinel ferrite nanopowder from toxic Zn-bearing electric arc furnace dust: A promising treatment process. <i>Minerals Engineering</i> , 2020 , 157, 106540	4.9	2
14	Highly Dispersed Potassium-Based Nanowire Structure for Selectively Capturing Trace Hydrogen Chloride in H2S/CO2 Environments. <i>Energy & Energy & E</i>	4.1	2
13	Facile synthesis of ordered Nb2O5 coated TiO2 nanorod arrays for efficient perovskite solar cells. <i>Applied Surface Science</i> , 2021 , 542, 148728	6.7	2
12	Selective reduce roastingThagnetic separation towards efficient and cleaning removal of iron values from bauxite residual. <i>Canadian Metallurgical Quarterly</i> , 2019 , 58, 410-418	0.9	1
11	Kinetic Study on Phosphate Enrichment Behavior in CaOBiO2HeOHe2O3P2O5 Steelmaking Slags. <i>High Temperature Materials and Processes</i> , 2018 , 37, 477-486	0.9	1
10	A new kinetic treatment of the oxidation of EiAlON powder. <i>International Journal of Materials Research</i> , 2008 , 99, 1346-1351	0.5	1
9	An efficient and low-cost magnetic heterogenous Fenton-like catalyst for degrading antibiotics in wastewater: Mechanism, pathway and stability. <i>Journal of Environmental Management</i> , 2022 , 302, 1141	1 3 .9	1
8	Na2S Leaching Assisting Thermal Desorption for Thoroughly and Mildly Remediating Severely Hg-Contaminated Soil. <i>Journal of Chemical Engineering of Japan</i> , 2019 , 52, 805-810	0.8	1
7	In-Suit Industrial Tests of the Highly Efficient Recovery of Waste Heat and Reutilization of the Hot Steel Slag. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 3955-3962	8.3	1
6	Efficient Inorganic/Organic Acid Leaching for the Remediation of Protogenetic Lead-Contaminated Soil. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 3995	2.6	О
5	High mercury leachate containing HgS complex ion: Detoxifying solidification and high efficiency Hg extraction. <i>Journal of Environmental Sciences</i> , 2018 , 73, 177-184	6.4	
4	Viscous and Crystallization Characteristics of CaO-SiO2-MgO-Al2O3-FetO-P2O5-(CaF2) Steelmaking Slags 2016 , 495-500		
3	Properties of regenerated MgOtaO refractory bricks: Impurity of silicon dioxide. <i>Materials Research Innovations</i> , 2015 , 19, S2-119-S2-124	1.9	

Controllable preparation of anatase TiO2 nano arrays on Ti foil for flexible dye-sensitised solar cells. *Materials Research Innovations*, **2015**, 19, S2-10-S2-17

1.9

Novel insight into composite packing of copper modified adsorbents for synergistically capturing H2S&HCl in low-temperature anaerobic environment. *Separation and Purification Technology*, **2021**, 275, 119222

8.3