Min Guo

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2299358/min-guo-publications-by-year.pdf
Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127 papers	2,651 citations	25 h-index	47 g-index
132 ext. papers	3,114 ext. citations	4.9 avg, IF	5.42 L-index

#	Paper	IF	Citations
127	An efficient and low-cost magnetic heterogenous Fenton-like catalyst for degrading antibiotics in wastewater: Mechanism, pathway and stability. *Journal of Environmental Management*, **2022**, 302, 114119	7.9	1
126	Repairable electrochromic energy storage devices: A durable material with balanced performance based on titanium dioxide/tungsten trioxide nanorod array composite structure. *Chemical Engineering Journal*, **2022**, 430, 132821	14.7	2
125	Efficient Inorganic/Organic Acid Leaching for the Remediation of Protogenetic Lead-Contaminated Soil. *Applied Sciences (Switzerland)*, **2022**, 12, 3995	2.6	0
124	A review of NiO-based electrochromic-energy storage bifunctional material and integrated device. *Journal of Energy Storage*, **2021**, 103597	7.8	3
123	Enhanced heterogeneous Fenton-like degradation of refractory organic contaminants over Cu doped (Mg,Ni)(Fe,Al)O synthesized from laterite nickel ore. *Journal of Environmental Management*, **2021**, 283, 111941	7.9	3
122	Facile synthesis of ordered Nb2O5 coated TiO2 nanorod arrays for efficient perovskite solar cells. *Applied Surface Science*, **2021**, 542, 148728	6.7	2
121	In-Suit Industrial Tests of the Highly Efficient Recovery of Waste Heat and Reutilization of the Hot Steel Slag. *ACS Sustainable Chemistry and Engineering*, **2021**, 9, 3955-3962	8.3	1
120	Novel insight into composite packing of copper modified adsorbents for synergistically capturing H2S&HCl in low-temperature anaerobic environment. *Separation and Purification Technology*, **2021**, 275, 119222	8.3	
119	High-performance electrochromo-supercapacitors based on the synergetic effect between aqueous Al3+ and ordered hexagonal tungsten oxide nanorod arrays. *Journal of Materials Chemistry A*, **2020**, 8, 9927-9938	13	10
118	Synthesis of oriented core/shell hexagonal tungsten oxide/amorphous titanium dioxide nanorod arrays and its electrochromic-pseudocapacitive properties. *Applied Surface Science*, **2020**, 515, 146034	6.7	15
117	Preparation of transparent Mn-doped CaF2 glass-ceramics from silicon-manganese slag: Dependence of colour-controllable change on slag addition and crystallization behavior. *Journal of the European Ceramic Society*, **2020**, 40, 3249-3261	6	8
116	Effect of Sr substitution on the air-stability of perovskite solar cells. *Ceramics International*, **2020**, 46, 14038-14047	5.1	4
115	Facile and large-scale fabrication of (Mg,Ni)(Fe,Al)O heterogeneous photo-Fenton-like catalyst from saprolite laterite ore for effective removal of organic contaminants. *Journal of Hazardous Materials*, **2020**, 392, 122295	12.8	19
114	Efficient Nanorod Array Perovskite Solar Cells: A Suitable Structure for High Strontium Substitution in Nature. *ACS Applied Materials & Interfaces*, **2020**, 12, 10515-10526	9.5	3
113	Low-Temperature Highly Efficient and Selective Removal of HS over Three-Dimensional Zn-Cu-Based Materials in an Anaerobic Environment. *Environmental Science & Technology*, **2020** , 54, 5964-5972	10.3	14
112	Synthesis of (Ni,Mg,Cu)Fe2O4 from nickel sulfide ore: A novel heterogeneous photo-Fenton-like catalyst with enhanced activity in the presence of oxalic acid. *Journal of Photochemistry and Photobiology A: Chemistry*, **2020**, 390, 112308	4.7	6
111	Synthesis of SiO2-Al2O3 composite aerogel from fly ash: a low-cost and facile approach. *Journal of Sol-Gel Science and Technology*, **2020**, 93, 281-290	2.3	7

110	Metal-doped (Cu,Zn)Fe2O4 from integral utilization of toxic Zn-containing electric arc furnace dust: An environment-friendly heterogeneous Fenton-like catalyst. *International Journal of Minerals, Metallurgy and Materials*, **2020**, 27, 996-1006	3.1	3
109	Dynamic Desulfurization Process over Porous Zn–Cu-Based Materials in a Packed Column: Adsorption Kinetics and Breakthrough Modeling. *Energy & Fuels*, **2020**, 34, 16552-16559	4.1	2
108	Low temperature and pressureless synthesis of MgAlON: qualitative analysis and formation evolution. *International Journal of Materials Research*, **2020**, 111, 537-545	0.5	4
107	Magnetic Ni-Zn spinel ferrite nanopowder from toxic Zn-bearing electric arc furnace dust: A promising treatment process. *Minerals Engineering*, **2020**, 157, 106540	4.9	2
106	Highly Dispersed Potassium-Based Nanowire Structure for Selectively Capturing Trace Hydrogen Chloride in H2S/CO2 Environments. *Energy & Fuels*, **2020**, 34, 11712-11716	4.1	2
105	Enhanced HCl removal from CO2-rich mixture gases by CuOx/Na2CO3 porous sorbent at low temperature: Kinetics and forecasting. *Chemical Engineering Journal*, **2020**, 381, 122738	14.7	4
104	A novel heterostructure of oriented core/shell tungsten oxide nanorod arrays for electrochromo-pseudocapacitor. *Scripta Materialia*, **2020**, 174, 1-5	5.6	11
103	Hydrothermal temperature effect on microstructure evolution and Fenton-like catalytic performance of spinel ferrite (Mg,Ni)(Fe,Al)2O4 synthesized from saprolitic nickel laterite. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **2019**, 568, 11-19	5.1	10
102	Characterization of novel shape-stabilized phase change material mortar: Portland cement containing Na2SO4·10H2O and fly ash for energy-efficient building. *International Journal of Energy Research*, **2019**, 43, 5812-5823	4.5	5
101	Zeolite X Adsorbent with High Stability Synthesized from Bauxite Tailings for Cyclic Adsorption of CO2. *Energy & Fuels*, **2019**, 33, 6641-6649	4.1	10
100	Novel efficient heterogeneous visible light assisted Fenton-like catalyst (Ni,Mg,Cu)Fe2O4 from nickel sulfide concentrate. *Materials Letters*, **2019**, 253, 1-4	3.3	5
99	Selective reduce roasting–magnetic separation towards efficient and cleaning removal of iron values from bauxite residual. *Canadian Metallurgical Quarterly*, **2019**, 58, 410-418	0.9	1
98	High-efficiency perovskite solar cell based on TiO2 nanorod arrays under natural ambient conditions: Solvent effect. *Ceramics International*, **2019**, 45, 12353-12359	5.1	4
97	Research progress in lead-less or lead-free three-dimensional perovskite absorber materials for solar cells. *International Journal of Minerals, Metallurgy and Materials*, **2019**, 26, 387-403	3.1	13
96	Controllable preparation of CaF2 transparent glass ceramics: Dependence of the light transmittance mechanism on the glass crystallization behaviour. *Ceramics International*, **2019**, 45, 8510-8517	5.1	13
95	Titanium mesh-supported TiO2 nanowire arrays/Yb-Er-F tri-doped TiO2 up-conversion nanoparticles–composite structure: Designation for high efficient flexible dye-sensitized solar cells. *Thin Solid Films*, **2019**, 681, 103-113	2.2	7
94	Bifunctional aligned hexagonal/amorphous tungsten oxide core/shell nanorod arrays with enhanced electrochromic and pseudocapacitive performance. *Journal of Materials Chemistry A*, **2019**, 7, 16867-16875	13	35
93	Na2S Leaching Assisting Thermal Desorption for Thoroughly and Mildly Remediating Severely Hg-Contaminated Soil. *Journal of Chemical Engineering of Japan*, **2019**, 52, 805-810	0.8	1

92	High mercury leachate containing HgS complex ion: Detoxifying solidification and high efficiency Hg extraction. *Journal of Environmental Sciences*, **2018**, 73, 177-184	6.4	
91	The effect of SrI2 substitution on perovskite film formation and its photovoltaic properties via two different deposition methods. *Inorganic Chemistry Frontiers*, **2018**, 5, 1354-1364	6.8	12
90	Kinetic Study on Phosphate Enrichment Behavior in CaO-SiO2-FeO-Fe2O3-P2O5 Steelmaking Slags. *High Temperature Materials and Processes*, **2018**, 37, 477-486	0.9	1
89	Hydrothermal synthesis of Ni-Co-Cu alloy nanoparticles from low nickel matte. *Journal of Alloys and Compounds*, **2018**, 766, 229-240	5.7	13
88	Inexpensive metal oxides nanoparticles doped Na2CO3 fibers for highly selective capturing trace HCl from HCl/CO2 mixture gas at low temperature. *Chemical Engineering Journal*, **2018**, 352, 634-643	14.7	6
87	Oxygen-enriched sintering for improved piezoelectric performance of (K0.5Na0.5)(Ta0.3Nb0.7)O3 lead-free ceramics: The impact of defects. *Ceramics International*, **2018**, 44, 19764-19770	5.1	2
86	Lead-less mesoscopic perovskite solar cells with enhanced photovoltaic performance by strontium chloride substitution. *Ceramics International*, **2018**, 44, 18863-18870	5.1	10
85	Effect of PbI2 solution on air-preparation of perovskite solar cells for enhanced performance. *Applied Surface Science*, **2018**, 458, 172-182	6.7	18
84	Magnetic multi-metal co-doped magnesium ferrite nanoparticles: An efficient visible light-assisted heterogeneous Fenton-like catalyst synthesized from saprolite laterite ore. *Journal of Hazardous Materials*, **2018**, 344, 829-838	12.8	41
83	Two-step modification towards enhancing the adsorption capacity of fly ash for both inorganic Cu(II) and organic methylene blue from aqueous solution. *Environmental Science and Pollution Research*, **2018**, 25, 36449-36461	5.1	8
82	Facile synthesis of metal-doped magnesium ferrite from saprolite laterite as an effective heterogeneous Fenton-like catalyst. *Journal of Molecular Liquids*, **2018**, 272, 43-52	6	24
81	Structural Investigation of Phosphorus in CaO-SiO2-P2O5 Ternary Glass. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, **2017**, 48, 1139-1148	2.5	12
80	Electrodeposition of flexible stainless steel mesh supported ZnO nanorod arrays with enhanced photocatalytic performance. *Ceramics International*, **2017**, 43, 6460-6466	5.1	16
79	Efficient and selective recovery of Ni, Cu, and Co from low-nickel matte via a hydrometallurgical process. *International Journal of Minerals, Metallurgy and Materials*, **2017**, 24, 249-256	3.1	16
78	Na2S Solution Remediation for Heavy Mercury Contaminated Soil. *Journal of Chemical Engineering of Japan*, **2017**, 50, 155-160	0.8	6
77	Synthesis, structure and magnetic properties of spinel ferrite (Ni, Cu, Co)Fe2O4 from low nickel matte. *Ceramics International*, **2017**, 43, 16474-16481	5.1	32
76	Efficient removal of K2O and Fe2O3 impurities from bauxite tailings through active calcination combined with acid leaching. *Canadian Metallurgical Quarterly*, **2017**, 56, 294-300	0.9	2
75	Process development for selective precipitation of valuable metals and simultaneous synthesis of single-phase spinel ferrites from saprolite-limonite laterite leach liquors. *Hydrometallurgy*, **2017**, 173, 98-105	4	6

74	Multiple copper adsorption and regeneration by zeolite 4A synthesized from bauxite tailings. *Environmental Science and Pollution Research*, **2017**, 24, 21829-21835	5.1	18
73	Controllable growth of Na2CO3 fibers for mesoporous activated alumina ball modification towards the high-efficiency adsorption of HCl gas at low temperature. *RSC Advances*, **2017**, 7, 53306-53315	3.7	3
72	Utilization of Zn-containing electric arc furnace dust for multi-metal doped ferrite with enhanced magnetic property: From hazardous solid waste to green product. *Journal of Hazardous Materials*, **2017**, 339, 248-255	12.8	9
71	Facile synthesis of metal-doped Ni-Zn ferrite from treated Zn-containing electric arc furnace dust. *Ceramics International*, **2017**, 43, 1980-1987	5.1	9
70	Preparation of an electrochemical sensor for measuring the silicon content in molten iron. *Sensors and Actuators B: Chemical*, **2017**, 240, 1189-1196	8.5	5
69	Recovery of metal-doped zinc ferrite from zinc-containing electric arc furnace dust: Process development and examination of elemental migration. *Hydrometallurgy*, **2016**, 166, 1-8	4	11
68	Crystallization kinetics of glass‐ceramics prepared from high-carbon ferrochromium slag. *Ceramics International*, **2016**, 42, 19329-19335	5.1	20
67	Efficient and selective hydrothermal extraction of zinc from zinc-containing electric arc furnace dust using a novel bifunctional agent. *Hydrometallurgy*, **2016**, 166, 107-112	4	10
66	Viscous and Crystallization Characteristics of CaO-SiO2-MgO-Al2O3-FetO-P2O5-(CaF2) Steelmaking Slags **2016**, 495-500		
65	Titanium mesh supported TiO2 nanowire arrays/Nb-doped TiO2 nanoparticles for fully flexible dye-sensitized solar cells with improved photovoltaic properties. *Journal of Materials Chemistry C*, **2016**, 4, 11118-11128	7.1	20
64	Phosphate enrichment mechanism in CaO‐SiO2‐FeO‐Fe2O3‐P2O5 steelmaking slags with lower binary basicity. *International Journal of Minerals, Metallurgy and Materials*, **2016**, 23, 520-533	3.1	2
63	Synthesis of TiO2 visible light catalysts with controllable crystalline phase and morphology from Ti-bearing electric arc furnace molten slag. *Journal of Environmental Sciences*, **2016**, 47, 14-22	6.4	8
62	Synthesis and characterization of glass-ceramics prepared from high-carbon ferrochromium slag. *RSC Advances*, **2016**, 6, 52715-52723	3.7	14
61	Hydrothermal synthesis of mixtures of NaA zeolite and sodalite from Ti-bearing electric arc furnace slag. *RSC Advances*, **2016**, 6, 8358-8366	3.7	22
60	A novel hydrothermal method for zinc extraction and separation from zinc ferrite and electric arc furnace dust. *International Journal of Minerals, Metallurgy and Materials*, **2016**, 23, 146-155	3.1	16
59	Enhanced photovoltaic performance of fully flexible dye-sensitized solar cells based on the Nb2O5 coated hierarchical TiO2 nanowire-nanosheet arrays. *Applied Surface Science*, **2016**, 364, 676-685	6.7	17
58	Viscous Flow and Crystallization Behaviors of P-bearing Steelmaking Slags with Varying Fluorine Content. *ISIJ International*, **2016**, 56, 546-553	1.7	8
57	An improved implementable process for the synthesis of zeolite 4A from bauxite tailings and its Cr3+ removal capacity. *International Journal of Minerals, Metallurgy and Materials*, **2016**, 23, 850-857	3.1	11

56	Selective and Efficient Extraction of Zinc from Mixed Sulfide–Oxide Zinc and Lead Ore. *Mineral Processing and Extractive Metallurgy Review*, **2016**, 37, 418-426	3.1	11
55	Effect of P2O5 and FetO on the Viscosity and Slag Structure in Steelmaking Slags. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, **2015**, 46, 758-765	2.5	55
54	Effect of Al2O3 on the Viscosity and Structure of CaO-SiO2-MgO-Al2O3-FetO Slags. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, **2015**, 46, 537-541	2.5	45
53	Selective Crystallization Behavior of CaO-SiO2-Al2O3-MgO-FetO-P2O5 Steelmaking Slags Modified through P2O5 and Al2O3. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, **2015**, 46, 2246-2254	2.5	19
52	Hydrothermal preparation of WO3 nanorod array and ZnO nanosheet array composite structures on FTO substrates with enhanced photocatalytic properties. *Journal of Materials Chemistry C*, **2015**, 3, 7612-7620	7.1	35
51	Electrodeposition of hierarchical ZnO nanorod arrays on flexible stainless steel mesh for dye-sensitized solar cell. *Thin Solid Films*, **2015**, 586, 46-53	2.2	23
50	Influence of acid type and concentration on the synthesis of nanostructured titanium dioxide photocatalysts from titanium-bearing electric arc furnace molten slag. *RSC Advances*, **2015**, 5, 13478-13487	3.7	14
49	Direct fabrication and characterization of metal doped magnesium ferrites from treated laterite ores by the solid state reaction method. *Ceramics International*, **2015**, 41, 8155-8162	5.1	14
48	Hydrothermal synthesis and structure evolution of metal-doped magnesium ferrite from saprolite laterite. *RSC Advances*, **2015**, 5, 92778-92787	3.7	69
47	Innovative methodology for comprehensive utilization of saprolite laterite ore: Recovery of metal-doped nickel ferrite and magnesium hydroxide. *Hydrometallurgy*, **2015**, 158, 27-34	4	6
46	Effect of Ni substitution content on structure and magnetic properties of spinel ferrites synthesized from laterite leaching solutions. *Ceramics International*, **2015**, 41, 15283-15286	5.1	11
45	(K0.5Na0.5)(Nb1−xTax)O3 ceramics with a higher d33: Preparation from a two-stage microwave hydrothermal process. *Ceramics International*, **2015**, 41, 13331-13340	5.1	8
44	Synthesis, structure and magnetic properties of Zn substituted Ni–Co–Mn–Mg ferrites. *Materials Letters*, **2015**, 141, 122-124	3.3	25
43	Controllable synthesis of nanorod/nanodisk TiO2 from titanium-containing electric furnace molten slag. *Rare Metals*, **2015**, 34, 267-275	5.5	4
42	Properties of regenerated MgO–CaO refractory bricks: Impurity of silicon dioxide. *Materials Research Innovations*, **2015**, 19, S2-119-S2-124	1.9	
41	Hydration resistance and mechanism of regenerated MgO–CaO bricks. *Journal of the Ceramic Society of Japan*, **2015**, 123, 90-95	1	5
40	Selective Phase Transformation Behavior of Titanium-bearing Electric Furnace Molten Slag during the Molten NaOH Treatment Process. *ISIJ International*, **2015**, 55, 134-141	1.7	9
39	Effects of morphology, size and crystallinity on the electrochromic properties of nanostructured WO3 films. *CrystEngComm*, **2015**, 17, 5440-5450	3.3	33

38	Controllable preparation of TiO2 nanowire arrays on titanium mesh for flexible dye-sensitized solar cells. *Applied Surface Science*, **2015**, 347, 214-223	6.7	23
37	Effect of substrate pre-treatment on microstructure and enhanced electrochromic properties of WO3 nanorod arrays. *RSC Advances*, **2015**, 5, 106182-106190	3.7	14
36	Controllable preparation of anatase TiO2 nano arrays on Ti foil for flexible dye-sensitised solar cells. *Materials Research Innovations*, **2015**, 19, S2-10-S2-17	1.9	
35	Low-temperature-controlled synthesis and growth mechanism of AlN whiskers. *Materials Research Innovations*, **2015**, 19, S2-108-S2-112	1.9	22
34	Extraction of molybdenum and vanadium from the spent diesel exhaust catalyst by ammonia leaching method. *Journal of Hazardous Materials*, **2015**, 286, 402-9	12.8	47
33	Effects of preparing conditions on controllable one-step electrodeposition of ZnO nanotube arrays. *Electrochimica Acta*, **2014**, 132, 370-376	6.7	21
32	A novel hydrometallurgical approach to recover valuable metals from laterite ore. *Hydrometallurgy*, **2014**, 150, 161-166	4	15
31	Controllable electrodeposition of ZnO nanorod arrays on flexible stainless steel mesh substrate for photocatalytic degradation of Rhodamine B. *Applied Surface Science*, **2014**, 317, 672-681	6.7	25
30	Enrichment Mechanism of Phosphate in CaO-SiO2-FeO-Fe2O3-P2O5 Steelmaking Slags. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, **2014** , 45, 1666-1682	2.5	25
29	Structure and Magnetic Properties of Co, Mn, Mg, and Al Codoped Nickel Ferrites Prepared from Laterite Leaching Solutions. *Chemistry Letters*, **2014**, 43, 1098-1100	1.7	6
28	Preparation and characterization of regenerated MgO-CaO refractory bricks sintered under different atmospheres. *International Journal of Minerals, Metallurgy and Materials*, **2014**, 21, 1233-1240	3.1	2
27	One-step electrodeposition of single-crystal ZnO nanotube arrays and their optical properties. *Journal of Alloys and Compounds*, **2014**, 588, 217-221	5.7	39
26	Extraction and separation of nickel and cobalt from saprolite laterite ore by microwave-assisted hydrothermal leaching and chemical deposition. *International Journal of Minerals, Metallurgy and Materials*, **2013**, 20, 612-619	3.1	14
25	Preparation and UV property of size-controlled monodisperse nickel nanoparticles (. *Rare Metals*, **2013**, 32, 179-185	5.5	4
24	Preparation and visible-light photocatalytic property of nanostructured Fe-doped TiO2 from titanium containing electric furnace molten slag. *International Journal of Minerals, Metallurgy and Materials*, **2013**, 20, 1012-1020	3.1	20
23	Effect of substrate pre-treatment on controllable synthesis of hexagonal WO3 nanorod arrays and their electrochromic properties. *CrystEngComm*, **2013**, 15, 5828	3.3	32
22	Hydrothermal preparation and optical properties of orientation-controlled WO3 nanorod arrays on ITO substrates. *CrystEngComm*, **2013**, 15, 277-284	3.3	87
21	Viscosities Behavior of CaO-SiO2-MgO-Al2O3 Slag With Low Mass Ratio of CaO to SiO2 and Wide Range of A12O3 Content. *Journal of Iron and Steel Research International*, **2011**, 18, 1-6	1.2	59

20	Low-Temperature Preparation of KxNa(1-x)NbO3 Lead-Free Piezoelectric Powders by Microwave-Hydrothermal Synthesis. *International Journal of Applied Ceramic Technology*, **2011**, 8, 591-596	2	16
19	Electrodeposition of hierarchical ZnO nanorod-nanosheet structures and their applications in dye-sensitized solar cells. *ACS Applied Materials & Interfaces*, **2011**, 3, 2358-67	9.5	151
18	The Influence of SiO2 on the Extraction of Ti Element from Ti-bearing Blast Furnace Slag. *Steel Research International*, **2011**, 82, 607-614	1.6	49
17	Morphology evolution of lead-free ceramics: formation of Bi0.5Na0.5TiO3 superstructures on a Ti substrate. *CrystEngComm*, **2011**, 13, 1953-1958	3.3	3
16	Electrochemical deposition of branched hierarchical ZnO nanowire arrays and its photoelectrochemical properties. *Electrochimica Acta*, **2011**, 56, 5776-5782	6.7	60
15	Hydrothermal preparation and photoelectrochemical performance of size-controlled SnO2 nanorod arrays. *CrystEngComm*, **2010**, 12, 4024	3.3	58
14	Microwave Hydrothermal Synthesis and Piezoelectric Properties Investigation of K0.5Na0.5NbO3 Lead-Free Ceramics. *Ferroelectrics*, **2010**, 404, 69-75	0.6	9
13	Effects of pretreatment of substrates on the preparation of large scale ZnO nanotube arrays. *Rare Metals*, **2010**, 29, 21-25	5.5	3
12	Hydrothermal growth of well-aligned TiO2 nanorod arrays: Dependence of morphology upon hydrothermal reaction conditions. *Rare Metals*, **2010**, 29, 286-291	5.5	35
11	Hydrothermal synthesis and characterization of TiO2 nanorod arrays on glass substrates. *Materials Research Bulletin*, **2009**, 44, 1232-1237	5.1	88
10	Thermodynamic study and syntheses of β-SiAlON ceramics. *Science in China Series D: Earth Sciences*, **2009**, 52, 3122-3127		8
9	Preparation and properties of a nano TiO2/Fe3O4 composite superparamagnetic photocatalyst. *Rare Metals*, **2009**, 28, 423-427	5.5	73
8	Template-free hydrothermal synthesis of single-crystalline SnO2 nanocauliflowers and their optical properties. *Rare Metals*, **2009**, 28, 449-453	5.5	5
7	A new kinetic treatment of the oxidation of β-SiAlON powder. *International Journal of Materials Research*, **2008**, 99, 1346-1351	0.5	1
6	A theoretical analysis for oxidation of titanium carbide. *Journal of Materials Science*, **2008**, 43, 6193-6199	4.3	5
5	Density-controlled hydrothermal growth of well-aligned ZnO nanorod arrays. *Nanotechnology*, **2007**, 18, 035605	3.4	154
4	Hydrothermal Synthesis and Characterization of KxNa(1-x)NbO3 Powders. *International Journal of Applied Ceramic Technology*, **2007**, 4, 571-577	2	32
3	Hydrothermal Preparation and Oxygen Storage Capacity of Nano CeO2-based Materials. *Chinese Journal of Chemical Physics*, **2007**, 20, 711-716	0.9	7

2	Hydrothermal growth of well-aligned ZnO nanorod arrays: Dependence of morphology and alignment ordering upon preparing conditions. *Journal of Solid State Chemistry*, **2005**, 178, 1864-1873	3.3	391
1	A Novel Deep-Eutectic Solvent with Strong Coordination Ability and Low Viscosity for Efficient Extraction of Valuable Metals from Spent Lithium-Ion Batteries. *ACS Sustainable Chemistry and Engineering*,	8.3	4