

Sang Eun Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/229944/publications.pdf>

Version: 2024-02-01

130
papers

1,870
citations

236925

25
h-index

377865

34
g-index

132
all docs

132
docs citations

132
times ranked

3146
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of variations in prostatic apex shape on early recovery of urinary continence after radical retropubic prostatectomy. <i>Urology</i> , 2006, 68, 137-141.	1.0	81
2	Prediction of Gleason score upgrading in low-risk prostate cancers diagnosed via multi (≥12)-core prostate biopsy. <i>World Journal of Urology</i> , 2009, 27, 271-276.	2.2	58
3	Adjuvant Chemotherapy in the Management of pT3N0M0 Transitional Cell Carcinoma of the Upper Urinary Tract. <i>Urologia Internationalis</i> , 2006, 77, 22-26.	1.3	53
4	De Ritis ratio (aspartate transaminase/alanine transaminase ratio) as a significant prognostic factor after surgical treatment in patients with clear-cell localized renal cell carcinoma: a propensity score-matched study. <i>BJU International</i> , 2017, 119, 261-267.	2.5	53
5	Upregulated expression of BCL2, MCM7, and CCNE1 indicate cisplatin-resistance in the set of two human bladder cancer cell lines: T24 cisplatin sensitive and T24R2 cisplatin resistant bladder cancer cell lines. <i>Investigative and Clinical Urology</i> , 2016, 57, 63.	2.0	52
6	Improvement of hyponatraemia during hospitalisation for acute heart failure is not associated with improvement of prognosis: an analysis from the Korean Heart Failure (KorHF) registry. <i>Heart</i> , 2012, 98, 1798-1804.	2.9	50
7	Visceral Obesity in Predicting Oncologic Outcomes of Localized Renal Cell Carcinoma. <i>Journal of Urology</i> , 2014, 192, 1043-1049.	0.4	49
8	Significance of Macroscopic Tumor Necrosis as a Prognostic Indicator for Renal Cell Carcinoma. <i>Journal of Urology</i> , 2006, 176, 1332-1338.	0.4	48
9	Effect of Starting Penile Rehabilitation with Sildenafil Immediately after Robot-Assisted Laparoscopic Radical Prostatectomy on Erectile Function Recovery: A Prospective Randomized Trial. <i>Journal of Urology</i> , 2018, 199, 1600-1606.	0.4	44
10	Significance of Neurovascular Bundle Formation Observed on Preoperative Magnetic Resonance Imaging Regarding Postoperative Erectile Function After Nerve-Sparing Radical Retropubic Prostatectomy. <i>Urology</i> , 2007, 69, 510-514.	1.0	41
11	Prognostic significance of common preoperative laboratory variables in clear cell renal cell carcinoma. <i>BJU International</i> , 2006, 98, 1228-1232.	2.5	38
12	Overall survival and renal function after partial and radical nephrectomy among older patients with localised renal cell carcinoma: A propensity-matched multicentre study. <i>European Journal of Cancer</i> , 2015, 51, 489-497.	2.8	38
13	Synergistic antitumor effect of ginsenoside Rg3 and cisplatin in cisplatin-resistant bladder tumor cell line. <i>Oncology Reports</i> , 2014, 32, 1803-1808.	2.6	37
14	Comparison of oncological and perioperative outcomes of open, laparoscopic, and robotic nephroureterectomy approaches in patients with non-metastatic upper-tract urothelial carcinoma. <i>PLoS ONE</i> , 2019, 14, e0210401.	2.5	35
15	Risk of metastasis for T1a renal cell carcinoma. <i>World Journal of Urology</i> , 2016, 34, 553-559.	2.2	32
16	Outcomes of pathologic stage T3a renal cell carcinoma up-staged from small renal tumor: emphasis on partial nephrectomy. <i>BMC Cancer</i> , 2018, 18, 427.	2.6	31
17	Comparison of radiographic and pathologic sizes of renal tumors. <i>World Journal of Urology</i> , 2010, 28, 263-267.	2.2	30
18	High preoperative neutrophil-lymphocyte ratio predicts biochemical recurrence in patients with localized prostate cancer after radical prostatectomy. <i>World Journal of Urology</i> , 2016, 34, 821-827.	2.2	29

#	ARTICLE	IF	CITATIONS
19	Relationship of Prostate-Specific Antigen and Prostate Volume in Korean Men with Biopsy-Proven Benign Prostatic Hyperplasia. <i>Urology</i> , 2008, 71, 395-398.	1.0	28
20	Stratification of patients with intermediate-risk prostate cancer. <i>BJU International</i> , 2015, 115, 907-912.	2.5	28
21	Prognostic Significance of Tumor Necrosis in Primary Transitional Cell Carcinoma of Upper Urinary Tract. <i>Japanese Journal of Clinical Oncology</i> , 2007, 37, 49-55.	1.3	27
22	Correlation Between the Timing of Diagnostic Ureteroscopy and Intravesical Recurrence in Upper Tract Urothelial Cancer. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e37-e41.	1.9	27
23	Significance of Cancer Involvement at the Ureteral Margin Detected on Routine Frozen Section Analysis during Radical Cystectomy. <i>Urologia Internationalis</i> , 2006, 77, 13-17.	1.3	26
24	The Prevalence of Benign Prostatic Hyperplasia in Elderly Men in Korea: A Community-Based Study. <i>Korean Journal of Urology</i> , 2009, 50, 843.	1.2	26
25	A comprehensive review of neuroanatomy of the prostate. <i>Prostate International</i> , 2013, 1, 1-7.	2.3	26
26	Prognostic Value of Focal Positive Surgical Margins After Radical Prostatectomy. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e313-e319.	1.9	26
27	Perineural Invasion and Lymphovascular Invasion are Associated with Increased Risk of Biochemical Recurrence in Patients Undergoing Radical Prostatectomy. <i>Annals of Surgical Oncology</i> , 2016, 23, 2699-2706.	1.5	26
28	Effects of New 1-Step Posterior Reconstruction Method on Recovery of Continence after Robot-Assisted Laparoscopic Prostatectomy: Results of a Prospective, Single-Blind, Parallel Group, Randomized, Controlled Trial. <i>Journal of Urology</i> , 2015, 193, 935-942.	0.4	23
29	Diagnostic performance of diffusion-weighted imaging for prostate cancer: Peripheral zone versus transition zone. <i>PLoS ONE</i> , 2018, 13, e0199636.	2.5	23
30	Impact of Body Mass Index on Oncological Outcomes of Prostate Cancer Patients after Radical Prostatectomy. <i>Scientific Reports</i> , 2018, 8, 11962.	3.3	22
31	The Long-Term Influence of Body Mass Index on the Success Rate of Mid-Urethral Sling Surgery among Women with Stress Urinary Incontinence or Stress-Predominant Mixed Incontinence: Comparisons between Retropubic and Transobturator Approaches. <i>PLoS ONE</i> , 2014, 9, e113517.	2.5	21
32	The Nephrometry Score: Is It Effective for Predicting Perioperative Outcome During Robot-Assisted Partial Nephrectomy?. <i>Korean Journal of Urology</i> , 2014, 55, 254.	1.2	21
33	Comparison of robotic and open partial nephrectomy for highly complex renal tumors (RENAL) Tj ETQq1 1 0.784314 rgBT /Oyerlock 10	2.5	21
34	Salvage Radiotherapy after Radical Prostatectomy: Prediction of Biochemical Outcomes. <i>PLoS ONE</i> , 2014, 9, e103574.	2.5	20
35	Urinary Continence after Robot-Assisted Laparoscopic Radical Prostatectomy: The Impact of Intravesical Prostatic Protrusion. <i>Yonsei Medical Journal</i> , 2016, 57, 1145.	2.2	20
36	Preoperative Glycemic Control Status as a Significant Predictor of Biochemical Recurrence in Prostate Cancer Patients after Radical Prostatectomy. <i>PLoS ONE</i> , 2015, 10, e0124761.	2.5	20

#	ARTICLE	IF	CITATIONS
37	Diabetes Mellitus as an Independent Predictor of Survival of Patients Surgically Treated for Renal Cell Carcinoma: A Propensity Score Matching Study. <i>Journal of Urology</i> , 2015, 194, 1554-1560.	0.4	19
38	Effect of personalized extracorporeal biofeedback device for pelvic floor muscle training on urinary incontinence after robot-assisted radical prostatectomy: A randomized controlled trial. <i>Neurourology and Urodynamics</i> , 2020, 39, 674-681.	1.5	19
39	Is body mass index associated with pathological outcomes after radical prostatectomy in Korean men?. <i>BJU International</i> , 2011, 107, 1250-1256.	2.5	18
40	Theracurmin® efficiently inhibits the growth of human prostate and bladder cancer cells via induction of apoptotic cell death and cell cycle arrest. <i>Oncology Reports</i> , 2016, 35, 1463-1472.	2.6	18
41	Preoperative Serum Sex Hormone-Binding Globulin as a Predictive Marker for Extraprostatic Extension of Tumor in Patients with Clinically Localized Prostate Cancer. <i>European Urology</i> , 2008, 54, 1324-1332.	1.9	17
42	The role of 3-tesla diffusion-weighted magnetic resonance imaging in selecting prostate cancer patients for active surveillance. <i>Prostate International</i> , 2014, 2, 169-175.	2.3	17
43	Preoperative cholesterol level as a new independent predictive factor of survival in patients with metastatic renal cell carcinoma treated with cyto-reductive nephrectomy. <i>BMC Cancer</i> , 2017, 17, 364.	2.6	17
44	Anticancer effect of S-allyl-L-cysteine via induction of apoptosis in human bladder cancer cells. <i>Oncology Letters</i> , 2018, 15, 623-629.	1.8	17
45	The impact of preoperative anemia on oncologic outcome in patients undergoing radical cystectomy for urothelial carcinoma of the bladder. <i>International Urology and Nephrology</i> , 2016, 48, 489-494.	1.4	16
46	Effect of Electromagnetic Waves from Mobile Phones on Spermatogenesis in the Era of 4G-LTE. <i>BioMed Research International</i> , 2018, 2018, 1-8.	1.9	16
47	Metastatectomy prior to Immunochemotherapy for Metastatic Renal Cell Carcinoma. <i>Urologia Internationalis</i> , 2006, 76, 256-263.	1.3	15
48	Mobile Application-Based Seoul National University Prostate Cancer Risk Calculator: Development, Validation, and Comparative Analysis with Two Western Risk Calculators in Korean Men. <i>PLoS ONE</i> , 2014, 9, e94441.	2.5	15
49	Elective pelvic versus prostate bed-only salvage radiotherapy following radical prostatectomy. <i>Strahlentherapie Und Onkologie</i> , 2015, 191, 801-809.	2.0	15
50	The PREVAIL trial of enzalutamide in men with chemotherapy-naïve, metastatic castration-resistant prostate cancer: Post hoc analysis of Korean patients. <i>Investigative and Clinical Urology</i> , 2016, 57, 174.	2.0	15
51	Pre- and Post-Operative Nomograms to Predict Recurrence-Free Probability in Korean Men with Clinically Localized Prostate Cancer. <i>PLoS ONE</i> , 2014, 9, e100053.	2.5	14
52	Impact of Prostatic Apical Shape and Protrusion on Early Recovery of Continence After Robot-assisted Radical Prostatectomy. <i>Urology</i> , 2014, 84, 844-849.	1.0	14
53	Value of MR-US fusion in guidance of repeated prostate biopsy in men with PSA ≤ 10 ng/mL. <i>Clinical Imaging</i> , 2019, 53, 1-5.	1.5	14
54	Impact of diagnostic ureteroscopy before radical nephroureterectomy on intravesical recurrence in patients with upper tract urothelial cancer. <i>Investigative and Clinical Urology</i> , 2020, 61, 158.	2.0	14

#	ARTICLE	IF	CITATIONS
55	Prostate cancer detection rate in patients with fluctuating prostate-specific antigen levels on the repeat prostate biopsy. <i>Prostate International</i> , 2014, 2, 26-30.	2.3	13
56	Comparison of robotic and open partial nephrectomy: Single-surgeon matched cohort study. <i>Canadian Urological Association Journal</i> , 2014, 8, 471.	0.6	12
57	Phosphodiesterase Type 5 Inhibitor Use Following Radical Prostatectomy is not Associated with an Increased Risk of Biochemical Recurrence. <i>Annals of Surgical Oncology</i> , 2016, 23, 1760-1767.	1.5	12
58	Preoperative Cholesterol Level Is Associated With Worse Pathological Outcomes and Postoperative Survival in Localized Renal Cell Carcinoma Patients: A Propensity Score-Matched Study. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e935-e941.	1.9	12
59	Association between diabetes mellitus and oncological outcomes in bladder cancer patients undergoing radical cystectomy. <i>International Journal of Urology</i> , 2015, 22, 1112-1117.	1.0	11
60	Chronic Lower Urinary Tract Symptoms in Young Men Without Symptoms of Chronic Prostatitis: Urodynamic Analyses in 308 Men Aged 50 Years or Younger. <i>Korean Journal of Urology</i> , 2014, 55, 341.	1.2	10
61	Elastographic Strain Index in the Evaluation of Focal Lesions Detected With Transrectal Sonography of the Prostate Gland. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 899-904.	1.7	10
62	Comparison of the Width of Peritumoral Surgical Margin in Open and Robotic Partial Nephrectomy: A Propensity Score Matched Analysis. <i>PLoS ONE</i> , 2016, 11, e0158027.	2.5	10
63	Synergistic antitumor effect of NVP-BE235 and sunitinib on docetaxel-resistant human castration-resistant prostate cancer cells. <i>Anticancer Research</i> , 2014, 34, 3457-68.	1.1	10
64	Clinical importance of the antibiotic regimen in transrectal ultrasound-guided biopsy: quinolone versus cephalosporin. <i>BMC Urology</i> , 2016, 16, 51.	1.4	9
65	Clinical results of renal artery embolization to control postoperative hemorrhage after partial nephrectomy. <i>Acta Radiologica Open</i> , 2016, 5, 205846011665583.	0.6	9
66	Favorable Gleason 3+4 Prostate Cancer Shows Comparable Outcomes With Gleason 3+3 Prostate Cancer: Implications for the Expansion of Selection Criteria for Active Surveillance. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e1117-e1122.	1.9	9
67	Evaluation of Prostate Cancer Stage Groups Updated in the 8th Edition of the American Joint Committee on Cancer Tumor-Node-Metastasis Staging Manual. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e221-e226.	1.9	9
68	Prediction of pathologic upgrading in Gleason score 3+4 prostate cancer: Who is a candidate for active surveillance?. <i>Investigative and Clinical Urology</i> , 2020, 61, 405.	2.0	9
69	Prognostic Significance of the Disparity Between Biopsy and Pathologic Gleason Score After Radical Prostatectomy in Clinical Candidates for Active Surveillance According to the Royal Marsden Criteria. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e329-e333.	1.9	8
70	A negative multiparametric magnetic resonance imaging finding does not guarantee the absence of significant cancer among biopsy-proven prostate cancer patients: a real-life clinical experience. <i>International Urology and Nephrology</i> , 2018, 50, 1989-1997.	1.4	8
71	Association between lymphovascular invasion and oncologic outcomes among upper urinary tract urothelial carcinoma patients who underwent radical nephroureterectomy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 2863-2870.	2.5	8
72	Elective pelvic irradiation in prostate cancer patients with biochemical failure following radical prostatectomy: A propensity score matching analysis. <i>PLoS ONE</i> , 2019, 14, e0215057.	2.5	8

#	ARTICLE	IF	CITATIONS
73	Partial versus Radical Nephrectomy for T1-T2 Renal Cell Carcinoma in Patients with Chronic Kidney Disease Stage III: a Multiinstitutional Analysis of Kidney Function and Survival Rate. <i>Journal of Korean Medical Science</i> , 2018, 33, e277.	2.5	7
74	Clinical Significance of Serum Adipokines according to Body Mass Index in Patients with Clinically Localized Prostate Cancer Undergoing Radical Prostatectomy. <i>World Journal of Men's Health</i> , 2018, 36, 57.	3.3	7
75	Exome-based genome-wide association study and risk assessment using genetic risk score to prostate cancer in the Korean population. <i>Oncotarget</i> , 2017, 8, 43934-43943.	1.8	7
76	Comparison of Perioperative Outcomes of Extraperitoneal Laparoscopic Radical Prostatectomy (ELRP) versus Open Radical Retropubic Prostatectomy (RRP): Single Surgeon's Initial Experience. <i>Korean Journal of Urology</i> , 2007, 48, 131.	0.2	6
77	Can Contemporary Patients with Biopsy Gleason Score 3+4 Be Eligible for Active Surveillance?. <i>PLoS ONE</i> , 2014, 9, e109031.	2.5	6
78	Effects of Nonsteroidal Anti-Inflammatory Drugs as Patient Controlled Analgesia on Early Bowel Function Recovery after Radical Cystectomy. <i>Scientific Reports</i> , 2018, 8, 4658.	3.3	6
79	Accurate Risk Assessment of Patients with Pathologic T3aNOMO Renal Cell Carcinoma. <i>Scientific Reports</i> , 2018, 8, 13914.	3.3	6
80	Synchronous Bilateral RCC Is Associated With Poor Recurrence-Free Survival Compared With Unilateral RCC: A Single-Center Study With Propensity Score Matching Analysis. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e570-e580.	1.9	6
81	An exome-wide rare variant analysis of Korean men identifies three novel genes predisposing to prostate cancer. <i>Scientific Reports</i> , 2019, 9, 17173.	3.3	6
82	Suberoylanilide Hydroxamic Acid Can Re-sensitize a Cisplatin-Resistant Human Bladder Cancer. <i>Biological and Pharmaceutical Bulletin</i> , 2019, 42, 66-72.	1.4	6
83	The Use of Exome Genotyping to Predict Pathological Gleason Score Upgrade after Radical Prostatectomy in Low-Risk Prostate Cancer Patients. <i>PLoS ONE</i> , 2014, 9, e104146.	2.5	6
84	Genetic risk score to predict biochemical recurrence after radical prostatectomy in prostate cancer: prospective cohort study. <i>Oncotarget</i> , 2017, 8, 75979-75988.	1.8	6
85	Combination of clinical characteristics and transrectal ultrasound-guided biopsy to predict lobes without significant cancer: application in patient selection for hemiablativ focal therapy. <i>Prostate International</i> , 2014, 2, 37-42.	2.3	5
86	External Validation of Models for Prediction of Lymph Node Metastasis in Urothelial Carcinoma of the Bladder. <i>PLoS ONE</i> , 2015, 10, e0120552.	2.5	5
87	Comparison of clinical outcomes between upgraded pathologic Gleason score 3+4 and non-upgraded 3+4 prostate cancer among patients who are candidates for active surveillance. <i>World Journal of Urology</i> , 2015, 33, 1729-1734.	2.2	5
88	Impact of Variations in Prostatic Apex Shape on Apical Margin Positive Rate After Radical Prostatectomy: Robot-Assisted Laparoscopic Radical Prostatectomy vs Open Radical Prostatectomy. <i>Journal of Endourology</i> , 2018, 32, 46-53.	2.1	5
89	Efficacy and Safety of Sorafenib Therapy on Metastatic Renal Cell Carcinoma in Korean Patients: Results from a Retrospective Multicenter Study. <i>PLoS ONE</i> , 2015, 10, e0135165.	2.5	5
90	Clinical Value of Core Length in Contemporary Multicore Prostate Biopsy. <i>PLoS ONE</i> , 2015, 10, e0123704.	2.5	4

#	ARTICLE	IF	CITATIONS
91	Efficacy and safety of degarelix in Korean patients with prostate cancer requiring androgen deprivation therapy: Open-label multicenter phase III study. <i>Prostate International</i> , 2015, 3, 22-26.	2.3	4
92	Predictors of pathological upgrading in low-risk prostate cancer patients without hypointense lesions on an apparent diffusion coefficient map of multiparametric magnetic resonance imaging. <i>World Journal of Urology</i> , 2016, 34, 1541-1546.	2.2	4
93	A New Sliding-Loop Technique in Renorrhaphy for Partial Nephrectomy. <i>Surgical Innovation</i> , 2016, 23, 130-133.	0.9	4
94	Can robot-assisted laparoscopic radical prostatectomy (RALP) be performed very soon after biopsy?. <i>World Journal of Urology</i> , 2017, 35, 605-612.	2.2	4
95	Primary Tumor Characteristics Are Important Prognostic Factors for Sorafenib-Treated Patients with Metastatic Renal Cell Carcinoma: A Retrospective Multicenter Study. <i>BioMed Research International</i> , 2017, 2017, 1-13.	1.9	4
96	Comparative analysis of programmed cell death ligand 1 assays in renal cell carcinoma. <i>Histopathology</i> , 2020, 77, 67-78.	2.9	4
97	Association between Seminal Vesicle Invasion and Prostate Cancer Detection Location after Transrectal Systemic Biopsy among Men Who Underwent Radical Prostatectomy. <i>PLoS ONE</i> , 2016, 11, e0148690.	2.5	4
98	The Characteristics of Prostate Cancer with Metabolic Syndrome in Korean Men. <i>Korean Journal of Urology</i> , 2007, 48, 585.	0.2	3
99	Predictive Factors for Female Bladder Outlet Obstruction Defined by Pressure-Flow Study. <i>Korean Journal of Urology</i> , 2009, 50, 848.	1.2	3
100	A clinicogenetic model to predict lymph node invasion by use of genome-based biomarkers from exome arrays in prostate cancer patients. <i>Korean Journal of Urology</i> , 2015, 56, 109.	1.2	3
101	Do Second Primary Cancers Affect the Risk of Biochemical Recurrence in Prostate Cancer Patients Undergoing Radical Prostatectomy? A Propensity Score-Matched Analysis. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e363-e369.	1.9	3
102	Impact of poor glycemic control upon clinical outcomes after radical prostatectomy in localized prostate cancer. <i>Scientific Reports</i> , 2021, 11, 12002.	3.3	3
103	Clinical Significance of a Single-Core Positive Prostate Cancers Detected on Extended Prostate Needle Biopsy. <i>Korean Journal of Urology</i> , 2006, 47, 475.	0.2	3
104	Anatomical Analysis of Prostate and Surrounding Structures: Points to Consider during Radical Retropubic Prostatectomy. <i>Korean Journal of Urology</i> , 2006, 47, 568.	0.2	2
105	Clinical utility of prostate-specific antigen mass ratio for prediction of prostate cancer detection on a repeated prostate biopsy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014, 40, 484-492.	1.5	2
106	Growth Inhibition After Exposure to Transforming Growth Factor- β 21 in Human Bladder Cancer Cell Lines. <i>Korean Journal of Urology</i> , 2014, 55, 487.	1.2	2
107	Preoperative erectile function and the pathologic features of prostate cancer. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2015, 41, 265-273.	1.5	2
108	Do additional cores from cancer-suspicious lesions on transrectal ultrasound improve prostate cancer detection including index tumors over 12-core systematic biopsy?. <i>Cancer Management and Research</i> , 2018, Volume 10, 1125-1131.	1.9	2

#	ARTICLE	IF	CITATIONS
109	Analysis of risk factors for post-bacillus Calmette-Guérin-induced prostatitis in patients with non-muscle invasive bladder cancer. <i>Scientific Reports</i> , 2020, 10, 9763.	3.3	2
110	Is neoadjuvant androgen deprivation therapy beneficial in prostate cancer treated with definitive radiotherapy?. <i>Radiation Oncology Journal</i> , 2014, 32, 247.	1.5	2
111	Pathological Characteristics of Neuroendocrine Cell Differentiation in Prostate Cancer. <i>Korean Journal of Urology</i> , 2007, 48, 143.	0.2	1
112	Prognostic Significance of Multifocal Tumor in Radical Prostatectomy. <i>Korean Journal of Urology</i> , 2008, 49, 510.	0.2	1
113	Surgical castration efficiently delays the time of starting a systemic chemotherapy in castration-resistant prostate cancer patients refractory to initial androgen-deprivation therapy. <i>Prostate International</i> , 2015, 3, 123-126.	2.3	1
114	Clinical effect of abiraterone acetate in Korean patients with metastatic castration-resistant prostate cancer according to duration of androgen deprivation therapy. <i>Korean Journal of Urology</i> , 2015, 56, 580.	1.2	1
115	Clinical Importance of Antibiotic Regimen in Transrectal Ultrasound-Guided Prostate Biopsy: A Single Center Analysis of Nine Thousand Four Hundred Eighty-Seven Cases. <i>Surgical Infections</i> , 2018, 19, 704-710.	1.4	1
116	Prediction of unilateral prostate cancer by the combination of transrectal ultrasonography-guided prostate biopsy and multi-parametric magnetic resonance imaging: A real-life experience. <i>PLoS ONE</i> , 2018, 13, e0202872.	2.5	1
117	Subclassification of pathologically organ-confined (pT2) prostate cancer does not significantly predict postoperative outcomes in Korean males. <i>Investigative and Clinical Urology</i> , 2020, 61, 35.	2.0	1
118	Clinical outcomes of salvage treatment in lymph node-positive prostate cancer patients after radical prostatectomy. <i>PLoS ONE</i> , 2021, 16, e0256778.	2.5	1
119	Are Risk Factors for Failure after Mid-Urethral Sling Operation Different between Patients with Pure Stress and Those with Mixed Urinary Incontinence in the Short-Term Follow-Up?. <i>Korean Journal of Urology</i> , 2009, 50, 573.	1.2	1
120	The Relationship of Prostate Volume and the Grade of Prostate Cancer. <i>Korean Journal of Urology</i> , 2007, 48, 1004.	0.2	0
121	A Case of Ectopic ACTH Syndrome Associated with Metastatic Prostate Cancer. <i>Endocrinology and Metabolism</i> , 2012, 27, 237.	3.0	0
122	Altered Gene Expression Profile After Exposure to Transforming Growth Factor β 1 in the 253J Human Bladder Cancer Cell Line. <i>Korean Journal of Urology</i> , 2014, 55, 542.	1.2	0
123	Genome-wide detection of allelic genetic variation to predict advanced-stage prostate cancer after radical prostatectomy using an exome SNP chip. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 385.e7-385.e13.	1.6	0
124	Efficacy of Partial Nephrectomy for Renal Tumors \geq 4 cm: Comparison With Renal Tumors \leq 4 cm. <i>International Surgery</i> , 2016, 101, 7-13.	0.1	0
125	Clinicopathological Significance of the Lymphovascular Invasion Detected in Specimens from Radical Retropubic Prostatectomies. <i>Korean Journal of Urology</i> , 2006, 47, 757.	0.2	0
126	Efficacy of Radical Retropubic Prostatectomy in Patients with Clinically Localized Prostate Cancer and a Biopsy Gleason Score of 8 or Higher. <i>Korean Journal of Urology</i> , 2007, 48, 592.	0.2	0

#	ARTICLE	IF	CITATIONS
127	Whole pelvic irradiation for prostate cancer patients with a biochemical relapse following radical prostatectomy: The era of robot-assisted minimally invasive surgery.. Journal of Clinical Oncology, 2014, 32, 210-210.	1.6	0
128	Metastasis free survival following salvage radiotherapy versus hormonal therapy alone in patients with biochemical recurrence after radical prostatectomy.. Journal of Clinical Oncology, 2016, 34, 130-130.	1.6	0
129	Pelvic lymph node metastases in prostate cancer: Preoperative detection with dynamic contrast-enhanced magnetic resonance imaging compared with postoperative pathologic result of pelvic lymph node dissection.. Journal of Clinical Oncology, 2018, 36, 171-171.	1.6	0
130	What is the most important predictor of renal function after opened and robotic partial nephrectomy? A propensity score matched study.. Journal of Clinical Oncology, 2018, 36, 701-701.	1.6	0