

Shlomo Vinker, Mha

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2300757/shlomo-vinker-mha-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

735

citations

17

h-index

24

g-index

73

ext. papers

1,106

ext. citations

3.2

avg, IF

4.71

L-index

#	Paper	IF	Citations
63	Similarities and differences between two well-performing healthcare systems: a comparison between the Israeli and the Danish healthcare systems.. <i>Israel Journal of Health Policy Research</i> , 2022 , 11, 14	1.7	1
62	The efficacy of single pharmacist medication review among type II diabetic patients who take six chronic medications or more: a case-control study.. <i>Israel Journal of Health Policy Research</i> , 2022 , 11, 15	1.7	
61	Global multi-stakeholder endorsement of the MAFLD definition.. <i>The Lancet Gastroenterology and Hepatology</i> , 2022 ,	18.8	18
60	Clinical and Laboratory Features in the Israeli Population with COVID-19 Infection after Pfizer-BioNTech mRNA Booster Vaccination. <i>Vaccines</i> , 2022 , 10, 636	5.3	
59	Large-Scale Study of Antibody Titer Decay following BNT162b2 mRNA Vaccine or SARS-CoV-2 Infection.. <i>Vaccines</i> , 2021 , 10,	5.3	30
58	Elapsed time since BNT162b2 vaccine and risk of SARS-CoV-2 infection: test negative design study. <i>BMJ, The</i> , 2021 , 375, e067873	5.9	30
57	The association of previous influenza vaccination and coronavirus disease-2019. <i>Human Vaccines and Immunotherapeutics</i> , 2021 , 17, 2169-2175	4.4	13
56	ADHD as a Risk Factor for Infection With Covid-19. <i>Journal of Attention Disorders</i> , 2021 , 25, 1783-1790	3.7	37
55	Haemoglobin A1c is a predictor of COVID-19 severity in patients with diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2021 , 37, e3398	7.5	22
54	Effect of a primary-care-team focused diabetes educational program project on diabetes care quality indicators in a large health maintenance organization. <i>Diabetes Research and Clinical Practice</i> , 2021 , 177, 108896	7.4	2
53	COVID-19 Susceptibility in Bronchial Asthma. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021 , 9, 684-692.e1	5.4	32
52	General practitionersSdeprescribing decisions in older adults with polypharmacy: a case vignette study in 31 countries. <i>BMC Geriatrics</i> , 2021 , 21, 19	4.1	8
51	Elapsed time since BNT162b2 vaccine and risk of SARS-CoV-2 infection in a large cohort 2021 ,		27
50	Large-scale study of antibody titer decay following BNT162b2 mRNA vaccine or SARS-CoV-2 infection 2021 ,		25
49	Non-alcoholic fatty liver disease: A patient guideline. <i>JHEP Reports</i> , 2021 , 3, 100322	10.3	17
48	Steps towards implementing evidence-based screening in family medicine in Ukraine: SWOT-analysis of an approach of multidimensional empowerment. <i>BMC Family Practice</i> , 2021 , 22, 20	2.6	0
47	Survey of the Knowledge, Attitudes and Practices of Primary Care PhysicianS Towards Dementia Care in Israel 2020 , 9, 70-80		

46	Academic general practice/family medicine in times of COVID-19 - Perspective of WONCA Europe. <i>European Journal of General Practice</i> , 2020 , 26, 182-188	2.8	10
45	Factors associated with withdrawal from insulin pump therapy: A large-population-based study. <i>Diabetes/Metabolism Research and Reviews</i> , 2020 , 36, e3288	7.5	3
44	Managing hypertension in frail oldest-old-The role of guideline use by general practitioners from 29 countries. <i>PLoS ONE</i> , 2020 , 15, e0236064	3.7	1
43	Unburdening dementia - a basic social process grounded theory based on a primary care physician survey from 25 countries. <i>Scandinavian Journal of Primary Health Care</i> , 2020 , 38, 253-264	2.7	4
42	Long-term outcomes of tonsillectomy for recurrent tonsillitis in adults. <i>Laryngoscope</i> , 2020 , 130, 328-331	3.6	4
41	Managing hypertension in frail oldest-oldThe role of guideline use by general practitioners from 29 countries 2020 , 15, e0236064		
40	Managing hypertension in frail oldest-oldThe role of guideline use by general practitioners from 29 countries 2020 , 15, e0236064		
39	Managing hypertension in frail oldest-oldThe role of guideline use by general practitioners from 29 countries 2020 , 15, e0236064		
38	Managing hypertension in frail oldest-oldThe role of guideline use by general practitioners from 29 countries 2020 , 15, e0236064		
37	Adherence to oral antihypertensive medications, are all medications equal?. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 243-248	2.3	4
36	Patient Characteristics and General PractitionersSA Advice to Stop Statins in Oldest-Old Patients: a Survey Study Across 30 Countries. <i>Journal of General Internal Medicine</i> , 2019 , 34, 1751-1757	4	10
35	Burden of cardiovascular disease across 29 countries and GPsSdecision to treat hypertension in oldest-old. <i>Scandinavian Journal of Primary Health Care</i> , 2018 , 36, 89-98	2.7	7
34	Chronic hypnotic use at 10years-does the brand matter?. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 1623-1631	2.8	17
33	Diabetic Retinopathy -Incidence And Risk Factors In A Community Setting- A Longitudinal Study. <i>Scandinavian Journal of Primary Health Care</i> , 2018 , 36, 237-241	2.7	7
32	End-stage renal disease and adherence to angiotensin-converting enzyme inhibitors and angiotensin receptor blockers among patients with diabetes. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 627-631	2.3	3
31	Diabetes medication persistence, different medications have different persistence rates. <i>Primary Care Diabetes</i> , 2017 , 11, 360-364	2.4	5
30	Exploring dementia management attitudes in primary care: a key informant survey to primary care physicians in 25 European countries. <i>International Psychogeriatrics</i> , 2017 , 29, 1413-1423	3.4	23
29	A new marker of primary care utilization - annual accumulated duration of time of visits. <i>Israel Journal of Health Policy Research</i> , 2017 , 6, 35	1.7	6

28	Cancer Screening of Older Adults in Israel According to Life Expectancy: Cross Sectional Study. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2539-2544	5.6	2
27	Out of hospital Cardio-pulmonary arrest - Is there a role for the primary healthcare teams?. <i>Israel Journal of Health Policy Research</i> , 2017 , 6, 36	1.7	3
26	Variation in GP decisions on antihypertensive treatment in oldest-old and frail individuals across 29 countries. <i>BMC Geriatrics</i> , 2017 , 17, 93	4.1	17
25	European General Practice Research Network (EGPRN). <i>European Journal of General Practice</i> , 2017 , 23, 227-240	2.8	1
24	High Normal Uric Acid Levels Are Associated with an Increased Risk of Diabetes in Lean, Normoglycemic Healthy Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 3772-3778	5.6	29
23	Dealing with ambiguity: Israeli physicians' attitudes and practices regarding pre-exercise certificates: a questionnaire study. <i>Israel Journal of Health Policy Research</i> , 2016 , 5, 8	1.7	1
22	Glycemic control of diabetes patients under continuous rocket attacks. <i>Disaster and Military Medicine</i> , 2016 , 2, 1		1
21	Long-Term Outcomes of Three Types of Bariatric Surgery on Obesity and Type 2 Diabetes Control and Remission. <i>Obesity Surgery</i> , 2016 , 26, 1814-20	3.7	57
20	Interpersonal continuity of care and type two diabetes. <i>Primary Care Diabetes</i> , 2016 , 10, 165-70	2.4	22
19	Considerations and complications after BellsSpalsy. <i>Journal of Clinical Neuroscience</i> , 2015 , 22, 1949-53	2.2	8
18	Physicians' behavior following changes in LDL cholesterol target goals. <i>Israel Journal of Health Policy Research</i> , 2015 , 4, 20	1.7	4
17	Uric acid levels within the normal range predict increased risk of hypertension: a cohort study. <i>Journal of the American Society of Hypertension</i> , 2015 , 9, 600-9		26
16	Structured nursing follow-up: does it help in diabetes care?. <i>Israel Journal of Health Policy Research</i> , 2014 , 3, 27	1.7	5
15	Low rate of non-attenders to primary care providers in Israel - a retrospective longitudinal study. <i>Israel Journal of Health Policy Research</i> , 2014 , 3, 15	1.7	7
14	The association between body mass index and increased utilization of healthcare services: a retrospective cohort study of 51,521 young adult males. <i>Endocrine Practice</i> , 2014 , 20, 638-45	3.2	6
13	Extending the boundaries of family medicine to perform manual procedures. <i>Israel Journal of Health Policy Research</i> , 2014 , 3, 35	1.7	2
12	Low clinical utility of folate determinations in primary care setting. <i>American Journal of Managed Care</i> , 2013 , 19, e100-5	2.1	5
11	Incidence and clinical manifestations of rheumatic fever: a 6 year community-based survey. <i>Israel Medical Association Journal</i> , 2010 , 12, 78-81	0.9	15

10	Measurement of quality improvement in family practice over two-year period using electronic database quality indicators: retrospective cohort study from Israel. <i>Croatian Medical Journal</i> , 2009 , 50, 387-93	1.6	2
9	Adherence with statins over 8 years in a usual care setting. <i>American Journal of Managed Care</i> , 2008 , 14, 388-92	2.1	41
8	Web-based question-answering service of a family physician -- the characteristics of queries in a non-commercial open forum. <i>Informatics for Health and Social Care</i> , 2007 , 32, 123-9		8
7	Urgent referrals to a specialist by family physicians--is the "urgency" real: a prospective study. <i>European Journal of General Practice</i> , 2007 , 13, 37-9	2.8	2
6	Effect of the characteristics of family physicians on their utilisation of laboratory tests. <i>British Journal of General Practice</i> , 2007 , 57, 377-82	1.6	15
5	The effect of drug information leaflets on patient behavior. <i>Israel Medical Association Journal</i> , 2007 , 9, 383-6	0.9	27
4	Prevalence of methylphenidate use among Israeli children: 1998-2004. <i>Clinical Drug Investigation</i> , 2006 , 26, 161-7	3.2	26
3	Prescription of ocular beta-blockers in patients with obstructive pulmonary disease: Does a central electronic medical record make a difference?. <i>Clinical Drug Investigation</i> , 2006 , 26, 495-500	3.2	9
2	Quality of diabetes care in the community: a cross-sectional study in central Israel. <i>Israel Medical Association Journal</i> , 2005 , 7, 643-7	0.9	4
1	Low plasma 25(OH) vitamin D level is associated with increased risk of COVID-19 infection: an Israeli population-based study		16