

Montserrat Mestres

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2301089/montserrat-mestres-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers

2,340
citations

28
h-index

48
g-index

50
ext. papers

2,554
ext. citations

5
avg, IF

4.66
L-index

#	Paper	IF	Citations
48	Effect of the Addition of Non-Saccharomyces at First Alcoholic Fermentation on the Enological Characteristics of Cava Wines. <i>Fermentation</i> , 2021 , 7, 64	4.7	2
47	ATR-MIR spectroscopy as a process analytical technology in wine alcoholic fermentation IIA tutorial. <i>Microchemical Journal</i> , 2021 , 166, 106215	4.8	4
46	Processing factors that affect the balance of alcohols and alkyl esters during Arbequinaolive oil production: Separation and clarification steps. <i>LWT - Food Science and Technology</i> , 2021 , 149, 111842	5.4	0
45	ATR-MIR spectroscopy to predict commercial milk major components: A comparison between a handheld and a benchtop instrument. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2020 , 200, 103995	3.8	10
44	Quantitation of endogenous amount of ethanol, methanol and acetaldehyde in ripe fruits of different Spanish olive varieties. <i>Journal of the Science of Food and Agriculture</i> , 2020 , 100, 3173-3181	4.3	3
43	Monitoring wine fermentation deviations using an ATR-MIR spectrometer and MSPC charts. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2020 , 201, 104011	3.8	5
42	ATR-MIR spectroscopy and multivariate analysis in alcoholic fermentation monitoring and lactic acid bacteria spoilage detection. <i>Food Control</i> , 2020 , 109, 106947	6.2	10
41	Early detection of undesirable deviations in must fermentation using a portable FTIR-ATR instrument and multivariate analysis. <i>Journal of Chemometrics</i> , 2019 , 33, e3162	1.6	2
40	Sensory Analysis 2017 , 377-391		
39	Olive oil sensory defects classification with data fusion of instrumental techniques and multivariate analysis (PLS-DA). <i>Food Chemistry</i> , 2016 , 203, 314-322	8.5	65
38	Prediction of olive oil sensory descriptors using instrumental data fusion and partial least squares (PLS) regression. <i>Talanta</i> , 2016 , 155, 116-23	6.2	32
37	Data fusion methodologies for food and beverage authentication and quality assessment - a review. <i>Analytica Chimica Acta</i> , 2015 , 891, 1-14	6.6	383
36	Identification of olive oil sensory defects by multivariate analysis of mid infrared spectra. <i>Food Chemistry</i> , 2015 , 187, 197-203	8.5	27
35	Influence of Emulsification Technique and Wall Composition on Physicochemical Properties and Oxidative Stability of Fish Oil Microcapsules Produced by Spray Drying. <i>Food and Bioprocess Technology</i> , 2013 , 7, 1959	5.1	18
34	Quantification of phenolic compounds during red winemaking using FT-MIR spectroscopy and PLS-regression. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 10795-802	5.7	41
33	Discrimination and sensory description of beers through data fusion. <i>Talanta</i> , 2011 , 87, 136-42	6.2	51
32	Prediction of red wine colour and phenolic parameters from the analysis of its grape extract. <i>International Journal of Food Science and Technology</i> , 2011 , 46, 2569-2575	3.8	9

31	Characterization and classification of the aroma of beer samples by means of an MS e-nose and chemometric tools. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 399, 2073-81	4.4	62
30	Determination of roasted pistachio (<i>Pistacia vera</i> L.) key odorants by headspace solid-phase microextraction and gas chromatography-olfactometry. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 2518-23	5.7	27
29	Application of FT-MIR spectroscopy for fast control of red grape phenolic ripening. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 2175-83	5.7	59
28	Chemical characterization of commercial Sherry vinegar aroma by headspace solid-phase microextraction and gas chromatography-olfactometry. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 4062-70	5.7	40
27	Comparison of three extraction methods used to evaluate phenolic ripening in red grapes. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 4071-6	5.7	13
26	Application of an electronic tongue based on FT-MIR to emulate the gustative mouthfeel "tannin amount" in red wines. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 397, 3043-9	4.4	18
25	Use of synthetic wine for models transfer in wine analysis by HS-MS e-nose. <i>Sensors and Actuators B: Chemical</i> , 2010 , 143, 689-695	8.5	20
24	Comparative study of two extraction techniques to obtain representative aroma extracts for being analysed by gas chromatography-olfactometry: application to roasted pistachio aroma. <i>Journal of Chromatography A</i> , 2010 , 1217, 7781-7	4.5	31
23	Determination of some flavan-3-ols and anthocyanins in red grape seed and skin extracts by HPLC-DAD: Validation study and response comparison of different standards. <i>Analytica Chimica Acta</i> , 2008 , 628, 104-110	6.6	38
22	Dynamics of retronasal aroma perception during consumption: Cross-linking on-line breath analysis with medico-analytical tools to elucidate a complex process. <i>Food Chemistry</i> , 2008 , 108, 1234-1246	8.5	46
21	Comparative study of two chromatographic methods for quantifying 2,4,6-trichloroanisole in wines. <i>Journal of Chromatography A</i> , 2007 , 1138, 18-25	4.5	15
20	Release and perception of ethyl butanoate during and after consumption of whey protein gels: relation between textural and physiological parameters. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 1814-21	5.7	52
19	Determination of total chloroanisoles in different kinds of cork stoppers. <i>Analytica Chimica Acta</i> , 2006 , 563, 310-314	6.6	21
18	Quantification of chloroanisoles in cork using headspace solid-phase microextraction and gas chromatography with electron capture detection. <i>Journal of Chromatography A</i> , 2006 , 1107, 240-7	4.5	23
17	Aroma release and retronasal perception during and after consumption of flavored whey protein gels with different textures. 1. in vivo release analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 403-9	5.7	65
16	Investigation of the retronasal perception of strawberry aroma aftersmell depending on matrix composition. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 1661-9	5.7	16
15	Solid-Phase Microextraction Method for Headspace Analysis of Volatile Compounds in Bread Crumb. <i>Cereal Chemistry</i> , 2003 , 80, 255-259	2.4	55
14	Evaluation of the most odour-active compounds in the peel oil of clementines (<i>citrus reticulata</i> blanco cv. clementine). <i>European Food Research and Technology</i> , 2003 , 216, 11-14	3.4	49

13	Solid-phase microextraction and gas chromatography olfactometry analysis of successively diluted samples. A new approach of the aroma extract dilution analysis applied to the characterization of wine aroma. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 7861-5	5.7	80
12	Application of headspace solid-phase microextraction to the determination of sulphur compounds with low volatility in wines. <i>Journal of Chromatography A</i> , 2002 , 945, 211-9	4.5	75
11	Headspace solid-phase microextraction analysis of 3-alkyl-2-methoxypyrazines in wines. <i>Journal of Chromatography A</i> , 2002 , 953, 1-6	4.5	79
10	Headspace solid-phase microextraction of higher fatty acid ethyl esters in white rum aroma. <i>Journal of Chromatography A</i> , 2002 , 954, 51-7	4.5	41
9	Determination of 4-ethylguaiacol and 4-ethylphenol in red wines using headspace-solid-phase microextraction-gas chromatography. <i>Journal of Chromatography A</i> , 2002 , 975, 349-54	4.5	70
8	Analysis of organic sulfur compounds in wine aroma. <i>Journal of Chromatography A</i> , 2000 , 881, 569-81	4.5	245
7	Headspace solid-phase microextraction method for determining 3-alkyl-2-methoxypyrazines in musts by means of polydimethylsiloxane-divinylbenzene fibres. <i>Journal of Chromatography A</i> , 2000 , 880, 93-9	4.5	56
6	Analysis of low-volatility organic sulphur compounds in wines by solid-phase microextraction and gas chromatography. <i>Journal of Chromatography A</i> , 2000 , 881, 583-90	4.5	53
5	Headspace solid-phase microextraction of sulphides and disulphides using Carboxen-polydimethylsiloxane fibers in the analysis of wine aroma. <i>Journal of Chromatography A</i> , 1999 , 835, 137-44	4.5	85
4	Simultaneous analysis of thiols, sulphides and disulphides in wine aroma by headspace solid-phase microextraction-gas chromatography. <i>Journal of Chromatography A</i> , 1999 , 849, 293-7	4.5	70
3	Headspace solid-phase microextraction analysis of volatile sulphides and disulphides in wine aroma. <i>Journal of Chromatography A</i> , 1998 , 808, 211-8	4.5	96
2	Chromatographic analysis of volatile sulphur compounds in wines, using the static headspace technique with flame photometric detection. <i>Journal of Chromatography A</i> , 1997 , 773, 261-9	4.5	41
1	Determination of biogenic amines in wine after clean-up by solid-phase extraction. <i>Chromatographia</i> , 1995 , 40, 404-410	2.1	37