
Marie-Christine Kyrtsonis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2301358/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Serum ferritin levels in previously untreated classical Hodgkin lymphoma: correlations and prognostic significance. Leukemia and Lymphoma, 2022, 63, 799-812.	0.6	5
2	Real-life Experience With Rituximab-CHOP Every 21 or 14 Days in Primary Mediastinal Large B-cell Lymphoma. In Vivo, 2022, 36, 1302-1315.	0.6	2
3	Daratumumab Improves Bone Turnover in Relapsed/Refractory Multiple Myeloma; Phase 2 Study "REBUILD― Cancers, 2022, 14, 2768.	1.7	6
4	Positron emission tomography after response to rituximab-CHOP in primary mediastinal large B-cell lymphoma: impact on outcomes and radiotherapy strategies. Annals of Hematology, 2021, 100, 2279-2292.	0.8	10
5	Realâ€life experience with the combination of polatuzumab vedotin, rituximab, and bendamustine in aggressive Bâ€cell lymphomas. Hematological Oncology, 2021, 39, 336-348.	0.8	25
6	Carfilzomib Improves Bone Metabolism in Patients with Advanced Relapsed/Refractory Multiple Myeloma: Results of the CarMMa Study. Cancers, 2021, 13, 1257.	1.7	9
7	Pomalidomide Plus Low-Dose Dexamethasone in Relapsed/Refractory Multiple Myeloma Patients: Results of the Real-World "POWERFUL―Study. Journal of Clinical Medicine, 2021, 10, 1509.	1.0	2
8	Identification of Very Low-Risk Subgroups of Patients with Primary Mediastinal Large B-Cell Lymphoma Treated with R-CHOP. Oncologist, 2021, 26, 597-609.	1.9	15
9	A Study of Ribonucleotide Reductase mRNA Expression and Its Prognostic Role in Patients with Chronic Lymphocytic Leukemia. Blood, 2021, 138, 4678-4678.	0.6	Ο
10	Validation of the simplified International Prognostic Score3 in a Hellenic cohort of patients with advancedâ€stage Hodgkin″ymphoma. British Journal of Haematology, 2020, 190, e335-e339.	1.2	4
11	Realâ€world data on incidence, clinical characteristics and outcome of patients with macrofocal multiple myeloma (MFMM) in the era of novel therapies: A study of the Grecoâ€Israeli collaborative myeloma working group. American Journal of Hematology, 2020, 95, 465-471.	2.0	9
12	Alveolar bone histological necrosis observed prior to extractions in patients, who received boneâ€ŧargeting agents. Oral Diseases, 2020, 26, 955-966.	1.5	43
13	Daratumumab with Dexamethasone in Patients with Relapsed/Refractory Multiple Myeloma and Severe Renal Impairment: Results on Efficacy and Safety of the Phase 2 Dare Study. Blood, 2020, 136, 48-49.	0.6	7
14	Efficacy of Daratumumab Monotherapy on Bone Metabolism of Patients with Advanced Relapsed/Refractory Multiple Myeloma: Results from the Phase 2 Rebuild Study. Blood, 2020, 136, 29-29.	0.6	0
15	Serum Soluble Syndecan-1 (ssCD138) Can Contribute to the Discrimination of Lenalidomide Resistant Multiple Myeloma (MM) Patients. Blood, 2020, 136, 15-16.	0.6	0
16	Continuous Clinical Remisssion with High MRD Negativity and High PB and BM MRD Concordance during Venetoclax Monotherapy in R/R CLL Patients. Blood, 2020, 136, 1-1.	0.6	0
17	Safety and efficacy analysis of long-term follow up real-world data with ibrutinib monotherapy in 58 patients with CLL treated in a single-center in Greece. Leukemia and Lymphoma, 2019, 60, 2939-2945.	0.6	16
18	Small Lymphocytic Lymphoma: Analysis of Two Cohorts Including Patients in Clinical Trials of the German Chronic Lymphocytic Leukemia Study Group (GCLLSG) or in "Real-Life―Outside of Clinical Trials. Anticancer Research, 2019, 39, 2591-2598.	0.5	2

#	Article	IF	CITATIONS
19	The prognostic significance of chromosome 17 abnormalities in patients with myelodysplastic syndrome treated with 5â€azacytidine: Results from the Hellenic 5â€azacytidine registry. Cancer Medicine, 2019, 8, 2056-2063.	1.3	6
20	Bone marrow PARP1 mRNA levels predict response to treatment with 5-azacytidine in patients with myelodysplastic syndrome. Annals of Hematology, 2019, 98, 1383-1392.	0.8	9
21	Real-world data on prognosis and outcome of primary plasma cell leukemia in the era of novel agents: a multicenter national study by the Greek Myeloma Study Group. Blood Cancer Journal, 2018, 8, 31.	2.8	35
22	Brentuximab vedotin in relapsed/refractory Hodgkin lymphoma. The Hellenic experience. Hematological Oncology, 2018, 36, 174-181.	0.8	15
23	Bone metabolism markers and angiogenic cytokines as regulators of human hematopoietic stem cell mobilization. Journal of Bone and Mineral Metabolism, 2018, 36, 399-409.	1.3	3
24	High-grade B-cell lymphoma of the peritoneum as a result of transformation of a CD5-negative monoclonal B lymphocytosis population in a patient with myelodysplastic syndrome treated with 5-azacytidine. Leukemia and Lymphoma, 2018, 59, 1264-1267.	0.6	0
25	Study of bone metabolism and angiogenesis in patients undergoing highâ€dose chemotherapy/autologous hematopoietic stem cell transplantation. European Journal of Haematology, 2018, 100, 131-139.	1.1	1
26	Real-world data on Len/Dex combination at second-line therapy of multiple myeloma: treatment at biochemical relapse is a significant prognostic factor for progression-free survival. Annals of Hematology, 2018, 97, 1671-1682.	0.8	17
27	Efficacy-safety of Facilitated Subcutaneous Immunoglobulin in Immunodeficiency Due to Hematological Malignancies. A Single-Center Retrospective Analysis. Anticancer Research, 2018, 38, 4187-4191.	0.5	12
28	Evaluation of the performance of tuberculin skin test and Quantiferon-TB gold in tube test in patients with hematologic malignancies. Infectious Diseases, 2017, 49, 545-548.	1.4	1
29	BDR in newly diagnosed patients with WM: final analysis of a phase 2 study after a minimum follow-up of 6 years. Blood, 2017, 129, 456-459.	0.6	62
30	Hypercalcemia remains an adverse prognostic factor for newly diagnosed multiple myeloma patients in the era of novel antimyeloma therapies. European Journal of Haematology, 2017, 99, 409-414.	1.1	37
31	Phase 2 study of ofatumumab, fludarabine and cyclophosphamide in relapsed/refractory Waldenström's macroglobulinemia. Leukemia and Lymphoma, 2017, 58, 1506-1508.	0.6	9
32	Cadherinâ€11 (<scp>CDH</scp> 11) expression in the peripheral blood of patients with active Multiple Myeloma. British Journal of Haematology, 2017, 177, 813-816.	1.2	1
33	The Significance of PET/CT in the Initial Staging of Hodgkin Lymphoma: Experience Outside Clinical Trials. , 2017, 37, 5727-5736.		13
34	Prognostic significance of signal transducer and activator of transcription 5 and 5b expression in Epstein–Barr virusâ€positive patients with chronic lymphocytic leukemia. Cancer Medicine, 2016, 5, 2240-2248.	1.3	8
35	Prognostic Implication of the Absolute Lymphocyte to Absolute Monocyte Count Ratio in Patients With Classical Hodgkin Lymphoma Treated With Doxorubicin, Bleomycin, Vinblastine, and Dacarbazine or Equivalent Regimens. Oncologist, 2016, 21, 343-353.	1.9	24
36	Competing risk survival analysis in patients with symptomatic Waldenstrom macroglobulinemia: the impact of disease unrelated mortality and of rituximab-based primary therapy. Haematologica, 2015, 100, e446-e449.	1.7	44

#	Article	IF	CITATIONS
37	Dexamethasone, rituximab, and cyclophosphamide as primary treatment of Waldenstr¶m macroglobulinemia: final analysis of a phase 2 study. Blood, 2015, 126, 1392-1394.	0.6	108
38	New Insights into Malignant B-Cell Disorders. BioMed Research International, 2015, 2015, 1-3.	0.9	0
39	Extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT) with concurrent high grade component at diagnosis: clinico-pathologic features and treatment strategy. Leukemia and Lymphoma, 2015, 56, 3230-3232.	0.6	1
40	Clonotypic Analysis of Immunoglobulin Heavy Chain Sequences in Patients with Waldenström's Macroglobulinemia: Correlation withMYD88L265P Somatic Mutation Status, Clinical Features, and Outcome, BioMed Research International, 2014, 2014, 1-6.	0.9	14
41	xmlns:mml="http://www.w3.org/1998/Math/MathML" id="M1"> <mml:msup><mml:mrow><mml:mtext> </mml:mtext></mml:mrow><mml:mrow><mml:mtext>Ty and SOCS-3 in Lymph Nodes from Patients with Chronic Lymphocytic Leukemia: Correlation between Microvascular Characteristics and Prognostic Significance. BioMed Research International. 2014.</mml:mtext></mml:mrow></mml:msup>	vr0.9	text>
42	2014, 1-13. Serum Soluble TACI, a BLyS Receptor, Is a Powerful Prognostic Marker of Outcome in Chronic Lymphocytic Leukemia. BioMed Research International, 2014, 2014, 1-5.	0.9	11
43	New Insights into Monoclonal B-Cell Lymphocytosis. BioMed Research International, 2014, 2014, 1-11.	0.9	17
44	Apoptotic and proliferative characteristics of proliferation centers in lymph node sections of patients with chronic lymphocytic leukemia. Leukemia and Lymphoma, 2014, 55, 571-582.	0.6	7
45	Isolated central nervous system relapses in primary mediastinal large Bâ€cell lymphoma after CHOPâ€like chemotherapy with or without Rituximab. Hematological Oncology, 2013, 31, 10-17.	0.8	30
46	Reâ€evaluation of prognostic markers including staging, serum free light chains or their ratio and serum lactate dehydrogenase in multiple myeloma patients receiving novel agents. Hematological Oncology, 2013, 31, 96-102.	0.8	55
47	Prognostic Significance of Serum Free Light Chains in Chronic Lymphocytic Leukemia. Advances in Hematology, 2013, 2013, 1-7.	0.6	7
48	Evaluation Of Immunoglobulin Variations (Clonal Changes) In Symptomatic Multiple Myeloma (MM) Patients' Course. Blood, 2013, 122, 3173-3173.	0.6	0
49	Rituximab, Cyclophosphamide, Doxorubicin, Vincristine, and Prednisone with or Without Radiotherapy in Primary Mediastinal Large B-Cell Lymphoma: The Emerging Standard of Care. Oncologist, 2012, 17, 239-249.	1.9	105
50	CD138 Expression Helps Distinguishing Waldenström's Macroglobulinemia (WM) From Splenic Marginal Zone Lymphoma (SMZL). Clinical Lymphoma, Myeloma and Leukemia, 2011, 11, 99-102.	0.2	19
51	Genetic and molecular mechanisms in multiple myeloma: a route to better understand disease pathogenesis and heterogeneity. The Application of Clinical Genetics, 2010, 3, 41.	1.4	3
52	Staging Systems and Prognostic Factors as a Guide to Therapeutic Decisions in Multiple Myeloma. Seminars in Hematology, 2009, 46, 110-117.	1.8	41
53	Primary Therapy of Waldnestrom's Macroglobulinemia (WM) with Weekly Bortezomib, Low-Dose Dexamethasone and Rituximab (BDR): A Phase II Study of the European Myeloma Network Blood, 2009, 114, 2886-2886.	0.6	0
54	Mutation analysis of IgVH genes in splenic marginal zone lymphomas: correlation with clinical characteristics and outcome. Anticancer Research, 2009, 29, 1811-6.	0.5	11

#	Article	IF	CITATIONS
55	Prognostic value of serum free light chain ratio at diagnosis in multiple myeloma. British Journal of Haematology, 2007, 137, 240-243.	1.2	108
56	Rituximab-CHOP (R-CHOP) and Radiotherapy (RT) for Primary Mediastinal Large B-Cell Lymphoma (PMLBCL) Blood, 2006, 108, 2745-2745.	0.6	4
57	Serum Free Light Chain Ratio (FLCR) at Diagnosis Constitute a Powerful Prognostic Factor of Survival in Multiple Myeloma (MM) Blood, 2006, 108, 3522-3522.	0.6	0
58	B-Chronic Lymphoproliferative Disorders (BCLD) Presenting with Splenomegaly: Differential Diagnosis and Outcome Blood, 2006, 108, 4655-4655.	0.6	0
59	Long Term Follow up of Hairy Cell Leukemia (HCL) Patients (PTS) Treated with Interferon-Alpha (IFN-α). The Importance of Maintenance Blood, 2006, 108, 4718-4718.	0.6	0
60	Retrospective Analysis of 41 Consecutive Patients with Non Gastrointestinal (GI) Extranodal Marginal Zone B-Cell Lymphoma (EMZL): Correlation of Clinical Characteristics and Outcome with Disease Localization Blood, 2005, 106, 4785-4785.	0.6	0
61	Bortezomib in Patients with Relapsed-Refractory Multiple Myeloma (MM). Clinical Observations Blood, 2005, 106, 5193-5193.	0.6	0
62	B-Chronic Lymphocytic Leukemia (B-CLL), Small Lymphocytic Lymphoma (SLL) and Waldenstrom's Macroglobulinemia (MW): A Comparative Fish Analysis Blood, 2004, 104, 4801-4801.	0.6	0
63	Differential diagnosis of Waldenstrom's macroglobulinemia from other low-grade B-cell lymphoproliferative disorders. Seminars in Oncology, 2003, 30, 201-205.	0.8	18
64	The prognostic significance of beta(2)-microglobulin in patients with Hodgkin's lymphoma. Haematologica, 2002, 87, 701-8; discussion 708.	1.7	34