Ulrich Schweiger

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2301926/publications.pdf

Version: 2024-02-01

81900 98798 5,100 119 39 67 citations h-index g-index papers 129 129 129 5318 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The societal cost of treatment-seeking patients with borderline personality disorder in Germany. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 741-752.	3.2	15
2	Does childhood emotional abuse moderate the effect of cognitive behavioral analysis system of psychotherapy versus meta-cognitive therapy in depression? A propensity score analysis on an observational study. Journal of Affective Disorders, 2022, 300, 71-75.	4.1	3
3	Effectiveness of Predominantly Group Schema Therapy and Combined Individual and Group Schema Therapy for Borderline Personality Disorder. JAMA Psychiatry, 2022, 79, 287.	11.0	34
4	Fat compartments in patients with depression: A metaâ€analysis. Brain and Behavior, 2021, 11, e01912.	2.2	9
5	The mediating effect of difficulties in emotion regulation on the association between childhood maltreatment and borderline personality disorder. Högre Utbildning, 2021, 12, 1934300.	3.0	4
6	How do patients with borderline personality disorder experience Distress Tolerance Skills in the context of dialectical behavioral therapy?—A qualitative study. PLoS ONE, 2021, 16, e0252403.	2.5	2
7	Editorial: Approaches for Severe and Persistent Mental Illness. Frontiers in Psychiatry, 2021, 12, 722496.	2.6	2
8	Effectiveness and safety of the adjunctive use of an internet-based self-management intervention for borderline personality disorder in addition to care as usual: results from a randomised controlled trial. BMJ Open, 2021, 11, e047771.	1.9	9
9	How patients with borderline personality disorder experience the skill opposite action in the context of dialectical behavior therapy–A qualitative study Psychotherapy, 2021, 58, 544-556.	1.2	O
10	Do interpersonal fears mediate the association between childhood maltreatment and interpersonal skills deficits? A matched cross-sectional analysis. Psychotherapy Research, 2020, 30, 267-278.	1.8	15
11	Therapeutic Relationship in eHealth—A Pilot Study of Similarities and Differences between the Online Program Priovi and Therapists Treating Borderline Personality Disorder. International Journal of Environmental Research and Public Health, 2020, 17, 6436.	2.6	5
12	Experiences of Patients With Borderline Personality Disorder With Imagery Rescripting in the Context of Schema Therapyâ€"A Qualitative Study. Frontiers in Psychiatry, 2020, 11, 550833.	2.6	3
13	Neural basis of shame and guilt experience in women with borderline personality disorder. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 979-992.	3.2	10
14	Kooperation zwischen KrankenhÄusern und UniversitÄuen in der Umsetzung der berufsqualifizierenden TÄugkeit III. Verhaltenstherapie, 2020, 30, 137-140.	0.4	1
15	Caught in a web of trauma: Network analysis of childhood adversity and adult mental ill-health. Child Abuse and Neglect, 2020, 107, 104534.	2.6	24
16	Traumatizing Oneself—Deep Wrist Injuries Selfâ€Inflicted with Suicidal Intention are Associated with More Severe PTSD Symptomatology than Similar Injuries from Accidents. Suicide and Life-Threatening Behavior, 2020, 50, 856-866.	1.9	4
17	Changes in Therapeutic Alliance and in Social Inhibition as Mediators of the Effect of the Cognitive Behavioral Analysis System of Psychotherapy: A Secondary Analysis from a Randomized Clinical Trial. Psychotherapy and Psychosomatics, 2020, 89, 261-262.	8.8	10
18	A Comparison of Metacognitive Therapy in Current Versus Persistent Depressive Disorder – A Pilot Outpatient Study. Frontiers in Psychology, 2019, 10, 1714.	2.1	11

#	Article	IF	CITATIONS
19	Psychometric evaluation of a screening question for persistent depressive disorder. BMC Psychiatry, 2019, 19, 119.	2.6	5
20	The Reason Matters: Deep Wrist Injury Patterns Differ with Intentionality (Accident versus Suicide) Tj ETQq0 0	0 rgBT/Ove	erlogk 10 Tf 50
21	Association of comorbid personality disorders with clinical characteristics and outcome in a randomized controlled trial comparing two psychotherapies for early-onset persistent depressive disorder. Journal of Affective Disorders, 2018, 229, 262-268.	4.1	15
22	Differential associations between patterns of child maltreatment and comorbidity in adult depressed patients. Journal of Affective Disorders, 2018, 230, 34-41.	4.1	24
23	Does Childhood Maltreatment Moderate the Effect of the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy in Persistent Depressive Disorder?. Psychotherapy and Psychosomatics, 2018, 87, 46-48.	8.8	26
24	Effects of a 72 hours fasting on brain metabolism in healthy women studied inÂvivo with magnetic resonance spectroscopic imaging. Journal of Cerebral Blood Flow and Metabolism, 2018, 38, 469-478.	4.3	12
25	Association of Genetic Variation at AQP4 Locus with Vascular Depression. Biomolecules, 2018, 8, 164.	4.0	14
26	PRO*MDD Study Protocol: Effectiveness of Outpatient Treatment Programs for Major Depressive Disorder: Metacognitive Therapy vs. Behavioral Activation a Single-Center Randomized Clinical Trial. Frontiers in Psychiatry, 2018, 9, 584.	2.6	3
27	Protocol for the REVISIT-BPD Trial, a Randomized Controlled Trial Testing the Effectiveness of an Internet-Based Self-Management Intervention in the Treatment of Borderline Personality Disorder (BPD). Frontiers in Psychiatry, 2018, 9, 439.	2.6	10
28	PRO*BPD: effectiveness of outpatient treatment programs for borderline personality disorder: a comparison of Schema therapy and dialectical behavior therapy: study protocol for a randomized trial. BMC Psychiatry, 2018, 18, 341.	2.6	19
29	Moderating effect of comorbid anxiety disorders on treatment outcome in a randomized controlled psychotherapy trial in early-onset persistently depressed outpatients. Depression and Anxiety, 2018, 35, 1001-1008.	4.1	14
30	Mental Health and Psychosocial Functioning Over the Lifespan of German Patients Undergoing Cardiac Catheterization for Coronary Artery Disease. Frontiers in Psychiatry, 2018, 9, 338.	2.6	4
31	Utilization of Mental Health Care, Treatment Patterns, and Course of Psychosocial Functioning in Northern German Coronary Artery Disease Patients with Depressive and/or Anxiety Disorders. Frontiers in Psychiatry, 2018, 9, 75.	2.6	6
32	All Unhappy Childhoods Are Unhappy in Their Own Wayâ€"Differential Impact of Dimensions of Adverse Childhood Experiences on Adult Mental Health and Health Behavior. Frontiers in Psychiatry, 2018, 9, 198.	2.6	39
33	The Use of Antidepressive Agents and Bone Mineral Density in Women: A Meta-Analysis. International Journal of Environmental Research and Public Health, 2018, 15, 1373.	2.6	29
34	A Schema Therapy–Based eHealth Program for Patients with Borderline Personality Disorder (priovi): Naturalistic Single-Arm Observational Study. JMIR Mental Health, 2018, 5, e10983.	3.3	19
35	Reduced muscle mass in middle-aged depressed patients is associated with male gender and chronicity. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 76, 58-64.	4.8	13
36	Hypothalamic-Pituitary-Adrenocortical Dysfunction in Elderly, Male Marathon Runners: Feedback Sensitivity, Stress Response, and Effects on Verbal Memory. Neuroendocrinology, 2017, 105, 150-156.	2. 5	4

#	Article	IF	Citations
37	Emotion Regulation in Schema Therapy and Dialectical Behavior Therapy. Frontiers in Psychology, 2016, 7, 1373.	2.1	67
38	Feasibility of Group Schema Therapy for Outpatients with Severe Borderline Personality Disorder in Germany: A Pilot Study with Three Year Follow-Up. Frontiers in Psychology, 2016, 7, 1851.	2.1	24
39	Bone density and depressive disorder: a metaâ€analysis. Brain and Behavior, 2016, 6, e00489.	2.2	47
40	Development and psychometric evaluation of the Interactive Test of Interpersonal Behavior (<scp>ITIB</scp>): a pilot study examining interpersonal deficits in chronic depression. Scandinavian Journal of Psychology, 2016, 57, 83-91.	1.5	9
41	Altered DNA methylation of glucose transporter 1 and glucose transporter 4 in patients with major depressive disorder. Journal of Psychiatric Research, 2016, 76, 66-73.	3.1	28
42	Depression, anxiety disorders, and metabolic syndrome in a population at risk for type 2 diabetes mellitus. Brain and Behavior, 2015, 5, e00306.	2.2	70
43	Integration of eâ€Health Tools Into Faceâ€toâ€Face Psychotherapy for Borderline Personality Disorder: A Chance to Close the Gap Between Demand and Supply?. Journal of Clinical Psychology, 2015, 71, 764-777.	1.9	18
44	Effects of adjunctive exercise on physiological and psychological parameters in depression: A randomized pilot trial. Journal of Affective Disorders, 2015, 177, 1-6.	4.1	77
45	Adrenal gland volume, intra-abdominal and pericardial adipose tissue in major depressive disorder. Psychoneuroendocrinology, 2015, 58, 1-8.	2.7	24
46	Blunted Brain Energy Consumption Relates to Insula Atrophy and Impaired Glucose Tolerance in Obesity. Diabetes, 2015, 64, 2082-2091.	0.6	32
47	Qualit¤in der Weiterbildung: Aktueller Stand und Zukunft psychotherapeutischer Aus- und Weiterbildung. Verhaltenstherapie, 2015, 25, 119-126.	0.4	2
48	Repetitive electric brain stimulation reduces food intake in humans. American Journal of Clinical Nutrition, 2014, 100, 1003-1009.	4.7	76
49	Factorial invariance of the Emotion-Dysregulation-Scale for Canadian and German treatment-seeking adults with borderline personality disorder, major depression or substance dependence. Personality and Individual Differences, 2014, 71, 124-129.	2.9	1
50	Elevated IL-6 levels in patients with atypical depression but not in patients with typical depression. Psychiatry Research, 2014, 217, 34-38.	3.3	61
51	Definition des Verfahrens Verhaltenstherapie. Verhaltenstherapie, 2014, 24, 289-298.	0.4	0
52	Bone mineral density in a cohort of Estonian women with major depression. Archives of Osteoporosis, 2013, 8, 163.	2.4	3
53	Prevalence of the metabolic syndrome in patients with borderline personality disorder: results from a cross-sectional study. European Archives of Psychiatry and Clinical Neuroscience, 2013, 263, 205-213.	3.2	60
54	The third wave of cognitive behavioural therapies. Current Opinion in Psychiatry, 2012, 25, 522-528.	6.3	213

#	Article	IF	Citations
55	Prevalence of the metabolic syndrome in unipolar major depression. European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 313-320.	3.2	66
56	Brain Energy Consumption Induced by Electrical Stimulation Promotes Systemic Glucose Uptake. Biological Psychiatry, 2011, 70, 690-695.	1.3	61
57	Intima-Media Thickness in Women With Borderline Personality Disorder. Psychosomatic Medicine, 2011, 73, 627-632.	2.0	17
58	Discrimination between patients with melancholic depression and healthy controls: Comparison between 24-h cortisol profiles, the DST and the Dex/CRH test. Psychoneuroendocrinology, 2011, 36, 691-698.	2.7	25
59	Major depression, borderline personality disorder, and visceral fat content in women. European Archives of Psychiatry and Clinical Neuroscience, 2011, 261, 551-557.	3.2	24
60	Incidence of polycystic ovaries and androgen serum levels in women with borderline personality disorder. Journal of Psychiatric Research, 2010, 44, 847-852.	3.1	31
61	A single DEX/CRH test in male drug-free depressed patients is associated with the clinical response to treatment with fluoxetine. Journal of Psychiatric Research, 2010, 44, 1154-1157.	3.1	15
62	Low plasma lactate concentration as a biomarker of an incompetent brain-pull: A risk factor for weight gain in type 2 diabetes patients. Psychoneuroendocrinology, 2010, 35, 1287-1293.	2.7	3
63	Pain complaints in a sample of psychiatric inpatients. General Hospital Psychiatry, 2010, 32, 509-513.	2.4	3
64	Prevalence of the metabolic syndrome in men and women with alcohol dependence: results from a crossâ€sectional study during behavioural treatment in a controlled environment. Addiction, 2010, 105, 1921-1927.	3.3	21
65	Evidence for a Relationship between Body Mass and Energy Metabolism in the Human Brain. Journal of Cerebral Blood Flow and Metabolism, 2010, 30, 1403-1410.	4.3	34
66	Development and Psychometric Characteristics of the Dissociation Tension Scale. Journal of Personality Assessment, 2010, 92, 269-277.	2.1	54
67	Dialectical behaviour therapy and an added cognitive behavioural treatment module for eating disorders in women with borderline personality disorder and anorexia nervosa or bulimia nervosa who failed to respond to previous treatments. An open trial with a 15-month follow-up. Journal of Behavior Therapy and Experimental Psychiatry. 2010. 41. 381-388.	1.2	66
68	Evidence for a Relationship between VEGF and BMI Independent of Insulin Sensitivity by Glucose Clamp Procedure in a Homogenous Group Healthy Young Men. PLoS ONE, 2010, 5, e12610.	2.5	72
69	Short Hypoxia Does not Affect Plasma Leptin in Healthy Men under Euglycemic Clamp Conditions. International Journal of Endocrinology, 2009, 2009, 1-6.	1.5	1
70	Angiogenic factors in patients with current major depressive disorder comorbid with borderline personality disorder. Psychoneuroendocrinology, 2009, 34, 353-357.	2.7	95
71	Increased serum brain-derived neurotrophic factor protein upon hypoxia in healthy young men. Journal of Neural Transmission, 2009, 116, 1221-1225.	2.8	10
72	Impact of glycemic variations on the regulation of androgen metabolism in obese women with polycystic ovary syndrome. Fertility and Sterility, 2009, 92, 271-276.	1.0	6

#	Article	IF	CITATIONS
73	Continuous positive airway pressure therapy decreases evening cortisol concentrations in patients with severe obstructive sleep apnea. Metabolism: Clinical and Experimental, 2009, 58, 848-853.	3.4	36
74	Divergent effects of hyper- and hypoglycemia on circulating vascular endothelial growth factor in humans. Metabolism: Clinical and Experimental, 2008, 57, 90-94.	3.4	13
75	Disturbed Glucose Disposal in Patients With Major Depression; Application of the Glucose Clamp Technique. Psychosomatic Medicine, 2008, 70, 170-176.	2.0	36
76	Konstruktion eines störungsspezifischen Instruments zur Erfassung der ImpulsivitÃ♥der Borderline-Persönlichkeitsstörung. Zeitschrift FÃ⅓r Klinische Psychologie Und Psychotherapie, 2007, 36, 290-297.	0.3	6
77	Cortisol, the Cortisol-Dehydroepiandrosterone Ratio, and Pro-Inflammatory Cytokines in Patients with Current Major Depressive Disorder Comorbid with Borderline Personality Disorder. Biological Psychiatry, 2006, 59, 667-671.	1.3	82
78	Persistent suppression of resting energy expenditure after acute hypoxia. Metabolism: Clinical and Experimental, 2006, 55, 669-675.	3.4	18
79	Effectiveness of dialectical behaviour therapy for borderline personality disorder in an inpatient setting. Behaviour Research and Therapy, 2006, 44, 1211-1217.	3.1	81
80	Bone Mineral Density, Bone Turnover, and Osteoprotegerin in Depressed Women With and Without Borderline Personality Disorder. Psychosomatic Medicine, 2006, 68, 669-674.	2.0	57
81	Acute hypoxia decreases plasma VEGF concentration in healthy humans. American Journal of Physiology - Endocrinology and Metabolism, 2006, 290, E434-E439.	3.5	34
82	Cortisol correlates with metabolic disturbances in a population study of type 2 diabetic patients. European Journal of Endocrinology, 2006, 154, 325-331.	3.7	85
83	Visceral Fat Deposition and Insulin Sensitivity in Depressed Women With and Without Comorbid Borderline Personality Disorder. Psychosomatic Medicine, 2005, 67, 407-412.	2.0	54
84	Bone Mineral Density, Markers of Bone Turnover, and Cytokines in Young Women With Borderline Personality Disorder With and Without Comorbid Major Depressive Disorder. American Journal of Psychiatry, 2005, 162, 168-174.	7.2	81
85	Decreased osteoprotegerin and increased bone turnover in young female patients with major depressive disorder and a lifetime history of anorexia nervosa. Osteoporosis International, 2005, 16, 424-429.	3.1	22
86	Increased diurnal salivary cortisol in women with borderline personality disorder. Journal of Psychiatric Research, 2004, 38, 559-565.	3.1	109
87	Hypoxia Causes Glucose Intolerance in Humans. American Journal of Respiratory and Critical Care Medicine, 2004, 169, 1231-1237.	5. 6	189
88	Elevated Physical Activity and Low Leptin Levels Co-occur in Patients with Anorexia Nervosa. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 5169-5174.	3.6	124
89	Lumbar Bone Mineral Density in Patients With Major Depression: Evidence of Increased Bone Loss at Follow-Up. American Journal of Psychiatry, 2000, 157, 118-120.	7.2	95
90	Predictors of bone mineral density in patients with eating disorders., 1999, 25, 143-150.		51

#	Article	IF	CITATIONS
91	Testosterone, Gonadotropin, and Cortisol Secretion in Male Patients With Major Depression. Psychosomatic Medicine, 1999, 61, 292-296.	2.0	193
92	The combined dexamethasone/corticotropin-releasing hormone stimulation test is more closely associated with features of diurnal activity of the hypothalamoâ€"pituitaryâ€"adrenocortical system than the dexamethasone suppression test. Biological Psychiatry, 1998, 43, 762-766.	1.3	34
93	Increased Diurnal Plasma Concentrations of Dehydroepiandrosterone in Depressed Patients. Journal of Clinical Endocrinology and Metabolism, 1998, 83, 3130-3133.	3.6	132
94	Diurnal Activity and Pulsatility of the Hypothalamus-Pituitary-Adrenal System in Male Depressed Patients and Healthy Controls. Journal of Clinical Endocrinology and Metabolism, 1997, 82, 234-238.	3.6	300
95	With aging in humans the activity of the hypothalamus-pituitary-adrenal system increases and its diurnal amplitude flattens. Life Sciences, 1997, 61, 2239-2246.	4.3	200
96	Insulin-like growth factor-I (IGF-I) plasma concentrations are increased in depressed patients. Psychoneuroendocrinology, 1997, 22, 493-503.	2.7	72
97	Pulse-Dosing and Conventional Application of Doxepin. Journal of Clinical Psychopharmacology, 1997, 17, 156-160.	1.4	35
98	Everyday eating behavior and menstrual function in young women. Fertility and Sterility, 1992, 57, 771-775.	1.0	68
99	Circadian pattern of large neutral amino acids, glucose, insulin, and food intake in anorexia nervosa and bulimia nervosa. Metabolism: Clinical and Experimental, 1991, 40, 503-507.	3.4	34
100	Menstrual Function and Luteal-Phase Deficiency in Relation to Weight Changes and Dieting. Clinical Obstetrics and Gynecology, 1991, 34, 191-197.	1.1	33
101	GONADOTROPHIN SECRETION IN THE SECOND HALF OF THE MENSTRUAL CYCLE: A COMPARISON OF WOMEN WITH NORMAL CYCLES, LUTEAL PHASE DEFECTS AND DISTURBED FOLLICULAR DEVELOPMENT. Clinical Endocrinology, 1990, 32, 25-32.	2.4	7
102	Mood changes and physical complaints during the normal menstrual cycle in healthy young women. Psychoneuroendocrinology, 1990, 15, 131-138.	2.7	88
103	Decreased Follicular Phase Gonadotropin Secretion Is Associated with Impaired Estradiol and Progesterone Secretion during the Follicular and Luteal Phases in Normally Menstruating Women*. Journal of Clinical Endocrinology and Metabolism, 1989, 68, 888-892.	3.6	32
104	Dieting causes menstrual irregularities in normal weight young women through impairment of episodic luteinizing hormone secretion. Fertility and Sterility, 1989, 51, 263-268.	1.0	76
105	Nutritional knowledge in patients with eating disorders. International Journal of Eating Disorders, 1988, 7, 63-73.	4.0	30
106	Effect of standardized test meals on plasma norepinephrine in patients with anorexia nervosa and bulimia. International Journal of Eating Disorders, 1988, 7, 369-373.	4.0	10
107	Mood and orthostatic norepinephrine response in anorexia nervosa. Psychiatry Research, 1988, 24, 87-94.	3.3	9
108	Depression as a correlate of starvation in patients with eating disorders. Biological Psychiatry, 1988, 23, 719-725.	1.3	57

#	Article	IF	CITATIONS
109	Caloric intake, stress, and menstrual function in athletes. Fertility and Sterility, 1988, 49, 447-450.	1.0	50
110	Diet-induced menstrual irregularities: effects of age and weight loss. Fertility and Sterility, 1987, 48, 746-751.	1.0	81
111	Altered insulin response to a balanced test meal in bulimic patients. International Journal of Eating Disorders, 1987, 6, 551-556.	4.0	37
112	Gonadotropin secretion pattern in bulimia nervosa. International Journal of Eating Disorders, 1987, 6, 655-661.	4.0	23
113	Effects of carbohydrate and protein meals on plasma large neutral amino acids, glucose, and insulin plasma levels of anorectic patients. Metabolism: Clinical and Experimental, 1986, 35, 938-943.	3.4	62
114	Total body potassium, intracellular potassium and body composition in patients with anorexia nervosa during refeeding. International Journal of Eating Disorders, 1986, 5, 347-354.	4.0	14
115	Norepinephrine Turnover in the Hypothalamus of Adult Male Rats: Alteration of Circadian Patterns by Semistarvation. Journal of Neurochemistry, 1985, 45, 706-709.	3.9	33
116	The Influence of Dieting on the Menstrual Cycle of Healthy Young Women. Journal of Clinical Endocrinology and Metabolism, 1985, 60, 1174-1179.	3.6	135
117	The luteinizing hormone response to luteinizing hormone-releasing hormone, prostaglandin E2 and naloxone is modulated by divergent sensitivity to testosterone feedback. European Journal of Endocrinology, 1985, 110, 338-345.	3.7	0
118	Brain tyrosine availability and the depression of central nervous norepinephrine turnover in acute and chronic starvation in adult male rats. Brain Research, 1985, 335, 207-212.	2.2	43
119	Metabolic and endocrine indices of starvation in Bulimia: A comparison with anorexia nervosa. Psychiatry Research, 1985, 15, 33-39.	3.3	154