
Thomas Damgaard Sandahl

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2302210/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Soluble <scp>CD</scp> 163, a marker of Kupffer cell activation, is related to portal hypertension in patients with liver cirrhosis. Alimentary Pharmacology and Therapeutics, 2012, 36, 173-180.	1.9	132
2	Incidence and mortality of alcoholic hepatitis in Denmark 1999–2008: A nationwide population based cohort study. Journal of Hepatology, 2011, 54, 760-764.	1.8	130
3	Kupffer cells are activated in cirrhotic portal hypertension and not normalised by TIPS. Gut, 2011, 60, 1389-1393.	6.1	111
4	The Prevalence of Wilson's Disease: An Update. Hepatology, 2020, 71, 722-732.	3.6	103
5	Hepatic Macrophage Activation and the LPS Pathway in Patients With Alcoholic Hepatitis: A Prospective Cohort Study. American Journal of Gastroenterology, 2014, 109, 1749-1756.	0.2	81
6	A soluble form of the macrophage-related mannose receptor (MR/CD206) is present in human serum and elevated in critical illness. Clinical Chemistry and Laboratory Medicine, 2014, 52, 453-461.	1.4	79
7	Increased levels of circulating Th17 cells in quiescent versus active Crohn's disease. Journal of Crohn's and Colitis, 2013, 7, 248-255.	0.6	50
8	Validation of prognostic scores for clinical use in patients with alcoholic hepatitis. Scandinavian Journal of Gastroenterology, 2011, 46, 1127-1132.	0.6	45
9	Short-term and Long-term Causes of Death in Patients With Alcoholic Hepatitis in Denmark. Clinical Gastroenterology and Hepatology, 2014, 12, 1739-1744.e1.	2.4	44
10	Timeâ€dependent improvement of liver inflammation, fibrosis and metabolic liver function after successful directâ€acting antiviral therapy of chronic hepatitis C. Journal of Viral Hepatitis, 2020, 27, 28-35.	1.0	36
11	The macrophage activation marker <scp>sCD</scp> 163 combined with markers of the Enhanced Liver Fibrosis (<scp>ELF</scp>) score predicts clinically significant portal hypertension in patients with cirrhosis. Alimentary Pharmacology and Therapeutics, 2016, 43, 1222-1231.	1.9	34
12	Single entre experience of the macrophage activation marker soluble (s)CD163 – associations with disease activity and treatment response in patients with autoimmune hepatitis. Alimentary Pharmacology and Therapeutics, 2016, 44, 1062-1070.	1.9	33
13	The soluble mannose receptor (sMR) is elevated in alcoholic liver disease and associated with disease severity, portal hypertension, and mortality in cirrhosis patients. PLoS ONE, 2017, 12, e0189345.	1.1	32
14	Highest Frequencies of Interleukin-22-Producing T Helper Cells in Alcoholic Hepatitis Patients with a Favourable Short-Term Course. PLoS ONE, 2013, 8, e55101.	1.1	26
15	Cytotoxic T lymphocytes and natural killer cells display impaired cytotoxic functions and reduced activation in patients with alcoholic hepatitis. American Journal of Physiology - Renal Physiology, 2015, 308, G269-G276.	1.6	25
16	Rapid and persistent decline in soluble CD163 with successful direct-acting antiviral therapy and associations with chronic hepatitis C histology. Scandinavian Journal of Gastroenterology, 2018, 53, 986-993.	0.6	23
17	Intravenous and oral copper kinetics, biodistribution and dosimetry in healthy humans studied by [64Cu]copper PET/CT. EJNMMI Radiopharmacy and Chemistry, 2020, 5, 15.	1.8	21
18	Circulating mannanâ€binding lectin, Mâ€, Lâ€, Hâ€ficolin and collectinâ€liverâ€1 levels in patients with acute live	r 1.9	20

failure. Liver International, 2015, 35, 756-763.

20

#	Article	IF	CITATIONS
19	Changes in adipokines after transjugular intrahepatic porto-systemic shunt indicate an anabolic shift in metabolism. Clinical Nutrition, 2012, 31, 940-945.	2.3	17
20	Mass spectrometry characterization of circulating human serum albumin microheterogeneity in patients with alcoholic hepatitis. Journal of Pharmaceutical and Biomedical Analysis, 2016, 122, 141-147.	1.4	16
21	The damageâ€associated molecular pattern HMGB1 is elevated in human alcoholic hepatitis, but does not seem to be a primary driver of inflammation. Apmis, 2016, 124, 741-747.	0.9	15
22	The pathophysiology of Wilson's disease visualized: AÂhuman 64Cu PET study. Hepatology, 2022, 75, 1461-1470.	3.6	15
23	No Effect in Alcoholic Hepatitis of Gut-Selective, Broad-Spectrum Antibiotics on Bacterial Translocation or Hepatic and Systemic Inflammation. Clinical and Translational Gastroenterology, 2021, 12, e00306.	1.3	12
24	Designing Clinical Trials in Wilson's Disease. Hepatology, 2021, 74, 3460-3471.	3.6	12
25	Psychometric methods for diagnosing and monitoring minimal hepatic encephalopathy —current validation level and practical use. Metabolic Brain Disease, 2022, 37, 589-605.	1.4	12
26	Blood culture-positive infections in patients with alcoholic hepatitis. Scandinavian Journal of Infectious Diseases, 2014, 46, 902-905.	1.5	11
27	Metformin Stimulates Intestinal Glycolysis and Lactate Release: A singleâ€Dose Study of Metformin in Patients With Intrahepatic Portosystemic Stent. Clinical Pharmacology and Therapeutics, 2021, 110, 1329-1336.	2.3	11
28	Liver-related effects of chronic hepatitis C antiviral treatment. World Journal of Gastroenterology, 2020, 26, 2931-2947.	1.4	11
29	Bis-choline tetrathiomolybdate prevents copper-induced blood–brain barrier damage. Life Science Alliance, 2022, 5, e202101164.	1.3	11
30	Tumor necrosis factor-α acutely up-regulates urea synthesis in vivo in rats – a hepatic component of inflammatory catabolism?. Scandinavian Journal of Clinical and Laboratory Investigation, 2010, 70, 151-157.	0.6	10
31	Computing the Pathogenicity of Wilson's Disease ATP7B Mutations: Implications for Disease Prevalence. Journal of Chemical Information and Modeling, 2019, 59, 5230-5243.	2.5	10
32	Effects of insulinâ€like growth factorâ€l administration on <i>in vivo</i> regulation of urea synthesis in normal subjects and patients with cirrhosis. Liver International, 2011, 31, 132-137.	1.9	9
33	The lectin pathway of the complement system is downregulated in Crohn's disease patients who respond to anti-TNF-1± therapy. Journal of Crohn's and Colitis, 2014, 8, 521-528.	0.6	9
34	Extracellular vesicle-associated soluble CD163 and CD206 in patients with acute and chronic inflammatory liver disease. Scandinavian Journal of Gastroenterology, 2020, 55, 588-596.	0.6	9
35	Randomised clinical study: acute effects of metformin versus placebo on portal pressure in patients with cirrhosis and portal hypertension. Alimentary Pharmacology and Therapeutics, 2021, 54, 320-328.	1.9	9
36	Alcoholic hepatitis. Danish Medical Journal, 2014, 61, B4755.	0.5	9

3

#	Article	IF	CITATIONS
37	Low Interleukin-22 Binding Protein Is Associated With High Mortality in Alcoholic Hepatitis and Modulates Interleukin-22 Receptor Expression. Clinical and Translational Gastroenterology, 2020, 11, e00197.	1.3	8
38	High hepatic macrophage activation and low liver function in stable Wilson patients - a Danish cross-sectional study. Orphanet Journal of Rare Diseases, 2018, 13, 169.	1.2	7
39	Combination of radiofrequency ablation with transarterial chemoembolization for treatment of hepatocellular carcinoma: experience from a Danish tertiary liver center. Acta Radiologica, 2016, 57, 844-851.	0.5	6
40	Decreased monocyte shedding of the migration inhibitor soluble CD18 in alcoholic hepatitis. Clinical and Translational Gastroenterology, 2018, 9, e160.	1.3	6
41	The macrophage activation marker soluble CD163 is elevated and associated with liver disease phenotype in patients with Wilson's disease. Orphanet Journal of Rare Diseases, 2020, 15, 173.	1.2	6
42	ATP7B variant spectrum in a French pediatric Wilson disease cohort. European Journal of Medical Genetics, 2021, 64, 104305.	0.7	6
43	Cognitive impairment in stable Wilson disease across phenotype. Metabolic Brain Disease, 2021, 36, 2173-2177.	1.4	4
44	Diminished Non-Classical Monocytes in the Blood Associate with Disease Severity in Alcoholic Hepatitis. Clinical and Experimental Gastroenterology, 2021, Volume 14, 259-267.	1.0	3
45	Highly Increased Levels of Inter-α-inhibitor Heavy Chain 4 (ITIH4) in Autoimmune Cholestatic Liver Diseases. Journal of Clinical and Translational Hepatology, 2022, 10, 796-802.	0.7	3
46	Early normalization of reduced urea synthesis capacity after direct-acting antiviral therapy in hepatitis C cirrhosis. American Journal of Physiology - Renal Physiology, 2020, 319, G151-G156.	1.6	2
47	Soluble CD163 (sCD163): Biomarker of Kupffer Cell Activation in Liver Disease. Biomarkers in Disease, 2016, , 1-28.	0.0	2
48	Changes in the Levels of Mannan-Binding Lectin and Ficolins During Head-Down Tilted Bed Rest. Aviation, Space, and Environmental Medicine, 2014, 85, 805-811.	0.6	1
49	The long-term prognosis of alcoholic hepatitis is poor and independent of disease severity for patients surviving an acute episode. Journal of Hepatology, 2018, 68, 1330-1331.	1.8	1
50	Soluble CD163 (sCD163): Biomarker of Kupffer Cell Activation in Liver Disease. Biomarkers in Disease, 2017, , 321-348.	0.0	1
51	The galactose elimination capacity test to monitor liver disease course in patients with Wilson's disease. Scandinavian Journal of Gastroenterology, 2022, , 1-6.	0.6	1
52	Editorial: measuring inflammatory and fibrotic components of portal hypertension – a nonâ€invasive hepatic venous pressure gradient? Authors' reply. Alimentary Pharmacology and Therapeutics, 2016, 44, 205-206.	1.9	0
53	Interferon lambda 4 genotype and pathway in alcoholic hepatitis. Scandinavian Journal of Gastroenterology, 2021, 56, 304-311.	0.6	0
54	Editorial: metformin for portal hypertension—old dog, new tricks? Authors' reply. Alimentary Pharmacology and Therapeutics, 2021, 54, 347-347.	1.9	0