## Yosuke Baba

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2302347/publications.pdf

Version: 2024-02-01

51	528	14	22
papers	citations	h-index	g-index
51	51	51	524
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Anterior placentation as a risk factor for massive hemorrhage during cesarean section in patients with placenta previa. Journal of Obstetrics and Gynaecology Research, 2014, 40, 1243-1248.	1.3	52
2	Uterine artery pseudoaneurysm: not a rare condition occurring after non-traumatic delivery or non-traumatic abortion. Archives of Gynecology and Obstetrics, 2014, 290, 435-440.	1.7	50
3	Endogenous and exogenous miR-520c-3p modulates CD44-mediated extravillous trophoblast invasion. Placenta, 2017, 50, 25-31.	1.5	45
4	Uterine artery pseudoaneurysm: its occurrence after non-traumatic events, and possibility of "without embolization―strategy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 205, 72-78.	1.1	41
5	Preventing a Bakri balloon from sliding out during "holding the cervix†"fishing for the balloon shaft†technique (Matsubara). Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 910-911.	2.8	26
6	A novel â€~uterine sandwich' for haemorrhage at caesarean section for placenta praevia. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2014, 54, 283-286.	1.0	25
7	Matsubara–Takahashi cervixâ€holding technique for massive postpartum hemorrhage in patients with placenta previa with or without placenta accreta spectrum disorders. International Journal of Gynecology and Obstetrics, 2018, 140, 357-364.	2.3	25
8	Calculating probability of requiring allogeneic blood transfusion using three preoperative risk factors on cesarean section for placenta previa. Archives of Gynecology and Obstetrics, 2015, 291, 281-285.	1.7	19
9	Isolated gestational proteinuria preceding the diagnosis of preeclampsia - an observational study. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 1048-1054.	2.8	19
10	Spontaneous resolution of postâ€delivery or postâ€abortion uterine artery pseudoaneurysm: A report of three cases. Journal of Obstetrics and Gynaecology Research, 2016, 42, 730-733.	1.3	19
11	Matsubara–Yano suture: a simple uterine compression suture for postpartum hemorrhage during cesarean section. Archives of Gynecology and Obstetrics, 2019, 299, 113-121.	1.7	17
12	Expectant management of retained products of conception following abortion: A retrospective cohort study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 260, 1-5.	1.1	16
13	Hemostatic effect of intrauterine balloon for postpartum hemorrhage with special reference to concomitant use of "holding the cervix―procedure (Matsubara). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 210, 281-285.	1.1	15
14	Conservative management of retained products of conception in the normal placental position: A retrospective observational study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 240, 87-92.	1.1	14
15	MY (Matsubara–Yano) uterine compression suture to prevent acute recurrence of uterine inversion. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 734-735.	2.8	13
16	Urinary protein-to-creatinine ratio in pregnant women after dipstick testing: prospective observational study. BMC Pregnancy and Childbirth, 2015, 15, 331.	2.4	11
17	Factors Contributing to Massive Blood Loss on Peripartum Hysterectomy for Abnormally Invasive Placenta: Who Bleeds More?. Obstetrics and Gynecology International, 2016, 2016, 1-7.	1.3	11
18	Effect of urine creatinine level during pregnancy on dipstick test. Journal of Obstetrics and Gynaecology Research, 2017, 43, 967-973.	1.3	11

#	Article	IF	CITATIONS
19	Inserting the Bakri balloon during cesarean section in patients with a narrow cervix: Nelaton method (Matsubara). Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 1147-1148.	2.8	10
20	Handling aberrant vessels located in the posterior bladder wall in surgery for abnormally invasive placenta: a non/less-touch technique. Archives of Gynecology and Obstetrics, 2017, 296, 851-853.	1.7	10
21	Which type of placenta previa requires blood transfusion more frequently? A new concept of indiscernible edge total previa. Journal of Obstetrics and Gynaecology Research, 2016, 42, 1502-1508.	1.3	9
22	Perinatal outcome of pregnancy after adenomyomectomy: summary of 10 cases with a brief literature review. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 4145-4149.	1.5	8
23	Intraperitoneal Hemorrhage in a Pregnant Woman with Hyperemesis Gravidarum: Vitamin K Deficiency as a Possible Cause. Case Reports in Obstetrics and Gynecology, 2016, 2016, 1-3.	0.3	7
24	Uterine artery pseudoaneurysm after nonâ€traumatic vaginal delivery as a cause of postpartum hemorrhage: determination of its mechanism is urgently needed. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 788-789.	2.8	6
25	Laterally-positioned placenta in placenta previa. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 2642-2648.	1.5	6
26	Letter to the Editor on the article "Clinical evaluation of balloon occlusion of the lower abdominal aorta in patients with placenta previa and previous cesarean section: A retrospective study on 43 cases.†The drier the surgical field, the better?. International Journal of Surgery, 2017, 39, 148-149.	2.7	4
27	Factors associated with occupation changes after pregnancy/delivery: result from Japan Environment & Children's pilot study. BMC Women's Health, 2018, 18, 86.	2.0	4
28	Letter to â€~Cervical varix complicated by placenta previa: A case report and literature review': A novel simple abdominal traction stitch (Matsubara) to hold the Bakri balloon. Journal of Obstetrics and Gynaecology Research, 2016, 42, 1203-1204.	1.3	3
29	Inserting and holding the Bakri balloon in the uterus in a patient with cervical cerclage already placed: some techniques. Archives of Gynecology and Obstetrics, 2016, 294, 669-670.	1.7	3
30	Urinary proteinâ€toâ€creatinine ratio indicative of significant proteinuria in normotensive pregnant women. Journal of Obstetrics and Gynaecology Research, 2016, 42, 784-788.	1.3	3
31	Prophylactic Uterine Artery Embolization in Mid-trimester Pregnancy Termination for Placenta Previa: Required for All Patients?. CardioVascular and Interventional Radiology, 2017, 40, 474-475.	2.0	3
32	Hemostatic effect of combined procedures for placenta previa: cervix-holding, intrauterine balloon, and uterine compression suture. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 8710-8716.	1.5	3
33	Uterine Artery Pseudoaneurysm Rupture as a Culprit of Postpartum Hemorrhage: Not Always after Cesarean Section. Journal of Emergency Medicine, 2014, 46, e97-e98.	0.7	2
34	Respiratory Arrest in an Obese Pregnant Woman with Hyperemesis Gravidarum. Case Reports in Obstetrics and Gynecology, 2015, 2015, 1-4.	0.3	2
35	Letter to †Uterine artery pseudoaneurysm bleeding one decade after caesarean section: A case report†: Pseudoaneurysm anywhere and anytime. Journal of Obstetrics and Gynaecology Research, 2017, 43, 1660-1661.	1.3	2
36	Re: Intrauterine balloon tamponade for management of severe postpartum haemorrhage in a perinatal network: a prospective cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 1792-1793.	2.3	2

#	Article	IF	CITATIONS
37	Aortic Balloon Occlusion for Placenta Previa Accreta: Surgical Details are Important. CardioVascular and Interventional Radiology, 2017, 40, 478-479.	2.0	2
38	Placenta previa and hemorrhage: the placental location may be an important determinant of the bleeding amount. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 1390-1391.	1.5	2
39	A Potentially Useful Addition to Predict Spontaneous Resolution of Uterine Artery Pseudoaneurysm: Absence of Diastolic Flow. Case Reports in Obstetrics and Gynecology, 2018, 2018, 1-3.	0.3	2
40	Video image: Matsubara's Nelaton and Fishing methods for easier Bakri balloon insertion and avoiding its prolapse during cesarean section. Hypertension Research in Pregnancy, 2018, 6, 73-75.	0.2	2
41	Delivery or previous cesarean? A comment on "Antepartum hemorrhage from previous-cesarean-sectioned uterus as a potential sign of uterine artery pseudoaneurysm― Journal of Zhejiang University: Science B, 2017, 18, 723-724.	2.8	1
42	Letter to â€~Scoring model to predict massive postâ€partum bleeding in pregnancies with placenta previa: A retrospective cohort study': The best scoring model may depend on the situation. Journal of Obstetrics and Gynaecology Research, 2018, 44, 1186-1187.	1.3	1
43	Perceived fetal movement count as a traditional but essential tool for evaluating fetal health: some additions and Japanese obstetricians' and pediatricians' view. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 251-252.	1.5	1
44	Absent Ductus Venosus Associated with Partial Liver Defect. Case Reports in Obstetrics and Gynecology, 2018, 2018, 1-4.	0.3	1
45	Intra-abdominal adhesions: vaginal or abdominal delivery?. Archives of Gynecology and Obstetrics, 2015, 292, 953-954.	1.7	0
46	No immediate increase in morbidity of infants delivered by term cesarean section for placenta previa: some concerns. Archives of Gynecology and Obstetrics, 2016, 293, 1363-1364.	1.7	0
47	Eclampsia and hypertension: difficult to predict based solely on blood pressure monitoring. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 1448-1448.	2.8	0
48	Pseudoaneurysm: really a placenta-associated vascular regression abnormality?. Journal of Obstetrics and Gynaecology, 2017, 37, 973-973.	0.9	0
49	Predicting massive transfusion in placenta previa. Journal of Anesthesia, 2017, 31, 642-642.	1.7	0
50	Pregnancy-related thromboembolism and contributing risk factors: From 10 years of experience at a Japanese tertiary obstetrics institute. Hypertension Research in Pregnancy, 2017, 5, 59-64.	0.2	0
51	Prognosis and Prognostic Factors of Patients with Emergent Cerclage: A Japanese Single-Center Study. Obstetrics and Gynecology International, 2021, 2021, 1-7.	1.3	0