

Yosuke Baba

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2302347/publications.pdf>

Version: 2024-02-01

51
papers

528
citations

706676

14
h-index

759306

22
g-index

51
all docs

51
docs citations

51
times ranked

545
citing authors

#	ARTICLE	IF	CITATIONS
1	Hemostatic effect of combined procedures for placenta previa: cervix-holding, intrauterine balloon, and uterine compression suture. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 8710-8716.	0.7	3
2	Expectant management of retained products of conception following abortion: A retrospective cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 260, 1-5.	0.5	16
3	Prognosis and Prognostic Factors of Patients with Emergent Cerclage: A Japanese Single-Center Study. <i>Obstetrics and Gynecology International</i> , 2021, 2021, 1-7.	0.5	0
4	Laterally-positioned placenta in placenta previa. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 2642-2648.	0.7	6
5	Perinatal outcome of pregnancy after adenomyomectomy: summary of 10 cases with a brief literature review. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 4145-4149.	0.7	8
6	Conservative management of retained products of conception in the normal placental position: A retrospective observational study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 240, 87-92.	0.5	14
7	Matsubara's Yano suture: a simple uterine compression suture for postpartum hemorrhage during cesarean section. <i>Archives of Gynecology and Obstetrics</i> , 2019, 299, 113-121.	0.8	17
8	Letter to the Editor: Scoring model to predict massive postpartum bleeding in pregnancies with placenta previa: A retrospective cohort study: The best scoring model may depend on the situation. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 1186-1187.	0.6	1
9	Perceived fetal movement count as a traditional but essential tool for evaluating fetal health: some additions and Japanese obstetricians' and pediatricians' view. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 251-252.	0.7	1
10	Placenta previa and hemorrhage: the placental location may be an important determinant of the bleeding amount. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 1390-1391.	0.7	2
11	Matsubara's Takahashi cervix-holding technique for massive postpartum hemorrhage in patients with placenta previa with or without placenta accreta spectrum disorders. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 140, 357-364.	1.0	25
12	A Potentially Useful Addition to Predict Spontaneous Resolution of Uterine Artery Pseudoaneurysm: Absence of Diastolic Flow. <i>Case Reports in Obstetrics and Gynecology</i> , 2018, 2018, 1-3.	0.2	2
13	Factors associated with occupation changes after pregnancy/delivery: result from Japan Environment & Children's pilot study. <i>BMC Women's Health</i> , 2018, 18, 86.	0.8	4
14	Absent Ductus Venosus Associated with Partial Liver Defect. <i>Case Reports in Obstetrics and Gynecology</i> , 2018, 2018, 1-4.	0.2	1
15	Video image: Matsubara's Nelaton and Fishing methods for easier Bakri balloon insertion and avoiding its prolapse during cesarean section. <i>Hypertension Research in Pregnancy</i> , 2018, 6, 73-75.	0.1	2
16	Endogenous and exogenous miR-520c-3p modulates CD44-mediated extravillous trophoblast invasion. <i>Placenta</i> , 2017, 50, 25-31.	0.7	45
17	Hemostatic effect of intrauterine balloon for postpartum hemorrhage with special reference to concomitant use of cervix-holding the cervix procedure (Matsubara). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 210, 281-285.	0.5	15
18	Letter to the Editor on the article "Clinical evaluation of balloon occlusion of the lower abdominal aorta in patients with placenta previa and previous cesarean section: A retrospective study on 43 cases." The drier the surgical field, the better?. <i>International Journal of Surgery</i> , 2017, 39, 148-149.	1.1	4

#	ARTICLE	IF	CITATIONS
19	Prophylactic Uterine Artery Embolization in Mid-trimester Pregnancy Termination for Placenta Previa: Required for All Patients?. CardioVascular and Interventional Radiology, 2017, 40, 474-475.	0.9	3
20	Effect of urine creatinine level during pregnancy on dipstick test. Journal of Obstetrics and Gynaecology Research, 2017, 43, 967-973.	0.6	11
21	Handling aberrant vessels located in the posterior bladder wall in surgery for abnormally invasive placenta: a non/less-touch technique. Archives of Gynecology and Obstetrics, 2017, 296, 851-853.	0.8	10
22	Pseudoaneurysm: really a placenta-associated vascular regression abnormality?. Journal of Obstetrics and Gynaecology, 2017, 37, 973-973.	0.4	0
23	Letter to "Uterine artery pseudoaneurysm bleeding one decade after caesarean section: A case report": Pseudoaneurysm anywhere and anytime. Journal of Obstetrics and Gynaecology Research, 2017, 43, 1660-1661.	0.6	2
24	Delivery or previous cesarean? A comment on "Antepartum hemorrhage from previous-cesarean-sectioned uterus as a potential sign of uterine artery pseudoaneurysm". Journal of Zhejiang University: Science B, 2017, 18, 723-724.	1.3	1
25	Predicting massive transfusion in placenta previa. Journal of Anesthesia, 2017, 31, 642-642.	0.7	0
26	Re: Intrauterine balloon tamponade for management of severe postpartum haemorrhage in a perinatal network: a prospective cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 1792-1793.	1.1	2
27	Aortic Balloon Occlusion for Placenta Previa Accreta: Surgical Details are Important. CardioVascular and Interventional Radiology, 2017, 40, 478-479.	0.9	2
28	Pregnancy-related thromboembolism and contributing risk factors: From 10 years of experience at a Japanese tertiary obstetrics institute. Hypertension Research in Pregnancy, 2017, 5, 59-64.	0.1	0
29	Intraperitoneal Hemorrhage in a Pregnant Woman with Hyperemesis Gravidarum: Vitamin K Deficiency as a Possible Cause. Case Reports in Obstetrics and Gynecology, 2016, 2016, 1-3.	0.2	7
30	Factors Contributing to Massive Blood Loss on Peripartum Hysterectomy for Abnormally Invasive Placenta: Who Bleeds More?. Obstetrics and Gynecology International, 2016, 2016, 1-7.	0.5	11
31	Letter to "Cervical varix complicated by placenta previa: A case report and literature review": A novel simple abdominal traction stitch (Matsubara) to hold the Bakri balloon. Journal of Obstetrics and Gynaecology Research, 2016, 42, 1203-1204.	0.6	3
32	Isolated gestational proteinuria preceding the diagnosis of preeclampsia - an observational study. Acta Obstetrica Et Gynecologica Scandinavica, 2016, 95, 1048-1054.	1.3	19
33	No immediate increase in morbidity of infants delivered by term cesarean section for placenta previa: some concerns. Archives of Gynecology and Obstetrics, 2016, 293, 1363-1364.	0.8	0
34	Uterine artery pseudoaneurysm: its occurrence after non-traumatic events, and possibility of "without embolization" strategy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 205, 72-78.	0.5	41
35	Eclampsia and hypertension: difficult to predict based solely on blood pressure monitoring. Acta Obstetrica Et Gynecologica Scandinavica, 2016, 95, 1448-1448.	1.3	0
36	Inserting and holding the Bakri balloon in the uterus in a patient with cervical cerclage already placed: some techniques. Archives of Gynecology and Obstetrics, 2016, 294, 669-670.	0.8	3

#	ARTICLE	IF	CITATIONS
37	Which type of placenta previa requires blood transfusion more frequently? A new concept of indiscernible edge total previa. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 1502-1508.	0.6	9
38	Spontaneous resolution of post-delivery or post-abortion uterine artery pseudoaneurysm: A report of three cases. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 730-733.	0.6	19
39	Urinary protein-to-creatinine ratio indicative of significant proteinuria in normotensive pregnant women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 784-788.	0.6	3
40	Urinary protein-to-creatinine ratio in pregnant women after dipstick testing: prospective observational study. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 331.	0.9	11
41	Preventing a Bakri balloon from sliding out during "holding the cervix" "fishing for the balloon shaft" technique (Matsubara). <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 910-911.	1.3	26
42	Uterine artery pseudoaneurysm after non-traumatic vaginal delivery as a cause of postpartum hemorrhage: determination of its mechanism is urgently needed. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 788-789.	1.3	6
43	Inserting the Bakri balloon during cesarean section in patients with a narrow cervix: Nelaton method (Matsubara). <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 1147-1148.	1.3	10
44	Respiratory Arrest in an Obese Pregnant Woman with Hyperemesis Gravidarum. <i>Case Reports in Obstetrics and Gynecology</i> , 2015, 2015, 1-4.	0.2	2
45	Calculating probability of requiring allogeneic blood transfusion using three preoperative risk factors on cesarean section for placenta previa. <i>Archives of Gynecology and Obstetrics</i> , 2015, 291, 281-285.	0.8	19
46	Intra-abdominal adhesions: vaginal or abdominal delivery?. <i>Archives of Gynecology and Obstetrics</i> , 2015, 292, 953-954.	0.8	0
47	A novel "uterine sandwich"™ for haemorrhage at caesarean section for placenta praevia. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2014, 54, 283-286.	0.4	25
48	Uterine artery pseudoaneurysm: not a rare condition occurring after non-traumatic delivery or non-traumatic abortion. <i>Archives of Gynecology and Obstetrics</i> , 2014, 290, 435-440.	0.8	50
49	Anterior placentation as a risk factor for massive hemorrhage during cesarean section in patients with placenta previa. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 1243-1248.	0.6	52
50	Uterine Artery Pseudoaneurysm Rupture as a Culprit of Postpartum Hemorrhage: Not Always after Cesarean Section. <i>Journal of Emergency Medicine</i> , 2014, 46, e97-e98.	0.3	2
51	MY (Matsubara-Yano) uterine compression suture to prevent acute recurrence of uterine inversion. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 734-735.	1.3	13