

Giorgio Treglia

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2302773/giorgio-treglia-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

374 papers	6,238 citations	43 h-index	59 g-index
410 ext. papers	7,854 ext. citations	3.1 avg, IF	6.27 L-index

#	Paper	IF	Citations
374	Diagnostic performance of Gallium-68 somatostatin receptor PET and PET/CT in patients with thoracic and gastroenteropancreatic neuroendocrine tumours: a meta-analysis. <i>Endocrine</i> , 2012 , 42, 80-74		180
373	Diagnostic and clinical significance of F-18-FDG-PET/CT thyroid incidentalomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 3866-75	5.6	118
372	Detection rate of FNA cytology in medullary thyroid carcinoma: a meta-analysis. <i>Clinical Endocrinology</i> , 2015 , 82, 280-5	3.4	100
371	Comparison of 18F-DOPA, 18F-FDG and 68Ga-somatostatin analogue PET/CT in patients with recurrent medullary thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 569-80	8.8	100
370	Sentinel node biopsy for lymph nodal staging of uterine cervix cancer: a systematic review and meta-analysis of the pertinent literature. <i>European Journal of Surgical Oncology</i> , 2015 , 41, 1-20	3.6	96
369	Diagnostic accuracy of 18F-FDG-PET and PET/CT in patients with Ewing sarcoma family tumours: a systematic review and a meta-analysis. <i>Skeletal Radiology</i> , 2012 , 41, 249-56	2.7	89
368	MIBG scintigraphy in differential diagnosis of Parkinsonism: a meta-analysis. <i>Clinical Autonomic Research</i> , 2012 , 22, 43-55	4.3	85
367	Diagnostic performance of choline PET for detection of hyperfunctioning parathyroid glands in hyperparathyroidism: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 751-765	8.8	79
366	Diagnostic performance of 18F-dihydroxyphenylalanine positron emission tomography in patients with paraganglioma: a meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 1144-53	8.8	79
365	Relationship between prostate-specific antigen kinetics and detection rate of radiolabelled choline PET/CT in restaging prostate cancer patients: a meta-analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014 , 52, 725-33	5.9	78
364	The role of positron emission tomography using carbon-11 and fluorine-18 choline in tumors other than prostate cancer: a systematic review. <i>Annals of Nuclear Medicine</i> , 2012 , 26, 451-61	2.5	77
363	Diagnostic performance of myocardial innervation imaging using MIBG scintigraphy in differential diagnosis between dementia with lewy bodies and other dementias: a systematic review and a meta-analysis. <i>Journal of Neuroimaging</i> , 2012 , 22, 111-7	2.8	72
362	Application of C-11-acetate positron-emission tomography (PET) imaging in prostate cancer: systematic review and meta-analysis of the literature. <i>BJU International</i> , 2013 , 112, 1062-72	5.6	72
361	Usefulness of whole-body fluorine-18-fluorodeoxyglucose positron emission tomography in patients with large-vessel vasculitis: a systematic review. <i>Clinical Rheumatology</i> , 2011 , 30, 1265-75	3.9	72
360	Lymphatic mapping and sentinel node biopsy in squamous cell carcinoma of the vulva: systematic review and meta-analysis of the literature. <i>Gynecologic Oncology</i> , 2013 , 130, 237-45	4.9	70
359	Thyroglobulin levels and thyroglobulin doubling time independently predict a positive 18F-FDG PET/CT scan in patients with biochemical recurrence of differentiated thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013 , 40, 874-80	8.8	69
358	Unstimulated highly sensitive thyroglobulin in follow-up of differentiated thyroid cancer patients: a meta-analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 440-7	5.6	68

357	The role of Fluorine-18-Fluorodeoxyglucose positron emission tomography in staging and restaging of patients with osteosarcoma. <i>Radiology and Oncology</i> , 2013 , 47, 97-102	3.8	63
356	Detection rate of (99m) Tc-MIBI single photon emission computed tomography (SPECT)/CT in preoperative planning for patients with primary hyperparathyroidism: A meta-analysis. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E2159-72	4.2	62
355	Role of PET/CT in the functional imaging of endocrine pancreatic tumors. <i>Abdominal Imaging</i> , 2012 , 37, 1004-20		58
354	Clinical significance of incidental focal colorectal (18)F-fluorodeoxyglucose uptake: our experience and a review of the literature. <i>Colorectal Disease</i> , 2012 , 14, 174-80	2.1	58
353	Diagnostic performance of positron emission tomography using ^{111}C -methionine in patients with suspected parathyroid adenoma: a meta-analysis. <i>Endocrine</i> , 2013 , 43, 78-83	4	57
352	Diagnostic accuracy of bone scintigraphy in the assessment of cardiac transthyretin-related amyloidosis: a bivariate meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 1945-1955	8.8	56
351	Detection rate of recurrent medullary thyroid carcinoma using fluorine-18 fluorodeoxyglucose positron emission tomography: a meta-analysis. <i>Endocrine</i> , 2012 , 42, 535-45	4	56
350	Accuracy of 18-F-FDG PET imaging in the follow up of endometrial cancer patients: systematic review and meta-analysis of the literature. <i>Gynecologic Oncology</i> , 2013 , 128, 397-404	4.9	55
349	Performance of Five Ultrasound Risk Stratification Systems in Selecting Thyroid Nodules for FNA. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	55
348	The role of 18F-FDG-PET and PET/CT in patients with sarcoidosis: an updated evidence-based review. <i>Academic Radiology</i> , 2014 , 21, 675-84	4.3	54
347	Risk stratification and prognosis determination using (18)F-FDG PET imaging in endometrial cancer patients: a systematic review and meta-analysis. <i>Gynecologic Oncology</i> , 2014 , 132, 669-76	4.9	53
346	Impact of ^{111}In -DTPA-octreotide SPECT/CT fusion images in the management of neuroendocrine tumours. <i>Radiologia Medica</i> , 2008 , 113, 1056-67	6.5	53
345	Is (18)F-FDG PET useful in predicting the WHO grade of malignancy in thymic epithelial tumors? A meta-analysis. <i>Lung Cancer</i> , 2014 , 86, 5-13	5.9	51
344	Diagnostic performance of (99m)Tc-MIBI scan in predicting the malignancy of thyroid nodules: a meta-analysis. <i>Endocrine</i> , 2013 , 44, 70-8	4	51
343	Diagnostic performance of Fluorine-18-Fluorodeoxyglucose positron emission tomography for the diagnosis of osteomyelitis related to diabetic foot: a systematic review and a meta-analysis. <i>Foot</i> , 2013 , 23, 140-8	1.3	51
342	Detection Rate of F-Labeled PSMA PET/CT in Biochemical Recurrent Prostate Cancer: A Systematic Review and a Meta-Analysis. <i>Cancers</i> , 2019 , 11,	6.6	49
341	F18-FDG-PET/CT thyroid incidentalomas: a wide retrospective analysis in three Italian centres on the significance of focal uptake and SUV value. <i>Endocrine</i> , 2013 , 43, 678-85	4	49
340	Diagnostic performance of fluorine-18-fluorodeoxyglucose positron emission tomography in patients with Merkel cell carcinoma: a systematic review and meta-analysis. <i>American Journal of Clinical Dermatology</i> , 2013 , 14, 437-47	7.1	48

339	Diagnostic performance of fluorine 18 fluorodeoxyglucose positron emission tomography imaging for detection of primary lesion and staging of endometrial cancer patients: systematic review and meta-analysis of the literature. <i>International Journal of Gynecological Cancer</i> , 2013 , 23, 1536-43	3.5	48
338	Thyroid nodules with indeterminate cytology: prospective comparison between 18F-FDG-PET/CT, multiparametric neck ultrasonography, 99mTc-MIBI scintigraphy and histology. <i>European Journal of Endocrinology</i> , 2016 , 174, 693-703	6.5	46
337	Comparison of 123I-MIBG SPECT-CT and 18F-DOPA PET-CT in the evaluation of patients with known or suspected recurrent paraganglioma. <i>Nuclear Medicine Communications</i> , 2011 , 32, 575-82	1.6	46
336	Evaluation of the surgical completeness after total thyroidectomy for differentiated thyroid carcinoma. <i>European Journal of Surgical Oncology</i> , 2007 , 33, 648-54	3.6	46
335	Diagnostic performance of Fluorine-18-Fluorodeoxyglucose positron emission tomography in patients with chronic inflammatory bowel disease: a systematic review and a meta-analysis. <i>Journal of Crohn's and Colitis</i> , 2013 , 7, 345-54	1.5	45
334	Diagnostic performance of iodine-123-metaiodobenzylguanidine scintigraphy in differential diagnosis between Parkinson's disease and multiple-system atrophy: a systematic review and a meta-analysis. <i>Clinical Neurology and Neurosurgery</i> , 2011 , 113, 823-9	2	45
333	Clinical characteristics as predictors of malignancy in patients with indeterminate thyroid cytology: a meta-analysis. <i>Endocrine</i> , 2014 , 46, 52-9	4	44
332	The role of fluorine-18-fluorodeoxyglucose positron emission tomography in aggressive histological subtypes of thyroid cancer: an overview. <i>International Journal of Endocrinology</i> , 2013 , 2013, 856189	2.7	44
331	Detection rate of fluorine-18-fluorodeoxyglucose positron emission tomography in patients with marginal zone lymphoma of MALT type: a meta-analysis. <i>Hematological Oncology</i> , 2015 , 33, 113-24	1.3	43
330	Diagnostic performance of fluorine-18-fluorodeoxyglucose positron emission tomography in the postchemotherapy management of patients with seminoma: systematic review and meta-analysis. <i>BioMed Research International</i> , 2014 , 2014, 852681	3	43
329	Systematic reviews and meta-analyses of diagnostic studies: a practical guideline. <i>Clinical and Translational Imaging</i> , 2017 , 5, 83-87	2	41
328	Procalcitonin for detecting medullary thyroid carcinoma: a systematic review. <i>Endocrine-Related Cancer</i> , 2015 , 22, R157-64	5.7	41
327	Prevalence of normal TSH value among patients with autonomously functioning thyroid nodule. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 739-44	4.6	41
326	Diagnostic performance of fluorine-18-dihydroxyphenylalanine positron emission tomography in diagnosing and localizing the focal form of congenital hyperinsulinism: a meta-analysis. <i>Pediatric Radiology</i> , 2012 , 42, 1372-9	2.8	40
325	Nuclear medicine procedures in the diagnosis and therapy of medullary thyroid carcinoma. <i>Biomedicine and Pharmacotherapy</i> , 2008 , 62, 139-46	7.5	40
324	Additional value of integrated F-choline PET/4D contrast-enhanced CT in the localization of hyperfunctioning parathyroid glands and correlation with molecular profile. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 766-775	8.8	40
323	Molecular imaging with (99m)Tc-MIBI and molecular testing for mutations in differentiating benign from malignant follicular neoplasm: a prospective comparison. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016 , 43, 1018-26	8.8	39
322	Diagnostic performance of dedicated positron emission mammography using fluorine-18-fluorodeoxyglucose in women with suspicious breast lesions: a meta-analysis. <i>Clinical Breast Cancer</i> , 2014 , 14, 241-8	3	39

321	Detection rate of recurrent medullary thyroid carcinoma using fluorine-18 dihydroxyphenylalanine positron emission tomography: a meta-analysis. <i>Academic Radiology</i> , 2012 , 19, 1290-9	4.3	39
320	18F-Fluorodeoxyglucose positron emission tomography in evaluating treatment response to imatinib or other drugs in gastrointestinal stromal tumors: a systematic review. <i>Clinical Imaging</i> , 2012 , 36, 167-75	2.7	39
319	Molecular imaging and radionuclide therapy of pheochromocytoma and paraganglioma in the era of genomic characterization of disease subgroups. <i>Endocrine-Related Cancer</i> , 2019 , 26, R627-R652	5.7	39
318	Diagnostic Performance and Prognostic Value of PET/CT with Different Tracers for Brain Tumors: A Systematic Review of Published Meta-Analyses. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	38
317	Meta-analyses and systematic reviews on PET and PET/CT in oncology: the state of the art. <i>Clinical and Translational Imaging</i> , 2013 , 1, 73-75	2	38
316	Diagnostic accuracy of 18F-FDG-PET and PET/CT in the differential diagnosis between malignant and benign pleural lesions: a systematic review and meta-analysis. <i>Academic Radiology</i> , 2014 , 21, 11-20	4.3	38
315	Focal thyroid incidental uptake detected by 18 F-fluorodeoxyglucose positron emission tomography. Meta-analysis on prevalence and malignancy risk. <i>Nuklearmedizin - Nuclear Medicine</i> , 2013 , 52, 130-6	1.8	38
314	BRAF-mutated carcinomas among thyroid nodules with prior indeterminate FNA report: a systematic review and meta-analysis. <i>Clinical Endocrinology</i> , 2016 , 84, 315-20	3.4	38
313	PET/CT assessment of neuroendocrine tumors of the lung with special emphasis on bronchial carcinoids. <i>Tumor Biology</i> , 2014 , 35, 8369-77	2.9	37
312	The role of positron emission tomography and positron emission tomography/computed tomography in thyroid tumours: an overview. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013 , 270, 1783-7	3.5	37
311	Emerging role of whole-body 18F-fluorodeoxyglucose positron emission tomography as a marker of disease activity in patients with sarcoidosis: a systematic review. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2011 , 28, 87-94	1.1	37
310	Iodine-123 metaiodobenzylguanidine scintigraphy and iodine-123 ioflupane single photon emission computed tomography in Lewy body diseases: complementary or alternative techniques?. <i>Journal of Neuroimaging</i> , 2014 , 24, 149-54	2.8	36
309	Diagnostic performance of planar scintigraphy using 99m Tc-MIBI in patients with secondary hyperparathyroidism: a meta-analysis. <i>Annals of Nuclear Medicine</i> , 2012 , 26, 794-803	2.5	36
308	EANM practice guideline for PET/CT imaging in medullary thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 61-77	8.8	36
307	Bilateral adrenalectomy in the 21st century: when to use it for hypercortisolism?. <i>Endocrine-Related Cancer</i> , 2016 , 23, R131-42	5.7	35
306	Diagnostic role of radiolabelled choline PET or PET/CT in hepatocellular carcinoma: a systematic review and meta-analysis. <i>Hepatology International</i> , 2014 , 8, 493-500	8.8	35
305	Role of isotope scan, including positron emission tomography/computed tomography, in nodular goitre. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014 , 28, 507-18	6.5	35
304	Diagnostic Performance of F-FDG PET/CT in Infectious and Inflammatory Diseases according to Published Meta-Analyses. <i>Contrast Media and Molecular Imaging</i> , 2019 , 2019, 3018349	3.2	34

303	Prevalence and clinical significance of incidental F18-FDG breast uptake: a systematic review and meta-analysis. <i>Japanese Journal of Radiology</i> , 2014 , 32, 59-68	2.9	34
302	Prevalence and malignancy risk of focal colorectal incidental uptake detected by (18)F-FDG-PET or PET/CT: a meta-analysis. <i>Radiology and Oncology</i> , 2014 , 48, 99-104	3.8	34
301	Usefulness of whole-body fluorine-18-fluorodeoxyglucose positron emission tomography in patients with neurofibromatosis type 1: a systematic review. <i>Radiology Research and Practice</i> , 2012 , 2012, 431029	2.3	34
300	Diagnostic accuracy of fluorine-18-fluorodeoxyglucose positron emission tomography in the evaluation of the primary tumor in patients with cholangiocarcinoma: a meta-analysis. <i>BioMed Research International</i> , 2014 , 2014, 247693	3	33
299	18F-FDG PET/CT for invasive fungal infection in immunocompromised patients. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2018 , 111, 613-622	2.7	32
298	Correlation between PSA kinetics and PSMA-PET in prostate cancer restaging: A meta-analysis. <i>European Journal of Clinical Investigation</i> , 2019 , 49, e13063	4.6	31
297	Recent Developments of 18F-FET PET in Neuro-oncology. <i>Current Medicinal Chemistry</i> , 2018 , 25, 3061-3073	4.3	31
296	Reliability of real-time elastography to diagnose thyroid nodules previously read at FNAC as indeterminate: a meta-analysis. <i>Endocrine</i> , 2015 , 50, 335-43	4	30
295	The role of fluorine-18-fluorodeoxyglucose positron emission tomography in evaluating the response to tyrosine-kinase inhibitors in patients with metastatic primary renal cell carcinoma. <i>Radiology and Oncology</i> , 2014 , 48, 219-27	3.8	30
294	PET Imaging in Recurrent Medullary Thyroid Carcinoma. <i>International Journal of Molecular Imaging</i> , 2012 , 2012, 324686		30
293	Is there a role for fluorine 18 fluorodeoxyglucose-positron emission tomography and positron emission tomography/computed tomography in evaluating patients with mycobacteriosis? A systematic review. <i>Journal of Computer Assisted Tomography</i> , 2011 , 35, 387-93	2.2	29
292	Nuove applicazioni della medicina nucleare in ambito diagnostico (I parte). <i>Italian Journal of Medicine</i> , 2010 , 4, 84-91	0.5	29
291	PET imaging in ectopic Cushing syndrome: a systematic review. <i>Endocrine</i> , 2015 , 50, 297-305	4	28
290	Incidental uptake of 18F-fluorodeoxyglucose in the prostate gland. Systematic review and meta-analysis on prevalence and risk of malignancy. <i>Nuklearmedizin - Nuclear Medicine</i> , 2014 , 53, 249-58	1.8	28
289	Imaging in primary hyperparathyroidism: focus on the evidence-based diagnostic performance of different methods. <i>Minerva Endocrinology</i> , 2018 , 43, 133-143	2.5	28
288	Comparison of metaiodobenzylguanidine scintigraphy with positron emission tomography in the diagnostic work-up of pheochromocytoma and paraganglioma: a systematic review. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2013 , 57, 122-33	1.4	28
287	Preoperative measurement of serum thyroglobulin to predict malignancy in thyroid nodules: a systematic review. <i>Hormone and Metabolic Research</i> , 2015 , 47, 247-52	3.1	26
286	18F-FDG PET/CT in solitary plasmacytoma: metabolic behavior and progression to multiple myeloma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 77-84	8.8	26

285	Diagnostic performance of fluorine-18-fluorodeoxyglucose positron emission tomography in the assessment of pleural abnormalities in cancer patients: a systematic review and a meta-analysis. <i>Lung Cancer</i> , 2014 , 83, 1-7	5.9	26
284	Diagnostic performance of PET/CT with tracers other than F-18-FDG in oncology: an evidence-based review. <i>Clinical and Translational Oncology</i> , 2014 , 16, 770-5	3.6	24
283	Prognostic significance of sentinel lymph node mapping in Merkel cell carcinoma: systematic review and meta-analysis of prognostic studies. <i>BioMed Research International</i> , 2014 , 2014, 489536	3	24
282	Comparison between whole-body MRI and Fluorine-18-Fluorodeoxyglucose PET or PET/CT in oncology: a systematic review. <i>Radiology and Oncology</i> , 2013 , 47, 206-18	3.8	23
281	What is currently the best radiopharmaceutical for the hybrid PET/CT detection of recurrent medullary thyroid carcinoma?. <i>Current Radiopharmaceuticals</i> , 2013 , 6, 96-105	1.8	23
280	Diagnostic accuracy of fluorine-18-fluorodeoxyglucose positron emission tomography in gallbladder cancer: A meta-analysis. <i>World Journal of Gastroenterology</i> , 2015 , 21, 11481-8	5.6	23
279	Evaluation of the Added Value of Diffusion-Weighted Imaging to Conventional Magnetic Resonance Imaging in Pancreatic Neuroendocrine Tumors and Comparison With 68Ga-DOTANOC Positron Emission Tomography/Computed Tomography. <i>Pancreas</i> , 2016 , 45, 345-54	2.6	23
278	Radiolabelled choline versus PSMA PET/CT in prostate cancer restaging: a meta-analysis. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 9, 127-139	2.2	22
277	18 F-FDG uptake as a prognostic variable in primary differentiated thyroid cancer incidentally detected by PET/CT: a multicentre study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 41, 1482-91	8.8	21
276	Diagnostic performance of positron emission tomography/computed tomography using fluorine-18 fluorodeoxyglucose in detecting locoregional nodal involvement in patients with anal canal cancer: a systematic review and meta-analysis. <i>Scientific World Journal, The</i> , 2014 , 2014, 196068	2.2	21
275	Role of PET in medullary thyroid carcinoma. <i>Minerva Endocrinologica</i> , 2008 , 33, 67-73	1.9	21
274	Prevalence and risk of malignancy of focal incidental uptake detected by fluorine-18-fluorodeoxyglucose positron emission tomography in the parotid gland: a meta-analysis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 3617-26	3.5	20
273	Which is the optimal acquisition time for FDG PET/CT imaging in patients with infective endocarditis?. <i>Journal of Nuclear Cardiology</i> , 2013 , 20, 307-9	2.1	20
272	Diagnostic performance of fluorine-18-fluorodeoxyglucose positron emission tomography imaging in uterine sarcomas: systematic review and meta-analysis of the literature. <i>International Journal of Gynecological Cancer</i> , 2013 , 23, 1349-56	3.5	20
271	PET/CT in thyroid nodule and differentiated thyroid cancer patients. The evidence-based state of the art. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2019 , 20, 47-64	10.5	19
270	The role of fluorine-18-fluorodeoxyglucose positron emission tomography in evaluating the response to treatment in patients with multiple myeloma. <i>International Journal of Molecular Imaging</i> , 2012 , 2012, 175803		18
269	Recent developments in innervation imaging using iodine-123-metaiodobenzylguanidine scintigraphy in Lewy body diseases. <i>Neurological Sciences</i> , 2010 , 31, 417-22	3.5	18
268	F-FDG PET/CT or PET Role in MALT Lymphoma: An Open Issue not Yet Solved-A Critical Review. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020 , 20, 137-146	2	18

267	Ga-PSMA PET thyroid incidentalomas. <i>Hormones</i> , 2019 , 18, 145-149	3.1	17
266	Skin biopsy and I-123 MIBG scintigraphy findings in idiopathic Parkinson's disease and parkinsonism: a comparative study. <i>Movement Disorders</i> , 2015 , 30, 986-9	7	17
265	F18-FDG-PET/CT for evaluation of intraductal papillary mucinous neoplasms (IPMN): a review of the literature. <i>Japanese Journal of Radiology</i> , 2013 , 31, 229-36	2.9	17
264	The role of 18F-FDG-PET and PET/CT in patients with colorectal liver metastases undergoing selective internal radiation therapy with yttrium-90: a first evidence-based review. <i>Scientific World Journal, The</i> , 2014 , 2014, 879469	2.2	17
263	Will F-fluorocholine PET/CT replace other methods of preoperative parathyroid imaging?. <i>Endocrine</i> , 2021 , 71, 285-297	4	17
262	Thyroid lobe ablation with iodine- ^{131}I in patients with differentiated thyroid carcinoma: a randomized comparison between 1.1 and 3.7 GBq activities. <i>Nuclear Medicine Communications</i> , 2013 , 34, 767-70	1.6	16
261	A rare case of ectopic adrenocorticotrophic hormone syndrome caused by a metastatic neuroendocrine tumor of the pancreas detected by 68Ga-DOTANOC and 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e306-8	1.7	16
260	Efficacy of different protocols of radioiodine therapy for treatment of toxic nodular goiter: systematic review and meta-analysis of the literature. <i>International Journal of Endocrinology and Metabolism</i> , 2014 , 12, e14424	1.8	16
259	Multiple Endocrine Neoplasia Type 1 and the Pancreas: Diagnosis and Treatment of Functioning and Non-Functioning Pancreatic and Duodenal Neuroendocrine Neoplasia within the MEN1 Syndrome - An International Consensus Statement. <i>Neuroendocrinology</i> , 2021 , 111, 609-630	5.6	16
258	Impact of F-FDG PET/CT in Staging Patients With Small Cell Lung Cancer: A Systematic Review and Meta-Analysis. <i>Frontiers in Medicine</i> , 2019 , 6, 336	4.9	15
257	A thyroid incidentaloma detected by 18F-choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e267-9	1.7	15
256	Diagnostic accuracy of [18F]DOPA PET and PET/CT in patients with neuroendocrine tumors: a meta-analysis. <i>Clinical and Translational Imaging</i> , 2013 , 1, 111-122	2	15
255	Is fluorine-18-fluorodeoxyglucose positron emission tomography useful in monitoring the response to treatment in patients with multiple myeloma?. <i>International Journal of Hematology</i> , 2012 , 96, 685-91	2.3	15
254	A comparison between ^{18}F -FDG PET/CT imaging and biological and radiological findings in restaging of hepatoblastoma patients. <i>BioMed Research International</i> , 2013 , 2013, 709037	3	15
253	The evolution in the use of MIBG scintigraphy in pheochromocytomas and paragangliomas. <i>Hormones</i> , 2013 , 12, 58-68	3.1	15
252	Prevalence of thyroid dysfunction in patients with COVID-19: a systematic review. <i>Clinical and Translational Imaging</i> , 2021 , 9, 1-8	2	15
251	Functional imaging evaluation in the detection, diagnosis, and histologic differentiation of pulmonary neuroendocrine tumors. <i>Thoracic Surgery Clinics</i> , 2014 , 24, 285-92	3.1	14
250	Emerging role of Fluorine-18-fluorodeoxyglucose positron emission tomography in patients with retroperitoneal fibrosis: a systematic review. <i>Rheumatology International</i> , 2013 , 33, 549-55	3.6	14

249	A rare case of primary pulmonary epithelioid angiosarcoma detected by (18)F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, 450-2	1.7	14
248	Serum cytokeratin 19 fragments: a dedifferentiation marker in advanced thyroid cancer. <i>European Journal of Endocrinology</i> , 2012 , 167, 793-7	6.5	14
247	Usefulness of (18)F-FDG PET/CT in disease extent and treatment response assessment in a patient with syphilitic aortitis. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e185-7	1.7	14
246	The value of F-FDG PET/CT for the diagnosis of device-related infections in patients with a left ventricular assist device: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 241-253	8.8	14
245	Axillary concordance between superficial and deep sentinel node mapping material injections in breast cancer patients: systematic review and meta-analysis of the literature. <i>Breast Cancer Research and Treatment</i> , 2014 , 144, 213-22	4.4	13
244	Role of 2-[F]FDG as a Radiopharmaceutical for PET/CT in Patients with COVID-19: A Systematic Review. <i>Pharmaceuticals</i> , 2020 , 13,	5.2	13
243	Reliability of intraoperative ultrasound in detecting tumor residual after brain diffuse glioma surgery: a systematic review and meta-analysis. <i>Neurosurgical Review</i> , 2020 , 43, 1221-1233	3.9	13
242	Topical administration of isoflavones for treatment of vaginal symptoms in postmenopausal women: A systematic review of randomised controlled trials. <i>Journal of Obstetrics and Gynaecology</i> , 2015 , 35, 783-7	1.3	12
241	Sentinel node mapping in papillary thyroid carcinoma using combined radiotracer and blue dye methods. <i>Endokrynologia Polska</i> , 2014 , 65, 281-6	1.1	12
240	Factors influencing the sensitivity of 18F-FDG PET/CT in the detection of infective endocarditis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013 , 40, 1112-3	8.8	12
239	Comparison of different positron emission tomography tracers in patients with recurrent medullary thyroid carcinoma: our experience and a review of the literature. <i>Recent Results in Cancer Research</i> , 2013 , 194, 385-93	1.5	12
238	Prevalence and risk of malignancy of thyroid incidentalomas detected by (18)f-fluorodeoxyglucose positron-emission tomography. <i>Thyroid</i> , 2013 , 23, 124-6	6.2	12
237	F-FDG PET Imaging in the Evaluation of Treatment Response to New Chemotherapies beyond Imatinib for Patients with Gastrointestinal Stromal Tumors. <i>ISRN Gastroenterology</i> , 2011 , 2011, 824892		12
236	Costal brown tumor detected by dual-phase parathyroid imaging and SPECT-CT in primary hyperparathyroidism. <i>Clinical Nuclear Medicine</i> , 2008 , 33, 193-5	1.7	12
235	Role of positron emission tomography in thyroid and neuroendocrine tumors. <i>Minerva Endocrinology</i> , 2018 , 43, 341-355	2.5	12
234	Cost-effectiveness of Fluorine-18-Fluorodeoxyglucose positron emission tomography in tumours other than lung cancer: A systematic review. <i>World Journal of Radiology</i> , 2014 , 6, 48-55	2.9	12
233	Diagnostic performance of F-FDG PET/CT in patients with spinal infection: a systematic review and a bivariate meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 1287-1301	8.8	12
232	International consensus on initial screening and follow-up of asymptomatic SDHx mutation carriers. <i>Nature Reviews Endocrinology</i> , 2021 , 17, 435-444	15.2	12

231	Diagnostic Performance of PET or PET/CT Using F-FDG Labeled White Blood Cells in Infectious Diseases: A Systematic Review and a Bivariate Meta-Analysis. <i>Diagnostics</i> , 2019 , 9,	3.8	11
230	Is 18F-FDG-PET/CT really able to differentiate between malignant and benign solitary fibrous tumor of the pleura?. <i>Clinical Imaging</i> , 2013 , 37, 976	2.7	11
229	A rare case of solitary fibrous tumor of the adrenal gland detected by (18)F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, 475-7	1.7	11
228	[18F]FDG-PET/CT in patients affected by retroperitoneal fibrosis: a bicentric experience. <i>Japanese Journal of Radiology</i> , 2012 , 30, 415-21	2.9	11
227	Pulmonary neuroendocrine tumor incidentally detected by (18)F-CH PET/CT. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e196-9	1.7	11
226	A case of insulinoma detected by (68)Ga-DOTANOC PET/CT and missed by (18)F-dihydroxyphenylalanine PET/CT. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e267-70	1.7	11
225	Usefulness of fluorine-18 fluorodeoxyglucose PET/computed tomography in diagnosis of aortitis and treatment response evaluation in a patient with aortic prosthesis. <i>Journal of Cardiovascular Medicine</i> , 2011 , 12, 814-6	1.9	11
224	Nuove applicazioni della medicina nucleare in ambito diagnostico: II parte. <i>Italian Journal of Medicine</i> , 2010 , 4, 159-166	0.5	11
223	The Role of Fluorine-18-fluorodeoxyglucose Positron Emission Tomography in Assessing the Response to Neoadjuvant Treatment in Patients with Osteosarcoma. <i>International Journal of Molecular Imaging</i> , 2012 , 2012, 870301		11
222	Diagnostic Performance of PET Imaging Using Different Radiopharmaceuticals in Prostate Cancer According to Published Meta-Analyses. <i>Cancers</i> , 2020 , 12,	6.6	11
221	Clinical usefulness of myocardial innervation imaging using Iodine-123-meta-iodobenzylguanidine scintigraphy in evaluating the effectiveness of pharmacological treatments in patients with heart failure: an overview. <i>European Review for Medical and Pharmacological Sciences</i> , 2013 , 17, 56-68	2.9	11
220	Indeterminate thyroid nodules. The role of F-FDG PET/CT in the "era" of ultrasonography risk stratification systems and new thyroid cytology classifications. <i>Endocrine</i> , 2020 , 69, 553-561	4	10
219	131I whole-body scan or 18FDG PET/CT for patients with elevated thyroglobulin and negative ultrasound?. <i>Clinical and Translational Imaging</i> , 2013 , 1, 175-183	2	10
218	Is F-FDG-PET suitable to predict clinical response to the treatment of geriatric depression? A systematic review of PET studies. <i>Aging and Mental Health</i> , 2017 , 21, 889-894	3.5	10
217	Incidental 11C-choline PET/CT brain uptake due to meningioma in a patient studied for prostate cancer: correlation with MRI and imaging fusion. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e435-7	1.7	10
216	Multifocal extra-adrenal paraganglioma evaluated with different PET tracers: comparison between 18F-FDG, 18F-DOPA and 68Ga DOTANOC PET/CT. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e458-62	1.7	10
215	Usefulness of F-18 FDG PET/CT in the follow-up of POEMS syndrome after autologous peripheral blood stem cell transplantation. <i>Clinical Nuclear Medicine</i> , 2012 , 37, 181-3	1.7	10
214	Diagnostic value of [18F]FDG-PET/CT in polymyalgia rheumatica: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 1876-1889	8.8	10

213	Potential of Radiolabeled PSMA PET/CT or PET/MRI Diagnostic Procedures in Gliomas/Glioblastomas. <i>Current Radiopharmaceuticals</i> , 2020 , 13, 94-98	1.8	10
212	Detection Rate of Culprit Tumors Causing Osteomalacia Using Somatostatin Receptor PET/CT: Systematic Review and Meta-Analysis. <i>Diagnostics</i> , 2019 , 10,	3.8	10
211	Detection rate of somatostatin receptor PET in patients with recurrent medullary thyroid carcinoma: a systematic review and a meta-analysis. <i>Hormones</i> , 2017 , 16, 362-372	3.1	10
210	FNA indication according to ACR-TIRADS, EU-TIRADS and K-TIRADS in thyroid incidentalomas at F-FDG PET/CT. <i>Journal of Endocrinological Investigation</i> , 2020 , 43, 1607-1612	5.2	9
209	Primary Sarcomatoid Carcinoma of the Lung: Radiometabolic ((18)F-FDG PET/CT) Findings and Correlation with Clinico-Pathological and Survival Results. <i>Lung</i> , 2016 , 194, 653-7	2.9	9
208	Meta-analysis on MIBG scintigraphy in differential diagnosis between Parkinson's disease and neurodegenerative parkinsonism. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 805; author reply 806	3.6	9
207	Further considerations on adverse reactions to radiopharmaceuticals. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 1360-2	8.8	9
206	Comparison between F-Fluorodeoxyglucose Positron Emission Tomography and Sentinel Lymph Node Biopsy for Regional Lymph Nodal Staging in Patients with Melanoma: A Review of the Literature. <i>Radiology Research and Practice</i> , 2011 , 2011, 912504	2.3	9
205	F-FDG PET or PET/CT in Mantle Cell Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020 , 20, 422-430	2	9
204	Prognostic Significance of Fluorine-18 Fluorodeoxyglucose Positron Emission Tomography in Anal Squamous Cell Carcinoma: A Systematic Review and a Meta-Analysis. <i>Contrast Media and Molecular Imaging</i> , 2018 , 2018, 9760492	3.2	9
203	Prevalence and clinical significance of focal incidental 18F-FDG uptake in different organs: an evidence-based summary. <i>Clinical and Translational Imaging</i> , 2017 , 5, 525-532	2	8
202	Radioisotope imaging for discriminating benign from malignant cytologically indeterminate thyroid nodules. <i>Gland Surgery</i> , 2019 , 8, S118-S125	2.2	8
201	A case report of chylous ascites after gastric bypass for morbid obesity. <i>International Journal of Surgery Case Reports</i> , 2016 , 29, 133-136	0.8	8
200	Brown Adipose Tissue (BAT) detection by F-FDG PET and thyroid hormone level(s)-a systematic review. <i>Endocrine</i> , 2018 , 62, 496-500	4	8
199	Fine-needle aspiration in all thyroid incidentalomas at F-FDG PET/CT: Can EU-TIRADS revise the dogma?. <i>Clinical Endocrinology</i> , 2018 , 89, 642-648	3.4	8
198	Multifocal epithelioid hemangioendothelioma of the lower limbs detected by 18F-FDG PET/MRI. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e402-4	1.7	8
197	Incidental detection of Hithle cell adenoma by 18F-choline PET/CT scan in a patient with prostate cancer. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2013 , 32, 340-1	0.4	8
196	Recurrent lymphoma in the thyroid gland detected by fluorine-18-fluorodeoxyglucose PET/CT. <i>Endocrine</i> , 2013 , 43, 242-3	4	8

195	A standardized dual-phase 18F-DOPA PET/CT protocol in the detection of medullary thyroid cancer. <i>Nuclear Medicine Communications</i> , 2013 , 34, 185-6	1.6	8
194	Noninvasive adrenal imaging in hyperaldosteronism: is it accurate for correctly identifying patients who should be selected for surgery?. <i>Langenbeck's Archives of Surgery</i> , 2007 , 392, 623-8	3.4	8
193	Diagnostic Role of F-PSMA-1007 PET/CT in Prostate Cancer Staging: A Systematic Review. <i>Diagnostics</i> , 2021 , 11,	3.8	8
192	F18-choline/C11-choline PET/CT thyroid incidentalomas. <i>Endocrine</i> , 2019 , 64, 203-208	4	8
191	The role of nuclear medicine in the diagnosis of spondylodiscitis. <i>European Review for Medical and Pharmacological Sciences</i> , 2012 , 16 Suppl 2, 20-5	2.9	8
190	Differentiated Thyroid Cancer lymph-node relapse. Role of adjuvant radioactive iodine therapy after lymphadenectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017 , 44, 926-934	8.8	7
189	Detection rate of unknown primary tumour by using somatostatin receptor PET/CT in patients with metastatic neuroendocrine tumours: a meta-analysis. <i>Endocrine</i> , 2019 , 64, 456-468	4	7
188	Multicentre study of 18F-FDG-PET/CT prostate incidental uptake. <i>Japanese Journal of Radiology</i> , 2015 , 33, 538-46	2.9	7
187	Metastatic undifferentiated spindle cell sarcoma of the thyroid gland evaluated by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2015 , 40, e208-10	1.7	7
186	An unusual orbital localization of wegener granulomatosis detected by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, 711-2	1.7	7
185	A rare case of small cell neuroendocrine carcinoma of the urinary bladder incidentally detected by F-18-FDG PET/CT. <i>Endocrine</i> , 2014 , 45, 156-7	4	7
184	PET and PET/CT imaging in thyroid and adrenal diseases: an update. <i>Hormones</i> , 2013 , 12, 327-33	3.1	7
183	Selective α -Adrenoceptor Agonists and Relevant Hyperlactatemia: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 9,	5.1	7
182	Testing for BRAF (V600E) Mutation in Thyroid Nodules with Fine-Needle Aspiration (FNA) Read as Suspicious for Malignancy (Bethesda V, Thy4, TIR4): a Systematic Review and Meta-analysis. <i>Endocrine Pathology</i> , 2020 , 31, 57-66	4.2	7
181	Performance of F-FDG PET/CT in Selecting Thyroid Nodules with Indeterminate Fine-Needle Aspiration Cytology for Surgery. A Systematic Review and a Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
180	Diagnostic Performance of PET or PET/CT with Different Radiotracers in Patients with Suspicious Lung Cancer or Pleural Tumours according to Published Meta-Analyses. <i>Contrast Media and Molecular Imaging</i> , 2020 , 2020, 5282698	3.2	6
179	A rare case of neuroendocrine tumor of the middle ear detected by gallium-68-DOTANOC-PET/CT. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 1319-20	5.6	6
178	Masking effect of chronic pancreatitis in the interpretation of somatostatin receptor positron emission tomography in pancreatic neuroendocrine tumors. <i>Pancreas</i> , 2013 , 42, 726-8	2.6	6

177	Usefulness of 18F-FDG PET/CT in an unusual case of solid-pseudopapillary pancreatic tumor in childhood with aggressive behavior. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e35-7	1.7	6
176	When to perform positron emission tomography/computed tomography or radionuclide bone scan in patients with recently diagnosed prostate cancer. <i>Cancer Management and Research</i> , 2013 , 5, 123-31	3.6	6
175	Evidence-Based Data About Prevalence and Risk of Malignancy of Thyroid Incidentalomas Detected by Different PET Radiopharmaceuticals. <i>Current Radiopharmaceuticals</i> , 2020 , 13, 89-93	1.8	6
174	Diagnostic Performance of F-FDG PET/CT in Native Valve Endocarditis: Systematic Review and Bivariate Meta-Analysis. <i>Diagnostics</i> , 2020 , 10,	3.8	6
173	Usefulness of Brain Positron Emission Tomography with Different Tracers in the Evaluation of Patients with Idiopathic Normal Pressure Hydrocephalus. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
172	Prevalence and Significance of Hypermetabolic Lymph Nodes Detected by 2-[F]FDG PET/CT after COVID-19 Vaccination: A Systematic Review and a Meta-Analysis. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	6
171	Diagnostic role of (18)F-FDG-PET or PET/CT in salivary gland tumors: A systematic review. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 295-302	0.4	6
170	68Ga-DOTATOC PET/CT Imaging in Solitary Fibrous Tumor of the Pleura. <i>Clinical Nuclear Medicine</i> , 2017 , 42, e294-e296	1.7	5
169	Diagnostic Performance of F-FDG PET or PET/CT for Detection of Post-Transplant Lymphoproliferative Disorder: A Systematic Review and a Bivariate Meta-Analysis. <i>Diagnostics</i> , 2020 , 10,	3.8	5
168	An Unusual Case of Plasmablastic Lymphoma Presenting as Paravertebral Mass Evaluated by (18) F-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 89-90	1.9	5
167	Rare sinonasal small cell neuroendocrine carcinoma evaluated by F-18-FDG PET/MRI. <i>Endocrine</i> , 2014 , 47, 654-5	4	5
166	A Rare Case of Malignant Granular Cell Tumor of the Colon Incidentally Detected by (18) F-FDG Positron Emission Tomography/Computed Tomography. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 148-50	1.9	5
165	Staging and treatment response evaluation in a metastatic neuroendocrine tumor of the pancreas with G2 grading: insights from multimodality diagnostic approach by F-18-FDG and Ga-68-DOTANOC PET/CT. <i>Endocrine</i> , 2013 , 43, 729-31	4	5
164	Multicentric study on 18F-FDG-PET/CT breast incidental uptake in patients studied for non-breast malignant purposes. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 24-9	0.4	5
163	Detectable thyroglobulin with negative imaging in differentiated thyroid cancer patients. What to do with negative anatomical imaging and radioiodine scan?. <i>Nuklearmedizin - NuclearMedicine</i> , 2014 , 53, 1-10	1.8	5
162	Diagnostic value of [18F]FDG-PET/CT for treatment monitoring in large vessel vasculitis: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 3886-3902	8.8	5
161	Ga-DOTATOC PET/CT in the localization of head and neck paraganglioma compared with F-DOPA PET/CT and I-MIBG SPECT/CT. <i>Nuclear Medicine and Biology</i> , 2019 , 71, 47-53	2.1	4
160	Role of F-Choline Positron Emission Tomography/Computed Tomography to Detect Structural Relapse in High-Risk Differentiated Thyroid Cancer Patients. <i>Thyroid</i> , 2019 , 29, 549-556	6.2	4

159	Detection of thyroiditis on PET/CT imaging: a systematic review. <i>Hormones</i> , 2020 , 19, 341-349	3.1	4
158	Could short thyroid hormone withdrawal be an effective strategy for radioiodine remnant ablation in differentiated thyroid cancer patients?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 1218-1223	8.8	4
157	Role of positron emission tomography imaging in Multiple Endocrine Neoplasia syndromes. <i>Clinical Physiology and Functional Imaging</i> , 2018 , 38, 4-9	2.4	4
156	Incidental 11C-choline PET/CT uptake due to esophageal carcinoma in a patient studied for prostate cancer. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e442-4	1.7	4
155	Multifocal Head and Neck Paraganglioma Evaluated with Different PET Tracers: Comparison Between Fluorine-18-Fluorodeoxyglucose and Gallium-68-Somatostatin Receptor PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 218-9	1.9	4
154	[18F]-fluoro-deoxy-glucose focal uptake in very small pulmonary nodules: fact or artifact? Case reports. <i>World Journal of Surgical Oncology</i> , 2012 , 10, 71	3.4	4
153	Markedly increased 18F-FDG uptake in a nonfunctioning adrenal adenoma mimicking malignancy. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e333-5	1.7	4
152	Il contributo della PET/TC con 18F-FDG nelle vasculiti dei grossi vasi: applicazioni e limiti della metodica nella pratica clinica. <i>Italian Journal of Medicine</i> , 2011 , 5, 249-254	0.5	4
151	Atypical presentation of plasma cell leukemia secondary to multiple myeloma detected by F-18 FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2011 , 36, e220-3	1.7	4
150	Head-to-Head Comparison of Fibroblast Activation Protein Inhibitors (FAPI) Radiotracers versus [18F]-FDG in Oncology: A Systematic Review. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
149	PET with Different Radiopharmaceuticals in Neuroendocrine Neoplasms: An Umbrella Review of Published Meta-Analyses. <i>Cancers</i> , 2021 , 13,	6.6	4
148	A pooled analysis to calculate the prevalence and risk of malignancy of thyroid incidentalomas detected by Fluorine-18-Fluorodeoxyglucose positron emission tomography.. <i>Thyroid</i> , 120813070754002	6.2	4
147	Prognostic and predictive value of nuclear imaging in endocrine oncology. <i>Endocrine</i> , 2020 , 67, 9-19	4	4
146	The role of nuclear medicine in the management of thymomas. <i>Annali Italiani Di Chirurgia</i> , 2007 , 78, 371-4	4.4	4
145	Malignant pleural mesothelioma: utility of 18 F-FDG PET. <i>Annali Italiani Di Chirurgia</i> , 2007 , 78, 393-6	1.4	4
144	Detection of brown adipose tissue by F-FDG PET/CT in pheochromocytoma/paraganglioma: A systematic review. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 615	2.3	3
143	Small cell carcinoma of the thyroid gland with a solid brain metastasis detected by F-18-FDG PET/CT. <i>Endocrine</i> , 2014 , 46, 682-3	4	3
142	Positron emission tomography/computed tomography for diagnosis of prosthetic valve endocarditis: suggestions to increase diagnostic accuracy. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 378-9	15.1	3

141	Metastatic small cell neuroendocrine carcinoma of the pelvic floor. <i>Endocrine</i> , 2014 , 46, 164-5	4	3
140	A rare case of thyroid paraganglioma detected by ^{18}F -FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 320-1	0.4	3
139	Solitary choroidal metastasis from atypical carcinoid of the lung detected by (68)Ga DOTATATE PET/CT. <i>Clinical Nuclear Medicine</i> , 2015 , 40, e319-20	1.7	3
138	Squamous cell carcinoma of the tonsil incidentally detected by ^{18}F -choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2015 , 40, 93-5	1.7	3
137	Splenosis Mimicking Relapse of a Neuroendocrine Tumor at Gallium-68-DOTATOC PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 163-5	1.9	3
136	Left atrial metastasis of H \ddot{u} thle-cell thyroid carcinoma mimicking myxoma. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 406-7	2.1	3
135	A rare case of primary thymic Hodgkin lymphoma in an elderly patient detected by ^{18}F -FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e236-8	1.7	3
134	^{123}I -MIBG cardiac scintigraphy in Lewy body-related disorders. <i>Movement Disorders</i> , 2011 , 26, 1949-5; author reply 1950	7	3
133	(123)I-MIBG Scintigraphy as a Powerful Tool to Plan an Implantable Cardioverter Defibrillator and to Assess Cardiac Resynchronization Therapy in Heart Failure Patients. <i>International Journal of Molecular Imaging</i> , 2012 , 2012, 690468		3
132	Novel acquisitions in the diagnosis of medullary thyroid carcinoma. <i>Minerva Endocrinology</i> , 2017 , 42, 238-247	2.5	3
131	Expert recommendation from the Swiss Amyloidosis Network (SAN) for systemic AL-amyloidosis. <i>Swiss Medical Weekly</i> , 2020 , 150, w20364	3.1	3
130	F-Fluoride (F-NaF) PET/CT in medullary thyroid carcinoma: far from evidence, far from guidelines!. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 527-528	8.8	3
129	Prevalence of microhematuria in renal colic and urolithiasis: a systematic review and meta-analysis. <i>BMC Urology</i> , 2020 , 20, 119	2.2	3
128	Radiolabelled PSMA PET/CT or PET/MRI in hepatocellular carcinoma (HCC): a systematic review. <i>Clinical and Translational Imaging</i> , 2020 , 8, 461-467	2	3
127	Evidence-based guideline of the European Association of Nuclear Medicine (EANM) on imaging infection in vascular grafts.. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022 , 1	8.8	3
126	Detection rate of radiolabelled choline PET or PET/CT in hepatocellular carcinoma: an updated systematic review and meta-analysis. <i>Clinical and Translational Imaging</i> , 2019 , 7, 237-253	2	2
125	Metastatic small cell neuroendocrine carcinoma of the pyriform sinus evaluated by ^{18}F -FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 125-7	0.4	2
124	Mycosis fungoides involving the lungs detected by (18)F-FDG PET/CT. <i>Archivos De Bronconeumologia</i> , 2015 , 51, 521-2	0.7	2

123	Physiological distribution of F-FDG in the spinal cord: A systematic review. <i>Journal of Spinal Cord Medicine</i> , 2021 , 44, 517-524	1.9	2
122	An Unusual Case of Extraskelatal Retroperitoneal Osteosarcoma Incidentally Detected by (18)F-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 249-50	1.9	2
121	Determining axillary concordance rate for different injection locations in sentinel node mapping of breast cancer: how ambitious can we get?. <i>Breast Cancer Research and Treatment</i> , 2014 , 146, 231-2	4.4	2
120	A rare case of large cell neuroendocrine carcinoma of the urinary bladder evaluated by 18 F-FDG-PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 312-3	0.4	2
119	A rare case of synchronous fetal type adenocarcinoma and mucinous adenocarcinoma of the lung evaluated by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e384-6	1.7	2
118	Diagnostic role of 18F-FDG-PET or PET/CT in salivary gland tumors: A systematic review. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 295-302	0.4	2
117	Usefulness of (18)F-FDG-PET/CT in Evaluating a Brainstem Glioma in an Adult Patient with Neurofibromatosis Type 1. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 212-3	1.9	2
116	Toxoplasmic Lymphadenitis Mimicking a Metastatic Thyroid Carcinoma at (18)F-FDG-PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 289-90	1.9	2
115	Discordance rate between radiolabelled choline PET/CT and bone scintigraphy in detecting bone metastases in patients with prostate cancer: a meta-analysis. <i>Clinical and Translational Imaging</i> , 2015 , 3, 133-140	2	2
114	Usefulness of (18)F-FDG PET/CT in a rare case of malignant pseudothyroiditis. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e163-5	1.7	2
113	Unusual muscular metastases from papillary thyroid carcinoma detected by fluorine-18-fluorodeoxyglucose PET/MRI. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 2208-9	5.6	2
112	Recent applications of nuclear medicine in diagnostics (I part). <i>Italian Journal of Medicine</i> , 2013 , 84-91	0.5	2
111	Unusual increased metaiodobenzylguanidine uptake in liposarcoma. <i>Clinical Nuclear Medicine</i> , 2008 , 33, 627-9	1.7	2
110	Radiolabelled PSMA PET/CT in breast cancer. A systematic review. <i>Nuclear Medicine Review</i> , 2020 , 23, 32-35	0.3	2
109	Is fludeoxyglucose-fluorodeoxyglucose-positron emission tomography/computed tomography ((18)F-FDG-PET/CT) really useless in staging pulmonary carcinoid tumors and in discriminating histological subtypes? Controversial points and future perspectives. <i>Annals of Thoracic Medicine</i> , 2015 , 10, 217-8	2.2	2
108	A systematic review of phase II trials exploring anti-PD-1/PD-L1 combinations in patients with solid tumors. <i>Cancer Treatment Reviews</i> , 2021 , 101, 102300	14.4	2
107	Role of F-FDG PET/CT in restaging and follow-up of patients with uterine sarcomas. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2019 , 38, 10-16	0.4	2
106	The role of systematic review and meta-analysis in modern cytopathology. <i>Cancer Cytopathology</i> , 2020 , 128, 89-91	3.9	2

105	Light in the dark: F-FDG PET/CT in Staphylococcus aureus bacteremia of unknown origin. <i>Intensive Care Medicine</i> , 2018 , 44, 488-489	14.5	2
104	Could Fibroblast Activation Protein (FAP)-Specific Radioligands Be Considered as Pan-Tumor Agents?. <i>Contrast Media and Molecular Imaging</i> , 2022 , 2022, 3948873	3.2	2
103	Thyroid Imaging 2019 , 545-564		1
102	A rare case of adenoid cystic carcinoma of the breast detected by (18)F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 205-6	0.4	1
101	(18)F-FDG PET/CT detected a septic focus corresponding to a small periurethral abscess in a patient with bacteremia due to Enterococcus faecium. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 209-10	0.4	1
100	Prevalence and clinical significance of incidental 18F-FDG uptake in the pituitary. <i>Clinical and Translational Imaging</i> , 2020 , 8, 237-242	2	1
99	Uncommon distant metastasis of pleural mesothelioma detected by whole-body F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2018 , 37, 125-127	0.4	1
98	Multimodal imaging in an unusual case of radionecrosis of the pubic symphysis. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016 , 35, 267-9	0.4	1
97	A case of optic neuritis incidentally detected by somatostatin receptor scintigraphy. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 189-90	0.4	1
96	An Unusual Case of Extramedullary Plasmacytoma of the Hypopharynx Detected by (18)F-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 328-9	1.9	1
95	Autoimmune lymphoproliferative syndrome and non-Hodgkin lymphoma: what 18F-fluorodeoxyglucose positron emission tomography/computed tomography can do in the management of these patients? Suggestions from a case report. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 99-102	0.4	1
94	Metastatic brachial plexopathy from breast cancer detected by 18F-FDG PET/MRI. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 54-5	0.4	1
93	Diagnostic pitfalls in the preoperative 18F-FDG PET/CT evaluation of a case of giant malignant solitary fibrous tumor of the pleura. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 109-11	0.4	1
92	Is 18FDG PET/CT evaluation really useful in the diagnosis of elastofibroma dorsi?. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 62	0.4	1
91	A rare case of mucinous cystadenoma of the lung mimicking malignancy at 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e331-3	1.7	1
90	A pulmonary metastasis of a cystosarcoma phyllodes of the breast detected by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e233-5	1.7	1
89	An unusual case of diffuse large B-cell lymphoma involving the vulva evaluated by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e439-41	1.7	1
88	Colorectal carcinoma with bone metastases detected by 18F-choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e246-8	1.7	1

87	Usefulness of (18)F-FDG PET/CT in Evaluating Disease Activity at Different Times in a Patient With Chronic Periaortitis. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 69-71	1.9	1
86	(18)F-DOPA PET/CT revealed synchronous neuroendocrine tumors in two sisters with MEN2A syndrome. <i>Endocrine</i> , 2013 , 43, 458-9	4	1
85	Comment on Minamimoto: incidental focal FDG uptake in heart is a lighthouse for considering cardiac screening. <i>Annals of Nuclear Medicine</i> , 2013 , 27, 870-1	2.5	1
84	Clinical role and accuracy of 18F-FDG PET in evaluating disease activity in patients with chronic inflammatory bowel disease: an updated systematic review and a bivariate meta-analysis. <i>Clinical and Translational Imaging</i> , 2017 , 5, 303-313	2	1
83	A rare case of metastatic clear cell carcinoma of the Müllerian system originating from the peritoneum assessed by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2015 , 40, e58-60	1.7	1
82	Current role and future perspectives of radioiodinated MIBG in the evaluation of dementia with Lewy bodies. <i>Current Radiopharmaceuticals</i> , 2014 , 7, 75-8	1.8	1
81	Response to treatment in a patient with gouty arthritis and tophi evaluated by fluorine 18 fluorodeoxyglucose positron emission tomography/computed tomography. <i>Journal of Clinical Rheumatology</i> , 2014 , 20, 233-4	1.1	1
80	A false positive finding on the PET of somatostatin receptor due to a chondromyxoid fibroma. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 245-6	0.4	1
79	An unusual case of thymic carcinoid causing Cushing's syndrome due to ectopic ACTH secretion detected by (18)F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 253-4	0.4	1
78	Synchronous bilateral bronchial carcinoid diagnosed with combined dual tracer ((18)F-FDG and (68)Ga-DOTATOC) PET/CT scans. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 247-8	0.4	1
77	Coexistence of physiologic and abnormal muscle uptake of fluorine-18-fluorodeoxyglucose in a patient with plasma cell leukemia. <i>Nuclear Medicine and Molecular Imaging</i> , 2012 , 46, 311-3	1.9	1
76	Abnormal striatal dopaminergic and cardiac sympathetic imaging in dementia with Lewy bodies: two sides of the same coin. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 707-8; author reply 709	3.6	1
75	Fluorine-18-fluorodeoxyglucose positron emission tomography in assessing retroperitoneal fibrosis: a literature review. <i>International Journal of Molecular Imaging</i> , 2012 , 2012, 484052		1
74	A rare case of synchronous bilateral pulmonary neuroendocrine tumor detected by 68Ga-DOTANOC PET/CT. <i>Clinical Nuclear Medicine</i> , 2012 , 37, e91-4	1.7	1
73	Management of transthyretin amyloidosis. <i>Swiss Medical Weekly</i> , 2021 , 151, w30053	3.1	1
72	A Practical Guideline on Diagnostic and Prognostic Meta-Analyses 2020 , 17-22		1
71	Inflammatory Bowel Diseases 2014 , 199-200		1
70	Prevalence of physiological uptake in the pancreas on somatostatin receptor-based PET/CT: a systematic review and a meta-analysis. <i>Clinical and Translational Imaging</i> , 2021 , 9, 353-360	2	1

69	Pulmonary talcosis caused by methadone misuse and mimicking primary lung cancer. FDG-PET/CT findings. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016 , 35, 133-4	0.4	1
68	Pudendal Nerve Block in Hemorrhoid Surgery: A Systematic Review and Meta-analysis. <i>Diseases of the Colon and Rectum</i> , 2021 , 64, 617-631	3.1	1
67	Combined diagnostic imaging in a patient with Forestier disease and dysphagia. <i>Rays</i> , 2005 , 30, 251-5		1
66	F-FDG-PET/CT Imaging in Advanced Glottic Cancer: A Tool for Clinical Decision in Comparison with Conventional Imaging. <i>Contrast Media and Molecular Imaging</i> , 2019 , 2019, 4051206	3.2	0
65	Role of 18F-FDG PET/CT in restaging and follow-up of patients with uterine sarcomas. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2019 , 38, 10-16	0.1	0
64	A Papillary Thyroid Tumor Detected by (18)F-FDG-PET/CT in a Pediatric Patient with Cowden Syndrome. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 143-5	1.9	0
63	Solitary Plasmacytoma of the Sternum Mimicking Bone Metastasis in a Patient with a History of Breast Cancer Evaluated by F-18-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 169-70	1.9	0
62	Nodular nongranulomatous vasculitis of the lung detected by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e148-51	1.7	0
61	Iodine-131 administration and risk of cancer: "appearances can be deceptive". <i>Hormones</i> , 2013 , 12, 312-4	3.1	0
60	The dilemma of F-FDG PET/CT thyroid incidentaloma: what we should expect from FNA. A systematic review and meta-analysis. <i>Endocrine</i> , 2021 , 73, 540-549	4	0
59	The Role of 2-[18F]-FDG PET/CT in Detecting Richter Transformation in Chronic Lymphocytic Leukemia: A Systematic Review. <i>Radiation</i> , 2021 , 1, 65-76		0
58	EANM recommendations based on systematic analysis of small animal radionuclide imaging in inflammatory musculoskeletal diseases. <i>EJNMMI Research</i> , 2021 , 11, 85	3.6	0
57	Head-to-head comparison between 18F-FDG PET/low-dose CT and 18F-FDG PET/contrast-enhanced CT in relapsing ovarian carcinoma: a systematic review and meta-analysis. <i>Clinical and Translational Imaging</i> , 2021 , 9, 73-81	2	0
56	F-PSMA-1007 PET in Biochemical Recurrent Prostate Cancer: An Updated Meta-Analysis.. <i>Contrast Media and Molecular Imaging</i> , 2021 , 2021, 3502389	3.2	0
55	Trimodal (18)F-DOPA PET/CT/MR fusion imaging for optimal restaging of head and neck paragangliomas in a SDHD mutation carrier. <i>Endocrine</i> , 2016 , 52, 397-8	4	
54	Radionuclide Imaging of Medullary Thyroid Carcinoma 2017 , 381-399		
53	A rare case of anaplastic large T-cell lymphoma of the lung evaluated by 18F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 139-140	0.1	
52	Metastatic small cell neuroendocrine carcinoma of the pyriform sinus evaluated by 18F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 125-127	0.1	

51	A rare case of clear cell carcinoma of the breast evaluated by (18)F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 264-5	0.4
50	A rare case of schwannomatosis incidentally detected by 18 F-FDG PET/CT during metabolic evaluation of a chest wall tumor. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 150-2	0.4
49	A rare case of adenoid cystic carcinoma of the breast detected by 18 F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 205-206	0.1
48	18 F-FDG PET/CT detected a septic focus corresponding to a small periurethral abscess in a patient with bacteremia due to <i>Enterococcus faecium</i> . <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 209-210	0.1
47	A rare case of anaplastic large T-cell lymphoma of the lung evaluated by 18 F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 139-40	0.4
46	Unusual case of tumor of unknown origin found by 18 F-FDG PET/CT: Metastatic clear cell carcinoma of the thyroid gland. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2018 , 37, 54-56	0.1
45	Unusual case of tumor of unknown origin found by 18 F-FDG PET/CT: Metastatic clear cell carcinoma of the thyroid gland. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2018 , 37, 54-56	0.4
44	Pancreatic atypical mycobacteriosis evaluated by 18 F-FDG-PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016 , 35, 51-52	0.1
43	Pancreatic atypical mycobacteriosis evaluated by (18)F-FDG-PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016 , 35, 51-2	0.4
42	A rare case of thyroid paraganglioma detected by 18 F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 320-321	0.1
41	A rare case of large cell neuroendocrine carcinoma of the urinary bladder evaluated by 18 F-FDG-PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 312-313	0.1
40	A false positive finding on the PET of somatostatin receptor due to a chondromyxoid fibroma. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 245-246	0.1
39	Is it time to validate the prognostic role of F-18-FDG PET/CT scan in thymic epithelial tumors?. <i>Annals of Nuclear Medicine</i> , 2014 , 28, 593-4	2.5
38	Added value of fused somatostatin receptor imaging/magnetic resonance imaging in a rare case of paraganglioma of the urinary bladder. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 122-4	0.4
37	Diagnostic pitfalls in the preoperative 18 F-FDG PET/CT evaluation of a case of giant malignant solitary fibrous tumor of the pleura. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 109-111	0.1
36	Pancreatic small cell carcinoma incidentally detected by 18 F-FDG-PET/CT. <i>Pancreatology</i> , 2014 , 14, 81-2	3.8
35	Metastatic brachial plexopathy from breast cancer detected by 18 F-FDG PET/MRI. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 54-55	0.1
34	Role of PET in Cancer Diagnosis 2014 , 39-46	

- 33 Usefulness of ^{18}F -FDG PET/CT in syphilitic aortitis. *Clinical Rheumatology*, **2013**, 32, 1247 3.9
- 32 An unusual case of metastatic extramammary Paget's disease of the vulva identified by ^{18}F -FDG PET/CT. *Revista Espanola De Medicina Nuclear E Imagen Molecular*, **2013**, 32, 402-3 0.4
- 31 Incidental detection of H \ddot{u} thle cell adenoma by ^{18}F -choline PET/CT scan in a patient with prostate cancer. *Revista Espanola De Medicina Nuclear E Imagen Molecular*, **2013**, 32, 340-341 0.1
- 30 Re: ^{18}F -FDG PET/CT Diagnosis of Bronchopulmonary Carcinoids Versus Pulmonary Hamartomas. *Clinical Nuclear Medicine*, **2017**, 42, 81 1.7
- 29 Ectopic mature cerebral tissue in the nasal cavity incidentally detected by ^{18}F -FDG PET/CT. *Clinical Nuclear Medicine*, **2015**, 40, e85-7 1.7
- 28 Mesenteric lipogranuloma mimicking malignancy at ^{18}F -FDG PET/CT in a patient with colon cancer. *Revista Espanola De Medicina Nuclear E Imagen Molecular*, **2015**, 34, 56-57 0.1
- 27 Multicentric study on ^{18}F -FDG-PET/CT breast incidental uptake in patients studied for non-breast malignant purposes. *Revista Espanola De Medicina Nuclear E Imagen Molecular*, **2015**, 34, 24-29 0.1
- 26 Leydig cell tumor incidentally detected by fused FDG-PET/MRI. *Endocrine*, **2015**, 50, 819-20 4
- 25 Imaging the Functional Brain-Heart Axis: Neurodegenerative Diseases **2015**, 405-418
- 24 Mesenteric lipogranuloma mimicking malignancy at ^{18}F -FDG PET/CT in a patient with colon cancer. *Revista Espanola De Medicina Nuclear E Imagen Molecular*, **2015**, 34, 56-7 0.4
- 23 Comparison Between Myocardial Sympathetic and Striatal Dopaminergic Imaging in Lewy Body Diseases: Union is strength! **2014**, 135
- 22 A case of optic neuritis incidentally detected by somatostatin receptor scintigraphy. *Revista Espanola De Medicina Nuclear E Imagen Molecular*, **2014**, 33, 189-190 0.1
- 21 Added value of fused somatostatin receptor imaging/magnetic resonance imaging in a rare case of paraganglioma of the urinary bladder. *Revista Espanola De Medicina Nuclear E Imagen Molecular*, **2014**, 33, 122-124 0.1
- 20 Ruolo emergente nella pratica clinica della PET con ^{18}F -FDG nei pazienti con sarcoidosi. *Italian Journal of Medicine*, **2012**, 6, 21-26 0.5
- 19 Comment on "Incidental focal hypermetabolic colorectal lesions identified by positron emission tomography: prevalence of malignancy". *Abdominal Imaging*, **2011**, 36, 489-90
- 18 Un caso raro di angiomasosi epatica diffusa nell'adulto: ruolo della scintigrafia con emazie marcate nell'ambito dell'imaging diagnostico multimodale. *Italian Journal of Medicine*, **2011**, 5, 194-198 0.5
- 17 Usefulness of MIBG scintigraphy in idiopathic REM sleep behavior disorder: a systematic review. *Research and Reports in Nuclear Medicine*, **2011**, 1
- 16 Evidence-Based PET for Endocrine Tumours and Disorders **2020**, 89-96

15 Evidence-Based PET for Brain Tumours **2020**, 25-33

14 Correlation between 18F-FDG PET/computer tomography findings and histology in thymic epithelial tumors: current evidences and clinical implications. *Nuclear Medicine Communications*, **2020**, 41, 1221-1222 1.6

13 18F-FET **2020**, 83-88

12 Evidence-Based PET for Infectious and Inflammatory Diseases **2020**, 111-121

11 Evidence-Based PET for Thoracic Tumours **2020**, 41-51

10 Evidence-Based PET for Cardiac Diseases **2020**, 99-108

9 Evidence-Based PET for Breast Cancer **2020**, 53-57

8 Other Neuroendocrine Tumors of Head and Neck Region **2016**, 117-122

7 Computed Tomography and Magnetic Resonance Imaging **2016**, 21-24

6 Nuclear Medicine Techniques **2016**, 13-19

5 Differentiated Thyroid Carcinoma **2016**, 73-82

4 Mycobacteriosis **2014**, 217-219

3 Multimodal imaging in an unusual case of radionecrosis of the pubic symphysis. *Revista Espanola De Medicina Nuclear E Imagen Molecular*, **2016**, 35, 267-269 0.1

2 Change of management by using hybrid imaging with radiolabelled choline in biochemical recurrent prostate cancer: a systematic review and a meta-analysis. *Clinical and Translational Imaging*, **2021**, 9, 57-71

1 Sentinel lymph node mapping in breast cancer patients following neoadjuvant chemotherapy: systematic review and meta-analysis about head to head comparison of cN0 and cN + patients. *Breast Cancer*, **2021**, 1 3.4