

Giorgio Treglia

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2302773/giorgio-treglia-publications-by-year.pdf>

Version: 2024-04-05

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

374 papers	6,238 citations	43 h-index	59 g-index
410 ext. papers	7,854 ext. citations	3.1 avg, IF	6.27 L-index

#	Paper	IF	Citations
374	Evidence-based guideline of the European Association of Nuclear Medicine (EANM) on imaging infection in vascular grafts.. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022 , 1	8.8	3
373	Could Fibroblast Activation Protein (FAP)-Specific Radioligands Be Considered as Pan-Tumor Agents?. <i>Contrast Media and Molecular Imaging</i> , 2022 , 2022, 3948873	3.2	2
372	Physiological distribution of F-FDG in the spinal cord: A systematic review. <i>Journal of Spinal Cord Medicine</i> , 2021 , 44, 517-524	1.9	2
371	Management of transthyretin amyloidosis. <i>Swiss Medical Weekly</i> , 2021 , 151, w30053	3.1	1
370	Head-to-Head Comparison of Fibroblast Activation Protein Inhibitors (FAPI) Radiotracers versus [F]F-FDG in Oncology: A Systematic Review. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
369	PET with Different Radiopharmaceuticals in Neuroendocrine Neoplasms: An Umbrella Review of Published Meta-Analyses. <i>Cancers</i> , 2021 , 13,	6.6	4
368	A systematic review of phase II trials exploring anti-PD-1/PD-L1 combinations in patients with solid tumors. <i>Cancer Treatment Reviews</i> , 2021 , 101, 102300	14.4	2
367	Diagnostic value of [18F]FDG-PET/CT in polymyalgia rheumatica: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 1876-1889	8.8	10
366	Multiple Endocrine Neoplasia Type 1 and the Pancreas: Diagnosis and Treatment of Functioning and Non-Functioning Pancreatic and Duodenal Neuroendocrine Neoplasia within the MEN1 Syndrome - An International Consensus Statement. <i>Neuroendocrinology</i> , 2021 , 111, 609-630	5.6	16
365	Prevalence of thyroid dysfunction in patients with COVID-19: a systematic review. <i>Clinical and Translational Imaging</i> , 2021 , 9, 1-8	2	15
364	The dilemma of F-FDG PET/CT thyroid incidentaloma: what we should expect from FNA. A systematic review and meta-analysis. <i>Endocrine</i> , 2021 , 73, 540-549	4	0
363	The Role of 2-[18F]-FDG PET/CT in Detecting Richter Transformation in Chronic Lymphocytic Leukemia: A Systematic Review. <i>Radiation</i> , 2021 , 1, 65-76		0
362	Diagnostic Role of F-PSMA-1007 PET/CT in Prostate Cancer Staging: A Systematic Review. <i>Diagnostics</i> , 2021 , 11,	3.8	8
361	International consensus on initial screening and follow-up of asymptomatic SDHx mutation carriers. <i>Nature Reviews Endocrinology</i> , 2021 , 17, 435-444	15.2	12
360	Diagnostic value of [18F]FDG-PET/CT for treatment monitoring in large vessel vasculitis: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 3886-3902	8.8	5
359	Prevalence of physiological uptake in the pancreas on somatostatin receptor-based PET/CT: a systematic review and a meta-analysis. <i>Clinical and Translational Imaging</i> , 2021 , 9, 353-360	2	1
358	The value of F-FDG PET/CT for the diagnosis of device-related infections in patients with a left ventricular assist device: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 241-253	8.8	14

357	Will F-fluorocholine PET/CT replace other methods of preoperative parathyroid imaging?. <i>Endocrine</i> , 2021 , 71, 285-297	4	17
356	Change of management by using hybrid imaging with radiolabelled choline in biochemical recurrent prostate cancer: a systematic review and a meta-analysis. <i>Clinical and Translational Imaging</i> , 2021 , 9, 57-71		
355	Pudendal Nerve Block in Hemorrhoid Surgery: A Systematic Review and Meta-analysis. <i>Diseases of the Colon and Rectum</i> , 2021 , 64, 617-631	3.1	1
354	Prevalence and Significance of Hypermetabolic Lymph Nodes Detected by 2-[F]FDG PET/CT after COVID-19 Vaccination: A Systematic Review and a Meta-Analysis. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	6
353	Sentinel lymph node mapping in breast cancer patients following neoadjuvant chemotherapy: systematic review and meta-analysis about head to head comparison of cN0 and cN + patients. <i>Breast Cancer</i> , 2021 , 1	3.4	
352	EANM recommendations based on systematic analysis of small animal radionuclide imaging in inflammatory musculoskeletal diseases. <i>EJNMMI Research</i> , 2021 , 11, 85	3.6	0
351	Head-to-head comparison between 18F-FDG PET/low-dose CT and 18F-FDG PET/contrast-enhanced CT in relapsing ovarian carcinoma: a systematic review and meta-analysis. <i>Clinical and Translational Imaging</i> , 2021 , 9, 73-81	2	0
350	F-PSMA-1007 PET in Biochemical Recurrent Prostate Cancer: An Updated Meta-Analysis.. <i>Contrast Media and Molecular Imaging</i> , 2021 , 2021, 3502389	3.2	0
349	Diagnostic Performance of PET or PET/CT with Different Radiotracers in Patients with Suspicious Lung Cancer or Pleural Tumours according to Published Meta-Analyses. <i>Contrast Media and Molecular Imaging</i> , 2020 , 2020, 5282698	3.2	6
348	Indeterminate thyroid nodules. The role of F-FDG PET/CT in the "era" of ultrasonography risk stratification systems and new thyroid cytology classifications. <i>Endocrine</i> , 2020 , 69, 553-561	4	10
347	Prevalence and clinical significance of incidental 18F-FDG uptake in the pituitary. <i>Clinical and Translational Imaging</i> , 2020 , 8, 237-242	2	1
346	Diagnostic Performance of F-FDG PET or PET/CT for Detection of Post-Transplant Lymphoproliferative Disorder: A Systematic Review and a Bivariate Meta-Analysis. <i>Diagnostics</i> , 2020 , 10,	3.8	5
345	Detection of thyroiditis on PET/CT imaging: a systematic review. <i>Hormones</i> , 2020 , 19, 341-349	3.1	4
344	FNA indication according to ACR-TIRADS, EU-TIRADS and K-TIRADS in thyroid incidentalomas at F-FDG PET/CT. <i>Journal of Endocrinological Investigation</i> , 2020 , 43, 1607-1612	5.2	9
343	Radiolabelled PSMA PET/CT in breast cancer. A systematic review. <i>Nuclear Medicine Review</i> , 2020 , 23, 32-35	0.3	2
342	Evidence-Based PET for Endocrine Tumours and Disorders 2020 , 89-96		
341	Evidence-Based PET for Brain Tumours 2020 , 25-33		
340	Correlation between 18F-FDG PET/computer tomography findings and histology in thymic epithelial tumors: current evidences and clinical implications. <i>Nuclear Medicine Communications</i> , 2020 , 41, 1221-1222	1.6	

339	Evidence-Based Data About Prevalence and Risk of Malignancy of Thyroid Incidentalomas Detected by Different PET Radiopharmaceuticals. <i>Current Radiopharmaceuticals</i> , 2020 , 13, 89-93	1.8	6
338	18F-FET 2020 , 83-88		
337	Evidence-Based PET for Infectious and Inflammatory Diseases 2020 , 111-121		
336	Evidence-Based PET for Thoracic Tumours 2020 , 41-51		
335	A Practical Guideline on Diagnostic and Prognostic Meta-Analyses 2020 , 17-22		1
334	Expert recommendation from the Swiss Amyloidosis Network (SAN) for systemic AL-amyloidosis. <i>Swiss Medical Weekly</i> , 2020 , 150, w20364	3.1	3
333	Evidence-Based PET for Cardiac Diseases 2020 , 99-108		
332	Evidence-Based PET for Breast Cancer 2020 , 53-57		
331	Prognostic and predictive value of nuclear imaging in endocrine oncology. <i>Endocrine</i> , 2020 , 67, 9-19	4	4
330	Performance of Five Ultrasound Risk Stratification Systems in Selecting Thyroid Nodules for FNA. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	55
329	Diagnostic performance of F-FDG PET/CT in patients with spinal infection: a systematic review and a bivariate meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 1287-1301	8.8	12
328	Testing for BRAF (V600E) Mutation in Thyroid Nodules with Fine-Needle Aspiration (FNA) Read as Suspicious for Malignancy (Bethesda V, Thy4, TIR4): a Systematic Review and Meta-analysis. <i>Endocrine Pathology</i> , 2020 , 31, 57-66	4.2	7
327	F-Fluoride (F-NaF) PET/CT in medullary thyroid carcinoma: far from evidence, far from guidelines!. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 527-528	8.8	3
326	Potential of Radiolabeled PSMA PET/CT or PET/MRI Diagnostic Procedures in Gliomas/Glioblastomas. <i>Current Radiopharmaceuticals</i> , 2020 , 13, 94-98	1.8	10
325	Diagnostic Performance of F-FDG PET/CT in Native Valve Endocarditis: Systematic Review and Bivariate Meta-Analysis. <i>Diagnostics</i> , 2020 , 10,	3.8	6
324	Role of 2-[F]FDG as a Radiopharmaceutical for PET/CT in Patients with COVID-19: A Systematic Review. <i>Pharmaceuticals</i> , 2020 , 13,	5.2	13
323	Diagnostic Performance of PET Imaging Using Different Radiopharmaceuticals in Prostate Cancer According to Published Meta-Analyses. <i>Cancers</i> , 2020 , 12,	6.6	11
322	Prevalence of microhematuria in renal colic and urolithiasis: a systematic review and meta-analysis. <i>BMC Urology</i> , 2020 , 20, 119	2.2	3

321	F-FDG PET or PET/CT in Mantle Cell Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020 , 20, 422-430	2	9
320	Radiolabelled PSMA PET/CT or PET/MRI in hepatocellular carcinoma (HCC): a systematic review. <i>Clinical and Translational Imaging</i> , 2020 , 8, 461-467	2	3
319	Usefulness of Brain Positron Emission Tomography with Different Tracers in the Evaluation of Patients with Idiopathic Normal Pressure Hydrocephalus. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
318	F-FDG PET/CT or PET Role in MALT Lymphoma: An Open Issue not Yet Solved-A Critical Review. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020 , 20, 137-146	2	18
317	Reliability of intraoperative ultrasound in detecting tumor residual after brain diffuse glioma surgery: a systematic review and meta-analysis. <i>Neurosurgical Review</i> , 2020 , 43, 1221-1233	3.9	13
316	The role of systematic review and meta-analysis in modern cytopathology. <i>Cancer Cytopathology</i> , 2020 , 128, 89-91	3.9	2
315	EANM practice guideline for PET/CT imaging in medullary thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 61-77	8.8	36
314	Radioisotope imaging for discriminating benign from malignant cytologically indeterminate thyroid nodules. <i>Gland Surgery</i> , 2019 , 8, S118-S125	2.2	8
313	Performance of F-FDG PET/CT in Selecting Thyroid Nodules with Indeterminate Fine-Needle Aspiration Cytology for Surgery. A Systematic Review and a Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
312	F-FDG-PET/CT Imaging in Advanced Glottic Cancer: A Tool for Clinical Decision in Comparison with Conventional Imaging. <i>Contrast Media and Molecular Imaging</i> , 2019 , 2019, 4051206	3.2	0
311	Diagnostic Performance and Prognostic Value of PET/CT with Different Tracers for Brain Tumors: A Systematic Review of Published Meta-Analyses. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	38
310	Diagnostic Performance of PET or PET/CT Using F-FDG Labeled White Blood Cells in Infectious Diseases: A Systematic Review and a Bivariate Meta-Analysis. <i>Diagnostics</i> , 2019 , 9,	3.8	11
309	Detection rate of radiolabelled choline PET or PET/CT in hepatocellular carcinoma: an updated systematic review and meta-analysis. <i>Clinical and Translational Imaging</i> , 2019 , 7, 237-253	2	2
308	Detection Rate of F-Labeled PSMA PET/CT in Biochemical Recurrent Prostate Cancer: A Systematic Review and a Meta-Analysis. <i>Cancers</i> , 2019 , 11,	6.6	49
307	Ga-DOTATOC PET/CT in the localization of head and neck paraganglioma compared with F-DOPA PET/CT and I-MIBG SPECT/CT. <i>Nuclear Medicine and Biology</i> , 2019 , 71, 47-53	2.1	4
306	Detection rate of unknown primary tumour by using somatostatin receptor PET/CT in patients with metastatic neuroendocrine tumours: a meta-analysis. <i>Endocrine</i> , 2019 , 64, 456-468	4	7
305	Ga-PSMA PET thyroid incidentalomas. <i>Hormones</i> , 2019 , 18, 145-149	3.1	17
304	PET/CT in thyroid nodule and differentiated thyroid cancer patients. The evidence-based state of the art. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2019 , 20, 47-64	10.5	19

303	Role of F-Choline Positron Emission Tomography/Computed Tomography to Detect Structural Relapse in High-Risk Differentiated Thyroid Cancer Patients. <i>Thyroid</i> , 2019 , 29, 549-556	6.2	4
302	Thyroid Imaging 2019 , 545-564		1
301	Impact of F-FDG PET/CT in Staging Patients With Small Cell Lung Cancer: A Systematic Review and Meta-Analysis. <i>Frontiers in Medicine</i> , 2019 , 6, 336	4.9	15
300	Role of 18F-FDG PET/CT in restaging and follow-up of patients with uterine sarcomas. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2019 , 38, 10-16	0.1	0
299	Diagnostic performance of choline PET for detection of hyperfunctioning parathyroid glands in hyperparathyroidism: a systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 751-765	8.8	79
298	Diagnostic Performance of F-FDG PET/CT in Infectious and Inflammatory Diseases according to Published Meta-Analyses. <i>Contrast Media and Molecular Imaging</i> , 2019 , 2019, 3018349	3.2	34
297	Molecular imaging and radionuclide therapy of pheochromocytoma and paraganglioma in the era of genomic characterization of disease subgroups. <i>Endocrine-Related Cancer</i> , 2019 , 26, R627-R652	5.7	39
296	Radiolabelled choline versus PSMA PET/CT in prostate cancer restaging: a meta-analysis. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 9, 127-139	2.2	22
295	Selective α -Adrenoceptor Agonists and Relevant Hyperlactatemia: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 9,	5.1	7
294	Detection Rate of Culprit Tumors Causing Osteomalacia Using Somatostatin Receptor PET/CT: Systematic Review and Meta-Analysis. <i>Diagnostics</i> , 2019 , 10,	3.8	10
293	Additional value of integrated F-choline PET/4D contrast-enhanced CT in the localization of hyperfunctioning parathyroid glands and correlation with molecular profile. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 766-775	8.8	40
292	Correlation between PSA kinetics and PSMA-PET in prostate cancer restaging: A meta-analysis. <i>European Journal of Clinical Investigation</i> , 2019 , 49, e13063	4.6	31
291	F18-choline/C11-choline PET/CT thyroid incidentalomas. <i>Endocrine</i> , 2019 , 64, 203-208	4	8
290	Role of F-FDG PET/CT in restaging and follow-up of patients with uterine sarcomas. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2019 , 38, 10-16	0.4	2
289	Could short thyroid hormone withdrawal be an effective strategy for radioiodine remnant ablation in differentiated thyroid cancer patients?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 1218-1223	8.8	4
288	Diagnostic accuracy of bone scintigraphy in the assessment of cardiac transthyretin-related amyloidosis: a bivariate meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 1945-1955	8.8	56
287	Unusual case of tumor of unknown origin found by 18 F-FDG PET/CT: Metastatic clear cell carcinoma of the thyroid gland. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2018 , 37, 54-56 ^{0.1}		
286	Detection of brown adipose tissue by F-FDG PET/CT in pheochromocytoma/paraganglioma: A systematic review. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 615	2.3	3

285	Role of positron emission tomography imaging in Multiple Endocrine Neoplasia syndromes. <i>Clinical Physiology and Functional Imaging</i> , 2018 , 38, 4-9	2.4	4
284	Uncommon distant metastasis of pleural mesothelioma detected by whole-body F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2018 , 37, 125-127	0.4	1
283	Unusual case of tumor of unknown origin found by F-FDG PET/CT: Metastatic clear cell carcinoma of the thyroid gland. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2018 , 37, 54-56	0.4	
282	18F-FDG PET/CT in solitary plasmacytoma: metabolic behavior and progression to multiple myeloma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 77-84	8.8	26
281	18F-FDG PET/CT for invasive fungal infection in immunocompromised patients. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2018 , 111, 613-622	2.7	32
280	Brown Adipose Tissue (BAT) detection by F-FDG PET and thyroid hormone level(s)-a systematic review. <i>Endocrine</i> , 2018 , 62, 496-500	4	8
279	Fine-needle aspiration in all thyroid incidentalomas at F-FDG PET/CT: Can EU-TIRADS revise the dogma?. <i>Clinical Endocrinology</i> , 2018 , 89, 642-648	3.4	8
278	Imaging in primary hyperparathyroidism: focus on the evidence-based diagnostic performance of different methods. <i>Minerva Endocrinology</i> , 2018 , 43, 133-143	2.5	28
277	Role of positron emission tomography in thyroid and neuroendocrine tumors. <i>Minerva Endocrinology</i> , 2018 , 43, 341-355	2.5	12
276	Light in the dark: F-FDG PET/CT in Staphylococcus aureus bacteremia of unknown origin. <i>Intensive Care Medicine</i> , 2018 , 44, 488-489	14.5	2
275	Recent Developments of 18F-FET PET in Neuro-oncology. <i>Current Medicinal Chemistry</i> , 2018 , 25, 3061-3073	4.3	31
274	Prognostic Significance of Fluorine-18 Fluorodeoxyglucose Positron Emission Tomography in Anal Squamous Cell Carcinoma: A Systematic Review and a Meta-Analysis. <i>Contrast Media and Molecular Imaging</i> , 2018 , 2018, 9760492	3.2	9
273	Radionuclide Imaging of Medullary Thyroid Carcinoma 2017 , 381-399		
272	68Ga-DOTATOC PET/CT Imaging in Solitary Fibrous Tumor of the Pleura. <i>Clinical Nuclear Medicine</i> , 2017 , 42, e294-e296	1.7	5
271	Systematic reviews and meta-analyses of diagnostic studies: a practical guideline. <i>Clinical and Translational Imaging</i> , 2017 , 5, 83-87	2	41
270	Differentiated Thyroid Cancer lymph-node relapse. Role of adjuvant radioactive iodine therapy after lymphadenectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017 , 44, 926-934	8.8	7
269	Prevalence and clinical significance of focal incidental 18F-FDG uptake in different organs: an evidence-based summary. <i>Clinical and Translational Imaging</i> , 2017 , 5, 525-532	2	8
268	Re: 18F-FDG PET/CT Diagnosis of Bronchopulmonary Carcinoids Versus Pulmonary Hamartomas. <i>Clinical Nuclear Medicine</i> , 2017 , 42, 81	1.7	

267	Clinical role and accuracy of 18F-FDG PET in evaluating disease activity in patients with chronic inflammatory bowel disease: an updated systematic review and a bivariate meta-analysis. <i>Clinical and Translational Imaging</i> , 2017 , 5, 303-313	2	1
266	Is F-FDG-PET suitable to predict clinical response to the treatment of geriatric depression? A systematic review of PET studies. <i>Aging and Mental Health</i> , 2017 , 21, 889-894	3.5	10
265	Novel acquisitions in the diagnosis of medullary thyroid carcinoma. <i>Minerva Endocrinology</i> , 2017 , 42, 238-247	2.5	3
264	Detection rate of somatostatin receptor PET in patients with recurrent medullary thyroid carcinoma: a systematic review and a meta-analysis. <i>Hormones</i> , 2017 , 16, 362-372	3.1	10
263	Trimodal (18)F-DOPA PET/CT/MR fusion imaging for optimal restaging of head and neck paragangliomas in a SDHD mutation carrier. <i>Endocrine</i> , 2016 , 52, 397-8	4	
262	Detection rate of (99m) Tc-MIBI single photon emission computed tomography (SPECT)/CT in preoperative planning for patients with primary hyperparathyroidism: A meta-analysis. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E2159-72	4.2	62
261	A case report of chylous ascites after gastric bypass for morbid obesity. <i>International Journal of Surgery Case Reports</i> , 2016 , 29, 133-136	0.8	8
260	Primary Sarcomatoid Carcinoma of the Lung: Radiometabolic ((18)F-FDG PET/CT) Findings and Correlation with Clinico-Pathological and Survival Results. <i>Lung</i> , 2016 , 194, 653-7	2.9	9
259	Pancreatic atypical mycobacteriosis evaluated by 18F-FDG-PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016 , 35, 51-52	0.1	
258	Bilateral adrenalectomy in the 21st century: when to use it for hypercortisolism?. <i>Endocrine-Related Cancer</i> , 2016 , 23, R131-42	5.7	35
257	Molecular imaging with (99m)Tc-MIBI and molecular testing for mutations in differentiating benign from malignant follicular neoplasm: a prospective comparison. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016 , 43, 1018-26	8.8	39
256	Thyroid nodules with indeterminate cytology: prospective comparison between 18F-FDG-PET/CT, multiparametric neck ultrasonography, 99mTc-MIBI scintigraphy and histology. <i>European Journal of Endocrinology</i> , 2016 , 174, 693-703	6.5	46
255	Multimodal imaging in an unusual case of radionecrosis of the pubic symphysis. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016 , 35, 267-9	0.4	1
254	Pancreatic atypical mycobacteriosis evaluated by (18)F-FDG-PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016 , 35, 51-2	0.4	
253	Other Neuroendocrine Tumors of Head and Neck Region 2016 , 117-122		
252	Computed Tomography and Magnetic Resonance Imaging 2016 , 21-24		
251	Nuclear Medicine Techniques 2016 , 13-19		
250	Differentiated Thyroid Carcinoma 2016 , 73-82		

249	Evaluation of the Added Value of Diffusion-Weighted Imaging to Conventional Magnetic Resonance Imaging in Pancreatic Neuroendocrine Tumors and Comparison With 68Ga-DOTANOC Positron Emission Tomography/Computed Tomography. <i>Pancreas</i> , 2016 , 45, 345-54	2.6	23
248	BRAF-mutated carcinomas among thyroid nodules with prior indeterminate FNA report: a systematic review and meta-analysis. <i>Clinical Endocrinology</i> , 2016 , 84, 315-20	3.4	38
247	Pulmonary talcosis caused by methadone misuse and mimicking primary lung cancer. FDG-PET/CT findings. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016 , 35, 133-4	0.4	1
246	Multimodal imaging in an unusual case of radionecrosis of the pubic symphysis. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016 , 35, 267-269	0.1	
245	Prevalence and risk of malignancy of focal incidental uptake detected by fluorine-18-fluorodeoxyglucose positron emission tomography in the parotid gland: a meta-analysis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 3617-26	3.5	20
244	A rare case of anaplastic large T-cell lymphoma of the lung evaluated by 18F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 139-140	0.1	
243	Preoperative measurement of serum thyroglobulin to predict malignancy in thyroid nodules: a systematic review. <i>Hormone and Metabolic Research</i> , 2015 , 47, 247-52	3.1	26
242	Procalcitonin for detecting medullary thyroid carcinoma: a systematic review. <i>Endocrine-Related Cancer</i> , 2015 , 22, R157-64	5.7	41
241	Skin biopsy and I-123 MIBG scintigraphy findings in idiopathic Parkinson's disease and parkinsonism: a comparative study. <i>Movement Disorders</i> , 2015 , 30, 986-9	7	17
240	Metastatic small cell neuroendocrine carcinoma of the pyriform sinus evaluated by 18F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 125-7	0.4	2
239	Metastatic small cell neuroendocrine carcinoma of the pyriform sinus evaluated by 18F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 125-127	0.1	
238	A rare case of clear cell carcinoma of the breast evaluated by (18)F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 264-5	0.4	
237	A rare case of schwannomatosis incidentally detected by 18F-FDG PET/CT during metabolic evaluation of a chest wall tumor. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 150-2	0.4	
236	A rare case of adenoid cystic carcinoma of the breast detected by (18)F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 205-6	0.4	1
235	Mycosis fungoides involving the lungs detected by (18)F-FDG PET/CT. <i>Archivos De Bronconeumologia</i> , 2015 , 51, 521-2	0.7	2
234	A rare case of adenoid cystic carcinoma of the breast detected by 18F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 205-206	0.1	
233	18F-FDG PET/CT detected a septic focus corresponding to a small periurethral abscess in a patient with bacteremia due to <i>Enterococcus faecium</i> . <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 209-210	0.1	
232	(18)F-FDG PET/CT detected a septic focus corresponding to a small periurethral abscess in a patient with bacteremia due to <i>Enterococcus faecium</i> . <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 209-10	0.4	1

231	Prevalence of normal TSH value among patients with autonomously functioning thyroid nodule. <i>European Journal of Clinical Investigation</i> , 2015 , 45, 739-44	4.6	41
230	A rare case of anaplastic large T-cell lymphoma of the lung evaluated by 18 F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 139-40	0.4	
229	Topical administration of isoflavones for treatment of vaginal symptoms in postmenopausal women: A systematic review of randomised controlled trials. <i>Journal of Obstetrics and Gynaecology</i> , 2015 , 35, 783-7	1.3	12
228	Multicentre study of 18 F-FDG-PET/CT prostate incidental uptake. <i>Japanese Journal of Radiology</i> , 2015 , 33, 538-46	2.9	7
227	PET imaging in ectopic Cushing syndrome: a systematic review. <i>Endocrine</i> , 2015 , 50, 297-305	4	28
226	Reliability of real-time elastography to diagnose thyroid nodules previously read at FNAC as indeterminate: a meta-analysis. <i>Endocrine</i> , 2015 , 50, 335-43	4	30
225	Sentinel node biopsy for lymph nodal staging of uterine cervix cancer: a systematic review and meta-analysis of the pertinent literature. <i>European Journal of Surgical Oncology</i> , 2015 , 41, 1-20	3.6	96
224	Detection rate of fluorine-18-fluorodeoxyglucose positron emission tomography in patients with marginal zone lymphoma of MALT type: a meta-analysis. <i>Hematological Oncology</i> , 2015 , 33, 113-24	1.3	43
223	Detection rate of FNA cytology in medullary thyroid carcinoma: a meta-analysis. <i>Clinical Endocrinology</i> , 2015 , 82, 280-5	3.4	100
222	Diagnostic role of 18 F-FDG-PET or PET/CT in salivary gland tumors: A systematic review. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 295-302	0.4	2
221	Solitary choroidal metastasis from atypical carcinoid of the lung detected by (68)Ga DOTATATE PET/CT. <i>Clinical Nuclear Medicine</i> , 2015 , 40, e319-20	1.7	3
220	A rare case of metastatic clear cell carcinoma of the Mullerian system originating from the peritoneum assessed by 18 F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2015 , 40, e58-60	1.7	1
219	Ectopic mature cerebral tissue in the nasal cavity incidentally detected by 18 F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2015 , 40, e85-7	1.7	
218	Squamous cell carcinoma of the tonsil incidentally detected by 18 F-choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2015 , 40, 93-5	1.7	3
217	Metastatic undifferentiated spindle cell sarcoma of the thyroid gland evaluated by 18 F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2015 , 40, e208-10	1.7	7
216	Mesenteric lipogranuloma mimicking malignancy at 18 F-FDG PET/CT in a patient with colon cancer. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 56-57	0.1	
215	Discordance rate between radiolabelled choline PET/CT and bone scintigraphy in detecting bone metastases in patients with prostate cancer: a meta-analysis. <i>Clinical and Translational Imaging</i> , 2015 , 3, 133-140	2	2
214	Multicentric study on 18 F-FDG-PET/CT breast incidental uptake in patients studied for non-breast malignant purposes. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 24-9	0.4	5

213	Multicentric study on 18F-FDG-PET/CT breast incidental uptake in patients studied for non-breast malignant purposes. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 24-29	0.1	
212	Leydig cell tumor incidentally detected by fused FDG-PET/MRI. <i>Endocrine</i> , 2015 , 50, 819-20	4	
211	Imaging the Functional Brain-Heart Axis: Neurodegenerative Diseases 2015 , 405-418		
210	Mesenteric lipogranuloma mimicking malignancy at 18F-FDG PET/CT in a patient with colon cancer. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 56-7	0.4	
209	Diagnostic accuracy of fluorine-18-fluorodeoxyglucose positron emission tomography in gallbladder cancer: A meta-analysis. <i>World Journal of Gastroenterology</i> , 2015 , 21, 11481-8	5.6	23
208	Is fludeoxyglucose-fluorodeoxyglucose-positron emission tomography/computed tomography ((18)F-FDG-PET/CT) really useless in staging pulmonary carcinoid tumors and in discriminating histological subtypes? Controversial points and future perspectives. <i>Annals of Thoracic Medicine</i> , 2015 , 10, 215-8	2.2	2
207	Diagnostic role of (18)F-FDG-PET or PET/CT in salivary gland tumors: A systematic review. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 295-302	0.4	6
206	Axillary concordance between superficial and deep sentinel node mapping material injections in breast cancer patients: systematic review and meta-analysis of the literature. <i>Breast Cancer Research and Treatment</i> , 2014 , 144, 213-22	4.4	13
205	An Unusual Case of Plasmablastic Lymphoma Presenting as Paravertebral Mass Evaluated by (18) F-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 89-90	1.9	5
204	Prevalence and clinical significance of incidental F18-FDG breast uptake: a systematic review and meta-analysis. <i>Japanese Journal of Radiology</i> , 2014 , 32, 59-68	2.9	34
203	An Unusual Case of Extraskeletal Retroperitoneal Osteosarcoma Incidentally Detected by (18)F-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 249-50	1.9	2
202	Rare sinonasal small cell neuroendocrine carcinoma evaluated by F-18-FDG PET/MRI. <i>Endocrine</i> , 2014 , 47, 654-5	4	5
201	Small cell carcinoma of the thyroid gland with a solid brain metastasis detected by F-18-FDG PET/CT. <i>Endocrine</i> , 2014 , 46, 682-3	4	3
200	Positron emission tomography/computed tomography for diagnosis of prosthetic valve endocarditis: suggestions to increase diagnostic accuracy. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 378-9	15.1	3
199	PET/CT assessment of neuroendocrine tumors of the lung with special emphasis on bronchial carcinoids. <i>Tumor Biology</i> , 2014 , 35, 8369-77	2.9	37
198	A case of optic neuritis incidentally detected by somatostatin receptor scintigraphy. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 189-90	0.4	1
197	Diagnostic role of radiolabelled choline PET or PET/CT in hepatocellular carcinoma: a systematic review and meta-analysis. <i>Hepatology International</i> , 2014 , 8, 493-500	8.8	35
196	A rare case of thyroid paraganglioma detected by 18F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 320-321	0.1	

195	Unstimulated highly sensitive thyroglobulin in follow-up of differentiated thyroid cancer patients: a meta-analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 440-7	5.6	68
194	A rare case of large cell neuroendocrine carcinoma of the urinary bladder evaluated by 18F-FDG-PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 312-313	0.1	
193	A false positive finding on the PET of somatostatin receptor due to a chondromyxoid fibroma. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 245-246	0.1	
192	18 F-FDG uptake as a prognostic variable in primary differentiated thyroid cancer incidentally detected by PET/CT: a multicentre study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 41, 1482-91	8.8	21
191	Determining axillary concordance rate for different injection locations in sentinel node mapping of breast cancer: how ambitious can we get?. <i>Breast Cancer Research and Treatment</i> , 2014 , 146, 231-2	4.4	2
190	Metastatic small cell neuroendocrine carcinoma of the pelvic floor. <i>Endocrine</i> , 2014 , 46, 164-5	4	3
189	Clinical characteristics as predictors of malignancy in patients with indeterminate thyroid cytology: a meta-analysis. <i>Endocrine</i> , 2014 , 46, 52-9	4	44
188	Diagnostic performance of PET/CT with tracers other than F-18-FDG in oncology: an evidence-based review. <i>Clinical and Translational Oncology</i> , 2014 , 16, 770-5	3.6	24
187	Is it time to validate the prognostic role of F-18-FDG PET/CT scan in thymic epithelial tumors?. <i>Annals of Nuclear Medicine</i> , 2014 , 28, 593-4	2.5	
186	An Unusual Case of Extramedullary Plasmacytoma of the Hypopharynx Detected by (18)F-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 328-9	1.9	1
185	Is (18)F-FDG PET useful in predicting the WHO grade of malignancy in thymic epithelial tumors? A meta-analysis. <i>Lung Cancer</i> , 2014 , 86, 5-13	5.9	51
184	Added value of fused somatostatin receptor imaging/magnetic resonance imaging in a rare case of paraganglioma of the urinary bladder. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 122-4	0.4	
183	Autoimmune lymphoproliferative syndrome and non-Hodgkin lymphoma: what 18F-fluorodeoxyglucose positron emission tomography/computed tomography can do in the management of these patients? Suggestions from a case report. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 99-102	0.4	1
182	The role of 18F-FDG-PET and PET/CT in patients with sarcoidosis: an updated evidence-based review. <i>Academic Radiology</i> , 2014 , 21, 675-84	4.3	54
181	Diagnostic pitfalls in the preoperative 18F-FDG PET/CT evaluation of a case of giant malignant solitary fibrous tumor of the pleura. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 109-111	0.1	
180	A rare case of thyroid paraganglioma detected by 18 F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 320-1	0.4	3
179	Metastatic brachial plexopathy from breast cancer detected by 18F-FDG PET/MRI. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 54-5	0.4	1
178	Risk stratification and prognosis determination using (18)F-FDG PET imaging in endometrial cancer patients: a systematic review and meta-analysis. <i>Gynecologic Oncology</i> , 2014 , 132, 669-76	4.9	53

177	A rare case of large cell neuroendocrine carcinoma of the urinary bladder evaluated by 18 F-FDG-PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 312-3	0.4	2
176	Role of isotope scan, including positron emission tomography/computed tomography, in nodular goitre. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014 , 28, 507-18	6.5	35
175	Pancreatic small cell carcinoma incidentally detected by 18 F-FDG-PET/CT. <i>Pancreatology</i> , 2014 , 14, 81-2	3.8	
174	Diagnostic pitfalls in the preoperative 18 F-FDG PET/CT evaluation of a case of giant malignant solitary fibrous tumor of the pleura. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 109-11	0.4	1
173	Metastatic brachial plexopathy from breast cancer detected by 18 F-FDG PET/MRI. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 54-55	0.1	
172	Is 18 F-FDG PET/CT evaluation really useful in the diagnosis of elastofibroma dorsi?. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 62	0.4	1
171	Functional imaging evaluation in the detection, diagnosis, and histologic differentiation of pulmonary neuroendocrine tumors. <i>Thoracic Surgery Clinics</i> , 2014 , 24, 285-92	3.1	14
170	Sentinel node mapping in papillary thyroid carcinoma using combined radiotracer and blue dye methods. <i>Endokrynologia Polska</i> , 2014 , 65, 281-6	1.1	12
169	The role of fluorine-18-fluorodeoxyglucose positron emission tomography in evaluating the response to tyrosine-kinase inhibitors in patients with metastatic primary renal cell carcinoma. <i>Radiology and Oncology</i> , 2014 , 48, 219-27	3.8	30
168	Role of PET in Cancer Diagnosis 2014 , 39-46		
167	Incidental 11 C-choline PET/CT uptake due to esophageal carcinoma in a patient studied for prostate cancer. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e442-4	1.7	4
166	Prevalence and malignancy risk of focal colorectal incidental uptake detected by 18 F-FDG-PET or PET/CT: a meta-analysis. <i>Radiology and Oncology</i> , 2014 , 48, 99-104	3.8	34
165	A rare case of mucinous cystadenoma of the lung mimicking malignancy at 18 F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e331-3	1.7	1
164	A pulmonary metastasis of a cystosarcoma phyllodes of the breast detected by 18 F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e233-5	1.7	1
163	An unusual case of diffuse large B-cell lymphoma involving the vulva evaluated by 18 F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e439-41	1.7	1
162	Multifocal epithelioid hemangioendothelioma of the lower limbs detected by 18 F-FDG PET/MRI. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e402-4	1.7	8
161	A thyroid incidentaloma detected by 18 F-choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e267-9	1.7	15
160	Colorectal carcinoma with bone metastases detected by 18 F-choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e246-8	1.7	1

159	A rare case of synchronous fetal type adenocarcinoma and mucinous adenocarcinoma of the lung evaluated by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e384-6	1.7	2
158	Incidental uptake of 18F-fluorodeoxyglucose in the prostate gland. Systematic review and meta-analysis on prevalence and risk of malignancy. <i>Nuklearmedizin - NuclearMedicine</i> , 2014 , 53, 249-58	1.8	28
157	Usefulness of (18)F-FDG PET/CT in a rare case of malignant pseudothyroiditis. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e163-5	1.7	2
156	Detectable thyroglobulin with negative imaging in differentiated thyroid cancer patients. What to do with negative anatomical imaging and radioiodine scan?. <i>Nuklearmedizin - NuclearMedicine</i> , 2014 , 53, 1-10	1.8	5
155	Diagnostic performance of fluorine-18-fluorodeoxyglucose positron emission tomography in the postchemotherapy management of patients with seminoma: systematic review and meta-analysis. <i>BioMed Research International</i> , 2014 , 2014, 852681	3	43
154	Diagnostic accuracy of fluorine-18-fluorodeoxyglucose positron emission tomography in the evaluation of the primary tumor in patients with cholangiocarcinoma: a meta-analysis. <i>BioMed Research International</i> , 2014 , 2014, 247693	3	33
153	The role of 18F-FDG-PET and PET/CT in patients with colorectal liver metastases undergoing selective internal radiation therapy with yttrium-90: a first evidence-based review. <i>Scientific World Journal, The</i> , 2014 , 2014, 879469	2.2	17
152	Diagnostic performance of positron emission tomography/computed tomography using fluorine-18 fluorodeoxyglucose in detecting locoregional nodal involvement in patients with anal canal cancer: a systematic review and meta-analysis. <i>Scientific World Journal, The</i> , 2014 , 2014, 196068	2.2	21
151	Current role and future perspectives of radioiodinated MIBG in the evaluation of dementia with Lewy bodies. <i>Current Radiopharmaceuticals</i> , 2014 , 7, 75-8	1.8	1
150	Prognostic significance of sentinel lymph node mapping in Merkel cell carcinoma: systematic review and meta-analysis of prognostic studies. <i>BioMed Research International</i> , 2014 , 2014, 489536	3	24
149	Comparison Between Myocardial Sympathetic and Striatal Dopaminergic Imaging in Lewy Body Diseases: Union is strength! 2014 , 135		
148	Relationship between prostate-specific antigen kinetics and detection rate of radiolabelled choline PET/CT in restaging prostate cancer patients: a meta-analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014 , 52, 725-33	5.9	78
147	Iodine-123 metaiodobenzylguanidine scintigraphy and iodine-123 ioflupane single photon emission computed tomography in Lewy body diseases: complementary or alternative techniques?. <i>Journal of Neuroimaging</i> , 2014 , 24, 149-54	2.8	36
146	A rare case of primary pulmonary epithelioid angiosarcoma detected by (18)F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, 450-2	1.7	14
145	An unusual orbital localization of Wegener granulomatosis detected by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, 711-2	1.7	7
144	A rare case of solitary fibrous tumor of the adrenal gland detected by (18)F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, 475-7	1.7	11
143	Response to treatment in a patient with gouty arthritis and tophi evaluated by fluorine 18 fluorodeoxyglucose positron emission tomography/computed tomography. <i>Journal of Clinical Rheumatology</i> , 2014 , 20, 233-4	1.1	1
142	A false positive finding on the PET of somatostatin receptor due to a chondromyxoid fibroma. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 245-6	0.4	1

141	An unusual case of thymic carcinoid causing Cushing's syndrome due to ectopic ACTH secretion detected by (18)F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 253-4	0.4	1
140	Synchronous bilateral bronchial carcinoid diagnosed with combined dual tracer ((18)F-FDG and (68)Ga-DOTATOC) PET/CT scans. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 247-8	0.4	1
139	Diagnostic accuracy of 18F-FDG-PET and PET/CT in the differential diagnosis between malignant and benign pleural lesions: a systematic review and meta-analysis. <i>Academic Radiology</i> , 2014 , 21, 11-20	4.3	38
138	Diagnostic performance of fluorine-18-fluorodeoxyglucose positron emission tomography in the assessment of pleural abnormalities in cancer patients: a systematic review and a meta-analysis. <i>Lung Cancer</i> , 2014 , 83, 1-7	5.9	26
137	A case of optic neuritis incidentally detected by somatostatin receptor scintigraphy. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 189-190	0.1	
136	Diagnostic performance of dedicated positron emission mammography using fluorine-18-fluorodeoxyglucose in women with suspicious breast lesions: a meta-analysis. <i>Clinical Breast Cancer</i> , 2014 , 14, 241-8	3	39
135	Added value of fused somatostatin receptor imaging/magnetic resonance imaging in a rare case of paraganglioma of the urinary bladder. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2014 , 33, 122-124	0.1	
134	A rare case of small cell neuroendocrine carcinoma of the urinary bladder incidentally detected by F-18-FDG PET/CT. <i>Endocrine</i> , 2014 , 45, 156-7	4	7
133	Solitary Plasmacytoma of the Sternum Mimicking Bone Metastasis in a Patient with a History of Breast Cancer Evaluated by F-18-FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 169-70	1.9	0
132	Splenosis Mimicking Relapse of a Neuroendocrine Tumor at Gallium-68-DOTATOC PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2014 , 48, 163-5	1.9	3
131	Left atrial metastasis of Hurtle-cell thyroid carcinoma mimicking myxoma. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 406-7	2.1	3
130	Cost-effectiveness of Fluorine-18-Fluorodeoxyglucose positron emission tomography in tumours other than lung cancer: A systematic review. <i>World Journal of Radiology</i> , 2014 , 6, 48-55	2.9	12
129	Efficacy of different protocols of radioiodine therapy for treatment of toxic nodular goiter: systematic review and meta-analysis of the literature. <i>International Journal of Endocrinology and Metabolism</i> , 2014 , 12, e14424	1.8	16
128	Inflammatory Bowel Diseases 2014 , 199-200		1
127	Mycobacteriosis 2014 , 217-219		
126	Multifocal Head and Neck Paraganglioma Evaluated with Different PET Tracers: Comparison Between Fluorine-18-Fluorodeoxyglucose and Gallium-68-Somatostatin Receptor PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 218-9	1.9	4
125	Usefulness of (18)F-FDG-PET/CT in Evaluating a Brainstem Glioma in an Adult Patient with Neurofibromatosis Type 1. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 212-3	1.9	2
124	A Papillary Thyroid Tumor Detected by (18)F-FDG-PET/CT in a Pediatric Patient with Cowden Syndrome. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 143-5	1.9	0

123	A Rare Case of Malignant Granular Cell Tumor of the Colon Incidentally Detected by (18) F-FDG Positron Emission Tomography/Computed Tomography. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 148-50	1.9	5
122	Usefulness of (18)F-FDG PET/CT in Evaluating Disease Activity at Different Times in a Patient With Chronic Periaortitis. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 69-71	1.9	1
121	F18-FDG-PET/CT for evaluation of intraductal papillary mucinous neoplasms (IPMN): a review of the literature. <i>Japanese Journal of Radiology</i> , 2013 , 31, 229-36	2.9	17
120	The role of positron emission tomography and positron emission tomography/computed tomography in thyroid tumours: an overview. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013 , 270, 1783-7	3.5	37
119	Diagnostic performance of (99m)Tc-MIBI scan in predicting the malignancy of thyroid nodules: a meta-analysis. <i>Endocrine</i> , 2013 , 44, 70-8	4	5 ¹
118	Staging and treatment response evaluation in a metastatic neuroendocrine tumor of the pancreas with G2 grading: insights from multimodality diagnostic approach by F-18-FDG and Ga-68-DOTANOC PET/CT. <i>Endocrine</i> , 2013 , 43, 729-31	4	5
117	(18)F-DOPA PET/CT revealed synchronous neuroendocrine tumors in two sisters with MEN2A syndrome. <i>Endocrine</i> , 2013 , 43, 458-9	4	1
116	Comment on Minamimoto: incidental focal FDG uptake in heart is a lighthouse for considering cardiac screening. <i>Annals of Nuclear Medicine</i> , 2013 , 27, 870-1	2.5	1
115	Which is the optimal acquisition time for FDG PET/CT imaging in patients with infective endocarditis?. <i>Journal of Nuclear Cardiology</i> , 2013 , 20, 307-9	2.1	20
114	Usefulness of 18F-FDG PET/CT in syphilitic aortitis. <i>Clinical Rheumatology</i> , 2013 , 32, 1247	3.9	
113	Factors influencing the sensitivity of 18F-FDG PET/CT in the detection of infective endocarditis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013 , 40, 1112-3	8.8	12
112	Emerging role of Fluorine-18-fluorodeoxyglucose positron emission tomography in patients with retroperitoneal fibrosis: a systematic review. <i>Rheumatology International</i> , 2013 , 33, 549-55	3.6	14
111	131I whole-body scan or 18FDG PET/CT for patients with elevated thyroglobulin and negative ultrasound?. <i>Clinical and Translational Imaging</i> , 2013 , 1, 175-183	2	10
110	Meta-analyses and systematic reviews on PET and PET/CT in oncology: the state of the art. <i>Clinical and Translational Imaging</i> , 2013 , 1, 73-75	2	38
109	Diagnostic accuracy of [18F]DOPA PET and PET/CT in patients with neuroendocrine tumors: a meta-analysis. <i>Clinical and Translational Imaging</i> , 2013 , 1, 111-122	2	15
108	Application of C-11-acetate positron-emission tomography (PET) imaging in prostate cancer: systematic review and meta-analysis of the literature. <i>BJU International</i> , 2013 , 112, 1062-72	5.6	72
107	Diagnostic performance of fluorine-18-fluorodeoxyglucose positron emission tomography in patients with Merkel cell carcinoma: a systematic review and meta-analysis. <i>American Journal of Clinical Dermatology</i> , 2013 , 14, 437-47	7.1	48
106	Toxoplasmic Lymphadenitis Mimicking a Metastatic Thyroid Carcinoma at (18)F-FDG-PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2013 , 47, 289-90	1.9	2

105	Comparison of different positron emission tomography tracers in patients with recurrent medullary thyroid carcinoma: our experience and a review of the literature. <i>Recent Results in Cancer Research</i> , 2013 , 194, 385-93	1.5	12
104	Thyroglobulin levels and thyroglobulin doubling time independently predict a positive 18F-FDG PET/CT scan in patients with biochemical recurrence of differentiated thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013 , 40, 874-80	8.8	69
103	Incidental detection of H ¹²⁵ I cell adenoma by 18F-choline PET/CT scan in a patient with prostate cancer. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2013 , 32, 340-1	0.4	8
102	An unusual case of metastatic extramammary Paget's disease of the vulva identified by 18F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2013 , 32, 402-3	0.4	
101	Is 18F-FDG-PET/CT really able to differentiate between malignant and benign solitary fibrous tumor of the pleura?. <i>Clinical Imaging</i> , 2013 , 37, 976	2.7	11
100	Lymphatic mapping and sentinel node biopsy in squamous cell carcinoma of the vulva: systematic review and meta-analysis of the literature. <i>Gynecologic Oncology</i> , 2013 , 130, 237-45	4.9	70
99	Diagnostic performance of Fluorine-18-Fluorodeoxyglucose positron emission tomography in patients with chronic inflammatory bowel disease: a systematic review and a meta-analysis. <i>Journal of Crohn's and Colitis</i> , 2013 , 7, 345-54	1.5	45
98	Accuracy of 18-F-FDG PET imaging in the follow up of endometrial cancer patients: systematic review and meta-analysis of the literature. <i>Gynecologic Oncology</i> , 2013 , 128, 397-404	4.9	55
97	Incidental detection of H ¹²⁵ I cell adenoma by 18F-choline PET/CT scan in a patient with prostate cancer. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2013 , 32, 340-341	0.1	
96	Diagnostic performance of positron emission tomography using ¹¹¹ C-methionine in patients with suspected parathyroid adenoma: a meta-analysis. <i>Endocrine</i> , 2013 , 43, 78-83	4	57
95	Recurrent lymphoma in the thyroid gland detected by fluorine-18-fluorodeoxyglucose PET/CT. <i>Endocrine</i> , 2013 , 43, 242-3	4	8
94	F18-FDG-PET/CT thyroid incidentalomas: a wide retrospective analysis in three Italian centres on the significance of focal uptake and SUV value. <i>Endocrine</i> , 2013 , 43, 678-85	4	49
93	Diagnostic performance of Fluorine-18-Fluorodeoxyglucose positron emission tomography for the diagnosis of osteomyelitis related to diabetic foot: a systematic review and a meta-analysis. <i>Foot</i> , 2013 , 23, 140-8	1.3	51
92	The role of Fluorine-18-Fluorodeoxyglucose positron emission tomography in staging and restaging of patients with osteosarcoma. <i>Radiology and Oncology</i> , 2013 , 47, 97-102	3.8	63
91	Unusual muscular metastases from papillary thyroid carcinoma detected by fluorine-18-fluorodeoxyglucose PET/MRI. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 2208-9	5.6	2
90	A comparison between ¹⁸ F-FDG PET/CT imaging and biological and radiological findings in restaging of hepatoblastoma patients. <i>BioMed Research International</i> , 2013 , 2013, 709037	3	15
89	The role of fluorine-18-fluorodeoxyglucose positron emission tomography in aggressive histological subtypes of thyroid cancer: an overview. <i>International Journal of Endocrinology</i> , 2013 , 2013, 856189	2.7	44
88	Diagnostic performance of fluorine 18 fluorodeoxyglucose positron emission tomography imaging for detection of primary lesion and staging of endometrial cancer patients: systematic review and meta-analysis of the literature. <i>International Journal of Gynecological Cancer</i> , 2013 , 23, 1536-43	3.5	48

87	A rare case of neuroendocrine tumor of the middle ear detected by gallium-68-DOTANOC-PET/CT. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 1319-20	5.6	6
86	Diagnostic performance of fluorine-18-fluorodeoxyglucose positron emission tomography imaging in uterine sarcomas: systematic review and meta-analysis of the literature. <i>International Journal of Gynecological Cancer</i> , 2013 , 23, 1349-56	3.5	20
85	Prevalence and risk of malignancy of thyroid incidentalomas detected by (18)f-fluorodeoxyglucose positron-emission tomography. <i>Thyroid</i> , 2013 , 23, 124-6	6.2	12
84	Pulmonary neuroendocrine tumor incidentally detected by (18)F-CH PET/CT. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e196-9	1.7	11
83	Masking effect of chronic pancreatitis in the interpretation of somatostatin receptor positron emission tomography in pancreatic neuroendocrine tumors. <i>Pancreas</i> , 2013 , 42, 726-8	2.6	6
82	Incidental 11C-choline PET/CT brain uptake due to meningioma in a patient studied for prostate cancer: correlation with MRI and imaging fusion. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e435-7	1.7	10
81	A standardized dual-phase 18F-DOPA PET/CT protocol in the detection of medullary thyroid cancer. <i>Nuclear Medicine Communications</i> , 2013 , 34, 185-6	1.6	8
80	Multifocal extra-adrenal paraganglioma evaluated with different PET tracers: comparison between 18F-FDG, 18F-DOPA and 68Ga DOTANOC PET/CT. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e458-62	1.7	10
79	Usefulness of 18F-FDG PET/CT in an unusual case of solid-pseudopapillary pancreatic tumor in childhood with aggressive behavior. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e35-7	1.7	6
78	Markedly increased 18F-FDG uptake in a nonfunctioning adrenal adenoma mimicking malignancy. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e333-5	1.7	4
77	Thyroid lobe ablation with iodine- ^{131}I in patients with differentiated thyroid carcinoma: a randomized comparison between 1.1 and 3.7 GBq activities. <i>Nuclear Medicine Communications</i> , 2013 , 34, 767-70	1.6	16
76	A rare case of primary thymic Hodgkin lymphoma in an elderly patient detected by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e236-8	1.7	3
75	Nodular nongranulomatous vasculitis of the lung detected by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e148-51	1.7	0
74	Usefulness of (18)F-FDG PET/CT in disease extent and treatment response assessment in a patient with syphilitic aortitis. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e185-7	1.7	14
73	A rare case of ectopic adrenocorticotrophic hormone syndrome caused by a metastatic neuroendocrine tumor of the pancreas detected by 68Ga-DOTANOC and 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e306-8	1.7	16
72	A case of insulinoma detected by (68)Ga-DOTANOC PET/CT and missed by (18)F-dihydroxyphenylalanine PET/CT. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e267-70	1.7	11
71	Comparison between whole-body MRI and Fluorine-18-Fluorodeoxyglucose PET or PET/CT in oncology: a systematic review. <i>Radiology and Oncology</i> , 2013 , 47, 206-18	3.8	23
70	When to perform positron emission tomography/computed tomography or radionuclide bone scan in patients with recently diagnosed prostate cancer. <i>Cancer Management and Research</i> , 2013 , 5, 123-31	3.6	6

69	Recent applications of nuclear medicine in diagnostics (I part). <i>Italian Journal of Medicine</i> , 2013 , 84-91	0.5	2
68	The evolution in the use of MIBG scintigraphy in pheochromocytomas and paragangliomas. <i>Hormones</i> , 2013 , 12, 58-68	3.1	15
67	Focal thyroid incidental uptake detected by 18 F-fluorodeoxyglucose positron emission tomography. Meta-analysis on prevalence and malignancy risk. <i>Nuklearmedizin - Nuclear Medicine</i> , 2013 , 52, 130-6	1.8	38
66	Iodine-131 administration and risk of cancer: "appearances can be deceptive". <i>Hormones</i> , 2013 , 12, 312-4	3.1	0
65	PET and PET/CT imaging in thyroid and adrenal diseases: an update. <i>Hormones</i> , 2013 , 12, 327-33	3.1	7
64	What is currently the best radiopharmaceutical for the hybrid PET/CT detection of recurrent medullary thyroid carcinoma?. <i>Current Radiopharmaceuticals</i> , 2013 , 6, 96-105	1.8	23
63	Clinical usefulness of myocardial innervation imaging using Iodine-123-meta-iodobenzylguanidine scintigraphy in evaluating the effectiveness of pharmacological treatments in patients with heart failure: an overview. <i>European Review for Medical and Pharmacological Sciences</i> , 2013 , 17, 56-68	2.9	11
62	Comparison of metaiodobenzylguanidine scintigraphy with positron emission tomography in the diagnostic work-up of pheochromocytoma and paraganglioma: a systematic review. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2013 , 57, 122-33	1.4	28
61	Diagnostic performance of myocardial innervation imaging using MIBG scintigraphy in differential diagnosis between dementia with lewy bodies and other dementias: a systematic review and a meta-analysis. <i>Journal of Neuroimaging</i> , 2012 , 22, 111-7	2.8	72
60	Diagnostic accuracy of 18 F-FDG-PET and PET/CT in patients with Ewing sarcoma family tumours: a systematic review and a meta-analysis. <i>Skeletal Radiology</i> , 2012 , 41, 249-56	2.7	89
59	MIBG scintigraphy in differential diagnosis of Parkinsonism: a meta-analysis. <i>Clinical Autonomic Research</i> , 2012 , 22, 43-55	4.3	85
58	Coexistence of physiologic and abnormal muscle uptake of fluorine-18-fluorodeoxyglucose in a patient with plasma cell leukemia. <i>Nuclear Medicine and Molecular Imaging</i> , 2012 , 46, 311-3	1.9	1
57	Detection rate of recurrent medullary thyroid carcinoma using fluorine-18 dihydroxyphenylalanine positron emission tomography: a meta-analysis. <i>Academic Radiology</i> , 2012 , 19, 1290-9	4.3	39
56	Abnormal striatal dopaminergic and cardiac sympathetic imaging in dementia with Lewy bodies: two sides of the same coin. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 707-8; author reply 709	3.6	1
55	Meta-analysis on MIBG scintigraphy in differential diagnosis between Parkinson's disease and neurodegenerative parkinsonism. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 805; author reply 806	3.6	9
54	18 F-fluoro-deoxy-glucose focal uptake in very small pulmonary nodules: fact or artifact? Case reports. <i>World Journal of Surgical Oncology</i> , 2012 , 10, 71	3.4	4
53	Serum cytokeratin 19 fragments: a dedifferentiation marker in advanced thyroid cancer. <i>European Journal of Endocrinology</i> , 2012 , 167, 793-7	6.5	14
52	Diagnostic and clinical significance of F-18-FDG-PET/CT thyroid incidentalomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 3866-75	5.6	118

51	Detection rate of recurrent medullary thyroid carcinoma using fluorine-18 fluorodeoxyglucose positron emission tomography: a meta-analysis. <i>Endocrine</i> , 2012 , 42, 535-45	4	56
50	Diagnostic performance of planar scintigraphy using ^{99m}Tc -MIBI in patients with secondary hyperparathyroidism: a meta-analysis. <i>Annals of Nuclear Medicine</i> , 2012 , 26, 794-803	2.5	36
49	Ruolo emergente nella pratica clinica della PET con 18F-FDG nei pazienti con sarcoidosi. <i>Italian Journal of Medicine</i> , 2012 , 6, 21-26	0.5	
48	Is fluorine-18-fluorodeoxyglucose positron emission tomography useful in monitoring the response to treatment in patients with multiple myeloma?. <i>International Journal of Hematology</i> , 2012 , 96, 685-91	2.3	15
47	Role of PET/CT in the functional imaging of endocrine pancreatic tumors. <i>Abdominal Imaging</i> , 2012 , 37, 1004-20		58
46	[^{18}F]FDG-PET/CT in patients affected by retroperitoneal fibrosis: a bicentric experience. <i>Japanese Journal of Radiology</i> , 2012 , 30, 415-21	2.9	11
45	Diagnostic performance of fluorine-18-dihydroxyphenylalanine positron emission tomography in diagnosing and localizing the focal form of congenital hyperinsulinism: a meta-analysis. <i>Pediatric Radiology</i> , 2012 , 42, 1372-9	2.8	40
44	Diagnostic performance of Gallium-68 somatostatin receptor PET and PET/CT in patients with thoracic and gastroenteropancreatic neuroendocrine tumours: a meta-analysis. <i>Endocrine</i> , 2012 , 42, 80-7	4	180
43	The role of positron emission tomography using carbon-11 and fluorine-18 choline in tumors other than prostate cancer: a systematic review. <i>Annals of Nuclear Medicine</i> , 2012 , 26, 451-61	2.5	77
42	Comparison of 18F-DOPA, 18F-FDG and 68Ga-somatostatin analogue PET/CT in patients with recurrent medullary thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 569-80	8.8	100
41	Diagnostic performance of 18F-dihydroxyphenylalanine positron emission tomography in patients with paraganglioma: a meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 1144-53	8.8	79
40	Further considerations on adverse reactions to radiopharmaceuticals. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 1360-2	8.8	9
39	Clinical significance of incidental focal colorectal (18)F-fluorodeoxyglucose uptake: our experience and a review of the literature. <i>Colorectal Disease</i> , 2012 , 14, 174-80	2.1	58
38	18F-Fluorodeoxyglucose positron emission tomography in evaluating treatment response to imatinib or other drugs in gastrointestinal stromal tumors: a systematic review. <i>Clinical Imaging</i> , 2012 , 36, 167-75	2.7	39
37	The role of fluorine-18-fluorodeoxyglucose positron emission tomography in evaluating the response to treatment in patients with multiple myeloma. <i>International Journal of Molecular Imaging</i> , 2012 , 2012, 175803		18
36	PET Imaging in Recurrent Medullary Thyroid Carcinoma. <i>International Journal of Molecular Imaging</i> , 2012 , 2012, 324686		30
35	Usefulness of whole-body fluorine-18-fluorodeoxyglucose positron emission tomography in patients with neurofibromatosis type 1: a systematic review. <i>Radiology Research and Practice</i> , 2012 , 2012, 431029	2.3	34
34	Fluorine-18-fluorodeoxyglucose positron emission tomography in assessing retroperitoneal fibrosis: a literature review. <i>International Journal of Molecular Imaging</i> , 2012 , 2012, 484052		1

33	(123)I-MIBG Scintigraphy as a Powerful Tool to Plan an Implantable Cardioverter Defibrillator and to Assess Cardiac Resynchronization Therapy in Heart Failure Patients. <i>International Journal of Molecular Imaging</i> , 2012 , 2012, 690468		3
32	The Role of Fluorine-18-fluorodeoxyglucose Positron Emission Tomography in Assessing the Response to Neoadjuvant Treatment in Patients with Osteosarcoma. <i>International Journal of Molecular Imaging</i> , 2012 , 2012, 870301		11
31	A rare case of synchronous bilateral pulmonary neuroendocrine tumor detected by 68Ga-DOTANOC PET/CT. <i>Clinical Nuclear Medicine</i> , 2012 , 37, e91-4	1.7	1
30	Usefulness of F-18 FDG PET/CT in the follow-up of POEMS syndrome after autologous peripheral blood stem cell transplantation. <i>Clinical Nuclear Medicine</i> , 2012 , 37, 181-3	1.7	10
29	The role of nuclear medicine in the diagnosis of spondylodiscitis. <i>European Review for Medical and Pharmacological Sciences</i> , 2012 , 16 Suppl 2, 20-5	2.9	8
28	Il contributo della PET/TC con 18F-FDG nelle vasculiti dei grossi vasi: applicazioni e limiti della metodica nella pratica clinica. <i>Italian Journal of Medicine</i> , 2011 , 5, 249-254	0.5	4
27	Diagnostic performance of iodine-123-metaiodobenzylguanidine scintigraphy in differential diagnosis between Parkinson's disease and multiple-system atrophy: a systematic review and a meta-analysis. <i>Clinical Neurology and Neurosurgery</i> , 2011 , 113, 823-9	2	45
26	Comparison between F-Fluorodeoxyglucose Positron Emission Tomography and Sentinel Lymph Node Biopsy for Regional Lymph Nodal Staging in Patients with Melanoma: A Review of the Literature. <i>Radiology Research and Practice</i> , 2011 , 2011, 912504	2.3	9
25	Is there a role for fluorine 18 fluorodeoxyglucose-positron emission tomography and positron emission tomography/computed tomography in evaluating patients with mycobacteriosis? A systematic review. <i>Journal of Computer Assisted Tomography</i> , 2011 , 35, 387-93	2.2	29
24	Usefulness of fluorine-18 fluorodeoxyglucose PET/computed tomography in diagnosis of aortitis and treatment response evaluation in a patient with aortic prosthesis. <i>Journal of Cardiovascular Medicine</i> , 2011 , 12, 814-6	1.9	11
23	Atypical presentation of plasma cell leukemia secondary to multiple myeloma detected by F-18 FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2011 , 36, e220-3	1.7	4
22	Comparison of 123I-MIBG SPECT-CT and 18F-DOPA PET-CT in the evaluation of patients with known or suspected recurrent paraganglioma. <i>Nuclear Medicine Communications</i> , 2011 , 32, 575-82	1.6	46
21	Usefulness of whole-body fluorine-18-fluorodeoxyglucose positron emission tomography in patients with large-vessel vasculitis: a systematic review. <i>Clinical Rheumatology</i> , 2011 , 30, 1265-75	3.9	72
20	Comment on "Incidental focal hypermetabolic colorectal lesions identified by positron emission tomography: prevalence of malignancy". <i>Abdominal Imaging</i> , 2011 , 36, 489-90		
19	123I-MIBG cardiac scintigraphy in Lewy body-related disorders. <i>Movement Disorders</i> , 2011 , 26, 1949-5; author reply 1950	7	3
18	Un caso raro di angiomatosi epatica diffusa nell'adulto: ruolo della scintigrafia con emazie marcate nell'ambito dell'imaging diagnostico multimodale. <i>Italian Journal of Medicine</i> , 2011 , 5, 194-198	0.5	
17	Usefulness of MIBG scintigraphy in idiopathic REM sleep behavior disorder: a systematic review. <i>Research and Reports in Nuclear Medicine</i> , 2011 , 1		
16	F-FDG PET Imaging in the Evaluation of Treatment Response to New Chemotherapies beyond Imatinib for Patients with Gastrointestinal Stromal Tumors. <i>ISRN Gastroenterology</i> , 2011 , 2011, 824892		12

15	Emerging role of whole-body 18F-fluorodeoxyglucose positron emission tomography as a marker of disease activity in patients with sarcoidosis: a systematic review. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2011 , 28, 87-94	1.1	37
14	Nuove applicazioni della medicina nucleare in ambito diagnostico (I parte). <i>Italian Journal of Medicine</i> , 2010 , 4, 84-91	0.5	29
13	Nuove applicazioni della medicina nucleare in ambito diagnostico: II parte. <i>Italian Journal of Medicine</i> , 2010 , 4, 159-166	0.5	11
12	Recent developments in innervation imaging using iodine-123-metaiodobenzylguanidine scintigraphy in Lewy body diseases. <i>Neurological Sciences</i> , 2010 , 31, 417-22	3.5	18
11	Nuclear medicine procedures in the diagnosis and therapy of medullary thyroid carcinoma. <i>Biomedicine and Pharmacotherapy</i> , 2008 , 62, 139-46	7.5	40
10	Costal brown tumor detected by dual-phase parathyroid imaging and SPECT-CT in primary hyperparathyroidism. <i>Clinical Nuclear Medicine</i> , 2008 , 33, 193-5	1.7	12
9	Unusual increased metaiodobenzylguanidine uptake in liposarcoma. <i>Clinical Nuclear Medicine</i> , 2008 , 33, 627-9	1.7	2
8	Impact of 111In-DTPA-octreotide SPECT/CT fusion images in the management of neuroendocrine tumours. <i>Radiologia Medica</i> , 2008 , 113, 1056-67	6.5	53
7	Role of PET in medullary thyroid carcinoma. <i>Minerva Endocrinologica</i> , 2008 , 33, 67-73	1.9	21
6	Noninvasive adrenal imaging in hyperaldosteronism: is it accurate for correctly identifying patients who should be selected for surgery?. <i>Langenbeck's Archives of Surgery</i> , 2007 , 392, 623-8	3.4	8
5	Evaluation of the surgical completeness after total thyroidectomy for differentiated thyroid carcinoma. <i>European Journal of Surgical Oncology</i> , 2007 , 33, 648-54	3.6	46
4	The role of nuclear medicine in the management of thymomas. <i>Annali Italiani Di Chirurgia</i> , 2007 , 78, 371-4	4.4	4
3	Malignant pleural mesothelioma: utility of 18 F-FDG PET. <i>Annali Italiani Di Chirurgia</i> , 2007 , 78, 393-6	1.4	4
2	Combined diagnostic imaging in a patient with Forestier disease and dysphagia. <i>Rays</i> , 2005 , 30, 251-5		1
1	A pooled analysis to calculate the prevalence and risk of malignancy of thyroid incidentalomas detected by Fluorine-18-Fluorodeoxyglucose positron emission tomography.. <i>Thyroid</i> , 2002 , 12, 1307-13	6.2	4