

Yoshikazu Takada

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/230352/yoshikazu-takada-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

10,879
citations

51
h-index

102
g-index

144
ext. papers

11,622
ext. citations

6.6
avg, IF

5.64
L-index

#	Paper	IF	Citations
140	Anti-Monomeric C-Reactive Protein Antibody Ameliorates Arthritis and Nephritis in Mice. <i>Journal of Immunology</i> , 2021 , 207, 1755-1762	5.3	5
139	Soluble CD40L activates soluble and cell-surface integrin $\alpha 5 \beta 1$, $\alpha 5 \beta 2$, and $\alpha 5 \beta 3$ by binding to the allosteric ligand-binding site (site 2). <i>Journal of Biological Chemistry</i> , 2021 , 296, 100399	5.4	2
138	Tunable hydrogels for mesenchymal stem cell delivery: Integrin-induced transcriptome alterations and hydrogel optimization for human wound healing. <i>Stem Cells</i> , 2020 , 38, 231-245	5.8	9
137	Integrin Binding to the Trimeric Interface of CD40L Plays a Critical Role in CD40/CD40L Signaling. <i>Journal of Immunology</i> , 2019 , 203, 1383-1391	5.3	13
136	Expression of integrins to control migration direction of electrotaxis. <i>FASEB Journal</i> , 2019 , 33, 9131-9140.	6.9	11
135	Stromal cell-derived factor-1 (CXCL12) activates integrins by direct binding to an allosteric ligand-binding site (site 2) of integrins without CXCR4. <i>Biochemical Journal</i> , 2018 , 475, 723-732	3.8	14
134	Enteric Species F Human Adenoviruses use Laminin-Binding Integrins as Co-Receptors for Infection of Ht-29 Cells. <i>Scientific Reports</i> , 2018 , 8, 10019	4.9	14
133	Crosstalk between insulin-like growth factor (IGF) receptor and integrins through direct integrin binding to IGF1. <i>Cytokine and Growth Factor Reviews</i> , 2017 , 34, 67-72	17.9	27
132	The integrin-binding defective FGF2 mutants potently suppress FGF2 signalling and angiogenesis. <i>Bioscience Reports</i> , 2017 , 37,	4.1	17
131	The CD9, CD81, and CD151 EC2 domains bind to the classical RGD-binding site of integrin $\alpha 5 \beta 1$. <i>Biochemical Journal</i> , 2017 , 474, 589-596	3.8	15
130	Direct binding to integrins and loss of disulfide linkage in interleukin-1 β (IL-1 β) are involved in the agonistic action of IL-1 β . <i>Journal of Biological Chemistry</i> , 2017 , 292, 20067-20075	5.4	12
129	Direct integrin binding to insulin-like growth factor-2 through the C-domain is required for insulin-like growth factor receptor type 1 (IGF1R) signaling. <i>PLoS ONE</i> , 2017 , 12, e0184285	3.7	6
128	Secreted Phospholipase A2 Type IIA (sPLA2-IIA) Activates Integrins in an Allosteric Manner. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 925, 103-115	3.6	8
127	Ligand-induced Epitope Masking: DISSOCIATION OF INTEGRIN $\alpha 5 \beta 1$ -FIBRONECTIN COMPLEXES ONLY BY MONOCLONAL ANTIBODIES WITH AN ALLOSTERIC MODE OF ACTION. <i>Journal of Biological Chemistry</i> , 2016 , 291, 20993-21007	5.4	9
126	Optimization of RGD-Containing Cyclic Peptides against $\alpha 5 \beta 1$ Integrin. <i>Molecular Cancer Therapeutics</i> , 2016 , 15, 232-40	6.1	34
125	Proinflammatory secreted phospholipase A2 type IIA (sPLA2-IIA) induces integrin activation through direct binding to a newly identified binding site (site 2) in integrins $\alpha 5 \beta 1$, $\alpha 5 \beta 2$, and $\alpha 5 \beta 3$. <i>Journal of Biological Chemistry</i> , 2015 , 290, 259-71	5.4	24
124	Identification of Equine Lactadherin-derived Peptides That Inhibit Rotavirus Infection via Integrin Receptor Competition. <i>Journal of Biological Chemistry</i> , 2015 , 290, 12403-14	5.4	14

123	Enhanced Expression of Integrin $\alpha 5 \beta 1$ Induced by TGF- β 1s Required for the Enhancing Effect of Fibroblast Growth Factor 1 (FGF1) in TGF- β -Induced Epithelial-Mesenchymal Transition (EMT) in Mammary Epithelial Cells. <i>PLoS ONE</i> , 2015 , 10, e0137486	3.7	42
122	The binding of monomeric C-reactive protein (mCRP) to Integrins $\alpha 5 \beta 1$ and $\alpha 1 \beta 1$ is related to its pro-inflammatory action. <i>PLoS ONE</i> , 2014 , 9, e93738	3.7	18
121	The chemokine fractalkine can activate integrins without CX3CR1 through direct binding to a ligand-binding site distinct from the classical RGD-binding site. <i>PLoS ONE</i> , 2014 , 9, e96372	3.7	17
120	Identification of inhibitors against interaction between pro-inflammatory sPLA2-IIA protein and integrin $\alpha 5 \beta 1$. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 340-5	2.9	14
119	Insulin-like growth factor (IGF) signaling requires $\alpha 5 \beta 1$ -IGF1-IGF type 1 receptor (IGF1R) ternary complex formation in anchorage independence, and the complex formation does not require IGF1R and Src activation. <i>Journal of Biological Chemistry</i> , 2013 , 288, 3059-69	5.4	25
118	An integrin binding-defective mutant of insulin-like growth factor-1 (R36E/R37E IGF1) acts as a dominant-negative antagonist of the IGF1 receptor (IGF1R) and suppresses tumorigenesis but still binds to IGF1R. <i>Journal of Biological Chemistry</i> , 2013 , 288, 19593-603	5.4	25
117	A dominant-negative FGF1 mutant (the R50E mutant) suppresses tumorigenesis and angiogenesis. <i>PLoS ONE</i> , 2013 , 8, e57927	3.7	39
116	Crosstalk between Fibroblast Growth Factor (FGF) Receptor and Integrin through Direct Integrin Binding to FGF and Resulting Integrin-FGF-FGFR Ternary Complex Formation. <i>Medical Sciences (Basel, Switzerland)</i> , 2013 , 1, 20-36	3.3	6
115	THE CELL TO CELL INTERACTION OF BREAST CANCER CELLS REGULATES CANCER INVASION VIA ADAM15. <i>American Journal of Immunology</i> , 2012 , 8, 123-135	0.3	
114	Identification of proteins that associate with integrin $\alpha 5$ by proteomic analysis in human fibrosarcoma HT-1080 cells. <i>Journal of Cellular Physiology</i> , 2012 , 227, 3072-9	7	7
113	Galectin-3 modulates phagocytosis-induced stellate cell activation and liver fibrosis in vivo. <i>American Journal of Physiology - Renal Physiology</i> , 2012 , 302, G439-46	5.1	49
112	Potential role of kringle-integrin interaction in plasmin and uPA actions (a hypothesis). <i>Journal of Biomedicine and Biotechnology</i> , 2012 , 2012, 136302		3
111	Integrins $\alpha 5 \beta 1$ and $\alpha 1 \beta 1$ act as coreceptors for fractalkine, and the integrin-binding defective mutant of fractalkine is an antagonist of CX3CR1. <i>Journal of Immunology</i> , 2012 , 189, 5809-19	5.3	26
110	Cross-talk between integrin $\alpha 5 \beta 1$ and insulin-like growth factor-1 receptor (IGF1R) through direct $\alpha 5 \beta 1$ binding to IGF1 and subsequent $\alpha 5 \beta 1$ -IGF1-IGF1R ternary complex formation in anchorage-independent conditions. <i>Journal of Biological Chemistry</i> , 2012 , 287, 12491-500	5.4	33
109	Silencing of DLC1 upregulates PAI-1 expression and reduces migration in normal prostate cells. <i>Molecular Cancer Research</i> , 2012 , 10, 34-9	6.6	21
108	Determinants of the specificity of rotavirus interactions with the alpha2beta1 integrin. <i>Journal of Biological Chemistry</i> , 2011 , 286, 6165-74	5.4	25
107	Enhanced activity of transforming growth factor β 1 (TGF- β 1) bound to cartilage oligomeric matrix protein. <i>Journal of Biological Chemistry</i> , 2011 , 286, 43250-8	5.4	46
106	Direct binding of the EGF-like domain of neuregulin-1 to integrins ($\alpha 3 \beta 3$ and $\alpha 6 \beta 4$) is involved in neuregulin-1/ErbB signaling. <i>Journal of Biological Chemistry</i> , 2010 , 285, 31388-98	5.4	54

105	The use of one-bead one-compound combinatorial library technology to discover high-affinity $\alpha\beta$ integrin and cancer targeting arginine-glycine-aspartic acid ligands with a built-in handle. <i>Molecular Cancer Therapeutics</i> , 2010 , 9, 2714-23	6.1	62
104	A T cell-binding fragment of fibrinogen can prevent autoimmunity. <i>Journal of Autoimmunity</i> , 2010 , 34, 453-9	15.5	9
103	A novel fibroblast growth factor-1 (FGF1) mutant that acts as an FGF antagonist. <i>PLoS ONE</i> , 2010 , 5, e10373	3.7	15
102	The direct binding of insulin-like growth factor-1 (IGF-1) to integrin $\alpha\text{v}\beta\text{3}$ is involved in IGF-1 signaling. <i>Journal of Biological Chemistry</i> , 2009 , 284, 24106-14	5.4	66
101	Fibrinogen-gamma C-terminal fragments induce endothelial barrier dysfunction and microvascular leak via integrin-mediated and RhoA-dependent mechanism. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 394-400	9.4	25
100	Discovery of targeting ligands for breast cancer cells using the one-bead one-compound combinatorial method. <i>Journal of Medicinal Chemistry</i> , 2009 , 52, 126-33	8.3	65
99	THE C-TERMINAL GLOBULAR DOMAIN OF FIBRINOGEN γ CHAIN INDUCES ENDOTHELIAL BARRIER DYSFUNCTION AND MICROVASCULAR LEAKAGE VIA A RHOA-DEPENDENT MECHANISM. <i>FASEB Journal</i> , 2009 , 23, 950.1	0.9	
98	Pro-inflammatory secretory phospholipase A2 type IIA binds to integrins $\alpha\text{v}\beta\text{3}$ and $\alpha\text{4}\beta\text{1}$ and induces proliferation of monocytic cells in an integrin-dependent manner. <i>Journal of Biological Chemistry</i> , 2008 , 283, 26107-15	5.4	71
97	Direct binding of integrin $\alpha\text{v}\beta\text{3}$ to FGF1 plays a role in FGF1 signaling. <i>Journal of Biological Chemistry</i> , 2008 , 283, 18066-75	5.4	96
96	Inhibition of tissue factor signaling suppresses tumor growth. <i>Blood</i> , 2008 , 111, 190-9	2.2	260
95	Rotavirus-neutralizing antibodies inhibit virus binding to integrins $\alpha\text{2}\beta\text{1}$ and $\alpha\text{4}\beta\text{1}$. <i>Archives of Virology</i> , 2007 , 152, 1087-101	2.6	19
94	The integrins. <i>Genome Biology</i> , 2007 , 8, 215	18.3	768
93	The effect of the truncated fibrinogen fragment γ399tr on tumor growth in the Met-1 mouse mammary tumor model. <i>FASEB Journal</i> , 2007 , 21, A385	0.9	
92	Rotavirus spike protein VP5* binds $\alpha\text{2}\beta\text{1}$ integrin on the cell surface and competes with virus for cell binding and infectivity. <i>Journal of General Virology</i> , 2006 , 87, 1275-1283	4.9	31
91	The COOH-terminal globular domain of fibrinogen gamma chain suppresses angiogenesis and tumor growth. <i>Cancer Research</i> , 2006 , 66, 9691-7	10.1	30
90	Non-cytotoxic cobra cardiotoxin A5 binds to $\alpha\text{(v)}\beta\text{3}$ integrin and inhibits bone resorption. Identification of cardiotoxins as non-RGD integrin-binding proteins of the Ly-6 family. <i>Journal of Biological Chemistry</i> , 2006 , 281, 7937-45	5.4	42
89	Direct interaction of the kringle domain of urokinase-type plasminogen activator (uPA) and integrin $\alpha\text{v}\beta\text{3}$ induces signal transduction and enhances plasminogen activation. <i>Thrombosis and Haemostasis</i> , 2006 , 95, 524-34	7	52
88	Combinatorial chemistry identifies high-affinity peptidomimetics against $\alpha\text{4}\beta\text{1}$ integrin for in vivo tumor imaging. <i>Nature Chemical Biology</i> , 2006 , 2, 381-9	11.7	207

87	ADAM12-mediated focal adhesion formation is differently regulated by beta1 and beta3 integrins. <i>FEBS Letters</i> , 2005 , 579, 5589-95	3.8	21
86	Rotaviruses interact with alpha4beta7 and alpha4beta1 integrins by binding the same integrin domains as natural ligands. <i>Journal of General Virology</i> , 2005 , 86, 3397-3408	4.9	51
85	alpha4beta1- and alpha6beta1-integrins are functional receptors for midkine, a heparin-binding growth factor. <i>Journal of Cell Science</i> , 2004 , 117, 5405-15	5.3	99
84	Single-chain antibodies for the conformation-specific blockade of activated platelet integrin alphaIIb beta3 designed by subtractive selection from naive human phage libraries. <i>FASEB Journal</i> , 2004 , 18, 1704-6	0.9	75
83	Adhesion of gastric carcinoma cells to peritoneum mediated by alpha3beta1 integrin (VLA-3). <i>Cancer Research</i> , 2004 , 64, 6065-70	10.1	62
82	Cross-talk of integrin alpha3beta1 and tissue factor in cell migration. <i>Molecular Biology of the Cell</i> , 2004 , 15, 4416-25	3.5	130
81	Attachment of human colon cancer cells to vascular endothelium is enhanced by N-acetylglucosaminyltransferase V. <i>Oncology</i> , 2004 , 66, 492-501	3.6	27
80	Plasmin-induced migration requires signaling through protease-activated receptor 1 and integrin alpha(9)beta(1). <i>Journal of Biological Chemistry</i> , 2004 , 279, 37528-34	5.4	58
79	Effects on rotavirus cell binding and infection of monomeric and polymeric peptides containing alpha2beta1 and alphaXbeta2 integrin ligand sequences. <i>Journal of Virology</i> , 2004 , 78, 11786-97	6.6	26
78	Critical cysteine residues for regulation of integrin alphaIIb beta3 are clustered in the epidermal growth factor domains of the beta3 subunit. <i>Biochemical Journal</i> , 2004 , 378, 1079-82	3.8	57
77	Novel peptide ligands for integrin alpha 4 beta 1 overexpressed in cancer cells. <i>Molecular Cancer Therapeutics</i> , 2004 , 3, 1329-34	6.1	16
76	Critical role of integrin alpha 5 beta 1 in urokinase (uPA)/urokinase receptor (uPAR, CD87) signaling. <i>Journal of Biological Chemistry</i> , 2003 , 278, 29863-72	5.4	57
75	ADAM12/syndecan-4 signaling promotes beta 1 integrin-dependent cell spreading through protein kinase Calpha and RhoA. <i>Journal of Biological Chemistry</i> , 2003 , 278, 9576-84	5.4	92
74	Integrin-using rotaviruses bind alpha2beta1 integrin alpha2 I domain via VP4 DGE sequence and recognize alphaXbeta2 and alphaVbeta3 by using VP7 during cell entry. <i>Journal of Virology</i> , 2003 , 77, 9969-78	6.6	130
73	Differential regulation of cellular adhesion and migration by recombinant laminin-5 forms with partial deletion or mutation within the G3 domain of alpha3 chain. <i>Journal of Cellular Biochemistry</i> , 2003 , 88, 506-20	4.7	36
72	Expression level of integrin alpha 5 on tumour cells affects the rate of metastasis to the kidney. <i>British Journal of Cancer</i> , 2003 , 88, 327-33	8.7	34
71	Monkey rotavirus binding to alpha2beta1 integrin requires the alpha2 I domain and is facilitated by the homologous beta1 subunit. <i>Journal of Virology</i> , 2003 , 77, 9486-501	6.6	26
70	Model of the alphaLbeta2 integrin I-domain/ICAM-1 DI interface suggests that subtle changes in loop orientation determine ligand specificity. <i>Proteins: Structure, Function and Bioinformatics</i> , 2002 , 48, 151-60	4.2	15

69	Fibulin-5/DANCE is essential for elastogenesis in vivo. <i>Nature</i> , 2002 , 415, 171-5	50.4	520
68	Role of integrin alpha(v)beta3 in the early phase of liver metastasis: PET and IVM analyses. <i>Clinical and Experimental Metastasis</i> , 2002 , 19, 717-25	4.7	37
67	A novel monoclonal antibody recognizing a cation-dependent epitope within the regulatory loop of human beta(1) integrin (CD29). <i>Hybridoma</i> , 2002 , 21, 253-60		1
66	Plasmin-induced migration of endothelial cells. A potential target for the anti-angiogenic action of angiotatin. <i>Journal of Biological Chemistry</i> , 2002 , 277, 33564-70	5.4	101
65	The role of the CPNKEKEC sequence in the beta(2) subunit I domain in regulation of integrin alpha(L)beta(2) (LFA-1). <i>Journal of Immunology</i> , 2002 , 168, 2296-301	5.3	43
64	Functional classification of ADAMs based on a conserved motif for binding to integrin alpha 9beta 1: implications for sperm-egg binding and other cell interactions. <i>Journal of Biological Chemistry</i> , 2002 , 277, 17804-10	5.4	126
63	Differential regulation of Rho GTPases by α and β integrins: the role of an extracellular domain of integrin in intracellular signaling. <i>Journal of Cell Science</i> , 2002 , 115, 2199-2206	5.3	77
62	Differential regulation of Rho GTPases by beta1 and beta3 integrins: the role of an extracellular domain of integrin in intracellular signaling. <i>Journal of Cell Science</i> , 2002 , 115, 2199-206	5.3	71
61	Platelet integrin alphaIIb beta3-ligand interactions: what can we learn from the structure?. <i>International Journal of Hematology</i> , 2001 , 74, 382-9	2.3	15
60	Statins selectively inhibit leukocyte function antigen-1 by binding to a novel regulatory integrin site. <i>Nature Medicine</i> , 2001 , 7, 687-92	50.5	876
59	Amino acid residues in the alpha IIb subunit that are critical for ligand binding to integrin alpha IIb beta 3 are clustered in the beta-propeller model. <i>Journal of Biological Chemistry</i> , 2001 , 276, 44275-83	5.4	61
58	Specific interaction of angiotatin with integrin alpha(v)beta(3) in endothelial cells. <i>Journal of Biological Chemistry</i> , 2001 , 276, 39562-8	5.4	155
57	Urokinase-type plasminogen activator receptor (CD87) is a ligand for integrins and mediates cell-cell interaction. <i>Journal of Biological Chemistry</i> , 2001 , 276, 3983-90	5.4	128
56	Effects of fibronectin cleaved by neuropsin on cell adhesion and migration. <i>Neuroscience Research</i> , 2001 , 39, 247-51	2.9	9
55	Multiple discontinuous ligand-mimetic antibody binding sites define a ligand binding pocket in integrin alpha(IIb)beta(3). <i>Journal of Biological Chemistry</i> , 2000 , 275, 7795-802	5.4	81
54	RGD-independent binding of integrin alpha9beta1 to the ADAM-12 and -15 disintegrin domains mediates cell-cell interaction. <i>Journal of Biological Chemistry</i> , 2000 , 275, 34922-30	5.4	182
53	The role of alpha and beta chains in ligand recognition by beta 7 integrins. <i>Journal of Biological Chemistry</i> , 2000 , 275, 25652-64	5.4	29
52	Molecular basis of ligand recognition by integrin alpha5beta 1. II. Specificity of arg-gly-Asp binding is determined by Trp157 OF THE alpha subunit. <i>Journal of Biological Chemistry</i> , 2000 , 275, 20337-45	5.4	50

51	Identification of amino acid sequences in fibrinogen gamma -chain and tenascin C C-terminal domains critical for binding to integrin alpha vbeta 3. <i>Journal of Biological Chemistry</i> , 2000 , 275, 16891-8	5.4	71
50	Integrins alpha2beta1 and alpha4beta1 can mediate SA11 rotavirus attachment and entry into cells. <i>Journal of Virology</i> , 2000 , 74, 228-36	6.6	150
49	Human parechovirus 1 utilizes integrins alphavbeta3 and alphavbeta1 as receptors. <i>Journal of Virology</i> , 2000 , 74, 5856-62	6.6	71
48	ADAM 23/MDC3, a human disintegrin that promotes cell adhesion via interaction with the alphavbeta3 integrin through an RGD-independent mechanism. <i>Molecular Biology of the Cell</i> , 2000 , 11, 1457-69	3.5	108
47	High affinity interactions of Coxsackievirus A9 with integrin alphavbeta3 (CD51/61) require the CYDMKTTC sequence of beta3, but do not require the RGD sequence of the CAV-9 VP1 protein. <i>Human Immunology</i> , 2000 , 61, 453-9	2.3	24
46	Interaction between collagen and the alpha(2) I-domain of integrin alpha(2)beta(1). Critical role of conserved residues in the metal ion-dependent adhesion site (MIDAS) region. <i>Journal of Biological Chemistry</i> , 1999 , 274, 32108-11	5.4	40
45	Mutational analysis of cell cycle inhibition by integrin beta1C. <i>Journal of Biological Chemistry</i> , 1999 , 274, 8111-6	5.4	14
44	Integrin B1 expressed by human colon cancer cells is a major carrier of oncodevelopmental carbohydrate epitopes 1999 , 72, 189-209		24
43	Specific binding of integrin alpha v beta 3 to the fibrinogen gamma and alpha E chain C-terminal domains. <i>Biochemistry</i> , 1999 , 38, 5872-7	3.2	62
42	Alpha 3 beta 1 adhesion to laminin-5 and invasin: critical and differential role of integrin residues clustered at the boundary between alpha 3 N-terminal repeats 2 and 3. <i>Biochemistry</i> , 1999 , 38, 14424-31	3.2	37
41	Involvement of beta2-microglobulin and integrin alphavbeta3 molecules in the coxsackievirus A9 infectious cycle. <i>Journal of General Virology</i> , 1999 , 80 (Pt 10), 2591-2600	4.9	40
40	Chinese hamster ovary cells expressing alpha4beta1 integrin stimulate osteoclast formation in vitro. <i>Journal of Bone and Mineral Research</i> , 1998 , 13, 1251-9	6.3	6
39	Novel point mutations in the alphab1b subunit (Phe289-->Ser, Glu324-->Lys and Gln747-->Pro) causing thrombasthenic phenotypes in four Japanese patients. <i>British Journal of Haematology</i> , 1998 , 102, 829-40	4.5	19
38	Three novel integrin beta3 subunit missense mutations (H280P, C560F, and G579S) in thrombasthenia, including one (H280P) prevalent in Japanese patients. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 251, 763-8	3.4	36
37	Cellular interaction of integrin alpha3beta1 with laminin 5 promotes gap junctional communication. <i>Journal of Cell Biology</i> , 1998 , 143, 1735-47	7.3	147
36	Specific interaction of the recombinant disintegrin-like domain of MDC-15 (metargidin, ADAM-15) with integrin alphavbeta3. <i>Journal of Biological Chemistry</i> , 1998 , 273, 7345-50	5.4	164
35	Regulation of integrin function: evidence that bivalent-cation-induced conformational changes lead to the unmasking of ligand-binding sites within integrin alpha5 beta1. <i>Biochemical Journal</i> , 1998 , 331 (Pt 3), 821-8	3.8	89
34	Structure and Function of Integrin Extracellular Domain. <i>Japanese Journal of Thrombosis and Hemostasis</i> , 1998 , 9, 176-185	0	

33	Changing ligand specificities of alphavbeta1 and alphavbeta3 integrins by swapping a short diverse sequence of the beta subunit. <i>Journal of Biological Chemistry</i> , 1997 , 272, 19794-800	5.4	101
32	Echovirus 1 interaction with the human very late antigen-2 (integrin alpha2beta1) I domain. Identification of two independent virus contact sites distinct from the metal ion-dependent adhesion site. <i>Journal of Biological Chemistry</i> , 1997 , 272, 28518-22	5.4	34
31	Defining the topology of integrin alpha5beta1-fibronectin interactions using inhibitory anti-alpha5 and anti-beta1 monoclonal antibodies. Evidence that the synergy sequence of fibronectin is recognized by the amino-terminal repeats of the alpha5 subunit. <i>Journal of Biological Chemistry</i> , 1997 , 272, 17283-92	5.4	140
30	Propolypeptide of von Willebrand factor is a novel ligand for very late antigen-4 integrin. <i>Journal of Biological Chemistry</i> , 1997 , 272, 8447-53	5.4	31
29	Structural basis of integrin-mediated signal transduction. <i>Matrix Biology</i> , 1997 , 16, 143-51	11.4	34
28	Multiple loop structures critical for ligand binding of the integrin alpha4 subunit in the upper face of the beta-propeller mode 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 7198-203	11.5	61
27	Activated conformations of very late activation integrins detected by a group of antibodies (HUTS) specific for a novel regulatory region (355-425) of the common beta 1 chain. <i>Journal of Biological Chemistry</i> , 1996 , 271, 11067-75	5.4	249
26	Identification of putative ligand binding sites within I domain of integrin $\alpha 2 \beta 1$ (VLA-2, CD49b/CD29).. <i>Journal of Biological Chemistry</i> , 1996 , 271, 19008	5.4	4
25	Critical residues of integrin alphaIIb subunit for binding of alphaIIb beta3 (glycoprotein IIb-IIIa) to fibrinogen and ligand-mimetic antibodies (PAC-1, OP-G2, and LJ-CP3). <i>Journal of Biological Chemistry</i> , 1996 , 271, 18610-5	5.4	72
24	Regulation of conformation and ligand binding function of integrin alpha5beta1 by the beta1 cytoplasmic domain. <i>Journal of Biological Chemistry</i> , 1996 , 271, 16580-5	5.4	42
23	Critical residues for ligand binding in an I domain-like structure of the integrin beta1 subunit. <i>Journal of Biological Chemistry</i> , 1996 , 271, 20438-43	5.4	67
22	Altered rate of fibronectin matrix assembly by deletion of the first type III repeats. <i>Journal of Cell Biology</i> , 1996 , 134, 573-83	7.3	131
21	A novel activating anti-beta1 integrin monoclonal antibody binds to the cysteine-rich repeats in the beta1 chain. <i>Journal of Biological Chemistry</i> , 1996 , 271, 25099-106	5.4	33
20	Critical threonine and aspartic acid residues within the I domains of beta 2 integrins for interactions with intercellular adhesion molecule 1 (ICAM-1) and C3bi. <i>Journal of Biological Chemistry</i> , 1995 , 270, 12531-5	5.4	80
19	A serine-to-phenylalanine substitution leads to loss of alanine:glyoxylate aminotransferase catalytic activity and immunoreactivity in a patient with primary hyperoxaluria type 1. <i>Human Molecular Genetics</i> , 1992 , 1, 643-4	5.6	23
18	VLA-4 molecules on tumor cells initiate an adhesive interaction with VCAM-1 molecules on endothelial cell surface. <i>Japanese Journal of Cancer Research</i> , 1992 , 83, 1304-16		21
17	Structure of the integrin VLA-4 and its cell-cell and cell-matrix adhesion functions. <i>Immunological Reviews</i> , 1990 , 114, 45-65	11.3	295
16	Multiple ligand binding functions for VLA-2 (alpha 2 beta 1) and VLA-3 (alpha 3 beta 1) in the integrin family. <i>Cell Differentiation and Development</i> , 1990 , 32, 229-38		49

15	VCAM-1 on activated endothelium interacts with the leukocyte integrin VLA-4 at a site distinct from the VLA-4/fibronectin binding site. <i>Cell</i> , 1990 , 60, 577-84	56.2	1611
14	Extracellular matrix receptors, ECMRII and ECMRI, for collagen and fibronectin correspond to VLA-2 and VLA-3 in the VLA family of heterodimers. <i>Journal of Cellular Biochemistry</i> , 1988 , 37, 385-93	4.7	199
13	Aromatic-amino acid-glyoxylate aminotransferase from rat liver. <i>Methods in Enzymology</i> , 1987 , 142, 273-9	2.7	8
12	Fibronectin receptor structures in the VLA family of heterodimers. <i>Nature</i> , 1987 , 326, 607-9	50.4	207
11	Enzymatic and immunological comparison of alanine: glyoxylate aminotransferases from different fish and mammalian livers. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1984 , 77, 279-83		2
10	The effect of vitamin B6 deficiency on alanine: glyoxylate aminotransferase isoenzymes in rat liver. <i>Archives of Biochemistry and Biophysics</i> , 1984 , 229, 1-6	4.1	24
9	Metabolism of urea and glyoxylate, degradative products of purines in marine animals. <i>Journal of Biochemistry</i> , 1982 , 92, 525-9	3.1	10
8	The evolution of peroxisomal and mitochondrial alanine: glyoxylate aminotransferase 1 in mammalian liver. <i>Biochemical and Biophysical Research Communications</i> , 1982 , 108, 153-7	3.4	16
7	Subcellular distribution, and physical and immunological properties of hepatic alanine: glyoxylate aminotransferase isoenzymes in different mammalian species. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1982 , 72, 597-604		27
6	Increase in hepatic pyruvate (glyoxylate) aminotransferase activity on administration of clofibrate to the rat. <i>Biochemical Pharmacology</i> , 1981 , 30, 393-4	6	4
5	Kidney alanine: Glyoxylate aminotransferase isoenzymes; species distribution, subcellular distribution and properties. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1980 , 65, 133-138		3
4	Peroxisomal localization of alanine: glyoxylate aminotransferase in human liver. <i>Archives of Biochemistry and Biophysics</i> , 1979 , 196, 645-7	4.1	82
3	Intraperoxisomal and intramitochondrial localization, and assay of pyruvate (glyoxylate) aminotransferase from rat liver. <i>Hoppe-Seyler's Zeitschrift für Physiologische Chemie</i> , 1979 , 360, 919-27		27
2	Glutamate-glyoxylate aminotransferase in rat liver cytosol. Purification, properties and identity with alanine-2-oxoglutarate aminotransferase. <i>Hoppe-Seyler's Zeitschrift für Physiologische Chemie</i> , 1977 , 358, 1533-42		12
1	Purification, characterization and identification of aromatic 2-oxo acid reductase. <i>Life Sciences</i> , 1977 , 20, 609-16	6.8	1