

Flavio Nobili

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2303875/publications.pdf>

Version: 2024-02-01

388
papers

18,580
citations

11608

70
h-index

21474

114
g-index

416
all docs

416
docs citations

416
times ranked

17100
citing authors

#	ARTICLE	IF	CITATIONS
1	Harmonizing neuropsychological assessment for mild neurocognitive disorders in Europe. <i>Alzheimer's and Dementia</i> , 2022, 18, 29-42.	0.4	24
2	A 3D deep learning model to predict the diagnosis of dementia with Lewy bodies, Alzheimer's disease, and mild cognitive impairment using brain 18F-FDG PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 563-584.	3.3	41
3	Stratification Tools for Disease-Modifying Trials in Prodromal Synucleinopathy. <i>Movement Disorders</i> , 2022, 37, 52-61.	2.2	7
4	Phase and amplitude electroencephalography correlations change with disease progression in people with idiopathic rapid eye-movement sleep behavior disorder. <i>Sleep</i> , 2022, 45, .	0.6	3
5	Resting State Alpha Electroencephalographic Rhythms Are Affected by Sex in Cognitively Unimpaired Seniors and Patients with Alzheimer's Disease and Amnesic Mild Cognitive Impairment: A Retrospective and Exploratory Study. <i>Cerebral Cortex</i> , 2022, 32, 2197-2215.	1.6	8
6	Added value of semiquantitative analysis of brain FDG-PET for the differentiation between MCI-Lewy bodies and MCI due to Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1263-1274.	3.3	12
7	Metabolic correlates of olfactory dysfunction in COVID-19 and Parkinson's disease (PD) do not overlap. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1939.	3.3	11
8	The Role of Hub and Spoke Regions in Theory of Mind in Early Alzheimer's Disease and Frontotemporal Dementia. <i>Biomedicines</i> , 2022, 10, 544.	1.4	8
9	Reactivity of posterior cortical electroencephalographic alpha rhythms during eyes opening in cognitively intact older adults and patients with dementia due to Alzheimer's and Lewy body diseases. <i>Neurobiology of Aging</i> , 2022, 115, 88-108.	1.5	11
10	The Free and Cued Selective Reminding Test: Discriminative Values in a Naturalistic Cohort. <i>Journal of Alzheimer's Disease</i> , 2022, 87, 887-899.	1.2	1
11	Exploring the brain metabolic correlates of process-specific CSF biomarkers in patients with MCI due to Alzheimer's disease: preliminary data. <i>Neurobiology of Aging</i> , 2022, 117, 212-221.	1.5	4
12	Alzheimer's Disease with Epileptiform EEG Activity: Abnormal Cortical Sources of Resting State Delta Rhythms in Patients with Amnesic Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2022, , 1-29.	1.2	2
13	B Lymphocytes in Alzheimer's Disease—A Comprehensive Review. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 1241-1262.	1.2	5
14	The Role of Monoaminergic Tones and Brain Metabolism in Cognition in De Novo Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2022, 12, 1945-1955.	1.5	1
15	Accuracy and reproducibility of automated white matter hyperintensities segmentation with lesion segmentation tool: A European multi-site 3T study. <i>Magnetic Resonance Imaging</i> , 2021, 76, 108-115.	1.0	24
16	Rapid eye movement sleep behavior disorder: A proof-of-concept neuroprotection study for prodromal synucleinopathies. <i>European Journal of Neurology</i> , 2021, 28, 1210-1217.	1.7	9
17	Abnormalities of Cortical Sources of Resting State Alpha Electroencephalographic Rhythms are Related to Education Attainment in Cognitively Unimpaired Seniors and Patients with Alzheimer's Disease and Amnesic Mild Cognitive Impairment. <i>Cerebral Cortex</i> , 2021, 31, 2220-2237.	1.6	14
18	Dopaminergic imaging and clinical predictors for phenoconversion of REM sleep behaviour disorder. <i>Brain</i> , 2021, 144, 278-287.	3.7	68

#	ARTICLE	IF	CITATIONS
19	Stacked autoencoders as new models for an accurate Alzheimer's disease classification support using resting-state EEG and MRI measurements. <i>Clinical Neurophysiology</i> , 2021, 132, 232-245.	0.7	30
20	Biomarker counseling, disclosure of diagnosis and follow-up in patients with mild cognitive impairment: A European Alzheimer's disease consortium survey. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 324-333.	1.3	19
21	Validation of FDG-PET datasets of normal controls for the extraction of SPM-based brain metabolism maps. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2486-2499.	3.3	21
22	Cuneus/precuneus as a central hub for brain functional connectivity of mild cognitive impairment in idiopathic REM sleep behavior patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2834-2845.	3.3	22
23	Associations among education, age, and the dementia with Lewy bodies (DLB) metabolic pattern: A European DLB consortium project. <i>Alzheimer's and Dementia</i> , 2021, 17, 1277-1286.	0.4	5
24	A Comparison of Two Statistical Mapping Tools for Automated Brain FDG-PET Analysis in Predicting Conversion to Alzheimer's Disease in Subjects with Mild Cognitive Impairment. <i>Current Alzheimer Research</i> , 2021, 17, 1186-1194.	0.7	4
25	Brain Metabolic Correlates of Persistent Olfactory Dysfunction after SARS-Cov2 Infection. <i>Biomedicines</i> , 2021, 9, 287.	1.4	39
26	Alpha-synuclein seeds in olfactory mucosa and cerebrospinal fluid of patients with dementia with Lewy bodies. <i>Brain Communications</i> , 2021, 3, fcab045.	1.5	37
27	The fate of patients with REM sleep behavior disorder and mild cognitive impairment. <i>Sleep Medicine</i> , 2021, 79, 205-210.	0.8	19
28	Probing the Role of a Regional Quantitative Assessment of Amyloid PET. <i>Journal of Alzheimer's Disease</i> , 2021, 80, 383-396.	1.2	3
29	Measures of resting state EEG rhythms for clinical trials in Alzheimer's disease: Recommendations of an expert panel. <i>Alzheimer's and Dementia</i> , 2021, 17, 1528-1553.	0.4	64
30	Is the Frontal Lobe the Primary Target of SARS-CoV-2?. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 75-81.	1.2	39
31	Dopaminergic and Serotonergic Degeneration and Cortical [18 F]Fluorodeoxyglucose Positron Emission Tomography in De Novo Parkinson's Disease. <i>Movement Disorders</i> , 2021, 36, 2293-2302.	2.2	7
32	FDG PET Unveils the Course of Paraneoplastic Cerebellar Degeneration. <i>Clinical Nuclear Medicine</i> , 2021, 46, e327-e328.	0.7	3
33	From early limbic inflammation to long COVID sequelae. <i>Brain</i> , 2021, 144, e65-e65.	3.7	14
34	EEG measures for clinical research in major vascular cognitive impairment: recommendations by an expert panel. <i>Neurobiology of Aging</i> , 2021, 103, 78-97.	1.5	9
35	Dementia and COVID-19, a Bidirectional Liaison: Risk Factors, Biomarkers, and Optimal Health Care. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 883-898.	1.2	48
36	Resting State Alpha Electroencephalographic Rhythms Are Differently Related to Aging in Cognitively Unimpaired Seniors and Patients with Alzheimer's Disease and Amnesic Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 1085-1114.	1.2	8

#	ARTICLE	IF	CITATIONS
37	Polysomnographic correlates of sleep disturbances in de novo, drug naïve Parkinson's Disease. <i>Neurological Sciences</i> , 2021, , 1.	0.9	2
38	Sex differences in neuroimaging biomarkers in healthy subjects and dementia. , 2021, , 125-162.		0
39	Brain Resources: How Semantic Cueing Works in Mild Cognitive Impairment due to Alzheimer's Disease (MCI-AD). <i>Diagnostics</i> , 2021, 11, 108.	1.3	3
40	Alzheimer's disease MRI patterns: Cognitive, structural and cerebrospinal fluid correlates. <i>Journal of the Neurological Sciences</i> , 2021, 429, 119006.	0.3	0
41	Evaluation of Age and Sex-Related Metabolic Changes in Healthy Subjects: An Italian Brain 18F-FDG PET Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 4932.	1.0	1
42	Neuroimaging Findings in Mild Cognitive Impairment. , 2021, , 367-425.		1
43	What electrophysiology tells us about Alzheimer's disease: a window into the synchronization and connectivity of brain neurons. <i>Neurobiology of Aging</i> , 2020, 85, 58-73.	1.5	150
44	Cognitive Outcomes of Long-term Benzodiazepine and Related Drug (BDZR) Use in People Living With Mild to Moderate Alzheimer's Disease: Results From NILVAD. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 194-200.	1.2	21
45	Incremental value of amyloid-PET versus CSF in the diagnosis of Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 270-280.	3.3	23
46	Italian consensus recommendations for a biomarker-based aetiological diagnosis in mild cognitive impairment patients. <i>European Journal of Neurology</i> , 2020, 27, 475-483.	1.7	20
47	Metabolic Network Abnormalities in Drug-naïve Parkinson's Disease. <i>Movement Disorders</i> , 2020, 35, 587-594.	2.2	19
48	Clinical and MRI Predictors of Conversion From Mild Behavioural Impairment to Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 755-763.	0.6	19
49	CSF cutoffs for MCI due to AD depend on APOE ϵ 4 carrier status. <i>Neurobiology of Aging</i> , 2020, 89, 55-62.	1.5	11
50	Metabolic Correlates of Dopaminergic Loss in Dementia with Lewy Bodies. <i>Movement Disorders</i> , 2020, 35, 595-605.	2.2	42
51	Abnormal pattern of brain glucose metabolism in Parkinson's disease: replication in three European cohorts. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 437-450.	3.3	54
52	Amyloid-PET and 18F-FDG-PET in the diagnostic investigation of Alzheimer's disease and other dementias. <i>Lancet Neurology</i> , The, 2020, 19, 951-962.	4.9	254
53	The role of anterior prefrontal cortex in prospective memory: an exploratory FDG-PET study in early Alzheimer's disease. <i>Neurobiology of Aging</i> , 2020, 96, 117-127.	1.5	11
54	Abnormalities of resting-state EEG in patients with prodromal and overt dementia with Lewy bodies: Relation to clinical symptoms. <i>Clinical Neurophysiology</i> , 2020, 131, 2716-2731.	0.7	11

#	ARTICLE	IF	CITATIONS
55	Anatomical and neurochemical bases of theory of mind in de novo Parkinson's Disease. <i>Cortex</i> , 2020, 130, 401-412.	1.1	16
56	Abnormalities of Cortical Sources of Resting State Delta Electroencephalographic Rhythms Are Related to Epileptiform Activity in Patients With Amnesic Mild Cognitive Impairment Not Due to Alzheimer's Disease. <i>Frontiers in Neurology</i> , 2020, 11, 514136.	1.1	8
57	Multicenter Study on Sleep and Circadian Alterations as Objective Markers of Mild Cognitive Impairment and Alzheimer's Disease Reveals Sex Differences. <i>Journal of Alzheimer's Disease</i> , 2020, 78, 1707-1719.	1.2	20
58	Resting-state electroencephalographic delta rhythms may reflect global cortical arousal in healthy old seniors and patients with Alzheimer's disease dementia. <i>International Journal of Psychophysiology</i> , 2020, 158, 259-270.	0.5	14
59	Sedative Load in Community-Dwelling Older Adults with Mild to Moderate Alzheimer's Disease: Longitudinal Relationships with Adverse Events, Delirium and Falls. <i>Drugs and Aging</i> , 2020, 37, 829-837.	1.3	5
60	Amygdalar nuclei and hippocampal subfields on MRI: Test-retest reliability of automated segmentation in old and young healthy volunteers. <i>Alzheimer's and Dementia</i> , 2020, 16, e040322.	0.4	0
61	18F-Fluorodeoxyglucose Positron Emission Tomography Tracks the Heterogeneous Brain Susceptibility to the Hyperglycemia-Related Redox Stress. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8154.	1.8	6
62	Amygdalar nuclei and hippocampal subfields on MRI: Test-retest reliability of automated volumetry across different MRI sites and vendors. <i>NeuroImage</i> , 2020, 218, 116932.	2.1	38
63	Serum adiponectin levels are associated with presence of carotid plaque in women with systemic lupus erythematosus. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1147-1151.	1.1	4
64	Abnormal cortical neural synchronization mechanisms in quiet wakefulness are related to motor deficits, cognitive symptoms, and visual hallucinations in Parkinson's disease patients: an electroencephalographic study. <i>Neurobiology of Aging</i> , 2020, 91, 88-111.	1.5	24
65	Spinal cord hypermetabolism extends to skeletal muscle in amyotrophic lateral sclerosis: a computational approach to [18F]-fluorodeoxyglucose PET/CT images. <i>EJNMMI Research</i> , 2020, 10, 23.	1.1	17
66	A kinetics-based approach to amyloid PET semi-quantification. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2175-2185.	3.3	3
67	Epilepsy in Neurodegenerative Dementias: A Clinical, Epidemiological, and EEG Study. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 865-874.	1.2	21
68	Anterior EEG slowing in dementia with Lewy bodies: a multicenter European cohort study. <i>Neurobiology of Aging</i> , 2020, 93, 55-60.	1.5	14
69	Utility of quantitative EEG in early Lewy body disease. <i>Parkinsonism and Related Disorders</i> , 2020, 75, 70-75.	1.1	27
70	Understanding multifactorial brain changes in type 2 diabetes: a biomarker perspective. <i>Lancet Neurology</i> , The, 2020, 19, 699-710.	4.9	96
71	Biomarker Testing: Piercing the Fog of Alzheimer's and Related Dementia. <i>Biomedicine Hub</i> , 2020, 5, 1-22.	0.4	7
72	Striatal dopamine transporter SPECT quantification: head-to-head comparison between two three-dimensional automatic tools. <i>EJNMMI Research</i> , 2020, 10, 137.	1.1	6

#	ARTICLE	IF	CITATIONS
73	123I-FP-CIT SPECT validation of nigro-putaminal MRI tractography in dementia with Lewy bodies. <i>European Radiology Experimental</i> , 2020, 4, 27.	1.7	2
74	Predicting and Tracking Short Term Disease Progression in Amnesic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease: Structural Brain Biomarkers. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 3-14.	1.2	18
75	Cortical Network Topology in Prodromal and Mild Dementia Due to Alzheimer's Disease: Graph Theory Applied to Resting State EEG. <i>Brain Topography</i> , 2019, 32, 127-141.	0.8	40
76	Cognitive impairment in late life bipolar disorder: Risk factors and clinical outcomes. <i>Journal of Affective Disorders</i> , 2019, 257, 166-172.	2.0	19
77	Use of mild cognitive impairment and prodromal AD/MCI due to AD in clinical care: a European survey. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 74.	3.0	28
78	Biomarker-based prognosis for people with mild cognitive impairment (ABIDE): a modelling study. <i>Lancet Neurology</i> , The, 2019, 18, 1034-1044.	4.9	85
79	FDG-PET patterns associated with underlying pathology in corticobasal syndrome. <i>Neurology</i> , 2019, 92, e1121-e1135.	1.5	63
80	Abnormalities of functional cortical source connectivity of resting-state electroencephalographic alpha rhythms are similar in patients with mild cognitive impairment due to Alzheimer's and Lewy body diseases. <i>Neurobiology of Aging</i> , 2019, 77, 112-127.	1.5	33
81	Blood Pressure Lowering With Nilvadipine in Patients With Mild-to-Moderate Alzheimer Disease Does Not Increase the Prevalence of Orthostatic Hypotension. <i>Journal of the American Heart Association</i> , 2019, 8, e011938.	1.6	10
82	Extrastriatal dopaminergic and serotonergic pathways in Parkinson's disease and in dementia with Lewy bodies: a 123I-FP-CIT SPECT study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 1642-1651.	3.3	38
83	Semi-quantification and grading of amyloid PET: A project of the European Alzheimer's Disease Consortium (EADC). <i>NeuroImage: Clinical</i> , 2019, 23, 101846.	1.4	18
84	Molecular imaging of multiple sclerosis: from the clinical demand to novel radiotracers. <i>EJNMMI Radiopharmacy and Chemistry</i> , 2019, 4, 6.	1.8	29
85	Could arterial spin labelling perfusion imaging uncover the invisible in methylaspartate receptor encephalitis?. <i>European Journal of Neurology</i> , 2019, 26, e86-e87.	1.7	7
86	Scaled Subprofile Modeling and Convolutional Neural Networks for the Identification of Parkinson's Disease in 3D Nuclear Imaging Data. <i>International Journal of Neural Systems</i> , 2019, 29, 1950010.	3.2	48
87	18F-FDG-PET/CT (FDG-PET) in Neurodegenerative Disease. , 2019, , 37-48.		1
88	The role of molecular imaging in the frame of the revised dementia with Lewy body criteria. <i>Clinical and Translational Imaging</i> , 2019, 7, 83-98.	1.1	1
89	Biomarker Matrix to Track Short Term Disease Progression in Amnesic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 49-58.	1.2	8
90	Parkinsonian traits in amyotrophic lateral sclerosis (ALS): a prospective population-based study. <i>Journal of Neurology</i> , 2019, 266, 1633-1642.	1.8	25

#	ARTICLE	IF	CITATIONS
91	Risk and predictors of dementia and parkinsonism in idiopathic REM sleep behaviour disorder: a multicentre study. <i>Brain</i> , 2019, 142, 744-759.	3.7	636
92	Metabolic patterns across core features in dementia with lewy bodies. <i>Annals of Neurology</i> , 2019, 85, 715-725.	2.8	47
93	Brain Glucose Metabolism Heterogeneity in Idiopathic REM Sleep Behavior Disorder and in Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2019, 9, 229-239.	1.5	12
94	Serum osteopontin negatively impacts on intima-media thickness in patients with systemic lupus erythematosus. <i>European Journal of Clinical Investigation</i> , 2019, 49, e13089.	1.7	8
95	Head-to-Head Comparison among Semi-Quantification Tools of Brain FDG-PET to Aid the Diagnosis of Prodromal Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 383-394.	1.2	14
96	Reciprocal Incremental Value of 18F-FDG-PET and Cerebrospinal Fluid Biomarkers in Mild Cognitive Impairment Patients Suspected for Alzheimer's Disease and Inconclusive First Biomarker. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 1193-1207.	1.2	5
97	Plasma A β 42 as a Biomarker of Prodromal Alzheimer's Disease Progression in Patients with Amnesic Mild Cognitive Impairment: Evidence from the PharmaCog/E-ADNI Study. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 37-48.	1.2	23
98	Levodopa may affect cortical excitability in Parkinson's disease patients with cognitive deficits as revealed by reduced activity of cortical sources of resting state electroencephalographic rhythms. <i>Neurobiology of Aging</i> , 2019, 73, 9-20.	1.5	26
99	Neuroimaging findings and clinical trajectories of Lewy body disease in patients with MCI. <i>Neurobiology of Aging</i> , 2019, 76, 9-17.	1.5	23
100	Two-Year Longitudinal Monitoring of Amnesic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease Using Topographical Biomarkers Derived from Functional Magnetic Resonance Imaging and Electroencephalographic Activity. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 15-35.	1.2	34
101	A signature pattern of cortical atrophy in dementia with Lewy bodies: A study on 333 patients from the European DLB consortium. <i>Alzheimer's and Dementia</i> , 2019, 15, 400-409.	0.4	60
102	Accuracy and generalization capability of an automatic method for the detection of typical brain hypometabolism in prodromal Alzheimer disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 334-347.	3.3	20
103	A new frontier for amyloid PET imaging: multiple sclerosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 276-279.	3.3	7
104	Serum neurofilament light chain rate of change in Alzheimer's disease: potentials applications and notes of caution. <i>Annals of Translational Medicine</i> , 2019, 7, S133-S133.	0.7	8
105	Emerging topics and practical aspects for an appropriate use of amyloid PET in the current Italian context. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 63, 83-92.	0.4	0
106	Abnormalities of Resting State Cortical EEG Rhythms in Subjects with Mild Cognitive Impairment Due to Alzheimer's and Lewy Body Diseases. <i>Journal of Alzheimer's Disease</i> , 2018, 62, 247-268.	1.2	50
107	The Metabolic Pattern of Idiopathic REM Sleep Behavior Disorder Reflects Early-Stage Parkinson Disease. <i>Journal of Nuclear Medicine</i> , 2018, 59, 1437-1444.	2.8	80
108	Presynaptic dopaminergic neuroimaging in REM sleep behavior disorder: A systematic review and meta-analysis. <i>Sleep Medicine Reviews</i> , 2018, 41, 266-274.	3.8	56

#	ARTICLE	IF	CITATIONS
109	The clinical relevance of cognitive impairment in REM sleep behavior disorder. <i>Neurology</i> , 2018, 90, 909-910.	1.5	4
110	FDG-PET and CSF biomarker accuracy in prediction of conversion to different dementias in a large multicentre MCI cohort. <i>NeuroImage: Clinical</i> , 2018, 18, 167-177.	1.4	108
111	Functional cortical source connectivity of resting state electroencephalographic alpha rhythms shows similar abnormalities in patients with mild cognitive impairment due to Alzheimer's and Parkinson's diseases. <i>Clinical Neurophysiology</i> , 2018, 129, 766-782.	0.7	45
112	Abnormalities of resting-state functional cortical connectivity in patients with dementia due to Alzheimer's and Lewy body diseases: an EEG study. <i>Neurobiology of Aging</i> , 2018, 65, 18-40.	1.5	61
113	Metabolic correlates of reserve and resilience in MCI due to Alzheimer's Disease (AD). <i>Alzheimer's Research and Therapy</i> , 2018, 10, 35.	3.0	22
114	Automated assessment of FDG-PET for differential diagnosis in patients with neurodegenerative disorders. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1557-1566.	3.3	35
115	Assessing FDG-PET diagnostic accuracy studies to develop recommendations for clinical use in dementia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1470-1486.	3.3	19
116	Clinical utility of FDG-PET in amyotrophic lateral sclerosis and Huntington's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1546-1556.	3.3	24
117	Brain FDG-PET: clinical use in dementing neurodegenerative conditions. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1467-1469.	3.3	2
118	Integrating Sleep and Alzheimer's Disease Pathophysiology: Hints for Sleep Disorders Management. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 871-886.	1.2	20
119	Clinical utility of FDG-PET for the clinical diagnosis in MCI. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1497-1508.	3.3	61
120	Effect of starvation on brain glucose metabolism and 18F-2-fluoro-2-deoxyglucose uptake: an experimental in-vivo and ex-vivo study. <i>EJNMMI Research</i> , 2018, 8, 44.	1.1	14
121	Longitudinal brain magnetic resonance imaging and real-time quaking induced conversion analysis in presymptomatic Creutzfeldt-Jakob disease. <i>European Journal of Neurology</i> , 2018, 25, e127-e128.	1.7	10
122	Nilvadipine in mild to moderate Alzheimer disease: A randomised controlled trial. <i>PLoS Medicine</i> , 2018, 15, e1002660.	3.9	131
123	Clinical utility of FDG PET in Parkinson's disease and atypical parkinsonism associated with dementia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1534-1545.	3.3	86
124	Diagnostic utility of 18F-Fluorodeoxyglucose positron emission tomography (FDG-PET) in asymptomatic subjects at increased risk for Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1487-1496.	3.3	35
125	European Association of Nuclear Medicine and European Academy of Neurology recommendations for the use of brain ¹⁸ F-fluorodeoxyglucose positron emission tomography in neurodegenerative cognitive impairment and dementia: Delphi consensus. <i>European Journal of Neurology</i> , 2018, 25, 1201-1217.	1.7	153
126	Interplay between spinal cord and cerebral cortex metabolism in amyotrophic lateral sclerosis. <i>Brain</i> , 2018, 141, 2272-2279.	3.7	33

#	ARTICLE	IF	CITATIONS
127	Clinical utility of FDG-PET for the differential diagnosis among the main forms of dementia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1509-1525.	3.3	81
128	Diagnostic utility of FDG-PET in the differential diagnosis between different forms of primary progressive aphasia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1526-1533.	3.3	28
129	Different Abnormalities of Cortical Neural Synchronization Mechanisms in Patients with Mild Cognitive Impairment due to Alzheimer's and Chronic Kidney Diseases: An EEG Study. <i>Journal of Alzheimer's Disease</i> , 2018, 65, 897-915.	1.2	12
130	New Tracers and New Perspectives for Molecular Imaging in Lewy Body Diseases. <i>Current Medicinal Chemistry</i> , 2018, 25, 3105-3130.	1.2	14
131	Improved Cerebrospinal Fluid-Based Discrimination between Alzheimer's Disease Patients and Controls after Correction for Ventricular Volumes. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 543-555.	1.2	10
132	Progressive Disintegration of Brain Networking from Normal Aging to Alzheimer Disease: Analysis of Independent Components of ^{18}F -FDG PET Data. <i>Journal of Nuclear Medicine</i> , 2017, 58, 1132-1139.	2.8	41
133	The impact of automated hippocampal volumetry on diagnostic confidence in patients with suspected Alzheimer's disease: A European Alzheimer's Disease Consortium study. <i>Alzheimer's and Dementia</i> , 2017, 13, 1013-1023.	0.4	33
134	Association between CSF biomarkers, hippocampal volume and cognitive function in patients with amnesic mild cognitive impairment (MCI). <i>Neurobiology of Aging</i> , 2017, 53, 1-10.	1.5	59
135	Abnormalities of cortical neural synchronization mechanisms in patients with dementia due to Alzheimer's and Lewy body diseases: an EEG study. <i>Neurobiology of Aging</i> , 2017, 55, 143-158.	1.5	76
136	The frequency and influence of dementia risk factors in prodromal Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017, 56, 33-40.	1.5	27
137	Long-Term Cognitive Decline in Dementia with Lewy Bodies in a Large Multicenter, International Cohort. <i>Journal of Alzheimer's Disease</i> , 2017, 57, 787-795.	1.2	69
138	Clinical validity of brain fluorodeoxyglucose positron emission tomography as a biomarker for Alzheimer's disease in the context of a structured 5-phase development framework. <i>Neurobiology of Aging</i> , 2017, 52, 183-195.	1.5	85
139	Clinical validity of presynaptic dopaminergic imaging with ^{123}I -ioflupane and noradrenergic imaging with ^{123}I -MIBG in the differential diagnosis between Alzheimer's disease and dementia with Lewy bodies in the context of a structured 5-phase development framework. <i>Neurobiology of Aging</i> , 2017, 52, 228-242.	1.5	34
140	Clinical validity of increased cortical uptake of amyloid ligands on PET as a biomarker for Alzheimer's disease in the context of a structured 5-phase development framework. <i>Neurobiology of Aging</i> , 2017, 52, 214-227.	1.5	67
141	Homonymous hemianopia as the first sign of posterior cortical atrophy. <i>Journal of the Neurological Sciences</i> , 2017, 373, 38-40.	0.3	5
142	Association Between Later Life Lifestyle Factors and Alzheimer's Disease Biomarkers in Non-Demented Individuals: A Longitudinal Descriptive Cohort Study. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 1387-1395.	1.2	24
143	Abnormalities of Cortical Neural Synchronization Mechanisms in Subjects with Mild Cognitive Impairment due to Alzheimer's and Parkinson's Diseases: An EEG Study. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 339-358.	1.2	45
144	Effectiveness of Flortetapir PET Imaging in Changing Patient Management. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017, 44, 129-143.	0.7	35

#	ARTICLE	IF	CITATIONS
145	The Alzheimer's disease metabolic brain pattern in mild cognitive impairment. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 3643-3648.	2.4	29
146	¹⁸ F-FDG PET diagnostic and prognostic patterns do not overlap in Alzheimer's disease (AD) patients at the mild cognitive impairment (MCI) stage. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 2073-2083.	3.3	29
147	Prediction of cognitive worsening in de novo Parkinson's disease: Clinical use of biomarkers. <i>Movement Disorders</i> , 2017, 32, 1738-1747.	2.2	43
148	Strategic roadmap for an early diagnosis of Alzheimer's disease based on biomarkers. <i>Lancet Neurology</i> , 2017, 16, 661-676.	4.9	464
149	Early identification of MCI converting to AD: a FDG PET study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 2042-2052.	3.3	83
150	Free water elimination improves test-retest reproducibility of diffusion tensor imaging indices in the brain: A longitudinal multisite study of healthy elderly subjects. <i>Human Brain Mapping</i> , 2017, 38, 12-26.	1.9	72
151	The Italian dementia with Lewy bodies study group (DLB-SINdem): toward a standardization of clinical procedures and multicenter cohort studies design. <i>Neurological Sciences</i> , 2017, 38, 83-91.	0.9	11
152	Learning "How to Learn" Super Declarative Motor Learning Is Impaired in Parkinson's Disease. <i>Neural Plasticity</i> , 2017, 2017, 1-8.	1.0	8
153	Functional/structural neuroimaging as a "unique" science. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 61, 341-344.	0.4	1
154	Clinical utility and research frontiers of neuroimaging in movement disorders. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 61, 372-385.	0.4	3
155	Classification of Single Normal and Alzheimer's Disease Individuals from Cortical Sources of Resting State EEG Rhythms. <i>Frontiers in Neuroscience</i> , 2016, 10, 47.	1.4	73
156	Frontal Variant Alzheimer Disease or Frontotemporal Lobe Degeneration With Incidental Amyloidosis?. <i>Alzheimer Disease and Associated Disorders</i> , 2016, 30, 183-185.	0.6	8
157	Clinical and biomarker profiling of prodromal Alzheimer's disease in workpackage 5 of the Innovative Medicines Initiative PharmaCog project: a "European ADNI" study. <i>Journal of Internal Medicine</i> , 2016, 279, 576-591.	2.7	64
158	EEG Markers of Dementia with Lewy Bodies: A Multicenter Cohort Study. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 1649-1657.	1.2	47
159	Agomelatine Improves Apathy in Frontotemporal Dementia. <i>Neurodegenerative Diseases</i> , 2016, 16, 352-356.	0.8	37
160	Mapping brain morphological and functional conversion patterns in prodementia late-onset bvFTD. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1337-1347.	3.3	27
161	¹²³ I-β-Carboxymethoxy-(4-iodophenyl)-N-(3-fluoropropyl) nortropine single photon emission computed tomography and ¹²³ I-metaiodobenzylguanidine myocardial scintigraphy in differentiating dementia with lewy bodies from other dementias: A comparative study. <i>Annals of Neurology</i> , 2016, 80, 368-378.	2.8	42
162	Predicting the transition from normal aging to Alzheimer's disease: A statistical mechanistic evaluation of FDG-PET data. <i>NeuroImage</i> , 2016, 141, 282-290.	2.1	36

#	ARTICLE	IF	CITATIONS
163	Standardized Uptake Value Ratio-Independent Evaluation of Brain Amyloidosis. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 1437-1457.	1.2	22
164	A PET/CT approach to spinal cord metabolism in amyotrophic lateral sclerosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 2061-2071.	3.3	27
165	Test-retest reliability of the default mode network in a multi-centric fMRI study of healthy elderly: Effects of data-driven physiological noise correction techniques. <i>Human Brain Mapping</i> , 2016, 37, 2114-2132.	1.9	38
166	Functional neuroimaging and clinical features of drug naive patients with de novo Parkinson's disease and probable RBD. <i>Parkinsonism and Related Disorders</i> , 2016, 29, 47-53.	1.1	57
167	Is dopamine transporter invariably impaired at the time of diagnosis in dementia with Lewy bodies?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1056-1059.	3.3	9
168	Baseline CSF A β ₂ , A β ₂ /T-TAU and A β ₂ /P-tau distributions to classify pharmacog MCI patients. <i>Neurobiology of Aging</i> , 2016, 39, S30.	1.5	0
169	Metabolic spatial connectivity in amyotrophic lateral sclerosis as revealed by independent component analysis. <i>Human Brain Mapping</i> , 2016, 37, 942-953.	1.9	40
170	Parkinson's Disease Sleep Scale 2: application in an Italian population. <i>Neurological Sciences</i> , 2016, 37, 283-288.	0.9	21
171	Prescribing pattern and resource utilization of monoamine oxidase-B inhibitors in Parkinson treatment: comparison between rasagiline and selegiline. <i>Neurological Sciences</i> , 2016, 37, 227-234.	0.9	9
172	An updated Italian normative dataset for the Stroop color word test (SCWT). <i>Neurological Sciences</i> , 2016, 37, 365-372.	0.9	49
173	Reduction in camera-specific variability in [123I]FP-CIT SPECT outcome measures by image reconstruction optimized for multisite settings: impact on age-dependence of the specific binding ratio in the ENC-DAT database of healthy controls. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1323-1336.	3.3	35
174	Implementation of the European multicentre database of healthy controls for [123I]FP-CIT SPECT increases diagnostic accuracy in patients with clinically uncertain parkinsonian syndromes. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1315-1322.	3.3	29
175	The prognostic value of sleep patterns in disorders of consciousness in the sub-acute phase. <i>Clinical Neurophysiology</i> , 2016, 127, 1445-1451.	0.7	52
176	Integrating longitudinal information in hippocampal volume measurements for the early detection of Alzheimer's disease. <i>NeuroImage</i> , 2016, 125, 834-847.	2.1	76
177	Longitudinal reproducibility of default-mode network connectivity in healthy elderly participants: A multicentric resting-state fMRI study. <i>NeuroImage</i> , 2016, 124, 442-454.	2.1	85
178	Classification of Healthy Subjects and Alzheimer's Disease Patients with Dementia from Cortical Sources of Resting State EEG Rhythms: A Study Using Artificial Neural Networks. <i>Frontiers in Neuroscience</i> , 2016, 10, 604.	1.4	51
179	Neurophysiological Assessment of Alzheimer's Disease Individuals by a Single Electroencephalographic Marker. <i>Journal of Alzheimer's Disease</i> , 2015, 49, 159-177.	1.2	32
180	The Role of the Serotonergic System in REM Sleep Behavior Disorder. <i>Sleep</i> , 2015, 38, 1505-1509.	0.6	36

#	ARTICLE	IF	CITATIONS
181	Late Persistent Increased Putaminal 18F-DOPA Uptake Following Ipsilateral Frontal Resection. <i>Clinical Nuclear Medicine</i> , 2015, 40, e451-e452.	0.7	5
182	Longitudinal reproducibility of automatically segmented hippocampal subfields: A multisite European 3T study on healthy elderly. <i>Human Brain Mapping</i> , 2015, 36, 3516-3527.	1.9	34
183	Predicting Progression from Cognitive Impairment to Alzheimer's Disease with the Disease State Index. <i>Current Alzheimer Research</i> , 2015, 12, 69-79.	0.7	22
184	Orbitofrontal 18F-DOPA Uptake and Movement Preparation in Parkinson's Disease. <i>Parkinson's Disease</i> , 2015, 2015, 1-7.	0.6	6
185	A normative study of the Italian printed word version of the free and cued selective reminding test. <i>Neurological Sciences</i> , 2015, 36, 1127-1134.	0.9	21
186	P2-188: Characterization of cognitive function with the cantab in individuals with amnesic mild cognitive impairment in relation to hippocampal volume, amyloid, and tau status: Preliminary baseline results from the PharmaCog/European-ADNI study. , 2015, 11, P564-P564.		2
187	DT-02-03: A randomized, controlled, multicenter, international study of the impact of florbetapir (18) Tj ETQq1 1 0.784314 rgBT /Overlo		
188	Volume of interest-based [18F]fluorodeoxyglucose PET discriminates MCI converting to Alzheimer's disease from healthy controls. A European Alzheimer's Disease Consortium (EADC) study. <i>NeuroImage: Clinical</i> , 2015, 7, 34-42.	1.4	85
189	Occipital sources of resting-state alpha rhythms are related to local gray matter density in subjects with amnesic mild cognitive impairment and Alzheimer's disease. <i>Neurobiology of Aging</i> , 2015, 36, 556-570.	1.5	93
190	Prevalence and prognosis of Alzheimer's disease at the mild cognitive impairment stage. <i>Brain</i> , 2015, 138, 1327-1338.	3.7	284
191	Validation of a quantitative cerebrospinal fluid alpha-synuclein assay in a European-wide interlaboratory study. <i>Neurobiology of Aging</i> , 2015, 36, 2587-2596.	1.5	30
192	Neuroimaging features in C9orf72 and TARDBP double mutation with FTD phenotype. <i>Neurocase</i> , 2015, 21, 529-534.	0.2	8
193	Brain 18F-DOPA PET and cognition in de novo Parkinson's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1062-1070.	3.3	23
194	Recommendations from the Italian Interdisciplinary Working Group (AIMN, AIP, SINDEM) for the utilization of amyloid imaging in clinical practice. <i>Neurological Sciences</i> , 2015, 36, 1075-1081.	0.9	35
195	Nigro-caudate dopaminergic deafferentation: a marker of REM sleep behavior disorder?. <i>Neurobiology of Aging</i> , 2015, 36, 3300-3305.	1.5	63
196	Bilateral motor and premotor cortex hypometabolism in a case of Mills syndrome. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2015, 16, 414-417.	1.1	6
197	Visual Versus Semi-Quantitative Analysis of 18F-FDG-PET in Amnesic MCI: An European Alzheimer's Disease Consortium (EADC) Project. <i>Journal of Alzheimer's Disease</i> , 2015, 44, 815-826.	1.2	67
198	The use of biomarkers for the etiologic diagnosis of MCI in Europe: An EADC survey. <i>Alzheimer's and Dementia</i> , 2015, 11, 195.	0.4	56

#	ARTICLE	IF	CITATIONS
199	Screening of Early and Late Onset Alzheimer's Disease Genetic Risk Factors in a Cohort of Dementia Patients from Liguria, Italy. <i>Current Alzheimer Research</i> , 2015, 12, 802-812.	0.7	6
200	Amyloid positron emission tomography and cognitive reserve. <i>World Journal of Radiology</i> , 2015, 7, 475.	0.5	8
201	Erratum to "A Survey of FDG- and Amyloid-PET Imaging in Dementia and GRADE Analysis". <i>BioMed Research International</i> , 2014, 2014, 1-1.	0.9	35
202	Functional pattern of brain FDG-PET in amyotrophic lateral sclerosis. <i>Neurology</i> , 2014, 83, 1067-1074.	1.5	154
203	Validation of an optimized SPM procedure for FDG-PET in dementia diagnosis in a clinical setting. <i>NeuroImage: Clinical</i> , 2014, 6, 445-454.	1.4	172
204	Cortical sources of resting state electroencephalographic alpha rhythms deteriorate across time in subjects with amnesic mild cognitive impairment. <i>Neurobiology of Aging</i> , 2014, 35, 130-142.	1.5	61
205	The metabolic signature of C9ORF72-related ALS: FDG PET comparison with nonmutated patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 844-852.	3.3	103
206	Plasma antioxidants and brain glucose metabolism in elderly subjects with cognitive complaints. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 764-775.	3.3	30
207	Recommendations of the Sleep Study Group of the Italian Dementia Research Association (SINDem) on clinical assessment and management of sleep disorders in individuals with mild cognitive impairment and dementia: a clinical review. <i>Neurological Sciences</i> , 2014, 35, 1329-1348.	0.9	25
208	Multisite longitudinal reliability of tract-based spatial statistics in diffusion tensor imaging of healthy elderly subjects. <i>NeuroImage</i> , 2014, 101, 390-403.	2.1	99
209	Extrastriatal binding of [123I]FP-CIT in the thalamus and pons: gender and age dependencies assessed in a European multicentre database of healthy controls. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1938-1946.	3.3	60
210	Automatic temporal lobe atrophy assessment in prodromal AD: Data from the DESCRIPA study. <i>Alzheimer's and Dementia</i> , 2014, 10, 456-467.	0.4	16
211	Association of central serotonin transporter availability and body mass index in healthy Europeans. <i>European Neuropsychopharmacology</i> , 2014, 24, 1240-1247.	0.3	34
212	Metabolic Correlates of Rey Auditory Verbal Learning Test in Elderly Subjects with Memory Complaints. <i>Journal of Alzheimer's Disease</i> , 2014, 39, 103-113.	1.2	39
213	O4-07-05: ADDED VALUE OF MRI BIOMARKERS TO NEUROPSYCHOLOGICAL TEST PERFORMANCE FOR PREDICTION OF AD IN SUBJECTS WITH MCI. , 2014, 10, P265-P265.		1
214	P3-101: CROSS-SECTIONAL BIOMARKER CHARACTERIZATION OF MILD COGNITIVE IMPAIRMENT PATIENTS IN WP5 PHARMACOG/E-ADNI STUDY. , 2014, 10, P665-P665.		1
215	P1-216: FRONTAL CORTICAL SOURCES OF AUDITORY ODDBALL EVENT-RELATED POTENTIALS ARE RELATED TO CEREBROSPINAL FLUID Î² AMYLOID IN AMNESTIC MCI SUBJECTS. , 2014, 10, P383-P383.		0
216	Neuroimaging Findings in Mild Cognitive Impairment. , 2014, , 271-307.		2

#	ARTICLE	IF	CITATIONS
217	Cognitive reserve and clinical expression of Alzheimer's disease: evidence and implications for brain PET imaging. American Journal of Nuclear Medicine and Molecular Imaging, 2014, 4, 239-47.	1.0	13
218	No difference in striatal dopamine transporter availability between active smokers, ex-smokers and non-smokers using [123I]FP-CIT (DaTSCAN) and SPECT. EJNMMI Research, 2013, 3, 39.	1.1	21
219	European multicentre database of healthy controls for [123I]FP-CIT SPECT (ENC-DAT): age-related effects, gender differences and evaluation of different methods of analysis. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 213-227.	3.3	198
220	Appropriate use criteria for amyloid PET imaging cannot replace guidelines: On behalf of the European Association of Nuclear Medicine. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 1122-1125.	3.3	13
221	Automatic semi-quantification of [123I]FP-CIT SPECT scans in healthy volunteers using BasGan version 2: results from the ENC-DAT database. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 565-573.	3.3	86
222	Resting metabolic connectivity in Alzheimer's disease. Clinical and Translational Imaging, 2013, 1, 271-278.	1.1	9
223	Cortical Sources of Resting State EEG Rhythms are Sensitive to the Progression of Early Stage Alzheimer's Disease. Journal of Alzheimer's Disease, 2013, 34, 1015-1035.	1.2	72
224	Measurements of medial temporal lobe atrophy for prediction of Alzheimer's disease in subjects with mild cognitive impairment. Neurobiology of Aging, 2013, 34, 2003-2013.	1.5	86
225	Prediction of Alzheimer disease in subjects with amnesic and nonamnesic MCI. Neurology, 2013, 80, 1124-1132.	1.5	110
226	Value of Semiquantitative Analysis for Clinical Reporting of 123I-2-β-Carbomethoxy-3-iodo-(4-Iodophenyl)-N-(3-Fluoropropyl)Nortropane SPECT Studies. Journal of Nuclear Medicine, 2013, 54, 714-722.	2.8	62
227	Metabolic Networks Underlying Cognitive Reserve in Prodromal Alzheimer Disease: A European Alzheimer Disease Consortium Project. Journal of Nuclear Medicine, 2013, 54, 894-902.	2.8	108
228	Brain morphometry reproducibility in multi-center 3T MRI studies: A comparison of cross-sectional and longitudinal segmentations. NeuroImage, 2013, 83, 472-484.	2.1	157
229	No association between striatal dopamine transporter binding and body mass index: A multi-center European study in healthy volunteers. NeuroImage, 2013, 64, 61-67.	2.1	47
230	The Association Between APOE ε4 and Alzheimer-type Dementia Among Memory Clinic Patients is Confined to those with a Higher Education. The DESCRIPA Study. Journal of Alzheimer's Disease, 2013, 35, 241-246.	1.2	7
231	Summary Metrics to Assess Alzheimer Disease-Related Hypometabolic Pattern with ¹⁸ F-FDG PET: Head-to-Head Comparison. Journal of Nuclear Medicine, 2012, 53, 592-600.	2.8	79
232	Prevalence of Sleep Disturbances in Mild Cognitive Impairment and Dementing Disorders: A Multicenter Italian Clinical Cross-Sectional Study on 431 Patients. Dementia and Geriatric Cognitive Disorders, 2012, 33, 50-58.	0.7	265
233	The Short Cognitive Evaluation Battery in Cognitive Disorders of the Elderly – Italian Version. Dementia and Geriatric Cognitive Disorders, 2012, 33, 255-265.	0.7	3
234	The association between white matter hyperintensities and executive decline in mild cognitive impairment is network dependent. Neurobiology of Aging, 2012, 33, 201.e1-201.e8.	1.5	48

#	ARTICLE	IF	CITATIONS
235	What predicts cognitive decline in de novo Parkinson's disease?. <i>Neurobiology of Aging</i> , 2012, 33, 1127.e11-1127.e20.	1.5	34
236	Resting metabolic connectivity in prodromal Alzheimer's disease. A European Alzheimer Disease Consortium (EADC) project. <i>Neurobiology of Aging</i> , 2012, 33, 2533-2550.	1.5	108
237	Alzheimer's disease markers from structural MRI and FDG-PET brain images. <i>European Physical Journal Plus</i> , 2012, 127, 1.	1.2	15
238	A repository based on a dynamically extensible data model supporting multidisciplinary research in neuroscience. <i>BMC Medical Informatics and Decision Making</i> , 2012, 12, 115.	1.5	10
239	Brain hypermetabolism in amyotrophic lateral sclerosis: a FDG PET study in ALS of spinal and bulbar onset. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 251-259.	3.3	148
240	The impact of molecular imaging in the management of movement disorders: an ongoing revolution. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 56, 1-3.	0.4	16
241	Correlation between Doppler Velocities and Duplex Ultrasound Carotid Cross-sectional Percent Stenosis. <i>Academic Radiology</i> , 2011, 18, 1485-1491.	1.3	6
242	Local MRI analysis approach in the diagnosis of early and prodromal Alzheimer's disease. <i>NeuroImage</i> , 2011, 58, 469-480.	2.1	161
243	Radionuclide brain imaging correlates of cognitive impairment in Parkinson's disease (PD). <i>Journal of the Neurological Sciences</i> , 2011, 310, 31-35.	0.3	19
244	Assessment of dementia in ethnic minority patients in Europe: a European Alzheimer's Disease Consortium survey. <i>International Psychogeriatrics</i> , 2011, 23, 86-95.	0.6	104
245	Seizures Can Precede Cognitive Symptoms in Late-Onset Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2011, 27, 737-742.	1.2	21
246	Do Instrumental Activities of Daily Living Predict Dementia at 1 and 2 Year Follow-Up? Findings from the Development of Screening Guidelines and Diagnostic Criteria for Predementia Alzheimer's Disease Study. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 2273-2281.	1.3	59
247	Brain perfusion correlates of cognitive and nigrostriatal functions in de novo Parkinson's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 2209-2218.	3.3	32
248	Diagnostic criteria for apathy in clinical practice. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 158-165.	1.3	182
249	Stability of clinical condition in mild cognitive impairment is related to cortical sources of alpha rhythms: An electroencephalographic study. <i>Human Brain Mapping</i> , 2011, 32, 1916-1931.	1.9	41
250	Regional Differences in Effects of APOE $\epsilon 4$ on Cognitive Impairment in Non-Demented Subjects. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 32, 135-142.	0.7	18
251	Whole Body and Cardiac Metaiodobenzylguanidine Kinetics in Parkinson Disease and Multiple System Atrophy. <i>Clinical Nuclear Medicine</i> , 2010, 35, 311-316.	0.7	7
252	Unawareness of Memory Deficit in Amnesic MCI: FDG-PET Findings. <i>Journal of Alzheimer's Disease</i> , 2010, 22, 993-1003.	1.2	59

#	ARTICLE	IF	CITATIONS
253	Mapping brain morphological and functional conversion patterns in amnesic MCI: a voxel-based MRI and FDG-PET study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 36-45.	3.3	95
254	EANM procedure guidelines for brain neurotransmission SPECT/PET using dopamine D2 receptor ligands, version 2. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 434-442.	3.3	56
255	EANM procedure guidelines for brain neurotransmission SPECT using 123I-labelled dopamine transporter ligands, version 2. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 443-450.	3.3	263
256	FDG-PET for early assessment of Alzheimer's disease: isn't the evidence base large enough?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 1604-1609.	3.3	12
257	Cognitive-neurostriatal relationships in de novo, drug-naïve Parkinson's disease patients: A [¹²³ I]FP-CIT SPECT study. <i>Movement Disorders</i> , 2010, 25, 35-43.	2.2	83
258	Impaired access to semantic memory for the cognition of geographic space in Alzheimer's disease. <i>Archives of Gerontology and Geriatrics</i> , 2010, 50, 198-201.	1.4	2
259	Metabolic Compensation and Depression in Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 29, 37-45.	0.7	18
260	The Reversed Clock Drawing Test Phenomenon in Alzheimer's Disease: A Perfusion SPECT Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 29, 1-10.	0.7	8
261	MCI Patients Declining and Not-Declining at Mid-Term Follow-Up: FDG-PET Findings. <i>Current Alzheimer Research</i> , 2010, 7, 287-294.	0.7	41
262	Functional compensation in incipient Alzheimer's disease. <i>Neurobiology of Aging</i> , 2010, 31, 387-397.	1.5	28
263	Cortical sources of resting EEG rhythms in mild cognitive impairment and subjective memory complaint. <i>Neurobiology of Aging</i> , 2010, 31, 1787-1798.	1.5	97
264	White matter hyperintensities and medial temporal lobe atrophy in clinical subtypes of mild cognitive impairment: the DESCRIPA study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 1069-1074.	0.9	39
265	Principal component analysis in mild and moderate Alzheimer's disease – A novel approach to clinical diagnosis. <i>Psychiatry Research - Neuroimaging</i> , 2009, 173, 8-14.	0.9	35
266	Traditional and non traditional risk factors in accelerated atherosclerosis in Systemic Lupus Erythematosus: Role of vascular endothelial growth factor (VEGATS Study). <i>Autoimmunity Reviews</i> , 2009, 8, 309-315.	2.5	54
267	Amnesic mild cognitive impairment in Parkinson's disease: A brain perfusion SPECT study. <i>Movement Disorders</i> , 2009, 24, 414-421.	2.2	63
268	EANM procedure guidelines for PET brain imaging using [¹⁸ F]FDG, version 2. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 2103-2110.	3.3	469
269	EANM procedure guideline for brain perfusion SPECT using 99mTc-labelled radiopharmaceuticals, version 2. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 2093-2102.	3.3	143
270	The factorial structure of the mini mental state examination (MMSE) in Alzheimer's disease. <i>Archives of Gerontology and Geriatrics</i> , 2009, 49, 180-185.	1.4	34

#	ARTICLE	IF	CITATIONS
271	Directionality of EEG synchronization in Alzheimer's disease subjects. <i>Neurobiology of Aging</i> , 2009, 30, 93-102.	1.5	132
272	Automatic analysis of medial temporal lobe atrophy from structural MRIs for the early assessment of Alzheimer disease. <i>Medical Physics</i> , 2009, 36, 3737-3747.	1.6	39
273	SPECT Predictors of Cognitive Decline and Alzheimer's Disease in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2009, 17, 761-772.	1.2	42
274	Global Functional Coupling of Resting EEG Rhythms is Abnormal in Mild Cognitive Impairment and Alzheimer's Disease. <i>Journal of Psychophysiology</i> , 2009, 23, 224-234.	0.3	27
275	Principal component analysis of FDG PET in amnesic MCI. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 2191-2202.	3.3	77
276	Brain SPECT in subtypes of mild cognitive impairment. <i>Journal of Neurology</i> , 2008, 255, 1344-1353.	1.8	54
277	Consistency of Neuropsychiatric Syndromes across Dementias: Results from the European Alzheimer Disease Consortium. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 25, 1-8.	0.7	167
278	Patient and Caregiver Perspectives of Quality of Life in Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 26, 138-146.	0.7	151
279	Multi-Center Comparison of Medial Temporal Atrophy in Patients with Alzheimer's Disease – Data from the ICTUS Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 26, 314-322.	0.7	8
280	Development of Screening Guidelines and Clinical Criteria for Predementia Alzheimer's Disease. <i>Neuroepidemiology</i> , 2008, 30, 254-265.	1.1	86
281	Automatic Localization of the Hippocampal Region in MR Images to Asses Early Diagnosis of Alzheimer's Disease in MCI Patients. , 2008, , .		1
282	Mitochondrial Function Is Related to Alterations at Brain SPECT in Depressed Patients. <i>CNS Spectrums</i> , 2008, 13, 805-814.	0.7	24
283	The need of appropriate brain SPECT templates for SPM comparisons. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 52, 89-98.	0.4	15
284	Neuropsychiatric Syndromes in Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007, 24, 457-463.	0.7	305
285	CLUSTERING OF BEHAVIOURAL AND PSYCHOLOGICAL SYMPTOMS IN DEMENTIA (BPSD): A EUROPEAN ALZHEIMER'S DISEASE CONSORTIUM (EADC) STUDY. <i>Acta Clinica Belgica</i> , 2007, 62, 426-432.	0.5	88
286	Cortical sources of awake scalp EEG in eating disorders. <i>Clinical Neurophysiology</i> , 2007, 118, 1213-1222.	0.7	23
287	Resting EEG sources correlate with attentional span in mild cognitive impairment and Alzheimer's disease. <i>European Journal of Neuroscience</i> , 2007, 25, 3742-3757.	1.2	101
288	Identification by [99mTc]ECD SPECT of anterior cingulate hypoperfusion in progressive supranuclear palsy, in comparison with Parkinson's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1071-1081.	3.3	34

#	ARTICLE	IF	CITATIONS
289	The basal ganglia matching tools package for striatal uptake semi-quantification: description and validation. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1240-1253.	3.3	97
290	Brain perfusion correlates of medial temporal lobe atrophy and white matter hyperintensities in mild cognitive impairment. <i>Journal of Neurology</i> , 2007, 254, 1000-1008.	1.8	36
291	Cerebral perfusion correlates of conversion to Alzheimer's disease in amnesic mild cognitive impairment. <i>Journal of Neurology</i> , 2007, 254, 1698-1707.	1.8	81
292	^{99m} Tc-HMPAO and ^{99m} Tc-ECD brain uptake correlates of verbal memory in Alzheimer's disease. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 51, 357-63.	0.4	12
293	Donepezil effects on sources of cortical rhythms in mild Alzheimer's disease: Responders vs. Non-Responders. <i>NeuroImage</i> , 2006, 31, 1650-1665.	2.1	97
294	Sources of cortical rhythms change as a function of cognitive impairment in pathological aging: a multicenter study. <i>Clinical Neurophysiology</i> , 2006, 117, 252-268.	0.7	260
295	Frontal white matter volume and delta EEG sources negatively correlate in awake subjects with mild cognitive impairment and Alzheimer's disease. <i>Clinical Neurophysiology</i> , 2006, 117, 1113-1129.	0.7	150
296	Mild cognitive impairment (MCI) in medical practice: a critical review of the concept and new diagnostic procedure. Report of the MCI Working Group of the European Consortium on Alzheimer's Disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 77, 714-718.	0.9	539
297	Fronto-parietal coupling of brain rhythms in mild cognitive impairment: A multicentric EEG study. <i>Brain Research Bulletin</i> , 2006, 69, 63-73.	1.4	159
298	Stimulating or conventional perineural catheters after hallux valgus repair: a double-blind, pharmaco-economic evaluation. <i>Acta Anaesthesiologica Scandinavica</i> , 2006, 50, 1284-1289.	0.7	20
299	Allogeneic bone marrow transplantation (BMT) for refractory Behçet's disease with severe CNS involvement. <i>Bone Marrow Transplantation</i> , 2006, 37, 1061-1063.	1.3	34
300	The Von Restorff effect in ageing and Alzheimer's disease. <i>Neurological Sciences</i> , 2006, 27, 166-172.	0.9	15
301	Sources of cortical rhythms in adults MCI during physiological aging: A multicentric EEG study. <i>Human Brain Mapping</i> , 2006, 27, 162-172.	1.9	253
302	Fusion of the MR image to SPECT with possible correction for partial volume effects. <i>IEEE Transactions on Nuclear Science</i> , 2006, 53, 189-197.	1.2	10
303	Migraine during systemic lupus erythematosus: findings from brain single photon emission computed tomography. <i>Journal of Rheumatology</i> , 2006, 33, 2184-91.	1.0	5
304	Stroop interference task and single-photon emission tomography in anorexia: A preliminary report. <i>International Journal of Eating Disorders</i> , 2005, 38, 323-329.	2.1	20
305	Global cognitive impairment should be taken into account in SPECT-neuropsychology correlations: the example of verbal memory in very mild Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 1186-1192.	3.3	10
306	Toward the Validation of Functional Neuroimaging as a Potential Biomarker for Alzheimer's Disease: Implications for Drug Development. <i>Molecular Imaging and Biology</i> , 2005, 7, 59-68.	1.3	17

#	ARTICLE	IF	CITATIONS
307	White matter hyperintensities on brain magnetic resonance in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 777-779.	0.5	29
308	Resting SPECT-neuropsychology correlation in very mild Alzheimer's disease. <i>Clinical Neurophysiology</i> , 2005, 116, 364-375.	0.7	51
309	Grouping for behavioral and psychological symptoms in dementia: clinical and biological aspects. Consensus paper of the European Alzheimer disease consortium. <i>European Psychiatry</i> , 2005, 20, 490-496.	0.1	177
310	Abnormal fronto-parietal coupling of brain rhythms in mild Alzheimer's disease: a multicentric EEG study. <i>European Journal of Neuroscience</i> , 2004, 19, 2583-2590.	1.2	137
311	Right hemispheric dysfunction in a case of pure progressive aphemia: fusion of multimodal neuroimaging. <i>Psychiatry Research - Neuroimaging</i> , 2004, 130, 97-107.	0.9	8
312	Predicting the accuracy of a diagnosis of Alzheimer's disease with 99mTc HMPAO single photon emission computed tomography. <i>Psychiatry Research - Neuroimaging</i> , 2004, 131, 157-168.	0.9	17
313	Quantitative EEG and perfusional single photon emission computed tomography correlation during long-term donepezil therapy in Alzheimer's disease. <i>Clinical Neurophysiology</i> , 2004, 115, 39-49.	0.7	47
314	Quality of life and brain function following high-dose recombinant human erythropoietin in low-risk myelodysplastic syndromes: a preliminary report. <i>European Journal of Haematology</i> , 2004, 72, 113-120.	1.1	28
315	Cortical alpha rhythms in mild Alzheimer's disease. A multicentric EEG study. <i>International Congress Series</i> , 2004, 1270, 44-49.	0.2	3
316	Individual analysis of EEG frequency and band power in mild Alzheimer's disease. <i>Clinical Neurophysiology</i> , 2004, 115, 299-308.	0.7	311
317	Mapping distributed sources of cortical rhythms in mild Alzheimer's disease. A multicentric EEG study. <i>NeuroImage</i> , 2004, 22, 57-67.	2.1	253
318	99m Tc-HMPAO and 99m Tc-ECD perform differently in typically hypoperfused areas in Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 1009-1013.	3.3	22
319	Psychological and social aspects in management of Alzheimer's™ patients: an inquiry among caregivers. <i>Neurological Sciences</i> , 2003, 24, 329-335.	0.9	21
320	Neuroimaging tools to rate regional atrophy, subcortical cerebrovascular disease, and regional cerebral blood flow and metabolism: consensus paper of the EADC. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003, 74, 1371-1381.	0.9	69
321	Voxel-Based Approaches in Clinical Imaging. , 2003, 22, 72-85.		4
322	Quantitative EEG Changes in Alzheimer Patients during Long-Term Donepezil Therapy. <i>Neuropsychobiology</i> , 2002, 46, 49-56.	0.9	77
323	Effects of long-term Donepezil therapy on rCBF of Alzheimer's patients. <i>Clinical Neurophysiology</i> , 2002, 113, 1241-1248.	0.7	89
324	Statistical Parametric Mapping of 99mTc-HMPAO-SPECT Images for the Diagnosis of Alzheimer's Disease: Normalizing to Cerebellar Tracer Uptake. <i>NeuroImage</i> , 2002, 17, 1193-1202.	2.1	106

#	ARTICLE	IF	CITATIONS
325	Duplex scanning of neck vessels: need for extending the consensus on indications. <i>Neurological Sciences</i> , 2002, 22, 437-441.	0.9	10
326	Brain Functional Involvement by Perfusion SPECT in Systemic Sclerosis and Behçet's Disease. <i>Annals of the New York Academy of Sciences</i> , 2002, 966, 409-414.	1.8	25
327	Carotid Atherosclerosis in Patients with Rheumatoid Arthritis. <i>Annals of the New York Academy of Sciences</i> , 2002, 966, 478-482.	1.8	14
328	Spinal block or total intravenous anaesthesia with propofol and remifentanil for gynaecological outpatient procedures. <i>European Journal of Anaesthesiology</i> , 2002, 19, 594-599.	0.7	9
329	Brain perfusion follow-up in Alzheimer's patients during treatment with acetylcholinesterase inhibitors. <i>Journal of Nuclear Medicine</i> , 2002, 43, 983-90.	2.8	77
330	Hemispheric dominance evaluation by fMRI in pharmaco-resistant epilepsy. <i>NeuroImage</i> , 2001, 13, 851.	2.1	0
331	Clinical correlative evaluation of an iterative method for reconstruction of brain SPECT images. <i>Nuclear Medicine and Biology</i> , 2001, 28, 627-632.	0.3	9
332	Using SPM as a diagnostic help with HMPAO-SPECT in Alzheimer's disease. <i>NeuroImage</i> , 2001, 13, 1044.	2.1	191
333	Enhancement of SPECT reconstructions by means of coregistered MR data. <i>IEEE Transactions on Nuclear Science</i> , 2001, 48, 750-755.	1.2	7
334	Relationships between cortisol, dehydroepiandrosterone sulphate and insulin-like growth factor-I system in dementia. <i>Journal of Endocrinological Investigation</i> , 2001, 24, 139-146.	1.8	68
335	Regional Cerebral Blood Flow and Prognostic Evaluation in Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2001, 12, 89-97.	0.7	22
336	Pulsatile electrical impedance response from cerebrally dead adult patients is not a reliable tool for detecting cerebral perfusion changes. <i>Physiological Measurement</i> , 2001, 22, 341-349.	1.2	9
337	Brain perfusion spect in juvenile neuro-Behçet's disease. <i>Journal of Nuclear Medicine</i> , 2001, 42, 1151-7.	2.8	14
338	Studio RMf della dominanza emisferica in destrimani e non destrimani. <i>The Neuroradiology Journal</i> , 2000, 13, 131-138.	0.1	1
339	Evidence of cerebral hypoperfusion in scleroderma patients. <i>Rheumatology</i> , 2000, 39, 1366-1373.	0.9	56
340	Hippocampal Perfusion and Pituitary-Adrenal Axis in Alzheimer's Disease. <i>Neuropsychobiology</i> , 2000, 42, 51-57.	0.9	39
341	Hippocampal perfusion in mild Alzheimer's disease. <i>Psychiatry Research - Neuroimaging</i> , 2000, 100, 65-74.	0.9	76
342	Dexamethasone effects on cortisol secretion in Alzheimer's disease: Some clinical and hormonal features in suppressor and nonsuppressor patients. <i>Journal of Endocrinological Investigation</i> , 2000, 23, 178-186.	1.8	27

#	ARTICLE	IF	CITATIONS
343	Morning increase of whole blood viscosity in obstructive sleep apnea syndrome. <i>Clinical Hemorheology and Microcirculation</i> , 2000, 22, 21-7.	0.9	71
344	EEG spectral profile to stage Alzheimer's disease. <i>Clinical Neurophysiology</i> , 1999, 110, 1831-1837.	0.7	124
345	Timing of Disease Progression by Quantitative EEG in Alzheimer's Patients. <i>Journal of Clinical Neurophysiology</i> , 1999, 16, 566.	0.9	42
346	^{99m} Tc-HMPAO regional cerebral blood flow and quantitative electroencephalography in Alzheimer's disease: a correlative study. <i>Journal of Nuclear Medicine</i> , 1999, 40, 522-9.	2.8	71
347	Long-term effects of boxing and judo-choking techniques on brain function. <i>Italian Journal of Neurological Sciences</i> , 1998, 19, 367-372.	0.1	22
348	Feasibility in the clinical setting of perfusion brain SPECT imaging employing a brain-dedicated gamma camera and the conjugate gradients with modified matrix reconstruction method. <i>Italian Journal of Neurological Sciences</i> , 1998, 19, 373-377.	0.1	3
349	Relationships between ^{99m} Tc-HMPAO ceraspect and quantitative EEG observations in Alzheimer's disease. <i>Archives of Gerontology and Geriatrics</i> , 1998, 26, 363-368.	1.4	17
350	Quantitative Electroencephalography and Regional Cerebral Blood Flow: Discriminant Analysis between Alzheimer's Patients and Healthy Controls. <i>Dementia and Geriatric Cognitive Disorders</i> , 1998, 9, 274-283.	0.7	66
351	Impaired quantitative cerebral blood flow in scleroderma patients. <i>Journal of the Neurological Sciences</i> , 1997, 152, 63-71.	0.3	37
352	Neurophysiological asymmetries in Alzheimer's disease. <i>Electroencephalography and Clinical Neurophysiology</i> , 1997, 103, 134.	0.3	1
353	Prognostic significance of quantitative electroencephalography in Alzheimer patients: preliminary observations. <i>Electroencephalography and Clinical Neurophysiology</i> , 1996, 99, 123-128.	0.3	29
354	Cerebral blood flow reserve in patients with syndrome X. <i>Coronary Artery Disease</i> , 1996, 7, 587-590.	0.3	4
355	Cerebral haemodynamic changes induced by spinal cord stimulation in man. <i>Italian Journal of Neurological Sciences</i> , 1996, 17, 55-57.	0.1	18
356	57. Nocturnal sleep increases plasma fibrinogen in Sleep Apnoea Syndrome. <i>Fibrinolysis</i> , 1996, 10, 18.	0.5	0
357	Accuracy of ¹³³ -xenon regional cerebral blood flow and quantitative electroencephalography in systemic lupus erythematosus. <i>Lupus</i> , 1996, 5, 93-102.	0.8	10
358	Cerebral hyperperfusion antedates by years strokelike episodes in the MELAS syndrome. <i>Stroke</i> , 1996, 27, 341-2.	1.0	2
359	Assessment of regional cerebral blood flow during spinal cord stimulation in humans. <i>Stereotactic and Functional Neurosurgery</i> , 1995, 64, 197-201.	0.8	18
360	Cerebral Blood Flow and Somatosensory Evoked Response Changes Induced by Spinal Cord Stimulation: Preliminary Follow-Up Observations. <i>Stereotactic and Functional Neurosurgery</i> , 1994, 62, 179-185.	0.8	12

#	ARTICLE	IF	CITATIONS
361	Blood viscosity and cerebral blood flow.. Stroke, 1994, 25, 910-911.	1.0	0
362	Regional cerebral blood flow in familial hypercholesterolemia.. Stroke, 1994, 25, 831-836.	1.0	17
363	Regional Cerebral Blood Flow and Cerebrovascular Reactivity in IDDM. Diabetes Care, 1993, 16, 462-468.	4.3	52
364	Regional cerebral blood flow in chronic hypertension. A correlative study.. Stroke, 1993, 24, 1148-1153.	1.0	129
365	Regional cerebral blood flow in chronic stroke patients.. Stroke, 1993, 24, 94-99.	1.0	37
366	Fibrinogen and cerebral blood flow: A correlative study. Clinical Hemorheology and Microcirculation, 1993, 13, 245-252.	0.9	0
367	Correlates of contralateral hypoperfusion in chronic stroke patients. Neurological Research, 1992, 14, 125-126.	0.6	1
368	Brain functional imaging in senile psychopathology. International Journal of Psychophysiology, 1991, 10, 271-280.	0.5	8
369	Does Today's Vaginal Surgery Still Have a Specific Role in the Treatment of Endometrial Cancer?. Annals of the New York Academy of Sciences, 1991, 622, 477-484.	1.8	6
370	Hemorheological and cerebral blood flow changes induced by LDL-apheresis in familial hypercholesterolemic patients. Clinical Hemorheology and Microcirculation, 1991, 11, 9-18.	0.9	0
371	Effects of Beta-Adrenoreceptor Antagonists on Cerebral Blood Flow of Cirrhotic Patients with Portal Hypertension. Journal of Clinical Pharmacology, 1991, 31, 136-139.	1.0	6
372	Regional cerebral blood flow asymmetries in a group of 189 normal subjects at rest. Brain Topography, 1991, 4, 57-63.	0.8	13
373	Spinal cord stimulation and cerebral haemodynamics. Acta Neurochirurgica, 1991, 111, 43-48.	0.9	54
374	CBF side-to-side asymmetries in stenosis-occlusion of internal carotid artery. Relevance of CT findings and collateral supply. Italian Journal of Neurological Sciences, 1991, 12, 383-388.	0.1	6
375	Judo and choking: EEG and regional cerebral blood flow findings. Journal of Sports Medicine and Physical Fitness, 1991, 31, 605-10.	0.4	7
376	High-pressure hemarthrosis: possible consequences to the vascularization of the femoral head. Italian Journal of Orthopaedics and Traumatology, 1991, 17, 533-45.	0.0	2
377	Phosphatidylserine: Quantitative EEG Effects in Healthy Volunteers. Neuropsychobiology, 1990, 24, 42-48.	0.9	12
378	Primary dysautonomia: cerebral blood flow and hemodynamic findings. Case report.. Italian Journal of Neurological Sciences, 1990, 11, 281-288.	0.1	0

#	ARTICLE	IF	CITATIONS
379	An atypical paediatric case of malignant atrophic papulosis (Klumpke-Degos disease). <i>European Journal of Pediatrics</i> , 1990, 149, 457-458.	1.3	12
380	Multiple effects of LDL-apheresis against progression of atherosclerosis in patients with familial hypercholesterolemia. , 1990, , 506-513.		0
381	Acute effects of acetyl-L-carnitine on regional cerebral blood flow in patients with brain ischaemia. <i>International Journal of Clinical Pharmacology Research</i> , 1990, 10, 123-8.	0.4	6
382	Cerebral blood flow and plasma free tryptophan in cirrhotics with and without hepatic encephalopathy. <i>Italian Journal of Neurological Sciences</i> , 1989, 10, 415-421.	0.1	8
383	Regional Cerebral Blood Flow and Anxiety: A Correlation Study in Neurologically Normal Patients. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1989, 9, 410-416.	2.4	24
384	Evaluation of cerebral blood flow data in stroke patients using a mapping system.. <i>Stroke</i> , 1989, 20, 1182-1189.	1.0	7
385	Cerebral blood flow recovery after reserpine withdrawal. <i>Italian Journal of Neurological Sciences</i> , 1988, 9, 403-404.	0.1	1
386	Regional cerebral blood flow in essential hypertension: data evaluation by a mapping system.. <i>Stroke</i> , 1987, 18, 13-20.	1.0	79
387	Reduction of Cerebral Blood Flow in Subclinical Hepatic Encephalopathy and its Correlation with Plasma-Free Tryptophan. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1987, 7, 768-772.	2.4	37
388	Transfreq: A Python package for computing the theta to alpha transition frequency from resting state electroencephalographic data. <i>Human Brain Mapping</i> , 0, , .	1.9	1