

Seiji Shiota

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2303933/publications.pdf>

Version: 2024-02-01

67
papers

2,348
citations

230014

27
h-index

242451

47
g-index

110
all docs

110
docs citations

110
times ranked

2982
citing authors

#	ARTICLE	IF	CITATIONS
1	Esophageal achalasia: An unusual reason for lung abscess. <i>Journal of General and Family Medicine</i> , 2022, 23, 189-190.	0.3	1
2	Bacteremia caused by <i>Enterobacter asburiae</i> misidentified biochemically as <i>Cronobacter sakazakii</i> and accurately identified by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry: a case report. <i>Journal of Medical Case Reports</i> , 2022, 16, 19.	0.4	1
3	<i>Helicobacter pylori</i> genomes reveal Paleolithic human migration to the east end of Asia. <i>IScience</i> , 2022, 25, 104477.	1.9	3
4	A case of community-onset <i>Acinetobacter pneumonia</i> in a healthy person. <i>IDCases</i> , 2021, 24, e01133.	0.4	2
5	Statistical analysis of anti- ϵ -mamushi venom serum injection time and clinical course. <i>Acute Medicine & Surgery</i> , 2020, 7, e545.	0.5	2
6	Inhaled Corticosteroid-Containing Regimens Reduce Hospitalizations and Healthcare Costs among Elderly Asthmatics: Real-World Validation Using the National Health Insurance Claims Database. <i>Tohoku Journal of Experimental Medicine</i> , 2020, 251, 135-145.	0.5	1
7	Comparative study between <i>Helicobacter pylori</i> and host human genetics in the Dominican Republic. <i>BMC Evolutionary Biology</i> , 2019, 19, 197.	3.2	5
8	Epitope peptides of <i>Helicobacter pylori</i> CagA antibodies from sera by whole-peptide mapping. <i>Journal of Gastroenterology</i> , 2019, 54, 1039-1051.	2.3	3
9	Diffuse Alveolar Hemorrhage Caused by Warfarin after Rifampicin Discontinuation. <i>Case Reports in Medicine</i> , 2019, 2019, 1-3.	0.3	7
10	Clinical Manifestations of <i>Helicobacter pylori</i> "Negative Gastritis. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 1037-1046.e3.	2.4	40
11	Novel CagA ELISA exhibits enhanced sensitivity of <i>Helicobacter pylori</i> CagA antibody. <i>World Journal of Gastroenterology</i> , 2017, 23, 48.	1.4	9
12	Rare <i>Helicobacter pylori</i> Virulence Genotypes in Bhutan. <i>Scientific Reports</i> , 2016, 6, 22584.	1.6	24
13	Weight Change and Weight Cycling Are Not Associated With Risk of Barrett's Esophagus. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1839-1840.	2.4	0
14	Premature Birth and Large for Gestational Age Are Associated with Risk of Barrett's Esophagus in Adults. <i>Digestive Diseases and Sciences</i> , 2016, 61, 1139-1147.	1.1	1
15	The Prevalence of <i>Helicobacter pylori</i> Remains High in African American and Hispanic Veterans. <i>Helicobacter</i> , 2015, 20, 305-315.	1.6	47
16	The Prevalence of <i>Helicobacter pylori</i> Virulence Factors in Bhutan, Vietnam, and Myanmar Is Related to Gastric Cancer Incidence. <i>BioMed Research International</i> , 2015, 2015, 1-8.	0.9	13
17	Antibiotic Resistance of <i>Helicobacter pylori</i> Among Male United States Veterans. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 1616-1624.	2.4	128
18	Prevalence of Barrett's Esophagus in Asian Countries: A Systematic Review and Meta-analysis. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 1907-1918.	2.4	60

#	ARTICLE	IF	CITATIONS
19	Differences in interleukin 8 expression in <i>Helicobacter pylori</i> -infected gastric mucosa tissues from patients in Bhutan and the Dominican Republic. <i>Human Pathology</i> , 2015, 46, 129-136.	1.1	18
20	Prevalence of <i>Helicobacter pylori</i> infection and atrophic gastritis in patients with dyspeptic symptoms in Myanmar. <i>World Journal of Gastroenterology</i> , 2015, 21, 629.	1.4	34
21	<i>Helicobacter pylori</i> Infection and Gastric Mucosal Atrophy in Two Ethnic Groups in Nepal. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015, 16, 7911-7916.	0.5	9
22	Biomarkers for <i>Helicobacter pylori</i> infection and gastroduodenal diseases. <i>Biomarkers in Medicine</i> , 2014, 8, 1127-1137.	0.6	21
23	Serum <i>Helicobacter pylori</i> CagA antibody titer as a useful marker for advanced inflammation in the stomach in Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014, 29, 67-73.	1.4	18
24	Discovery of novel mutations for clarithromycin resistance in <i>Helicobacter pylori</i> by using next-generation sequencing. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 1796-1803.	1.3	64
25	Virulence genes of <i>Helicobacter pylori</i> in the Dominican Republic. <i>Journal of Medical Microbiology</i> , 2014, 63, 1189-1196.	0.7	29
26	<i>Helicobacter pylori</i> Infection Introduces DNA Double-Strand Breaks in Host Cells. <i>Infection and Immunity</i> , 2014, 82, 4182-4189.	1.0	88
27	Identification of the Genes That Contribute to Lactate Utilization in <i>Helicobacter pylori</i> . <i>PLoS ONE</i> , 2014, 9, e103506.	1.1	13
28	<i>Helicobacter pylori</i> from Gastric Cancer and Duodenal Ulcer Show Same Phylogeographic Origin in the Andean Region in Colombia. <i>PLoS ONE</i> , 2014, 9, e105392.	1.1	12
29	Strategy for the Treatment of <i>Helicobacter pylori</i> Infection. <i>Current Pharmaceutical Design</i> , 2014, 20, 4489-4500.	0.9	25
30	Histological characteristics of gastric mucosa prior to <i>Helicobacter pylori</i> eradication may predict gastric cancer. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 1249-1256.	0.6	49
31	Passive carriage of rabies virus by dendritic cells. <i>SpringerPlus</i> , 2013, 2, 419.	1.2	5
32	Intact LongA Type A as a Marker for Gastroduodenal Diseases in Okinawan Subpopulation, Japan. <i>Helicobacter</i> , 2013, 18, 66-72.	1.6	38
33	<i>Helicobacter pylori</i> cagA 12bp insertion can be a marker for duodenal ulcer in Okinawa, Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 291-296.	1.4	3
34	<i>Helicobacter pylori</i> infection in Japan. <i>Expert Review of Gastroenterology and Hepatology</i> , 2013, 7, 35-40.	1.4	72
35	The significance of virulence factors in <i>Helicobacter pylori</i> . <i>Journal of Digestive Diseases</i> , 2013, 14, 341-349.	0.7	110
36	Complete Genome Sequences of <i>Helicobacter pylori</i> Clarithromycin-Resistant Strains. <i>Genome Announcements</i> , 2013, 1, .	0.8	3

#	ARTICLE	IF	CITATIONS
37	Seroprevalence of <i>Helicobacter pylori</i> infection and gastric mucosal atrophy in Bhutan, a country with a high prevalence of gastric cancer. <i>Journal of Medical Microbiology</i> , 2013, 62, 1571-1578.	0.7	26
38	Case of <i>Mycoplasma pneumoniae</i> infection with maculopapular-type eruptions due to acetaminophen. <i>Journal of Dermatology</i> , 2013, 40, 304-306.	0.6	3
39	A Diagnosis of Depression Should Be Considered in Patients with Multiple Physical Symptoms in Primary Care Clinics. <i>Tohoku Journal of Experimental Medicine</i> , 2013, 229, 279-285.	0.5	6
40	The Incidence of Primary Antibiotic Resistance of <i>Helicobacter pylori</i> in Vietnam. <i>Journal of Clinical Gastroenterology</i> , 2013, 47, 233-238.	1.1	60
41	Extremely high prevalence of <i>Helicobacter pylori</i> infection in Bhutan. <i>World Journal of Gastroenterology</i> , 2013, 19, 2806.	1.4	63
42	Antibiotics resistance rate of <i>Helicobacter pylori</i> in Bhutan. <i>World Journal of Gastroenterology</i> , 2013, 19, 5508.	1.4	17
43	Association between <i>Helicobacter pylori</i> Virulence Factors and Gastrointestinal Diseases in Okinawa, Japan. <i>Journal of Clinical Microbiology</i> , 2012, 50, 876-883.	1.8	85
44	The Intact <i>dupA</i> Cluster Is a More Reliable <i>Helicobacter pylori</i> Virulence Marker than <i>dupA</i> Alone. <i>Infection and Immunity</i> , 2012, 80, 381-387.	1.0	68
45	Prevalence of <i>Helicobacter pylori</i> infection in dyspeptic patients in Iran. <i>Gastroenterology Insights</i> , 2012, 4, 8.	0.7	15
46	Reply to "dupA Is Associated with Duodenal Ulcer and High Interleukin-8 Secretion from the Gastric Mucosa". <i>Infection and Immunity</i> , 2012, 80, 2973-2973.	1.0	1
47	Association of <i>Helicobacter pylori</i> <i>dupA</i> With the Failure of Primary Eradication. <i>Journal of Clinical Gastroenterology</i> , 2012, 46, 297-301.	1.1	39
48	Evaluation of an improved rapid neutralizing antibody detection test (RAPINA) for qualitative and semiquantitative detection of rabies neutralizing antibody in humans and dogs. <i>Vaccine</i> , 2012, 30, 3891-3896.	1.7	16
49	Virulence factors or ancestral origin of <i>Helicobacter pylori</i> : which is a better predictor of gastric cancer risk?. <i>Gut</i> , 2012, 61, 469-470.	6.1	7
50	<i>Helicobacter pylori</i> <i>iceA</i> , Clinical Outcomes, and Correlation with <i>cagA</i> : A Meta-Analysis. <i>PLoS ONE</i> , 2012, 7, e30354.	1.1	53
51	Ten-year prospective follow-up of histological changes at five points on the gastric mucosa as recommended by the updated Sydney system after <i>Helicobacter pylori</i> eradication. <i>Journal of Gastroenterology</i> , 2012, 47, 394-403.	2.3	110
52	Molecular epidemiology, population genetics, and pathogenic role of <i>Helicobacter pylori</i> . <i>Infection, Genetics and Evolution</i> , 2012, 12, 203-213.	1.0	135
53	Prevalence of two homologous genes encoding glycosyltransferases of <i>Helicobacter pylori</i> in the United States and Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, no-no.	1.4	8
54	Epidemiology of <i>Helicobacter pylori</i> Infection and Public Health Implications. <i>Helicobacter</i> , 2011, 16, 1-9.	1.6	316

#	ARTICLE	IF	CITATIONS
55	The relationship between <i>Helicobacter pylori</i> infection and Alzheimer's disease in Japan. <i>Journal of Neurology</i> , 2011, 258, 1460-1463.	1.8	48
56	Association between <i>Helicobacter pylori</i> cagA-related genes and clinical outcomes in Colombia and Japan. <i>BMC Gastroenterology</i> , 2011, 11, 141.	0.8	14
57	An evaluation of the performance of a novel stick-type kit for rapid detection of <i>Helicobacter pylori</i> antibodies in urine. <i>Clinical Laboratory</i> , 2011, 57, 481-7.	0.2	11
58	Systematic review and meta-analysis: the relationship between the <i>Helicobacter pylori</i> dupA gene and clinical outcomes. <i>Gut Pathogens</i> , 2010, 2, 13.	1.6	69
59	Relationship between J-Western CagA Subtype and the <i>vacA</i> m2 Region of <i>Helicobacter pylori</i> . <i>Journal of Clinical Microbiology</i> , 2010, 48, 3033-3034.	1.8	10
60	Serum <i>Helicobacter pylori</i> CagA antibody as a biomarker for gastric cancer in east-Asian countries. <i>Future Microbiology</i> , 2010, 5, 1885-1893.	1.0	53
61	Population-based strategies for <i>Helicobacter pylori</i> -associated disease management: a Japanese perspective. <i>Expert Review of Gastroenterology and Hepatology</i> , 2010, 4, 149-156.	1.4	40
62	Management of <i>Helicobacter pylori</i> . <i>F1000 Medicine Reports</i> , 2010, 2, .	2.9	5
63	Development and evaluation of a rapid neutralizing antibody test for rabies. <i>Journal of Virological Methods</i> , 2009, 161, 58-62.	1.0	27
64	Evaluation of <i>Helicobacter pylori</i> status and endoscopic findings among new outpatients with dyspepsia in Japan. <i>Journal of Gastroenterology</i> , 2009, 44, 930-934.	2.3	13
65	Evaluation of a New Tumor Necrosis Factor-Inducing Membrane Protein of <i>Helicobacter pylori</i> as a Prophylactic Vaccine Antigen. <i>Helicobacter</i> , 2009, 14, 487-495.	1.6	12
66	A simple and rapid immunochromatographic test kit for rabies diagnosis. <i>Microbiology and Immunology</i> , 2008, 52, 243-249.	0.7	47
67	A pilot study on intradermal vaccination of Japanese rabies vaccine for pre-exposure immunization. <i>Vaccine</i> , 2008, 26, 6441-6444.	1.7	12