Lucia Inglada-Pérez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2305521/publications.pdf

Version: 2024-02-01

54 papers

3,360 citations

29 h-index 214800 47 g-index

55 all docs 55
docs citations

55 times ranked 5420 citing authors

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Profile of creative women: a comprehensive quantitative approach for Spain. European Planning Studies, 2021, 29, 1798-1818. | 2.9 | O |
| 2 | A Chaos Analysis of the Dry Bulk Shipping Market. Mathematics, 2021, 9, 2065. | 2.2 | 4 |
| 3 | Testing for nonlinearity and chaos in liquid bulk shipping. Transportation Research Procedia, 2020, 48, 1605-1614. | 1.5 | 3 |
| 4 | Integrative multi-omics analysis identifies a prognostic miRNA signature and a targetable miR-21-3p/TSC2/mTOR axis in metastatic pheochromocytoma/paraganglioma. Theranostics, 2019, 9, 4946-4958. | 10.0 | 54 |
| 5 | Clinical and Molecular Comparative Study of Colorectal Cancer Based on Age-of-onset and Tumor Location: Two Main Criteria for Subclassifying Colorectal Cancer. International Journal of Molecular Sciences, 2019, 20, 968. | 4.1 | 27 |
| 6 | Concomitant Medications and Risk of Chemotherapy-Induced Peripheral Neuropathy. Oncologist, 2019, 24, e784-e792. | 3.7 | 20 |
| 7 | Modelización del transporte marÃtimo de contenedores. Estudios De Economia Aplicada (discontinued), 2018, 36, 675-690. | 0.5 | 0 |
| 8 | PheoSeq. Journal of Molecular Diagnostics, 2017, 19, 575-588. | 2.8 | 63 |
| 9 | Targeted Sequencing Reveals Low-Frequency Variants in <i>EPHA</i> Genes as Markers of Paclitaxel-Induced Peripheral Neuropathy. Clinical Cancer Research, 2017, 23, 1227-1235. | 7.0 | 16 |
| 10 | Multilayer OMIC Data in Medullary Thyroid Carcinoma Identifies the STAT3 Pathway as a Potential Therapeutic Target in <i>RET</i> M918T Tumors. Clinical Cancer Research, 2017, 23, 1334-1345. | 7.0 | 34 |
| 11 | Polymorphisms associated with everolimus pharmacokinetics, toxicity and survival in metastatic breast cancer. PLoS ONE, 2017, 12, e0180192. | 2.5 | 27 |
| 12 | Genetic variation in the <i>NEIL2</i> DNA glycosylase gene is associated with oxidative DNA damage in <i>BRCA2</i> mutation carriers. Oncotarget, 2017, 8, 114626-114636. | 1.8 | 19 |
| 13 | The "effect procargo―on technical and scale efficiency at airports: The case of Spanish airports (2009–2011). Utilities Policy, 2016, 39, 29-35. | 4.0 | 16 |
| 14 | DNA copy number profiling reveals different patterns of chromosomal instability within colorectal cancer according to the age of onset. Molecular Carcinogenesis, 2016, 55, 705-716. | 2.7 | 30 |
| 15 | Molecular insights into the <i>OGG1</i> gene, a cancer risk modifier in <i>BRCA1</i> and <i>BRCA2</i> mutations carriers. Oncotarget, 2016, 7, 25815-25825. | 1.8 | 16 |
| 16 | Thyroid cancer <scp>GWAS</scp> identifies 10q26.12 and 6q14.1 as novel susceptibility loci and reveals genetic heterogeneity among populations. International Journal of Cancer, 2015, 137, 1870-1878. | 5.1 | 44 |
| 17 | Evaluación de la no linealidad y del comportamiento caótico en el transporte marÃŧimo. Revista De Evaluación De Programas Y PolÃŧicas Públicas, 2015, 1, 36. | 0.0 | 0 |
| 18 | Tumor MicroRNA Expression Profiling Identifies Circulating MicroRNAs for Early Breast Cancer Detection. Clinical Chemistry, 2015, 61, 1098-1106. | 3.2 | 183 |

| # | Article | IF | Citations |
|----|--|--------------|-----------|
| 19 | Impact of chemotherapy on telomere length in sporadic and familial breast cancer patients. Breast Cancer Research and Treatment, 2015, 149, 385-394. | 2.5 | 27 |
| 20 | MicroRNA deep-sequencing reveals master regulators of follicular and papillary thyroid tumors. Modern Pathology, 2015, 28, 748-757. | 5 . 5 | 52 |
| 21 | Whole-Exome Sequencing Identifies MDH2 as a New Familial Paraganglioma Gene. Journal of the National Cancer Institute, 2015, 107, . | 6. 3 | 143 |
| 22 | Functional and in silico assessment of MAX variants of unknown significance. Journal of Molecular Medicine, 2015, 93, 1247-1255. | 3.9 | 25 |
| 23 | DNA Methylation Profiling in Pheochromocytoma and Paraganglioma Reveals Diagnostic and Prognostic Markers. Clinical Cancer Research, 2015, 21, 3020-3030. | 7.0 | 53 |
| 24 | Recommendations for somatic and germline genetic testing of single pheochromocytoma and paraganglioma based on findings from a series of 329 patients. Journal of Medical Genetics, 2015, 52, 647-656. | 3.2 | 102 |
| 25 | High frequency and founder effect of the CYP3A4*20 loss-of-function allele in the Spanish population classifies CYP3A4 as a polymorphic enzyme. Pharmacogenomics Journal, 2015, 15, 288-292. | 2.0 | 48 |
| 26 | DNA methylation profiling of well-differentiated thyroid cancer uncovers markers of recurrence free survival. International Journal of Cancer, 2014, 135, 598-610. | 5.1 | 66 |
| 27 | VEGF, VEGFR3, and PDGFRB Protein Expression Is Influenced by <i>RAS</i> Mutations in Medullary Thyroid Carcinoma. Thyroid, 2014, 24, 1251-1255. | 4.5 | 18 |
| 28 | Differential Gene Expression of Medullary Thyroid Carcinoma Reveals Specific Markers Associated with Genetic Conditions. American Journal of Pathology, 2013, 182, 350-362. | 3.8 | 35 |
| 29 | Short telomeres are frequent in hereditary breast tumors and are associated with high tumor grade. Breast Cancer Research and Treatment, 2013, 141, 231-242. | 2.5 | 23 |
| 30 | Tumoral EPAS1 (HIF2A) mutations explain sporadic pheochromocytoma and paraganglioma in the absence of erythrocytosis. Human Molecular Genetics, 2013, 22, 2169-2176. | 2.9 | 142 |
| 31 | Genetics of pheochromocytoma and paraganglioma in Spanish pediatric patients. Endocrine-Related Cancer, 2013, 20, L1-L6. | 3.1 | 44 |
| 32 | Integrative analysis of miRNA and mRNA expression profiles in pheochromocytoma and paraganglioma identifies genotype-specific markers and potentially regulated pathways. Endocrine-Related Cancer, 2013, 20, 477-493. | 3.1 | 52 |
| 33 | Genome-wide association study identifies ephrin type A receptors implicated in paclitaxel induced peripheral sensory neuropathy. Journal of Medical Genetics, 2013, 50, 599-605. | 3.2 | 67 |
| 34 | SIRT1 promotes thyroid carcinogenesis driven by PTEN deficiency. Oncogene, 2013, 32, 4052-4056. | 5.9 | 70 |
| 35 | Influence of RET mutations on the expression of tyrosine kinases in medullary thyroid carcinoma. Endocrine-Related Cancer, 2013, 20, 611-619. | 3.1 | 17 |
| 36 | THE APPLICATION OF INNOVATIVE TEACHING TECHNIQUES AS A GOOD POLICY TO REDUCE THE ATTRITION RATE AT UNIVERSITY. Revista De Evaluación De Programas Y PolÃŧicas Públicas, 2013, . | 0.0 | 0 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | An Epistatic Interaction between the PAX8 and STK17B Genes in Papillary Thyroid Cancer Susceptibility. PLoS ONE, 2013, 8, e74765. | 2.5 | 9 |
| 38 | Shorter telomere length is associated with increased ovarian cancer risk in both familial and sporadic cases. Journal of Medical Genetics, 2012, 49, 341-344. | 3.2 | 41 |
| 39 | <i>MAX</i> Mutations Cause Hereditary and Sporadic Pheochromocytoma and Paraganglioma. Clinical Cancer Research, 2012, 18, 2828-2837. | 7.0 | 277 |
| 40 | Regulatory Polymorphisms in \hat{I}^2 -Tubulin IIa Are Associated with Paclitaxel-Induced Peripheral Neuropathy. Clinical Cancer Research, 2012, 18, 4441-4448. | 7.0 | 61 |
| 41 | Hematologic \hat{I}^2 -Tubulin VI Isoform Exhibits Genetic Variability That Influences Paclitaxel Toxicity. Cancer Research, 2012, 72, 4744-4752. | 0.9 | 26 |
| 42 | Genetic variation in the <i>SLC19A1</i> gene and methotrexate toxicity in rheumatoid arthritis patients. Pharmacogenomics, 2012, 13, 1583-1594. | 1.3 | 27 |
| 43 | Exome sequencing identifies MAX mutations as a cause of hereditary pheochromocytoma. Nature Genetics, 2011, 43, 663-667. | 21.4 | 478 |
| 44 | Genetic Anticipation Is Associated with Telomere Shortening in Hereditary Breast Cancer. PLoS Genetics, 2011, 7, e1002182. | 3.5 | 76 |
| 45 | Research Resource: Transcriptional Profiling Reveals Different Pseudohypoxic Signatures in SDHB and VHL-Related Pheochromocytomas. Molecular Endocrinology, 2010, 24, 2382-2391. | 3.7 | 179 |
| 46 | Overexpression and activation of EGFR and VEGFR2 in medullary thyroid carcinomas is related to metastasis. Endocrine-Related Cancer, 2010, 17, 7-16. | 3.1 | 108 |
| 47 | Allelic variant at $\hat{a}^{\prime\prime}$ 79 (C>T) in CDKN1B (p27Kip1) confers an increased risk of thyroid cancer and alters mRNA levels. Endocrine-Related Cancer, 2010, 17, 317-328. | 3.1 | 35 |
| 48 | Determinants of the Demand of International Maritime Transport. Contributions To Economics, 2010, , 61-71. | 0.3 | 0 |
| 49 | The Demand for Maritime Transport: A Nonlinearity and Chaos Study. Contributions To Economics, 2010, , 73-92. | 0.3 | 0 |
| 50 | The miR-200 family controls Â-tubulin III expression and is associated with paclitaxel-based treatment response and progression-free survival in ovarian cancer patients. Endocrine-Related Cancer, 2010, 18, 85-95. | 3.1 | 188 |
| 51 | Spectrum and Prevalence of <i>FP/TMEM127</i> Gene Mutations in Pheochromocytomas and Paragangliomas. JAMA - Journal of the American Medical Association, 2010, 304, 2611. | 7.4 | 174 |
| 52 | The Conditioned Demands of "General Merchandiseâ€, "Dry Bulk―and "Liquid Bulk―Sea Transport. Contributions To Economics, 2010, , 45-60. | 0.3 | 0 |
| 53 | Cycles in the Ship Building Industry: An Empirical Evidence. Contributions To Economics, 2010, , 143-147. | 0.3 | 0 |
| 54 | The Variant rs1867277 in FOXE1 Gene Confers Thyroid Cancer Susceptibility through the Recruitment of USF1/USF2 Transcription Factors. PLoS Genetics, 2009, 5, e1000637. | 3.5 | 140 |