

Taha E Taha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2305545/publications.pdf>

Version: 2024-02-01

169
papers

16,187
citations

41344

49
h-index

16183

124
g-index

171
all docs

171
docs citations

171
times ranked

12455
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevention of HIV-1 Infection with Early Antiretroviral Therapy. <i>New England Journal of Medicine</i> , 2011, 365, 493-505.	27.0	6,046
2	Antiretroviral Therapy for the Prevention of HIV-1 Transmission. <i>New England Journal of Medicine</i> , 2016, 375, 830-839.	27.0	1,282
3	Use of a Vaginal Ring Containing Dapivirine for HIV-1 Prevention in Women. <i>New England Journal of Medicine</i> , 2016, 375, 2121-2132.	27.0	624
4	Bacterial vaginosis and disturbances of vaginal flora. <i>Aids</i> , 1998, 12, 1699-1706.	2.2	570
5	Effects of early versus delayed initiation of antiretroviral treatment on clinical outcomes of HIV-1 infection: results from the phase 3 HPTN 052 randomised controlled trial. <i>Lancet Infectious Diseases</i> , The, 2014, 14, 281-290.	9.1	423
6	Extended Antiretroviral Prophylaxis to Reduce Breast-Milk HIV-1 Transmission. <i>New England Journal of Medicine</i> , 2008, 359, 119-129.	27.0	351
7	HIV Transmission Through Breastfeeding. <i>JAMA - Journal of the American Medical Association</i> , 1999, 282, 744.	7.4	304
8	Benefits and Risks of Antiretroviral Therapy for Perinatal HIV Prevention. <i>New England Journal of Medicine</i> , 2016, 375, 1726-1737.	27.0	268
9	The effect of <i>Plasmodium falciparum</i> malaria on HIV-1 RNA blood plasma concentration. <i>Aids</i> , 1999, 13, 487-494.	2.2	227
10	Short postexposure prophylaxis in newborn babies to reduce mother-to-child transmission of HIV-1: NVAZ randomised clinical trial. <i>Lancet</i> , The, 2003, 362, 1171-1177.	13.7	215
11	Safety and effectiveness of BufferGel and 0.5% PRO2000 gel for the prevention of HIV infection in women. <i>Aids</i> , 2011, 25, 957-966.	2.2	215
12	Perinatal intervention trial in Africa: effect of a birth canal cleansing intervention to prevent HIV transmission. <i>Lancet</i> , The, 1996, 347, 1647-1650.	13.7	214
13	Hierarchical Targeting of Subtype C Human Immunodeficiency Virus Type 1 Proteins by CD8 + T Cells: Correlation with Viral Load. <i>Journal of Virology</i> , 2004, 78, 3233-3243.	3.4	202
14	Nevirapine (NVP) Resistance in Women with HIV-1 Subtype C, Compared with Subtypes A and D, after the Administration of Single-Dose NVP. <i>Journal of Infectious Diseases</i> , 2005, 192, 30-36.	4.0	193
15	Trends of HIV-1 and sexually transmitted diseases among pregnant and postpartum women in urban Malawi. <i>Aids</i> , 1998, 12, 197-203.	2.2	181
16	Nevirapine and Zidovudine at Birth to Reduce Perinatal Transmission of HIV in an African Setting. <i>JAMA - Journal of the American Medical Association</i> , 2004, 292, 202.	7.4	164
17	Effect of cleansing the birth canal with antiseptic solution on maternal and newborn morbidity and mortality in malawi: clinical trial. <i>BMJ: British Medical Journal</i> , 1997, 315, 216-220.	2.3	134
18	Antenatal Vitamin A Supplementation Increases Birth Weight and Decreases Anemia among Infants Born to Human Immunodeficiency Virus-Infected Women in Malawi. <i>Clinical Infectious Diseases</i> , 2002, 35, 618-624.	5.8	126

#	ARTICLE	IF	CITATIONS
19	High Incidence of Unplanned Pregnancy after Antiretroviral Therapy Initiation: Findings from a Prospective Cohort Study in South Africa. <i>PLoS ONE</i> , 2012, 7, e36039.	2.5	123
20	HIV Infection and Disturbances of Vaginal Flora During Pregnancy. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1999, 20, 52-59.	0.3	119
21	Prevention of HIV-1 Transmission Through Breastfeeding: Efficacy and Safety of Maternal Antiretroviral Therapy Versus Infant Nevirapine Prophylaxis for Duration of Breastfeeding in HIV-1-Infected Women With High CD4 Cell Count (IMPAACT PROMISE): A Randomized, Open-Label, Clinical Trial. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2018, 77, 383-392.	2.1	115
22	The Effect of Human Immunodeficiency Virus Infection on Birthweight, and Infant and Child Mortality in Urban Malawi. <i>International Journal of Epidemiology</i> , 1995, 24, 1022-1029.	1.9	114
23	Frequency of Gastroenteritis and Gastroenteritis-Associated Mortality With Early Weaning in HIV-1-Uninfected Children Born to HIV-Infected Women in Malawi. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2010, 53, 6-13.	2.1	106
24	Use of Antiretroviral Drugs to Prevent HIV-1 Transmission Through Breast-feeding: From Animal Studies to Randomized Clinical Trials. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2004, 35, 178-187.	2.1	93
25	Micronutrient malnutrition and wasting in adults with pulmonary tuberculosis with and without HIV co-infection in Malawi. <i>BMC Infectious Diseases</i> , 2004, 4, 61.	2.9	92
26	Resistance after single-dose nevirapine prophylaxis emerges in a high proportion of Malawian newborns. <i>Aids</i> , 2005, 19, 2167-2169.	2.2	90
27	Morbidity and Mortality Among a Cohort of Human Immunodeficiency Virus Type 1-Infected and Uninfected Pregnant Women and Their Infants From Malawi, Zambia, and Tanzania. <i>Pediatric Infectious Disease Journal</i> , 2008, 27, 808-814.	2.0	88
28	High Pregnancy Intentions and Missed Opportunities for Patientâ€“Provider Communication About Fertility in a South African Cohort of HIV-Positive Women on Antiretroviral Therapy. <i>AIDS and Behavior</i> , 2012, 16, 69-78.	2.7	86
29	Quantitative Analysis of HIV-1 Variants With the K103N Resistance Mutation After Single-Dose Nevirapine in Women With HIV-1 Subtypes A, C, and D. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2006, 42, 610-613.	2.1	82
30	The HPTN 024 Study: The efficacy of antibiotics to prevent chorioamnionitis and preterm birth. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 194, 650-661.	1.3	81
31	The impact of breastfeeding on the health of HIV-positive mothers and their children in sub-Saharan Africa. <i>Bulletin of the World Health Organization</i> , 2006, 84, 546-554.	3.3	78
32	Bacterial Vaginosis and the Risk of <i>Trichomonas vaginalis</i> Acquisition Among HIV-1â€“Negative Women. <i>Sexually Transmitted Diseases</i> , 2014, 41, 123-128.	1.7	75
33	Fertility Intentions of HIV-1 Infected and Uninfected Women in Malawi: A Longitudinal Study. <i>AIDS and Behavior</i> , 2009, 13, 20-27.	2.7	73
34	Safety, uptake, and use of a dapivirine vaginal ring for HIV-1 prevention in African women (HOPE): an open-label, extension study. <i>Lancet HIV</i> , 2021, 8, e87-e95.	4.7	70
35	Late Postnatal Transmission of HIVâ€“1 and Associated Factors. <i>Journal of Infectious Diseases</i> , 2007, 196, 10-14.	4.0	68
36	The effect of vaginal douching cessation on bacterial vaginosis: a pilot study. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 628.e1-628.e7.	1.3	68

#	ARTICLE	IF	CITATIONS
37	A phase III clinical trial of antibiotics to reduce chorioamnionitis-related perinatal HIV-1 transmission. <i>Aids</i> , 2006, 20, 1313-1321.	2.2	67
38	Phase 1 Trial of the Topical Microbicide BufferGel: Safety Results From Four International Sites. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2001, 26, 21-27.	2.1	65
39	Prevalence and Correlates of Chlamydia trachomatis, Neisseria gonorrhoeae, Trichomonas vaginalis infections, and Bacterial Vaginosis Among a Cohort of Young Injection Drug Users in Baltimore, Maryland. <i>Sexually Transmitted Diseases</i> , 2005, 32, 446-453.	1.7	63
40	Phase 1 Trial of the Topical Microbicide BufferGel: Safety Results From Four International Sites. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2001, 26, 21-27.	2.1	62
41	Blood Collection on Filter Paper. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1997, 14, 368-373.	0.3	62
42	Mortality after the first year of life among human immunodeficiency virus type 1-infected and uninfected children. <i>Pediatric Infectious Disease Journal</i> , 1999, 18, 689-694.	2.0	61
43	Pharmacokinetics and Safety of Tenofovir in HIV-Infected Women During Labor and Their Infants During the First Week of Life. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2014, 65, 33-41.	2.1	60
44	Gender Differences in Perinatal HIV Acquisition Among African Infants. <i>Pediatrics</i> , 2005, 115, e167-e172.	2.1	58
45	Postnatal HIV-1 Transmission after Cessation of Infant Extended Antiretroviral Prophylaxis and Effect of Maternal Highly Active Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2009, 200, 1490-1497.	4.0	55
46	Impact of vitamin A supplementation on anaemia and plasma erythropoietin concentrations in pregnant women: a controlled clinical trial. <i>European Journal of Haematology</i> , 2001, 66, 389-395.	2.2	52
47	HIV-1 Prevalence and Herpes Simplex Virus 2, Hepatitis C Virus, and Hepatitis B Virus Infections Among Male Workers at a Sugar Estate in Malawi. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2002, 31, 90-97.	2.1	52
48	Sensitivity of the ViroSeq HIV-1 Genotyping System for Detection of the K103N Resistance Mutation in HIV-1 Subtypes A, C, and D. <i>Journal of Molecular Diagnostics</i> , 2006, 8, 430-432.	2.8	52
49	Nutritional indicators of adverse pregnancy outcomes and mother-to-child transmission of HIV among HIV-infected women. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1639-1649.	4.7	51
50	Effects of Cessation of Breastfeeding in HIV-1-Exposed, Uninfected Children in Malawi. <i>Clinical Infectious Diseases</i> , 2011, 53, 388-395.	5.8	50
51	Malaria and Low Birth Weight in Central Sudan. <i>American Journal of Epidemiology</i> , 1993, 138, 318-325.	3.4	49
52	Novel and Promiscuous CTL Epitopes in Conserved Regions of Gag Targeted by Individuals with Early Subtype C HIV Type 1 Infection from Southern Africa. <i>Journal of Immunology</i> , 2004, 173, 4607-4617.	0.8	49
53	Genital tract infections among HIV-infected pregnant women in Malawi, Tanzania and Zambia. <i>International Journal of STD and AIDS</i> , 2008, 19, 824-832.	1.1	48
54	Genital Tract Infections and Perinatal Transmission of HIV. <i>Annals of the New York Academy of Sciences</i> , 2000, 918, 84-98.	3.8	47

#	ARTICLE	IF	CITATIONS
55	Initiation of Antiretroviral Treatment in Women After Delivery Can Induce Multiclass Drug Resistance in Breastfeeding HIV-Infected Infants. <i>Clinical Infectious Diseases</i> , 2011, 52, 1069-1076.	5.8	47
56	Development of Nevirapine Resistance in Infants Is Reduced by Use of Infant-Only Single-Dose Nevirapine plus Zidovudine Postexposure Prophylaxis for the Prevention of Mother-to-Child Transmission of HIV-1. <i>Journal of Infectious Diseases</i> , 2006, 193, 479-481.	4.0	46
57	Predictors and impact of losses to follow-up in an HIV-1 perinatal transmission cohort in Malawi. <i>International Journal of Epidemiology</i> , 1999, 28, 769-775.	1.9	43
58	Predictors of Stillbirth in Sub-Saharan Africa. <i>Obstetrics and Gynecology</i> , 2007, 110, 989-997.	2.4	42
59	Neurodevelopmental effects of ante-partum and post-partum antiretroviral exposure in HIV-exposed and uninfected children versus HIV-unexposed and uninfected children in Uganda and Malawi: a prospective cohort study. <i>Lancet HIV</i> , 2019, 6, e518-e530.	4.7	42
60	HIV, maternal death and child survival in Africa. <i>Aids</i> , 1996, 10, 111.	2.2	38
61	Virus Levels in Untreated African Infants Infected with Human Immunodeficiency Virus Type 1. <i>Journal of Infectious Diseases</i> , 1999, 180, 1838-1843.	4.0	38
62	Association of HIV-1 load and CD4 lymphocyte count with mortality among untreated African children over one year of age. <i>Aids</i> , 2000, 14, 453-459.	2.2	38
63	Mastitis and Immunological Factors in Breast Milk of Human Immunodeficiency Virus-infected Women. <i>Journal of Human Lactation</i> , 1999, 15, 301-306.	1.6	37
64	Postexposure Prophylaxis of Breastfeeding HIV-Exposed Infants With Antiretroviral Drugs to Age 14 Weeks: Updated Efficacy Results of the PEPi-Malawi Trial. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2011, 57, 319-325.	2.1	36
65	Effect of HIV-1 antiretroviral prophylaxis on hepatic and hematological parameters of African infants. <i>Aids</i> , 2002, 16, 851-858.	2.2	34
66	Natural History and Risk Factors Associated with Early and Established HIV Type 1 Infection among Reproductive-Age Women in Malawi. <i>Clinical Infectious Diseases</i> , 2008, 46, 1913-1920.	5.8	34
67	Development of Methods for Cross-Sectional HIV Incidence Estimation in a Large, Community Randomized Trial. <i>PLoS ONE</i> , 2013, 8, e78818.	2.5	33
68	Plasma and Breast Milk Vitamin A as Indicators of Vitamin A Status in Pregnant Women. <i>International Journal for Vitamin and Nutrition Research</i> , 2000, 70, 271-277.	1.5	32
69	Iron Status and Indicators of Human Immunodeficiency Virus Disease Severity among Pregnant Women in Malawi. <i>Clinical Infectious Diseases</i> , 2001, 32, 1496-1499.	5.8	31
70	Epidemiology and microbiology of subclinical mastitis among HIV-infected women in Malawi. <i>International Journal of STD and AIDS</i> , 2005, 16, 227-232.	1.1	31
71	HIV Incidence Among Women of Reproductive Age in Malawi and Zimbabwe. <i>Sexually Transmitted Diseases</i> , 2006, 33, 646-651.	1.7	31
72	Breast Milk Retinol Concentrations Are Not Associated with Systemic Inflammation among Breast-Feeding Women in Malawi. <i>Journal of Nutrition</i> , 2005, 135, 223-226.	2.9	29

#	ARTICLE	IF	CITATIONS
73	HPTN 024 study: Histologic chorioamnionitis, antibiotics and adverse infant outcomes in a predominantly HIV-1 infected African population. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 1065-1074.	1.3	29
74	Assessment of iron status using plasma transferrin receptor in pregnant women with and without human immunodeficiency virus infection in Malawi. <i>European Journal of Clinical Nutrition</i> , 2000, 54, 872-877.	2.9	28
75	Decreased growth among antiretroviral drug and HIV-exposed uninfected versus unexposed children in Malawi and Uganda. <i>Aids</i> , 2020, 34, 215-225.	2.2	28
76	Intermittent Intravaginal Antibiotic Treatment of Bacterial Vaginosis in HIV-Uninfected and -Infected Women: A Randomized Clinical Trial. <i>PLOS Clinical Trials</i> , 2007, 2, e10.	3.5	27
77	Predictors of unstructured antiretroviral treatment interruption and resumption among HIV-positive individuals in Canada. <i>HIV Medicine</i> , 2015, 16, 76-87.	2.2	27
78	Nonoxynol-9 100 mg gel. <i>Aids</i> , 2004, 18, 2191-2195.	2.2	26
79	Higher In Utero and Perinatal HIV Infection Risk in Girls Than Boys. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2006, 41, 509-513.	2.1	26
80	Hiv-1 Incidence among Women of Reproductive Age in Malawi. <i>International Journal of STD and AIDS</i> , 2008, 19, 339-341.	1.1	26
81	Changes in HIV-1 Subtypes B and C Genital Tract RNA in Women and Men After Initiation of Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2013, 57, 290-297.	5.8	25
82	Short Communication: Viral Dynamics and CD4+ T Cell Counts in Subtype C Human Immunodeficiency Virus Type 1-Infected Individuals from Southern Africa. <i>AIDS Research and Human Retroviruses</i> , 2005, 21, 285-291.	1.1	24
83	Mother-to-child transmission of HIV-1 in sub-Saharan Africa: Past, present and future challenges. <i>Life Sciences</i> , 2011, 88, 917-921.	4.3	24
84	Association of recent HIV infection and in-utero HIV-1 transmission. <i>Aids</i> , 2011, 25, 1357-1364.	2.2	23
85	Pregnancy Outcomes in the Era of Universal Antiretroviral Treatment in Sub-Saharan Africa (POISE) Tj ETQq1 1 0.784314 rgBTJ /Overl 2.1 23	2.1	23
86	Herpes simplex virus 2 and syphilis among young drug users in Baltimore, Maryland. <i>Sexually Transmitted Infections</i> , 2005, 81, 248-253.	1.9	22
87	Effect of prenatal and perinatal antibiotics on maternal health in Malawi, Tanzania, and Zambia. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 107, 202-207.	2.3	22
88	Association of Maternal Viral Load and CD4 Count With Perinatal HIV-1 Transmission Risk During Breastfeeding in the PROMISE Postpartum Component. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2021, 88, 206-213.	2.1	22
89	Mucosal Escherichia coli Bactericidal Activity and Immune Mediators Are Associated With HIV-1 Seroconversion in Women Participating in the HPTN 035 Trial. <i>Journal of Infectious Diseases</i> , 2012, 206, 1931-1935.	4.0	21
90	Use of a Vaginal Ring Containing Dapivirine for HIV-1 Prevention in Women. <i>Obstetrical and Gynecological Survey</i> , 2016, 71, 466-468.	0.4	21

#	ARTICLE	IF	CITATIONS
91	Haematological changes in African children who received short-term prophylaxis with nevirapine and zidovudine at birth. <i>Annals of Tropical Paediatrics</i> , 2004, 24, 301-309.	1.0	19
92	Comparison of HIV-1 Mother-to-Child Transmission After Single-Dose Nevirapine Prophylaxis Among African Women With Subtypes A, C, and D. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006, 42, 518-521.	2.1	19
93	Addition of extended zidovudine to extended nevirapine prophylaxis reduces nevirapine resistance in infants who were HIV-infected in utero. <i>Aids</i> , 2010, 24, 381-386.	2.2	19
94	Pooled Individual Data Analysis of 5 Randomized Trials of Infant Nevirapine Prophylaxis to Prevent Breast-Milk HIV-1 Transmission. <i>Clinical Infectious Diseases</i> , 2013, 56, 131-139.	5.8	19
95	Risk Factors for Adverse Birth Outcomes in the PROMISE 1077BF/1077FF Trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 81, 521-532.	2.1	19
96	Viral levels in newborn African infants undergoing primary HIV-1 infection. <i>Aids</i> , 2001, 15, 1311-1313.	2.2	19
97	HIV Seroreversion Time in HIV-1-Uninfected Children Born to HIV-1-Infected Mothers in Malawi. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007, 46, 332-337.	2.1	18
98	Analysis of nevirapine resistance in HIV-infected infants who received extended nevirapine or nevirapine/zidovudine prophylaxis. <i>Aids</i> , 2011, 25, 911-917.	2.2	18
99	Malaria and Perinatal Mortality in Central Sudan. <i>American Journal of Epidemiology</i> , 1993, 138, 563-568.	3.4	17
100	Association between the Replication Capacity and Mother-to-Child Transmission of HIV-1, in Antiretroviral Drug-Naïve Malawian Women. <i>Journal of Infectious Diseases</i> , 2006, 193, 1512-1515.	4.0	17
101	The role of men in women's acceptance of an intravaginal gel in a randomized clinical trial in Blantyre, Malawi: a qualitative and quantitative analysis. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2008, 20, 853-862.	1.2	17
102	Risk Factors for Late Postnatal Transmission of Human Immunodeficiency Virus Type 1 in Sub-Saharan Africa. <i>Pediatric Infectious Disease Journal</i> , 2008, 27, 251-256.	2.0	17
103	Vitamin D levels in Malawian infants from birth to 24 months. <i>Archives of Disease in Childhood</i> , 2013, 98, 180-183.	1.9	17
104	Seroprevalence for Hepatitis E and Other Viral Hepatitides among Diverse Populations, Malawi. <i>Emerging Infectious Diseases</i> , 2015, 21, 1174-1182.	4.3	17
105	The Effect of Human Immunodeficiency Virus and Breastfeeding on the Nutritional Status of African Children. <i>Pediatric Infectious Disease Journal</i> , 2010, 29, 514-518.	2.0	17
106	Effect of SARS-CoV-2 Infection in Pregnancy on Maternal and Neonatal Outcomes in Africa: An AFREhealth Call for Evidence through Multicountry Research Collaboration. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020, , .	1.4	17
107	Comparison of LigAmp and an ASPCR Assay for Detection and Quantification of K103N-Containing HIV Variants. <i>AIDS Research and Human Retroviruses</i> , 2008, 24, 595-605.	1.1	16
108	COVID-19 Clinical Profiles and Fatality Rates in Hospitalized Patients Reveal Case Aggravation and Selective Co-Infection by Limited Gram-Negative Bacteria. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5270.	2.6	16

#	ARTICLE	IF	CITATIONS
109	Does umbilical cord blood polymerase chain reaction positivity indicate in utero (pre-labor) HIV infection?. <i>Aids</i> , 1997, 11, 1375-1382.	2.2	15
110	Determinants of neonatal mortality in central Sudan. <i>Annals of Tropical Paediatrics</i> , 1993, 13, 359-364.	1.0	14
111	HIV-1 Incidence Among Male Workers at a Sugar Estate in Rural Malawi. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2001, 27, 202-208.	2.1	14
112	Effect of Antibiotic Treatment of Subclinical Mastitis on Human Immunodeficiency Virus Type 1 RNA in Human Milk. <i>Journal of Tropical Pediatrics</i> , 2006, 52, 311-315.	1.5	14
113	A Multi-Point Surveillance for Antimicrobial Resistance Profiles among Clinical Isolates of Gram-Negative Bacteria Recovered from Major Hospitals, Saudi Arabia. <i>Microorganisms</i> , 2021, 9, 2024.	3.6	14
114	Short Communication:HIV Type 1 Variants with Nevirapine Resistance Mutations Are Rarely Detected in Antiretroviral Drug-Naive African Women with Subtypes A, C, and D. <i>AIDS Research and Human Retroviruses</i> , 2007, 23, 764-768.	1.1	13
115	The role of transplacental microtransfusions of maternal lymphocytes in HIV transmission to newborns. <i>Aids</i> , 2008, 22, 2251-2256.	2.2	13
116	Considerations in Using US-Based Laboratory Toxicity Tables to Evaluate Laboratory Toxicities Among Healthy Malawian and Ugandan Infants. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 55, 58-64.	2.1	13
117	Comparison of dried blood spot and plasma sampling for untargeted metabolomics. <i>Metabolomics</i> , 2021, 17, 62.	3.0	13
118	Three Surveys of HIV-1 Prevalence and Risk Factors Among Men Working at a Sugar Estate in Malawi. <i>Sexually Transmitted Diseases</i> , 2002, 29, 366-371.	1.7	12
119	Resumption of sexual activity and regular menses after childbirth among women infected with HIV in Malawi. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 108, 26-30.	2.3	12
120	The multi-country PROMOTE HIV antiretroviral treatment observational cohort in Sub-Saharan Africa: Objectives, design, and baseline findings. <i>PLoS ONE</i> , 2018, 13, e0208805.	2.5	12
121	Human Immunodeficiency Virus Type 1 Infection in Twin Pairs Infected at Birth. <i>Journal of Infectious Diseases</i> , 2002, 186, 281-285.	4.0	11
122	Timing of maternal and neonatal dosing of nevirapine and the risk of mother-to-child transmission of HIV-1: HIVNET 024*. <i>Aids</i> , 2005, 19, 1857-1864.	2.2	11
123	Child Mortality Levels and Trends by HIV Status in Blantyre, Malawi. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 61, 226-234.	2.1	11
124	Factors associated with unsuppressed viremia in women living with HIV on lifelong ART in the multi-country US-PEPFAR PROMOTE study: A cross-sectional analysis. <i>PLoS ONE</i> , 2019, 14, e0219415.	2.5	11
125	Intrapartum Antibiotic Exposure and Early Neonatal, Morbidity, and Mortality in Africa. <i>Pediatrics</i> , 2009, 124, e137-e144.	2.1	10
126	Population Attributable Fractions for Late Postnatal Mother-to-Child Transmission of HIV-1 in Sub-Saharan Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 54, 311-316.	2.1	10

#	ARTICLE	IF	CITATIONS
127	Trends in Birth Weight and Gestational Age for Infants Born to HIV-infected, Antiretroviral Treatment-naïve Women in Malawi. <i>Pediatric Infectious Disease Journal</i> , 2012, 31, 481-486.	2.0	10
128	Placental malaria and mother-to-child transmission of human immunodeficiency virus-1. <i>American Journal of Tropical Medicine and Hygiene</i> , 2009, 80, 508-15.	1.4	10
129	Maternal to Infant Transmission of HIV-1. <i>New England Journal of Medicine</i> , 1995, 332, 890-891.	27.0	9
130	HIV-1 Incidence Among Male Workers at a Sugar Estate in Rural Malawi. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2001, 27, 202-208.	2.1	9
131	Nevirapine Resistance in Human Immunodeficiency Virus Type 1-Positive Infants Determined Using Dried Blood Spots Stored for Up to Six Years at Room Temperature. <i>Journal of Clinical Microbiology</i> , 2009, 47, 1209-1211.	3.9	9
132	Time to viral rebound and safety after antiretroviral treatment interruption in postpartum women compared with men. <i>Aids</i> , 2019, 33, 2149-2156.	2.2	9
133	Growth deficits in antiretroviral and HIV-exposed uninfected versus unexposed children in Malawi and Uganda persist through 60 months of age. <i>Aids</i> , 2022, 36, 573-582.	2.2	9
134	Human Papillomavirus Seroprevalence Among Young Male and Female Drug Users. <i>Sexually Transmitted Diseases</i> , 2007, 34, 676-680.	1.7	8
135	Coverage of highly active antiretroviral therapy among postpartum women in Malawi. <i>International Journal of STD and AIDS</i> , 2011, 22, 368-372.	1.1	8
136	Evaluation of postpartum HIV superinfection and mother-to-child transmission. <i>Aids</i> , 2015, 29, 1567-1573.	2.2	8
137	Antibody Maturation and Viral Diversification in HIV-Infected Women. <i>PLoS ONE</i> , 2013, 8, e57350.	2.5	7
138	Maternal Human Immunodeficiency Virus (HIV) Drug Resistance Is Associated With Vertical Transmission and Is Prevalent in Infected Infants. <i>Clinical Infectious Diseases</i> , 2022, 74, 2001-2009.	5.8	7
139	Distribution and determinants of low birthweight in Central Sudan. <i>Paediatric and Perinatal Epidemiology</i> , 1995, 9, 185-200.	1.7	6
140	Levels and determinants of perinatal mortality in central Sudan. <i>International Journal of Gynecology and Obstetrics</i> , 1994, 45, 109-115.	2.3	5
141	Fetal Fibronectin and Adverse Infant Outcomes in a Predominantly Human Immunodeficiency Virus-Infected African Population. <i>Obstetrics and Gynecology</i> , 2007, 109, 392-401.	2.4	5
142	Distribution of haematological and chemical pathology values among infants in Malawi and Uganda. <i>Paediatrics and International Child Health</i> , 2012, 32, 213-227.	1.0	5
143	Efavirenz Conceptions and Regimen Management in a Prospective Cohort of Women on Antiretroviral Therapy. <i>Infectious Diseases in Obstetrics and Gynecology</i> , 2012, 2012, 1-7.	1.5	5
144	Stavudine Concentrations in Women Receiving Postpartum Antiretroviral Treatment and Their Breastfeeding Infants. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2012, 60, 462-465.	2.1	5

#	ARTICLE	IF	CITATIONS
145	Maternal Highly Active Antiretroviral Therapy and Child HIV-Free Survival in Malawi, 2004–2009. <i>Maternal and Child Health Journal</i> , 2016, 20, 542-549.	1.5	5
146	Antiretroviral Therapy for Perinatal HIV Prevention. <i>New England Journal of Medicine</i> , 2017, 376, 699-700.	27.0	5
147	Effects of long-term antiretroviral therapy in reproductive-age women in sub-Saharan Africa (the Tj ETQq1 1 0.784314 rgBT /Overlock e394-e403.	4.7	5
148	Safety, Acceptability, and Potential Efficacy of a Topical Penile Microbicide Wipe. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2005, 39, 347-353.	2.1	4
149	Determining an optimal testing strategy for infants at risk for mother-to-child transmission of HIV-1 during the late postnatal period. <i>Aids</i> , 2008, 22, 2341-2346.	2.2	4
150	Primary HIV-1 Infection Among Infants in Sub-Saharan Africa: HPTN 024. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2009, 51, 317-322.	2.1	4
151	A Comparative Epidemiological Study of Malaria between Children of Northern and Southern Sudan. <i>Journal of Tropical Pediatrics</i> , 1986, 32, 117-119.	1.5	3
152	Affordable, Abbreviated Roche Monitor Assay for Quantification of Human Immunodeficiency Virus Type 1 RNA in Plasma. <i>Journal of Clinical Microbiology</i> , 2005, 43, 4200-4202.	3.9	3
153	Indicators for Monitoring Progress in Maternal and Child Health Care in Africa. <i>Journal of Tropical Pediatrics</i> , 1988, 34, 158-164.	1.5	2
154	Response to Letter, “Unexplained High HIV-1 Incidence in a Cohort of Malawi Men”, <i>Sexually Transmitted Diseases</i> , 2003, 30, 185.	1.7	2
155	Use of effective family planning methods and frequency of sex among HIV-infected and HIV-uninfected African women. <i>Contraception and Reproductive Medicine</i> , 2018, 3, 10.	1.9	1
156	Resumption of postpartum sexual activity and menses among HIV-infected women on lifelong antiretroviral treatment compared to HIV-uninfected women in Africa. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 149, 211-218.	2.3	1
157	Comparison of adverse birth outcomes among HIV-infected and HIV-uninfected women delivering in high and low risk settings in the era of universal ART in Malawi: a registry study. <i>Paediatrics and International Child Health</i> , 2021, 41, 1-11.	1.0	1
158	Brief Report: Impact of ART on Maternal Health After Cessation of Breastfeeding. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2021, 86, 450-454.	2.1	1
159	Mid-thigh circumference as an indicator of nutritional status to predict adverse pregnancy outcomes among HIV-infected and HIV-uninfected women in Malawi. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 646.	2.4	1
160	Climate change and potential impact on disease: What are the public health agenda?. <i>Saudi Journal of Medicine and Medical Sciences</i> , 2016, 4, 71.	0.8	1
161	TWO AUTHORS REPLY. <i>American Journal of Epidemiology</i> , 1995, 141, 275-275.	3.4	0
162	Postnatal Human Immunodeficiency Virus-1 Transmission After Cessation of Infant Extended Antiretroviral Prophylaxis and Effect of Maternal Highly Active Antiretroviral Therapy. <i>Obstetrical and Gynecological Survey</i> , 2010, 65, 150-151.	0.4	0

#	ARTICLE	IF	CITATIONS
163	Benefits and Risks of Antiretroviral Therapy for Perinatal HIV Prevention. <i>Obstetrical and Gynecological Survey</i> , 2017, 72, 143-145.	0.4	0
164	Historical Perspective of African-Based Research on HIV-1 Transmission Through Breastfeeding: The Malawi Experience. <i>Advances in Experimental Medicine and Biology</i> , 2012, 743, 217-235.	1.6	0
165	Molecular Diagnosis, Antimicrobial Resistance Profiles and Disease Patterns of Gram-Positive Pathogens Recovered from Clinical Infections in Major Haâ€™mil Hospitals. <i>Microbiology Research</i> , 2022, 13, 49-63.	1.9	0
166	Title is missing!. , 2019, 14, e0219415.		0
167	Title is missing!. , 2019, 14, e0219415.		0
168	Title is missing!. , 2019, 14, e0219415.		0
169	Title is missing!. , 2019, 14, e0219415.		0