

Nazarii Kobyliak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2305644/publications.pdf>

Version: 2024-02-01

74
papers

2,514
citations

249298

26
h-index

242451

47
g-index

75
all docs

75
docs citations

75
times ranked

3261
citing authors

#	ARTICLE	IF	CITATIONS
1	Gut Microbiota Interactions With Obesity. , 2022, , 201-219.		3
2	Correction of Androgen Deficiency in Men with Type 2 Diabetes. Reviews on Recent Clinical Trials, 2022, 17, 34-39.	0.4	2
3	Current Status and Future Therapeutic Options for Fecal Microbiota Transplantation. Medicina (Lithuania), 2022, 58, 84.	0.8	21
4	Probiotics and obesity associated disease: an extended view beyond traditional strains. Minerva Gastroenterology, 2022, 67, 348-356.	0.3	15
5	Akkermansia muciniphila as a novel powerful bacterial player in the treatment of metabolic disorders. Minerva Endocrinology, 2022, 47, .	0.6	14
6	Effect of a specific <i>Escherichia coli</i> Nissle 1917 strain on minimal/mild hepatic encephalopathy treatment. World Journal of Hepatology, 2022, 14, 634-646.	0.8	14
7	Changes in Metabolic Parameters in Patients with Diabetic Kidney Disease Depending on the Status of D3. Reviews on Recent Clinical Trials, 2022, 17, 280-290.	0.4	1
8	Precision oncology: ethical challenges and justification. Minerva Medica, 2022, , .	0.3	1
9	Global multi-stakeholder endorsement of the MAFLD definition. The Lancet Gastroenterology and Hepatology, 2022, 7, 388-390.	3.7	135
10	Immune Microenvironment of Muscular-Invasive Urothelial Carcinoma: The Link to Tumor Immune Cycle and Prognosis. Cells, 2022, 11, 1802.	1.8	1
11	Dietary pattern, colonic microbiota and immunometabolism interaction: new frontiers for diabetes mellitus and related disorders. Diabetic Medicine, 2021, 38, e14415.	1.2	34
12	Probiotic Composition and Chondroitin Sulfate Regulate TLR-2/4-Mediated NF- κ B Inflammatory Pathway and Cartilage Metabolism in Experimental Osteoarthritis. Probiotics and Antimicrobial Proteins, 2021, 13, 1018-1032.	1.9	24
13	Next generation of strain specific probiotics in diabetes treatment: the case of <i>Prevotella copri</i> . Minerva Endocrinologica, 2021, 45, 277-279.	1.7	6
14	Metabolic Benefits of Probiotic Combination with Absorbent Smectite in type 2 Diabetes Patients a Randomised Controlled Trial. Reviews on Recent Clinical Trials, 2021, 16, 109-119.	0.4	11
15	Vitamin D in the prevention and treatment of type-2 diabetes and associated diseases: a critical view during COVID-19 time. Minerva Biotechnology and Biomolecular Research, 2021, 33, .	0.3	12
16	Immunomodulatory role of <i>Faecalibacterium prausnitzii</i> in obesity and metabolic disorders. Minerva Biotechnology and Biomolecular Research, 2021, 33, .	0.3	10
17	Microbial and immune markers of patients with metabolic syndrome and cardiovascular diseases: perspectives for early diagnostics. Minerva Biotechnology and Biomolecular Research, 2021, 33, .	0.3	9
18	Alleviation of halitosis by use of probiotics and their protective mechanisms in the oral cavity. New Microbes and New Infections, 2021, 42, 100887.	0.8	15

#	ARTICLE	IF	CITATIONS
19	Histological differentiation impacts the tumor immune microenvironment in gastric carcinoma: Relation to the immune cycle. <i>World Journal of Gastroenterology</i> , 2021, 27, 5259-5271.	1.4	6
20	Cardiovascular and Renal Outcomes with Efglenatide in Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2021, 385, 896-907.	13.9	339
21	Importance of the Microbiota Inhibitory Mechanism on the Warburg Effect in Colorectal Cancer Cells. <i>Journal of Gastrointestinal Cancer</i> , 2020, 51, 738-747.	0.6	43
22	Probiotics function and modulation of the immune system in allergic diseases. <i>Allergologia Et Immunopathologia</i> , 2020, 48, 771-788.	1.0	59
23	Probiotic and omega-3 polyunsaturated fatty acids supplementation reduces insulin resistance, improves glycemia and obesity parameters in individuals with type 2 diabetes: A randomised controlled trial. <i>Obesity Medicine</i> , 2020, 19, 100248.	0.5	34
24	Crosstalk between gut microbiota and osteoarthritis: A critical view. <i>Journal of Functional Foods</i> , 2020, 68, 103904.	1.6	16
25	New insights on strain-specific impacts of probiotics on insulin resistance: evidence from animal study. <i>Journal of Diabetes and Metabolic Disorders</i> , 2020, 19, 289-296.	0.8	33
26	Gut microbiota composition changes associated with obesity: new lights from metagenomic analysis. <i>MÃ¼narodnij EndokrinologÃ¼nij Å½urnal</i> , 2020, 16, 654-661.	0.1	1
27	Evaluation of clinical efficiency of Decap replacement therapy in patients with type 2 diabetes mellitus and concomitant nonalcoholic fatty liver disease in vitamin D deficiency. <i>MÃ¼narodnij EndokrinologÃ¼nij Å½urnal</i> , 2020, 16, 607-615.	0.1	0
28	Combined effects of probiotic and chondroprotector during osteoarthritis in rats. <i>Panminerva Medica</i> , 2020, 62, 93-101.	0.2	19
29	Vitamin D3 deficiency is associated with more severe insulin resistance and metformin use in patients with type 2 diabetes. <i>Minerva Endocrinologica</i> , 2020, 45, 172-180.	1.7	18
30	Mechanisms of the Impact of Hashimoto Thyroiditis on Papillary Thyroid Carcinoma Progression: Relationship with the Tumor Immune Microenvironment. <i>Endocrinology and Metabolism</i> , 2020, 35, 443-455.	1.3	14
31	Hepatic steatosis indices as predictors of vitamin D3 deficiency in patients with NAFLD associated with type 2 diabetes. <i>Clinical Diabetology</i> , 2020, 9, 313-320.	0.2	5
32	Crosstalk between gut microbiota and antidiabetic drug action. <i>World Journal of Diabetes</i> , 2019, 10, 154-168.	1.3	61
33	Neuropathic diabetic foot ulcers treated with cerium dioxide nanoparticles: A case report. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2019, 13, 228-234.	1.8	19
34	A Multi-strain Probiotic Reduces the Fatty Liver Index, Cytokines and Aminotransferase levels in NAFLD Patients: Evidence from a Randomized Clinical Trial. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2019, 27, 41-49.	0.5	159
35	Effect of probiotic on serum cytokines and matrix metalloproteinases profiles during monoiodoacetate-induced osteoarthritis in rats. <i>Minerva Biotechnologica</i> , 2019, 31, .	1.2	27
36	Probiotics and smectite absorbent gel formulation reduce liver stiffness, transaminase and cytokine levels in NAFLD associated with type 2 diabetes: a randomized clinical study. <i>Clinical Diabetology</i> , 2019, 8, 205-214.	0.2	23

#	ARTICLE	IF	CITATIONS
37	Effect of alive probiotic on insulin resistance in type 2 diabetes patients: Randomized clinical trial. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2018, 12, 617-624.	1.8	129
38	Efficacy of Probiotics and Smectite in Rats with Non-Alcoholic Fatty Liver Disease. <i>Annals of Hepatology</i> , 2018, 17, 153-161.	0.6	37
39	Polyphenol Compounds Melanin Prevented Hepatic Inflammation in Rats with Experimental Obesity. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801301.	0.2	2
40	Obeticholic Acid: A New Era in the Treatment of Nonalcoholic Fatty Liver Disease. <i>Pharmaceuticals</i> , 2018, 11, 104.	1.7	60
41	The role of nanotechnology in food safety. <i>Minerva Biotechnology and Biomolecular Research</i> , 2018, 30, .	0.3	3
42	Probiotics and nutraceuticals as a new frontier in obesity prevention and management. <i>Diabetes Research and Clinical Practice</i> , 2018, 141, 190-199.	1.1	49
43	The correction of the metabolic parameters of msg-induced obesity in rats by 2-[4-(benzyloxy) phenoxy] acetic acid. <i>Journal of Nutrition & Intermediary Metabolism</i> , 2018, 13, 1-9.	1.7	3
44	Beneficial effects of probiotic combination with omega-3 fatty acids in NAFLD: a randomized clinical study. <i>Minerva Medica</i> , 2018, 109, 418-428.	0.3	82
45	WpÅ,yw Z56822977 na biosyntezÄ™ serotonininy w mÄ³zgu szczurÄ³w z otyÅ,ociÄ... wywoÅ,anÄ... przez podawanie glutaminianu sodu. <i>Endokrynologia Polska</i> , 2018, 69, 536-544.	0.3	0
46	Effects of polyphenol compounds melanin on NAFLD/NASH prevention. <i>Biomedicine and Pharmacotherapy</i> , 2017, 88, 267-276.	2.5	20
47	H2S causes contraction and relaxation of major arteries of the rabbit. <i>Biomedicine and Pharmacotherapy</i> , 2017, 89, 56-60.	2.5	8
48	Cerium dioxide nanoparticles possess anti-inflammatory properties in the conditions of the obesity-associated NAFLD in rats. <i>Biomedicine and Pharmacotherapy</i> , 2017, 90, 608-614.	2.5	54
49	Perspectives and challenges of antioxidant therapy for atrial fibrillation. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2017, 390, 1-14.	1.4	30
50	Immunomodulatory effects of stem cells: Therapeutic option for neurodegenerative disorders. <i>Biomedicine and Pharmacotherapy</i> , 2017, 91, 60-69.	2.5	24
51	Effect of a probiotic on fatty liver index and liver stiffness in NAFLD patients: randomized clinical trial. <i>Journal of Hepatology</i> , 2017, 66, S426-S427.	1.8	2
52	Attenuation coefficient measurement as novel real time ultrasound alternative to CAP (fibrosan). <i>Journal of Hepatology</i> , 2017, 66, S669.	1.8	1
53	The Impact of Hyperglycemia on VEGF Secretion in Retinal Endothelial Cells. <i>Folia Medica</i> , 2017, 59, 183-189.	0.2	9
54	Probiotics Supplemented with Omega-3 Fatty Acids are More Effective for Hepatic Steatosis Reduction in an Animal Model of Obesity. <i>Probiotics and Antimicrobial Proteins</i> , 2017, 9, 123-130.	1.9	38

#	ARTICLE	IF	CITATIONS
55	Probiotics for experimental obesity prevention: focus on strain dependence and viability of composition. <i>Endokrynologia Polska</i> , 2017, 68, 659-667.	0.3	19
56	Nanocrystalline cerium dioxide efficacy for prophylaxis of erosive and ulcerative lesions in the gastric mucosa of rats induced by stress. <i>Biomedicine and Pharmacotherapy</i> , 2016, 84, 1383-1392.	2.5	13
57	Comparative experimental investigation on the efficacy of mono- and multiprobiotic strains in non-alcoholic fatty liver disease prevention. <i>BMC Gastroenterology</i> , 2016, 16, 34.	0.8	30
58	Probiotics in prevention and treatment of obesity: a critical view. <i>Nutrition and Metabolism</i> , 2016, 13, 14.	1.3	235
59	Caffeine and cardiovascular diseases: critical review of current research. <i>European Journal of Nutrition</i> , 2016, 55, 1331-1343.	1.8	67
60	Prevention of NAFLD development in rats with obesity via the improvement of pro/antioxidant state by cerium dioxide nanoparticles. <i>Medicine and Pharmacy Reports</i> , 2016, 89, 229-235.	0.2	14
61	The Role of Liver Biopsy to Assess Alcoholic Liver Disease. <i>Reviews on Recent Clinical Trials</i> , 2016, 11, 175-179.	0.4	11
62	Pathophysiological role of host microbiota in the development of obesity. <i>Nutrition Journal</i> , 2015, 15, 43.	1.5	109
63	Diagnostic accuracy of acyl-ghrelin and its association with non-alcoholic fatty liver disease in type 2 diabetic patients. <i>Journal of Diabetes and Metabolic Disorders</i> , 2015, 14, 44.	0.8	34
64	P0968 : Are the type of probiotic strains and their amount equally effective for NAFLD prevention? Experimental comparative study. <i>Journal of Hepatology</i> , 2015, 62, S709.	1.8	0
65	Antioxidative effects of cerium dioxide nanoparticles ameliorate age-related male infertility: optimistic results in rats and the review of clinical clues for integrative concept of men health and fertility. <i>EPMA Journal</i> , 2015, 6, 12.	3.3	54
66	The Role of Liver Biopsy to Assess Non-Alcoholic Fatty Liver Disease. <i>Reviews on Recent Clinical Trials</i> , 2015, 9, 159-169.	0.4	35
67	Diagnosis of experimental steatohepatitis using ultrasound shear wave elastography. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2015, 26, 109-113.	0.1	1
68	Multiprobiotic therapy from childhood prevents the development of nonalcoholic fatty liver disease in adult monosodium glutamate-induced obese rats. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2014, 27, 243-245.	0.1	4
69	P269 SHORT-TERM PERIODIC ADMINISTRATION OF MULTIPROBIOTIC FROM CHILDHOOD PREVENTS DEVELOPMENT OF NONALCOHOLIC FATTY LIVER DISEASE IN ADULT MONOSODIUM GLUTAMATE-INDUCED OBESE RATS. <i>Journal of Hepatology</i> , 2014, 60, S154.	1.8	0
70	Short-term periodic consumption of multiprobiotic from childhood improves insulin sensitivity, prevents development of non-alcoholic fatty liver disease and adiposity in adult rats with glutamate-induced obesity. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 247.	3.7	49
71	Insulin resistance and liver steatosis in chronic hepatitis C infection genotype 3. <i>World Journal of Gastroenterology</i> , 2014, 20, 15233.	1.4	57
72	1329 DIAGNOSTIC ACCURACY OF A NEW ELASTOGRAPHIC METHOD (SHEAR WAVE ELASTOGRAPHY) IN PATIENTS WITH TYPE 2 DIABETES. <i>Journal of Hepatology</i> , 2013, 58, S536.	1.8	1

#	ARTICLE	IF	CITATIONS
73	1267 PERFORMANCE OF NEW ULTRASOUND METHOD FOR ASSESSING LIVER STIFFNESS â€“ SHEAR WAVEâ„¢ ELASTOGRAPHY IMAGING IN RATS WITH EXPERIMENTAL OBESITY. Journal of Hepatology, 2013, 58, S512-S513.	1.8	0
74	Metabolic profile and morpho-functional state of the liver in rats with glutamate-induced obesity. Current Issues in Pharmacy and Medical Sciences, 2013, 26, 379-381.	0.1	13