

# Przemysław Woźny

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2306001/publications.pdf>

Version: 2024-02-01

24  
papers

881  
citations

623734

14  
h-index

610901

24  
g-index

24  
all docs

24  
docs citations

24  
times ranked

564  
citing authors

#	ARTICLE	IF	CITATIONS
1	Optically active plasmonic cellulose fibers based on Au nanorods for SERS applications. Carbohydrate Polymers, 2022, 279, 119010.	10.2	13
2	Generation of Pure Green Up-Conversion Luminescence in Er <sup>3+</sup> Doped and Yb <sup>3+</sup> -Er <sup>3+</sup> Co-Doped YVO <sub>4</sub> Nanomaterials under 785 and 975 nm Excitation. Nanomaterials, 2022, 12, 799.	4.1	3
3	Boltzmann vs. non-Boltzmann (non-linear) thermometry - Yb <sup>3+</sup> -Er <sup>3+</sup> activated dual-mode thermometer and phase transition sensor via second harmonic generation. Journal of Alloys and Compounds, 2022, 906, 164329.	5.5	14
4	Stress to distress: Triboluminescence and pressure luminescence of lanthanide diketonates. Chemical Engineering Journal Advances, 2022, 11, 100326.	5.2	6
5	Supersensitive Ratiometric Thermometry and Manometry Based on Dual-Emitting Centers in Eu <sup>2+</sup> /Sm <sup>2+</sup> -Doped Strontium Tetraborate Phosphors. Advanced Optical Materials, 2022, 10, .	7.3	35
6	Y <sub>2</sub> (Ge,Si)O <sub>5</sub> :Pr phosphors: multimodal temperature and pressure sensors shaped by bandgap management. Journal of Materials Chemistry C, 2021, 9, 13818-13831.	5.5	10
7	Optical pressure sensing in vacuum and high-pressure ranges using lanthanide-based luminescent thermometer-manometer. Journal of Materials Chemistry C, 2021, 9, 4643-4651.	5.5	56
8	Tm <sup>2+</sup> Activated SrB <sub>4</sub> O <sub>7</sub> Bifunctional Sensor of Temperature and Pressure-Highly Sensitive, Multi-Parameter Luminescence Thermometry and Manometry. Advanced Optical Materials, 2021, 9, 2101507.	7.3	40
9	NIR emission of lanthanides for ultrasensitive luminescence manometry-Er <sup>3+</sup> -activated optical sensor of high pressure. Dalton Transactions, 2021, 50, 14864-14871.	3.3	16
10	Influence of matrix on the luminescence properties of Eu <sup>2+</sup> /Eu <sup>3+</sup> doped strontium borates: SrB <sub>4</sub> O <sub>7</sub> , SrB <sub>2</sub> O <sub>4</sub> and Sr <sub>3</sub> (BO <sub>3</sub> ) <sub>2</sub> , exhibiting multicolor tunable emission. Journal of Alloys and Compounds, 2020, 822, 153511.	5.5	13
11	Adenosine capped CaF <sub>2</sub> :Eu <sup>3+</sup> nanocrystals and their applications in permanganate detection. Optical Materials, 2020, 107, 110048.	3.6	4
12	Improving temperature resolution of luminescent nanothermometers working in the near-infrared range using non-thermally coupled levels of Yb <sup>3+</sup> & Tm <sup>3+</sup> . Journal of Luminescence, 2020, 228, 117643.	3.1	32
13	Lanthanide Upconverted Luminescence for Simultaneous Contactless Optical Thermometry and Manometry-Sensing under Extreme Conditions of Pressure and Temperature. ACS Applied Materials & Interfaces, 2020, 12, 40475-40485.	8.0	77
14	Luminescent Nanothermometer Operating at Very High Temperature-Sensing up to 1000 K with Upconverting Nanoparticles (Yb <sup>3+</sup> /Tm <sup>3+</sup> ). ACS Applied Materials & Interfaces, 2020, 12, 43933-43941.	8.0	130
15	Huge enhancement of Sm <sup>2+</sup> emission via Eu <sup>2+</sup> energy transfer in a SrB <sub>4</sub> O <sub>7</sub> pressure sensor. Journal of Materials Chemistry C, 2020, 8, 4810-4817.	5.5	36
16	Bifunctional magnetic-upconverting luminescent cellulose fibers for anticounterfeiting purposes. Journal of Alloys and Compounds, 2020, 829, 154456.	5.5	17
17	Optical Vacuum Sensor Based on Lanthanide Upconversion-Luminescence Thermometry as a Tool for Ultralow Pressure Sensing. Advanced Materials Technologies, 2020, 5, 1901091.	5.8	102
18	High-pressure luminescence of monoclinic and triclinic GdBO <sub>3</sub> : Eu <sup>3+</sup> . Ceramics International, 2020, 46, 26368-26376.	4.8	13

#	ARTICLE	IF	CITATIONS
19	Praseodymium doped YF <sub>3</sub> :Pr <sup>3+</sup> nanoparticles as optical thermometer based on luminescence intensity ratio (LIR) – Studies in visible and NIR range. Journal of Luminescence, 2019, 214, 116571.	3.1	65
20	Emission color tuning and phase transition determination based on high-pressure up-conversion luminescence in YVO <sub>4</sub> : Yb <sup>3+</sup> , Er <sup>3+</sup> nanoparticles. Journal of Luminescence, 2019, 209, 321-327.	3.1	34
21	Optical Pressure Sensor Based on the Emission and Excitation Band Width (fwhm) and Luminescence Shift of Ce <sup>3+</sup> -Doped Fluorapatite – High-Pressure Sensing. ACS Applied Materials & Interfaces, 2019, 11, 4131-4138.	8.0	88
22	Effect of various surfactants on changes in the emission color chromaticity in upconversion YVO <sub>4</sub> : Yb <sup>3+</sup> , Er <sup>3+</sup> nanoparticles. Optical Materials, 2018, 76, 400-406.	3.6	15
23	Optical pressure nano-sensor based on lanthanide doped SrB <sub>2</sub> O <sub>4</sub> :Sm <sup>2+</sup> luminescence – Novel high-pressure nanomanometer. Sensors and Actuators B: Chemical, 2018, 273, 585-591.	7.8	48
24	Influence of boric acid/Sr <sup>2+</sup> ratio on the structure and luminescence properties (colour tuning) of nano-sized, complex strontium borates doped with Sm <sup>2+</sup> and Sm <sup>3+</sup> ions. Optical Materials, 2018, 83, 245-251.	3.6	14