

# Cesare Indiveri

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2307524/cesare-indiveri-publications-by-year.pdf>

**Version:** 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161  
papers

5,159  
citations

39  
h-index

65  
g-index

176  
ext. papers

6,103  
ext. citations

5.1  
avg, IF

5.71  
L-index

#	Paper	IF	Citations
161	OCTN1: A Widely Studied but Still Enigmatic Organic Cation Transporter Linked to Human Pathology and Drug Interactions.. <i>International Journal of Molecular Sciences</i> , <b>2022</b> , 23,	6.3	3
160	The Nutraceutical Alliin From Garlic Is a Novel Substrate of the Essential Amino Acid Transporter LAT1 (SLC7A5).. <i>Frontiers in Pharmacology</i> , <b>2022</b> , 13, 877576	5.6	0
159	The role of cholesterol recognition (CARC/CRAC) mirror codes in the allosterism of the human organic cation transporter 2 (OCT2, SLC22A2). <i>Biochemical Pharmacology</i> , <b>2021</b> , 194, 114840	6	2
158	The involvement of sodium in the function of the human amino acid transporter ASCT2. <i>FEBS Letters</i> , <b>2021</b> , 595, 3030	3.8	2
157	Chemical Approaches for Studying the Biology and Pharmacology of Membrane Transporters: The Histidine/Large Amino Acid Transporter SLC7A5 as a Benchmark. <i>Molecules</i> , <b>2021</b> , 26,	4.8	2
156	The Mitochondrial Carnitine Acyl-carnitine Carrier (SLC25A20): Molecular Mechanisms of Transport, Role in Redox Sensing and Interaction with Drugs. <i>Biomolecules</i> , <b>2021</b> , 11,	5.9	5
155	ASCT1 and ASCT2: Brother and Sister?. <i>SLAS Discovery</i> , <b>2021</b> , 26, 1148-1163	3.4	4
154	Heterologous Overexpression of Human FAD Synthase Isoforms 1 and 2. <i>Methods in Molecular Biology</i> , <b>2021</b> , 2280, 55-67	1.4	
153	Cholesterol stimulates the cellular uptake of L-carnitine by the carnitine/organic cation transporter novel 2 (OCTN2). <i>Journal of Biological Chemistry</i> , <b>2021</b> , 296, 100204	5.4	3
152	Functional Study of the Human Riboflavin Transporter 2 Using Proteoliposomes System. <i>Methods in Molecular Biology</i> , <b>2021</b> , 2280, 45-54	1.4	2
151	Impact of natural mutations on the riboflavin transporter 2 and their relevance to human riboflavin transporter deficiency 2. <i>IUBMB Life</i> , <b>2021</b> ,	4.7	2
150	Mimicking human riboflavin responsive neuromuscular disorders by silencing flad-1 gene in <i>C. elegans</i> : Alteration of vitamin transport and cholinergic transmission. <i>IUBMB Life</i> , <b>2021</b> ,	4.7	2
149	Repurposing Nimesulide, a Potent Inhibitor of the B0AT1 Subunit of the SARS-CoV-2 Receptor, as a Therapeutic Adjuvant of COVID-19. <i>SLAS Discovery</i> , <b>2020</b> , 25, 1171-1173	3.4	12
148	Glutamine transporters as pharmacological targets: From function to drug design. <i>Asian Journal of Pharmaceutical Sciences</i> , <b>2020</b> , 15, 207-219	9	11
147	Effect of Copper on the Mitochondrial Carnitine/Acylcarnitine Carrier Via Interaction with Cys136 and Cys155. Possible Implications in Pathophysiology. <i>Molecules</i> , <b>2020</b> , 25,	4.8	6
146	Effect of Cholesterol on the Organic Cation Transporter OCTN1 (SLC22A4). <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	4
145	Chemical Targeting of Membrane Transporters: Insights into Structure/Function Relationships. <i>ACS Omega</i> , <b>2020</b> , 5, 2069-2080	3.9	8

144	The Link Between the Mitochondrial Fatty Acid Oxidation Derangement and Kidney Injury. <i>Frontiers in Physiology</i> , <b>2020</b> , 11, 794	4.6	20
143	The Human SLC1A5 Neutral Amino Acid Transporter Catalyzes a pH-Dependent Glutamate/Glutamine Antiport, as Well. <i>Frontiers in Cell and Developmental Biology</i> , <b>2020</b> , 8, 603	5.7	9
142	Structure-based virtual screening to identify novel carnitine acetyltransferase activators. <i>Journal of Molecular Graphics and Modelling</i> , <b>2020</b> , 100, 107692	2.8	2
141	ATP modulates SLC7A5 (LAT1) synergistically with cholesterol. <i>Scientific Reports</i> , <b>2020</b> , 10, 16738	4.9	11
140	Carnitine Traffic in Cells. Link With Cancer. <i>Frontiers in Cell and Developmental Biology</i> , <b>2020</b> , 8, 583850	5.7	10
139	Membrane Transporters for Amino Acids as Players of Cancer Metabolic Rewiring. <i>Cells</i> , <b>2020</b> , 9,	7.9	12
138	Low temperature bacterial expression of the neutral amino acid transporters SLC1A5 (ASCT2), and SLC6A19 (B0AT1). <i>Molecular Biology Reports</i> , <b>2020</b> , 47, 7283-7289	2.8	4
137	Human papillomavirus type 38 alters wild-type p53 activity to promote cell proliferation via the downregulation of integrin alpha 1 expression. <i>PLoS Pathogens</i> , <b>2020</b> , 16, e1008792	7.6	2
136	Human papillomavirus type 38 alters wild-type p53 activity to promote cell proliferation via the downregulation of integrin alpha 1 expression <b>2020</b> , 16, e1008792		
135	Human papillomavirus type 38 alters wild-type p53 activity to promote cell proliferation via the downregulation of integrin alpha 1 expression <b>2020</b> , 16, e1008792		
134	Human papillomavirus type 38 alters wild-type p53 activity to promote cell proliferation via the downregulation of integrin alpha 1 expression <b>2020</b> , 16, e1008792		
133	Human papillomavirus type 38 alters wild-type p53 activity to promote cell proliferation via the downregulation of integrin alpha 1 expression <b>2020</b> , 16, e1008792		
132	Reconstitution in Proteoliposomes of the Recombinant Human Riboflavin Transporter 2 (SLC52A2) Overexpressed in. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	13
131	Human mitochondrial carnitine acylcarnitine carrier: Molecular target of dietary bioactive polyphenols from sweet cherry ( <i>Prunus avium</i> L.). <i>Chemico-Biological Interactions</i> , <b>2019</b> , 307, 179-185	5	5
130	Regulatory Aspects of the Vacuolar CAT2 Arginine Transporter of : Role of Osmotic Pressure and Cations. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	2
129	SLC6A14, a Pivotal Actor on Cancer Stage: When Function Meets Structure. <i>SLAS Discovery</i> , <b>2019</b> , 24, 928-938	3.4	8
128	Insights into the transport side of the human SLC38A9 transceptor. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2019</b> , 1861, 1558-1567	3.8	14
127	Tryptophan 224 of the rat mitochondrial carnitine/acylcarnitine carrier is crucial for the antiport mechanism. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , <b>2019</b> , 1860, 708-716	4.6	5

126	The hidden side of the human FAD synthase 2. <i>International Journal of Biological Macromolecules</i> , <b>2019</b> , 138, 986-995	7.9	12
125	Exploiting Cysteine Residues of SLC Membrane Transporters as Targets for Drugs. <i>SLAS Discovery</i> , <b>2019</b> , 24, 867-881	3.4	6
124	Interaction of Cholesterol With the Human SLC1A5 (ASCT2): Insights Into Structure/Function Relationships. <i>Frontiers in Molecular Biosciences</i> , <b>2019</b> , 6, 110	5.6	10
123	Mutation of Aspartate 238 in FAD Synthase Isoform 6 Increases the Specific Activity by Weakening the FAD Binding. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	9
122	OCTN: A Small Transporter Subfamily with Great Relevance to Human Pathophysiology, Drug Discovery, and Diagnostics. <i>SLAS Discovery</i> , <b>2019</b> , 24, 89-110	3.4	40
121	Exosomes in inflammation and role as biomarkers. <i>Clinica Chimica Acta</i> , <b>2019</b> , 488, 165-171	6.2	92
120	Characterization of Exosomal SLC22A5 (OCTN2) carnitine transporter. <i>Scientific Reports</i> , <b>2018</b> , 8, 3758	4.9	16
119	A Genetic Variant of ASCT2 Hampers In Vitro RNA Splicing and Correlates with Human Longevity. <i>Rejuvenation Research</i> , <b>2018</b> , 21, 193-199	2.6	5
118	Cys Site-Directed Mutagenesis of the Human SLC1A5 (ASCT2) Transporter: Structure/Function Relationships and Crucial Role of Cys467 for Redox Sensing and Glutamine Transport. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	14
117	Bacterial Production, Characterization and Protein Modeling of a Novel Monofunctional Isoform of FAD Synthase in Humans: An Emergency Protein?. <i>Molecules</i> , <b>2018</b> , 23,	4.8	21
116	The Human SLC7A5 (LAT1): The Intriguing Histidine/Large Neutral Amino Acid Transporter and Its Relevance to Human Health. <i>Frontiers in Chemistry</i> , <b>2018</b> , 6, 243	5	114
115	Substrate-bound outward-open structure of a Na-coupled sialic acid symporter reveals a new Na site. <i>Nature Communications</i> , <b>2018</b> , 9, 1753	17.4	36
114	Structure/function relationships of the human mitochondrial ornithine/citrulline carrier by Cys site-directed mutagenesis. Relevance to mercury toxicity. <i>International Journal of Biological Macromolecules</i> , <b>2018</b> , 120, 93-99	7.9	5
113	The receptor protein tyrosine phosphatase PTPRJ negatively modulates the CD98hc oncoprotein in lung cancer cells. <i>Oncotarget</i> , <b>2018</b> , 9, 23334-23348	3.3	9
112	Discovery of Potent Inhibitors for the Large Neutral Amino Acid Transporter 1 (LAT1) by Structure-Based Methods. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 20,	6.3	21
111	The Human SLC1A5 (ASCT2) Amino Acid Transporter: From Function to Structure and Role in Cell Biology. <i>Frontiers in Cell and Developmental Biology</i> , <b>2018</b> , 6, 96	5.7	88
110	Description of LAT1 Transport Mechanism at an Atomistic Level. <i>Frontiers in Chemistry</i> , <b>2018</b> , 6, 350	5	8
109	The Sodium Sialic Acid Symporter From Has Altered Substrate Specificity. <i>Frontiers in Chemistry</i> , <b>2018</b> , 6, 233	5	13

108	Novel insights into the transport mechanism of the human amino acid transporter LAT1 (SLC7A5). Probing critical residues for substrate translocation. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>2017</b> , 1861, 727-736	4	37
107	Nitric oxide inhibits the mitochondrial carnitine/acylcarnitine carrier through reversible S-nitrosylation of cysteine 136. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , <b>2017</b> , 1858, 475-482	4.6	19
106	Potent inhibitors of human LAT1 (SLC7A5) transporter based on dithiazole and dithiazine compounds for development of anticancer drugs. <i>Biochemical Pharmacology</i> , <b>2017</b> , 143, 39-52	6	47
105	Bacterial production and reconstitution in proteoliposomes of <i>Solanum lycopersicum</i> CAT2: a transporter of basic amino acids and organic cations. <i>Plant Molecular Biology</i> , <b>2017</b> , 94, 657-667	4.6	3
104	Post-translational modification by acetylation regulates the mitochondrial carnitine/acylcarnitine transport protein. <i>Molecular and Cellular Biochemistry</i> , <b>2017</b> , 426, 65-73	4.2	12
103	Glutamine Transport and Mitochondrial Metabolism in Cancer Cell Growth. <i>Frontiers in Oncology</i> , <b>2017</b> , 7, 306	5.3	93
102	Studying Interactions of Drugs with Cell Membrane Nutrient Transporters: New Frontiers of Proteoliposome Nanotechnology. <i>Current Pharmaceutical Design</i> , <b>2017</b> , 23, 3871-3883	3.3	11
101	The mitochondrial carnitine/acylcarnitine carrier is regulated by hydrogen sulfide via interaction with C136 and C155. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>2016</b> , 1860, 20-7	4	19
100	Riboflavin transport and metabolism in humans. <i>Journal of Inherited Metabolic Disease</i> , <b>2016</b> , 39, 545-57	5.4	70
99	Acetylcholine and acetylcarnitine transport in peritoneum: Role of the SLC22A4 (OCTN1) transporter. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2016</b> , 1858, 653-60	3.8	12
98	Recombinant Arabidopsis HSP70 Sustains Cell Survival and Metastatic Potential of Breast Cancer Cells. <i>Molecular Cancer Therapeutics</i> , <b>2016</b> , 15, 1063-73	6.1	9
97	Glutamine transport. From energy supply to sensing and beyond. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , <b>2016</b> , 1857, 1147-1157	4.6	43
96	Effect of peritoneal dialysis fluid containing osmo-metabolic agents on human endothelial cells. <i>Drug Design, Development and Therapy</i> , <b>2016</b> , 10, 3925-3932	4.4	10
95	Impaired Amino Acid Transport at the Blood Brain Barrier Is a Cause of Autism Spectrum Disorder. <i>Cell</i> , <b>2016</b> , 167, 1481-1494.e18	56.2	163
94	Modulation of the mitochondrial carnitine/acylcarnitine transporter by acetylation. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , <b>2016</b> , 1857, e63	4.6	
93	Immuno-detection of OCTN1 (SLC22A4) in HeLa cells and characterization of transport function. <i>International Immunopharmacology</i> , <b>2015</b> , 29, 21-6	5.8	11
92	N-linked glycosylation of human SLC1A5 (ASCT2) transporter is critical for trafficking to membrane. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>2015</b> , 1853, 1636-45	4.9	43
91	Mitochondrial carnitine/acylcarnitine transporter, a novel target of mercury toxicity. <i>Chemical Research in Toxicology</i> , <b>2015</b> , 28, 1015-22	4	19

90	Cysteine is not a substrate but a specific modulator of human ASCT2 (SLC1A5) transporter. <i>FEBS Letters</i> , <b>2015</b> , 589, 3617-23	3.8	28
89	Human FAD synthase is a bi-functional enzyme with a FAD hydrolase activity in the molybdopterin binding domain. <i>Biochemical and Biophysical Research Communications</i> , <b>2015</b> , 465, 443-9	3.4	22
88	Cardiac and hepatic role of r-AtHSP70: basal effects and protection against ischemic and sepsis conditions. <i>Journal of Cellular and Molecular Medicine</i> , <b>2015</b> , 19, 1492-503	5.6	11
87	Functional and molecular effects of mercury compounds on the human OCTN1 cation transporter: C50 and C136 are the targets for potent inhibition. <i>Toxicological Sciences</i> , <b>2015</b> , 144, 105-13	4.4	15
86	LAT1 is the transport competent unit of the LAT1/CD98 heterodimeric amino acid transporter. <i>International Journal of Biochemistry and Cell Biology</i> , <b>2015</b> , 67, 25-33	5.6	77
85	SLC38A9 is a component of the lysosomal amino acid sensing machinery that controls mTORC1. <i>Nature</i> , <b>2015</b> , 519, 477-81	50.4	430
84	Mitochondrial carnitine/acylcarnitine translocase: insights in structure/ function relationships. Basis for drug therapy and side effects prediction. <i>Mini-Reviews in Medicinal Chemistry</i> , <b>2015</b> , 15, 396-405	3.2	23
83	Transport mechanism and regulatory properties of the human amino acid transporter ASCT2 (SLC1A5). <i>Amino Acids</i> , <b>2014</b> , 46, 2463-75	3.5	47
82	Identification of amino acid residues underlying the antiport mechanism of the mitochondrial carnitine/acylcarnitine carrier by site-directed mutagenesis and chemical labeling. <i>Biochemistry</i> , <b>2014</b> , 53, 6924-33	3.2	11
81	Significance of redox-active cysteines in human FAD synthase isoform 2. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , <b>2014</b> , 1844, 2086-95	4	15
80	Recombinant PNPLA3 protein shows triglyceride hydrolase activity and its I148M mutation results in loss of function. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , <b>2014</b> , 1841, 574-80 <sup>5</sup>		118
79	Nimesulide binding site in the B0AT1 (SLC6A19) amino acid transporter. Mechanism of inhibition revealed by proteoliposome transport assay and molecular modelling. <i>Biochemical Pharmacology</i> , <b>2014</b> , 89, 422-30	6	18
78	Carnitine/acylcarnitine translocase and carnitine palmitoyltransferase 2 form a complex in the inner mitochondrial membrane. <i>Molecular and Cellular Biochemistry</i> , <b>2014</b> , 394, 307-14	4.2	14
77	Membrane transporters for the special amino acid glutamine: structure/function relationships and relevance to human health. <i>Frontiers in Chemistry</i> , <b>2014</b> , 2, 61	5	141
76	AMINO ACID TRANSPORTERS IN DRUG DISCOVERY <b>2014</b> , 1, 1-16		
75	PNPLA3 has retinyl-palmitate lipase activity in human hepatic stellate cells. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 4077-85	5.6	230
74	Strategies of bacterial over expression of membrane transporters relevant in human health: the successful case of the three members of OCTN subfamily. <i>Molecular Biotechnology</i> , <b>2013</b> , 54, 724-36	3	21
73	Glutathione controls the redox state of the mitochondrial carnitine/acylcarnitine carrier Cys residues by glutathionylation. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>2013</b> , 1830, 5299-304	4	32

72	OCTN cation transporters in health and disease: role as drug targets and assay development. <i>Journal of Biomolecular Screening</i> , <b>2013</b> , 18, 851-67		76
71	Inhibition of the OCTN2 carnitine transporter by HgCl <sub>2</sub> and methylmercury in the proteoliposome experimental model: insights in the mechanism of toxicity. <i>Toxicology Mechanisms and Methods</i> , <b>2013</b> , 23, 68-76	3.6	14
70	Cloning, large scale over-expression in E. coli and purification of the components of the human LAT 1 (SLC7A5) amino acid transporter. <i>Protein Journal</i> , <b>2013</b> , 32, 442-8	3.9	16
69	Large scale production of the active human ASCT2 (SLC1A5) transporter in Pichia pastoris--functional and kinetic asymmetry revealed in proteoliposomes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2013</b> , 1828, 2238-46	3.8	48
68	Inhibition of mitochondrial carnitine/acylcarnitine transporter by H <sub>2</sub> O <sub>2</sub> : molecular mechanism and possible implication in pathophysiology. <i>Chemico-Biological Interactions</i> , <b>2013</b> , 203, 423-9	5	17
67	Localization of mitochondrial carnitine/acylcarnitine translocase in sensory neurons from rat dorsal root ganglia. <i>Neurochemical Research</i> , <b>2013</b> , 38, 2535-41	4.6	11
66	Proteoliposomes as tool for assaying membrane transporter functions and interactions with xenobiotics. <i>Pharmaceutics</i> , <b>2013</b> , 5, 472-97	6.4	52
65	Molecular mechanism of inhibition of the mitochondrial carnitine/acylcarnitine transporter by omeprazole revealed by proteoliposome assay, mutagenesis and bioinformatics. <i>PLoS ONE</i> , <b>2013</b> , 8, e82286	3.7	15
64	Biosynthesis of flavin cofactors in man: implications in health and disease. <i>Current Pharmaceutical Design</i> , <b>2013</b> , 19, 2649-75	3.3	48
63	Identification by site-directed mutagenesis of a hydrophobic binding site of the mitochondrial carnitine/acylcarnitine carrier involved in the interaction with acyl groups. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , <b>2012</b> , 1817, 697-704	4.6	20
62	Over-expression in E. coli and purification of the human OCTN2 transport protein. <i>Molecular Biotechnology</i> , <b>2012</b> , 50, 1-7	3	18
61	The human OCTN1 (SLC22A4) reconstituted in liposomes catalyzes acetylcholine transport which is defective in the mutant L503F associated to the Crohn's disease. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2012</b> , 1818, 559-65	3.8	42
60	Over-expression in Escherichia coli, purification and reconstitution in liposomes of the third member of the OCTN sub-family: the mouse carnitine transporter OCTN3. <i>Biochemical and Biophysical Research Communications</i> , <b>2012</b> , 422, 59-63	3.4	18
59	Inactivation of the glutamine/amino acid transporter ASCT2 by 1,2,3-dithiazoles: proteoliposomes as a tool to gain insights in the molecular mechanism of action and of antitumor activity. <i>Toxicology and Applied Pharmacology</i> , <b>2012</b> , 265, 93-102	4.6	50
58	Regulation by physiological cations of acetylcholine transport mediated by human OCTN1 (SLC22A4). Implications in the non-neuronal cholinergic system. <i>Life Sciences</i> , <b>2012</b> , 91, 1013-6	6.8	28
57	Human OCTN2 (SLC22A5) is down-regulated in virus- and nonvirus-mediated cancer. <i>Cell Biochemistry and Function</i> , <b>2012</b> , 30, 419-25	4.2	20
56	Bacterial over-expression and purification of the 3-phosphoadenosine 5-phosphosulfate (PAPS) reductase domain of human FAD synthase: functional characterization and homology modeling. <i>International Journal of Molecular Sciences</i> , <b>2012</b> , 13, 16880-98	6.3	19
55	The BAT1 amino acid transporter from rat kidney reconstituted in liposomes: kinetics and inactivation by methylmercury. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2011</b> , 1808, 2551-8	3.8	13

54	The mitochondrial carnitine/acylcarnitine carrier: function, structure and physiopathology. <i>Molecular Aspects of Medicine</i> , <b>2011</b> , 32, 223-33	16.7	142
53	Reconstitution in liposomes of the functionally active human OCTN1 (SLC22A4) transporter overexpressed in Escherichia coli. <i>Biochemical Journal</i> , <b>2011</b> , 439, 227-33	3.8	30
52	Human FAD synthase (isoform 2): a component of the machinery that delivers FAD to apo-flavoproteins. <i>FEBS Journal</i> , <b>2011</b> , 278, 4434-49	5.7	37
51	Effects of heavy metal cations on the mitochondrial ornithine/citrulline transporter reconstituted in liposomes. <i>BioMetals</i> , <b>2011</b> , 24, 1205-15	3.4	14
50	IkappaB kinase beta promotes cell survival by antagonizing p53 functions through DeltaNp73alpha phosphorylation and stabilization. <i>Molecular and Cellular Biology</i> , <b>2011</b> , 31, 2210-26	4.8	27
49	E6 and E7 from human papillomavirus type 16 cooperate to target the PDZ protein Na/H exchange regulatory factor 1. <i>Journal of Virology</i> , <b>2011</b> , 85, 8208-16	6.6	43
48	The Carnitine Transporter Network: Interactions with Drugs. <i>Current Chemical Biology</i> , <b>2010</b> , 4, 108-123	0.4	3
47	Mitochondrial localization of human FAD synthetase isoform 1. <i>Mitochondrion</i> , <b>2010</b> , 10, 263-73	4.9	47
46	Site-directed mutagenesis of charged amino acids of the human mitochondrial carnitine/acylcarnitine carrier: insight into the molecular mechanism of transport. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , <b>2010</b> , 1797, 839-45	4.6	31
45	Inactivation by Hg2+ and methylmercury of the glutamine/amino acid transporter (ASCT2) reconstituted in liposomes: Prediction of the involvement of a CXXC motif by homology modelling. <i>Biochemical Pharmacology</i> , <b>2010</b> , 80, 1266-73	6	32
44	Studying amino acid transport using liposomes. <i>Methods in Molecular Biology</i> , <b>2010</b> , 606, 55-68	1.4	10
43	The Carnitine Transporter Network: Interactions with Drugs. <i>Current Chemical Biology</i> , <b>2010</b> , 4, 108-123	0.4	11
42	Site-directed mutagenesis of the His residues of the rat mitochondrial carnitine/acylcarnitine carrier: implications for the role of His-29 in the transport pathway. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , <b>2009</b> , 1787, 1009-15	4.6	16
41	Inactivation by omeprazole of the carnitine transporter (OCTN2) reconstituted in liposomes. <i>Chemico-Biological Interactions</i> , <b>2009</b> , 179, 394-401	5	23
40	Over-expression in E. coli and purification of the human OCTN1 transport protein. <i>Protein Expression and Purification</i> , <b>2009</b> , 68, 215-20	2	18
39	Interaction of beta-lactam antibiotics with the mitochondrial carnitine/acylcarnitine transporter. <i>Chemico-Biological Interactions</i> , <b>2008</b> , 173, 187-94	5	34
38	Reconstitution into liposomes of the B degrees -like glutamine-neutral amino acid transporter from renal cell plasma membrane. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2008</b> , 1778, 2258-65	3.8	15
37	Functional characterization of residues within the carnitine/acylcarnitine translocase RX2PANAAXF distinct motif. <i>Molecular Membrane Biology</i> , <b>2008</b> , 25, 152-63	3.4	22



36	Interaction of mildronate with the mitochondrial carnitine/acylcarnitine transport protein. <i>Journal of Biochemical and Molecular Toxicology</i> , <b>2008</b> , 22, 8-14	3.4	14
35	Synthesis and characterization of carnitine nitro-derivatives. <i>Bioorganic and Medicinal Chemistry</i> , <b>2008</b> , 16, 1444-51	3.4	15
34	Conformation-dependent accessibility of Cys-136 and Cys-155 of the mitochondrial rat carnitine/acylcarnitine carrier to membrane-impermeable SH reagents. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , <b>2007</b> , 1767, 1331-9	4.6	20
33	Over-expression in Escherichia coli, purification and characterization of isoform 2 of human FAD synthetase. <i>Protein Expression and Purification</i> , <b>2007</b> , 52, 175-81	2	33
32	The glutamine/amino acid transporter (ASCT2) reconstituted in liposomes: transport mechanism, regulation by ATP and characterization of the glutamine/glutamate antiport. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2007</b> , 1768, 291-8	3.8	37
31	Human papillomavirus type 77 E7 protein is a weak deregulator of cell cycle. <i>Cancer Letters</i> , <b>2007</b> , 246, 274-81	9.9	2
30	The glutamine/amino acid transporter (ASCT2) reconstituted in liposomes: electrical nature of the glutamine/glutamate antiport. <i>Italian Journal of Biochemistry</i> , <b>2007</b> , 56, 275-8		4
29	Functional reconstitution into liposomes and characterization of the carnitine transporter from rat liver microsomes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2006</b> , 1758, 124-31	3.8	6
28	Over-expression in Escherichia coli and characterization of two recombinant isoforms of human FAD synthetase. <i>Biochemical and Biophysical Research Communications</i> , <b>2006</b> , 344, 1008-16	3.4	62
27	Relationships of Cysteine and Lysine residues with the substrate binding site of the mitochondrial ornithine/citrulline carrier: an inhibition kinetic approach combined with the analysis of the homology structural model. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2005</b> , 1718, 53-60	3.8	25
26	Identification by site-directed mutagenesis and chemical modification of three vicinal cysteine residues in rat mitochondrial carnitine/acylcarnitine transporter. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 19607-12	5.4	42
25	Reconstitution into liposomes and functional characterization of the carnitine transporter from renal cell plasma membrane. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2004</b> , 1661, 78-86	3.8	39
24	Reconstitution into liposomes of the glutamine/amino acid transporter from renal cell plasma membrane: functional characterization, kinetics and activation by nucleotides. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2004</b> , 1667, 122-31	3.8	27
23	Over-expression in Escherichia coli, functional characterization and refolding of rat dimethylglycine dehydrogenase. <i>Protein Expression and Purification</i> , <b>2004</b> , 37, 434-42	2	21
22	Chemical modification of the mitochondrial ornithine/citrulline carrier by SH reagents: effects on the transport activity and transition from carrier to pore-like function. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2003</b> , 1611, 123-30	3.8	18
21	Decreased mitochondrial carnitine translocase in skeletal muscles impairs utilization of fatty acids in insulin-resistant patients. <i>Frontiers in Bioscience - Landmark</i> , <b>2002</b> , 7, a109-16	2.8	18
20	Site-directed mutagenesis and chemical modification of the six native cysteine residues of the rat mitochondrial carnitine carrier: implications for the role of cysteine-136. <i>Biochemistry</i> , <b>2002</b> , 41, 8649-56 <sup>3.2</sup>		43
19	Kinetic mechanism of antiports catalyzed by reconstituted ornithine/citrulline carrier from rat liver mitochondria. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , <b>2001</b> , 1503, 303-13	4.6	15

18	The purified and reconstituted ornithine/citrulline carrier from rat liver mitochondria catalyses a second transport mode: ornithine+/H+ exchange. <i>Biochemical Journal</i> , <b>1999</b> , 341, 705-711	3.8	20
17	The purified and reconstituted ornithine/citrulline carrier from rat liver mitochondria catalyses a second transport mode: ornithine+/H+ exchange. <i>Biochemical Journal</i> , <b>1999</b> , 341, 705	3.8	8
16	Bacterial overexpression, purification, and reconstitution of the carnitine/acylcarnitine carrier from rat liver mitochondria. <i>Biochemical and Biophysical Research Communications</i> , <b>1998</b> , 249, 589-94	3.4	69
15	Identification and purification of the reconstitutively active glutamine carrier from rat kidney mitochondria. <i>Biochemical Journal</i> , <b>1998</b> , 333 ( Pt 2), 285-90	3.8	45
14	The mitochondrial carnitine carrier protein: cDNA cloning, primary structure and comparison with other mitochondrial transport proteins. <i>Biochemical Journal</i> , <b>1997</b> , 321 ( Pt 3), 713-9	3.8	131
13	The purified and reconstituted ornithine/citrulline carrier from rat liver mitochondria: electrical nature and coupling of the exchange reaction with H+ translocation. <i>Biochemical Journal</i> , <b>1997</b> , 327 ( Pt 2), 349-55	3.8	51
12	Cloning of the human carnitine-acylcarnitine carrier cDNA and identification of the molecular defect in a patient. <i>American Journal of Human Genetics</i> , <b>1997</b> , 61, 1239-45	11	119
11	Mitochondrial metabolite carrier proteins: purification, reconstitution, and transport studies. <i>Methods in Enzymology</i> , <b>1995</b> , 260, 349-69	1.7	210
10	Probing the Active Site of the Reconstituted Carnitine Carrier from Rat Liver Mitochondria with Sulfhydryl Reagents. A Cysteine Residue is Localized in or Near the Substrate Binding Site. <i>FEBS Journal</i> , <b>1995</b> , 228, 271-278		
9	Probing the Active Site of the Reconstituted Carnitine Carrier from Rat Liver Mitochondria with Sulfhydryl Reagents. A Cysteine Residue is Localized in or Near the Substrate Binding Site. <i>FEBS Journal</i> , <b>1995</b> , 228, 271-278		25
8	Kinetic characterization of the reconstituted ornithine carrier from rat liver mitochondria. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , <b>1994</b> , 1188, 293-301	4.6	37
7	The reconstituted carnitine carrier from rat liver mitochondria: evidence for a transport mechanism different from that of the other mitochondrial translocators. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>1994</b> , 1189, 65-73	3.8	65
6	Functional properties of purified and reconstituted mitochondrial metabolite carriers. <i>Journal of Bioenergetics and Biomembranes</i> , <b>1993</b> , 25, 525-35	3.7	75
5	Identification and purification of the ornithine/citrulline carrier from rat liver mitochondria. <i>FEBS Journal</i> , <b>1992</b> , 207, 449-54		54
4	Reaction mechanism of the reconstituted oxoglutarate carrier from bovine heart mitochondria. <i>FEBS Journal</i> , <b>1991</b> , 198, 339-47		46
3	Identification and purification of the carnitine carrier from rat liver mitochondria. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , <b>1990</b> , 1020, 81-6	4.6	99
2	MICS1 is the Ca <sup>2+</sup> /H <sup>+</sup> antiporter of mammalian mitochondria		1
1	Bacterial over-expression of functionally active human CT2 (SLC22A16) carnitine transporter. <i>Molecular Biology Reports</i> ,	2.8	0

