

Ricardo Santamaria

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2307538/publications.pdf>

Version: 2024-02-01

139
papers

6,359
citations

76196

40
h-index

76769

74
g-index

139
all docs

139
docs citations

139
times ranked

7096
citing authors

#	ARTICLE	IF	CITATIONS
1	Towards a Further Generation of High-Energy Carbon-Based Capacitors by Using Redox-Active Electrolytes. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 1699-1701.	7.2	389
2	Graphene materials with different structures prepared from the same graphite by the Hummers and Brodie methods. <i>Carbon</i> , 2013, 65, 156-164.	5.4	345
3	Mechanisms of Energy Storage in Carbon-Based Supercapacitors Modified with a Quinoid Redox-Active Electrolyte. <i>Journal of Physical Chemistry C</i> , 2011, 115, 17606-17611.	1.5	263
4	Critical temperatures in the synthesis of graphene-like materials by thermal exfoliation-reduction of graphite oxide. <i>Carbon</i> , 2013, 52, 476-485.	5.4	236
5	Surface Area Measurement of Graphene Oxide in Aqueous Solutions. <i>Langmuir</i> , 2013, 29, 13443-13448.	1.6	195
6	The effect of the parent graphite on the structure of graphene oxide. <i>Carbon</i> , 2012, 50, 275-282.	5.4	188
7	An approach to classification and capacitance expressions in electrochemical capacitors technology. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 1084-1092.	1.3	181
8	Effects of thermal treatment of activated carbon on the electrochemical behaviour in supercapacitors. <i>Electrochimica Acta</i> , 2007, 52, 4969-4973.	2.6	172
9	Enhanced performance of a Bi-modified graphite felt as the positive electrode of a vanadium redox flow battery. <i>Electrochemistry Communications</i> , 2011, 13, 1379-1382.	2.3	164
10	Redox-active electrolyte for carbon nanotube-based electric double layer capacitors. <i>Electrochimica Acta</i> , 2011, 56, 3401-3405.	2.6	159
11	An activated carbon monolith as an electrode material for supercapacitors. <i>Carbon</i> , 2009, 47, 195-200.	5.4	158
12	Supercapacitor modified with methylene blue as redox active electrolyte. <i>Electrochimica Acta</i> , 2012, 83, 241-246.	2.6	148
13	Correct use of the Langmuir-Hinshelwood equation for proving the absence of a synergy effect in the photocatalytic degradation of phenol on a suspended mixture of titania and activated carbon. <i>Carbon</i> , 2013, 55, 62-69.	5.4	146
14	Thermally reduced graphite oxide as positive electrode in Vanadium Redox Flow Batteries. <i>Carbon</i> , 2012, 50, 828-834.	5.4	129
15	Graphite Felt Modified with Bismuth Nanoparticles as Negative Electrode in a Vanadium Redox Flow Battery. <i>ChemSusChem</i> , 2014, 7, 914-918.	3.6	113
16	Outstanding electrochemical performance of a graphene-modified graphite felt for vanadium redox flow battery application. <i>Journal of Power Sources</i> , 2017, 338, 155-162.	4.0	105
17	Long-term cycling of carbon-based supercapacitors in aqueous media. <i>Electrochimica Acta</i> , 2009, 54, 4481-4486.	2.6	95
18	Capacitive Deionization of NaCl Solutions with Modified Activated Carbon Electrodes. <i>Energy & Fuels</i> , 2010, 24, 3329-3333.	2.5	93

#	ARTICLE	IF	CITATIONS
19	Activated carbon produced from Sasol-Lurgi gasifier pitch and its application as electrodes in supercapacitors. <i>Carbon</i> , 2006, 44, 441-446.	5.4	91
20	A thermoanalytical study of the co-pyrolysis of coal-tar pitch and petroleum pitch. <i>Fuel</i> , 2004, 83, 1257-1265.	3.4	80
21	Carbon nanowalls thin films as nanostructured electrode materials in vanadium redox flow batteries. <i>Nano Energy</i> , 2012, 1, 833-839.	8.2	79
22	Optimization of the size and yield of graphene oxide sheets in the exfoliation step. <i>Carbon</i> , 2013, 63, 576-578.	5.4	77
23	A comparative study of air-blown and thermally treated coal-tar pitches. <i>Carbon</i> , 2000, 38, 517-523.	5.4	73
24	A study of pitch-based precursors for general purpose carbon fibres. <i>Carbon</i> , 2002, 40, 2719-2725.	5.4	70
25	CO ₂ adsorption capacity and kinetics in nitrogen-enriched activated carbon fibers prepared by different methods. <i>Chemical Engineering Journal</i> , 2015, 281, 704-712.	6.6	63
26	A highly adhesive PIL/IL gel polymer electrolyte for use in flexible solid state supercapacitors. <i>Electrochimica Acta</i> , 2019, 299, 789-799.	2.6	63
27	Mesophase development in petroleum and coal-tar pitches and their blends. <i>Journal of Analytical and Applied Pyrolysis</i> , 2003, 68-69, 409-424.	2.6	60
28	High performance activated carbon for benzene/toluene adsorption from industrial wastewater. <i>Journal of Hazardous Materials</i> , 2011, 192, 1525-1532.	6.5	58
29	On the chemistry of the oxidative stabilization and carbonization of carbonaceous mesophase. <i>Fuel</i> , 2002, 81, 2061-2070.	3.4	57
30	Electrochemical, textural and microstructural effects of mechanical grinding on graphitized petroleum coke for lithium and sodium batteries. <i>Carbon</i> , 2003, 41, 3003-3013.	5.4	57
31	Comparison between Electrochemical Capacitors Based on NaOH- and KOH-Activated Carbons. <i>Energy & Fuels</i> , 2010, 24, 3422-3428.	2.5	57
32	Graphite oxide-based graphene materials as positive electrodes in vanadium redox flow batteries. <i>Journal of Power Sources</i> , 2013, 241, 349-354.	4.0	57
33	High value activated carbons from waste polystyrene foams. <i>Microporous and Mesoporous Materials</i> , 2018, 267, 181-184.	2.2	57
34	Enhanced life-cycle supercapacitors by thermal treatment of mesophase-derived activated carbons. <i>Electrochimica Acta</i> , 2008, 54, 305-310.	2.6	54
35	Pyrolysis of petroleum residues: I. Yields and product analyses. <i>Carbon</i> , 1999, 37, 1567-1582.	5.4	46
36	Chemical activation of carbon mesophase pitches. <i>Journal of Colloid and Interface Science</i> , 2006, 298, 341-347.	5.0	46

#	ARTICLE	IF	CITATIONS
37	Optimisation of the melt-spinning of anthracene oil-based pitch for isotropic carbon fibre preparation. <i>Fuel Processing Technology</i> , 2012, 93, 99-104.	3.7	45
38	Influence of electrode preparation on the electrochemical behaviour of carbon-based supercapacitors. <i>Journal of Applied Electrochemistry</i> , 2007, 37, 717-721.	1.5	43
39	Graphene anchored palladium complex as efficient and recyclable catalyst in the Heck cross-coupling reaction. <i>Journal of Molecular Catalysis A</i> , 2016, 416, 140-146.	4.8	43
40	A novel method to obtain a petroleum-derived mesophase pitch suitable as carbon fibre precursor. <i>Carbon</i> , 2003, 41, 445-452.	5.4	42
41	C4F8 plasma treatment as an effective route for improving rate performance of natural/synthetic graphite anodes in lithium ion batteries. <i>Carbon</i> , 2016, 103, 28-35.	5.4	40
42	A novel approach for the production of chemically activated carbon fibers. <i>Chemical Engineering Journal</i> , 2015, 260, 463-468.	6.6	39
43	Influence of the carbonization temperature on the mechanical properties of thermoplastic polymer derived C/C-SiC composites. <i>Journal of the European Ceramic Society</i> , 2017, 37, 523-529.	2.8	39
44	Enhanced energy density of carbon-based supercapacitors using Cerium (III) sulphate as inorganic redox electrolyte. <i>Electrochimica Acta</i> , 2015, 168, 277-284.	2.6	38
45	Thermally reduced graphite and graphene oxides in VRFBs. <i>Nano Energy</i> , 2013, 2, 1322-1328.	8.2	37
46	New alternatives to graphite for producing graphene materials. <i>Carbon</i> , 2015, 93, 812-818.	5.4	37
47	Carbon materials as electrodes for electrosorption of NaCl in aqueous solutions. <i>Adsorption</i> , 2011, 17, 467-471.	1.4	34
48	Voltage dependence of carbon-based supercapacitors for pseudocapacitance quantification. <i>Electrochimica Acta</i> , 2013, 95, 225-229.	2.6	34
49	An insight into the polymerization of anthracene oil to produce pitch using nuclear magnetic resonance. <i>Fuel</i> , 2013, 105, 471-476.	3.4	34
50	Insights on the Behavior of Imidazolium Ionic Liquids as Electrolytes in Carbon-Based Supercapacitors: An Applied Electrochemical Approach. <i>Journal of Physical Chemistry C</i> , 2020, 124, 15818-15830.	1.5	34
51	Pyrolysis behaviour of petroleum pitches prepared at different conditions. <i>Journal of Analytical and Applied Pyrolysis</i> , 2002, 63, 223-239.	2.6	33
52	Cokes of different origin as precursors of graphene oxide. <i>Fuel</i> , 2016, 166, 400-403.	3.4	33
53	Unusual flexibility of mesophase pitch-derived carbon materials: An approach to the synthesis of graphene. <i>Carbon</i> , 2017, 115, 539-545.	5.4	31
54	Preparation of Low Toxicity Pitches by Thermal Oxidative Condensation of Anthracene Oil. <i>Environmental Science & Technology</i> , 2009, 43, 8126-8132.	4.6	30

#	ARTICLE	IF	CITATIONS
55	Characterisation and feasibility as carbon fibre precursors of isotropic pitches derived from anthracene oil. <i>Fuel</i> , 2012, 101, 9-15.	3.4	30
56	LiFePO ₄ /Mesoporous Carbon Hybrid Supercapacitor Based on LiTFSI/Imidazolium Ionic Liquid Electrolyte. <i>Journal of Physical Chemistry C</i> , 2018, 122, 1456-1465.	1.5	30
57	Preparation of pitch-based carbon-copper composites for electrical applications. <i>Fuel</i> , 2004, 83, 1625-1634.	3.4	29
58	Tin-carbon composites as anodic material in Li-ion batteries obtained by copyrolysis of petroleum vacuum residue and SnO ₂ . <i>Carbon</i> , 2007, 45, 1396-1409.	5.4	29
59	Enhancing energy density of carbon-based supercapacitors using Prussian Blue modified positive electrodes. <i>Electrochimica Acta</i> , 2016, 212, 848-855.	2.6	29
60	Pyrolysis behaviour of stabilized self-sintering mesophase. <i>Carbon</i> , 2003, 41, 413-422.	5.4	28
61	Carbon molecular sieves as model active electrode materials in supercapacitors. <i>Microporous and Mesoporous Materials</i> , 2008, 110, 431-435.	2.2	28
62	Waste-polystyrene foams-derived magnetic carbon material for adsorption and redox supercapacitor applications. <i>Journal of Cleaner Production</i> , 2021, 313, 127903.	4.6	28
63	Pitch-based carbon composites with granular reinforcements for frictional applications. <i>Carbon</i> , 2000, 38, 1043-1051.	5.4	27
64	Thermal degradation of lignocellulosic materials treated with several acids. <i>Journal of Analytical and Applied Pyrolysis</i> , 2005, 74, 337-343.	2.6	27
65	Activated carbon fibers prepared directly from stabilized fibers for use as electrodes in supercapacitors. <i>Materials Letters</i> , 2014, 136, 214-217.	1.3	27
66	Influence of pressure variations on the formation and development of mesophase in a petroleum residue. <i>Carbon</i> , 1999, 37, 445-455.	5.4	26
67	Discussion on Operational Voltage and Efficiencies of Ionic-Liquid-Based Electrochemical Capacitors. <i>Journal of Physical Chemistry C</i> , 2019, 123, 8541-8549.	1.5	25
68	Effects of Air-Blowing on the Molecular Size and Structure of Coal-Tar Pitch Components. <i>Energy & Fuels</i> , 2002, 16, 1540-1549.	2.5	24
69	A novel method for mesophase separation. <i>Carbon</i> , 1997, 35, 1191-1193.	5.4	23
70	Separation and characterization of the isotropic phase and co-existing mesophase in thermally treated coal-tar pitches. <i>Carbon</i> , 2000, 38, 1169-1176.	5.4	23
71	The effect of the substrate on pitch wetting behaviour. <i>Fuel Processing Technology</i> , 2010, 91, 1373-1377.	3.7	23
72	N-enriched ACF from coal-based pitch blended with urea-based resin for CO ₂ capture. <i>Microporous and Mesoporous Materials</i> , 2015, 201, 10-16.	2.2	23

#	ARTICLE	IF	CITATIONS
73	Improvement of the thermal stability of lignocellulosic materials by treatment with sulphuric acid and potassium hydroxide. <i>Journal of Analytical and Applied Pyrolysis</i> , 2004, 72, 131-139.	2.6	22
74	Influence of oxidative stabilization on the electrochemical behaviour of coal tar pitch derived carbons in lithium batteries. <i>Electrochimica Acta</i> , 2005, 50, 1225-1232.	2.6	22
75	Influence of mesophase activation conditions on the specific capacitance of the resulting carbons. <i>Journal of Power Sources</i> , 2006, 156, 719-724.	4.0	22
76	Mesophase from Anthracene Oil-Based Pitches. <i>Energy & Fuels</i> , 2008, 22, 4146-4150.	2.5	22
77	On the Chemical Composition of Thermally Treated Coal-Tar Pitches. <i>Energy & Fuels</i> , 2001, 15, 214-223.	2.5	21
78	Assessment of the oxidative stabilisation of carbonaceous mesophase by thermal analysis techniques. <i>Journal of Analytical and Applied Pyrolysis</i> , 2001, 58-59, 911-926.	2.6	21
79	Pyrolysis behaviour of mesophase and isotropic phases isolated from the same pitch. <i>Journal of Analytical and Applied Pyrolysis</i> , 2002, 63, 251-265.	2.6	21
80	Effect of the thermal treatment of carbon-based electrodes on the electrochemical performance of supercapacitors. <i>Journal of Electroanalytical Chemistry</i> , 2008, 618, 17-23.	1.9	21
81	Tuning graphene properties by a multi-step thermal reduction process. <i>Carbon</i> , 2015, 90, 160-163.	5.4	21
82	Iron-carbon composites as electrode materials in lithium batteries. <i>Carbon</i> , 2006, 44, 1762-1772.	5.4	20
83	Role of quinoline insoluble particles during the processing of coal tars to produce graphene materials. <i>Fuel</i> , 2017, 206, 99-106.	3.4	20
84	Monitoring coal-tar pitch composition changes during air-blowing by gas chromatography. <i>Journal of Chromatography A</i> , 2004, 1026, 231-238.	1.8	19
85	Influence of granular carbons on pitch properties. <i>Fuel</i> , 2003, 82, 1241-1250.	3.4	18
86	An insight into pitch/substrate wetting behaviour. The effect of the substrate processing temperature on pitch wetting capacity. <i>Fuel</i> , 2007, 86, 1046-1052.	3.4	18
87	Improvement of thermal conductivity in 2D carbon-carbon composites by doping with TiC nanoparticles. <i>Materials Chemistry and Physics</i> , 2010, 122, 102-107.	2.0	18
88	Dielectric behavior of ceramic-graphene composites around the percolation threshold. <i>Nanoscale Research Letters</i> , 2015, 10, 216.	3.1	18
89	Spark plasma sintered BaTiO ₃ /graphene composites for thermoelectric applications. <i>Journal of the European Ceramic Society</i> , 2017, 37, 3741-3746.	2.8	18
90	Mechanism and Stability of a Redox Supercapacitor Based on Methylene Blue: Effects of Degradation of the Redox Shuttle. <i>ACS Applied Energy Materials</i> , 2018, 1, 2306-2316.	2.5	18

#	ARTICLE	IF	CITATIONS
91	Pyrolysis behaviour of pitches modified with different additives. <i>Journal of Analytical and Applied Pyrolysis</i> , 2005, 73, 276-283.	2.6	17
92	Contribution of the isotropic phase to the rheology of partially anisotropic coal-tar pitches. <i>Carbon</i> , 1999, 37, 1059-1064.	5.4	16
93	The influence of processing temperature on the structure and properties of mesophase-based polygranular graphites. <i>Journal of Materials Science</i> , 2004, 39, 1213-1220.	1.7	16
94	Peculiarities of the production of graphene oxides with controlled properties from industrial coal liquids. <i>Fuel</i> , 2017, 203, 253-260.	3.4	16
95	Biliquid Supercapacitors: a Simple and New Strategy to Enhance Energy Density in Asymmetric/Hybrid Devices. <i>Electrochimica Acta</i> , 2017, 254, 384-392.	2.6	16
96	Preventing mesophase growth in petroleum pitches by the addition of coal-tar pitch. <i>Carbon</i> , 2003, 41, 1854-1857.	5.4	15
97	Relationship between chemical composition and pyrolysis behaviour of a medium temperature pitch (or Lurgi-gasifier pitch). <i>Fuel Processing Technology</i> , 2003, 84, 63-77.	3.7	15
98	Capacitance Evolution of Electrochemical Capacitors with Tailored Nanoporous Electrodes in Pure and Dissolved Ionic Liquids. <i>Fuel Cells</i> , 2010, 10, 834-839.	1.5	15
99	Influence of the electrophoretic deposition parameters on the formation of suspended graphene-based films. <i>Materials and Design</i> , 2018, 160, 58-64.	3.3	15
100	Lignocellulose/pitch based composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2005, 36, 649-657.	3.8	14
101	A unified process for preparing mesophase and isotropic material from anthracene oil-based pitch. <i>Fuel Processing Technology</i> , 2011, 92, 421-427.	3.7	14
102	A multi-step exfoliation approach to maintain the lateral size of graphene oxide sheets. <i>Carbon</i> , 2014, 80, 830-832.	5.4	14
103	Synthesis of activated carbons by chemical activation of new anthracene oil-based pitches and their optimization by response surface methodology. <i>Fuel Processing Technology</i> , 2011, 92, 1987-1992.	3.7	13
104	Influence of granular carbons on the pyrolysis behaviour of coal-tar pitches. <i>Journal of Analytical and Applied Pyrolysis</i> , 2001, 58-59, 825-840.	2.6	12
105	Co-pyrolysis of an aromatic petroleum residue with triphenylsilane. <i>Carbon</i> , 2001, 39, 1001-1011.	5.4	12
106	Composite electrode materials for lithium-ion batteries obtained by metal oxide addition to petroleum vacuum residua. <i>Carbon</i> , 2005, 43, 923-936.	5.4	12
107	Further studies on the use of Raman spectroscopy and X-ray diffraction for the characterisation of TiC-containing carbon-carbon composites. <i>Carbon</i> , 2012, 50, 3240-3246.	5.4	12
108	Microstructure and properties of pitch-based carbon composites. <i>Journal of Microscopy</i> , 1999, 196, 213-224.	0.8	11

#	ARTICLE	IF	CITATIONS
109	Evaluating capacitive deionization for water desalination by direct determination of chloride ions. <i>Desalination</i> , 2014, 344, 396-401.	4.0	11
110	Novel coal-based precursors for cokes with highly oriented microstructures. <i>Fuel</i> , 2012, 95, 400-406.	3.4	10
111	Unraveling the relevance of carbon felts surface modification during electrophoretic deposition of nanocarbons on their performance as electrodes for the VO ₂ ⁺ /VO ₂ ⁺ redox couple. <i>Applied Surface Science</i> , 2021, 569, 151095.	3.1	10
112	Pitch/coke wetting behaviour. <i>Fuel</i> , 2005, , .	3.4	9
113	Oxidation behaviour of magnesia-carbon materials prepared with petroleum pitch as binder. <i>Journal of Analytical and Applied Pyrolysis</i> , 2010, 88, 207-212.	2.6	9
114	Morphological changes in graphene materials caused by solvents. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 558, 73-79.	2.3	9
115	Optimization of the preparation conditions of polygranular carbons from mesophase. <i>Journal of Materials Science</i> , 2003, 38, 427-435.	1.7	8
116	Influence of the oxidative stabilisation treatment time on the electrochemical performance of anthracene oils cokes as electrode materials for lithium batteries. <i>Journal of Power Sources</i> , 2006, 161, 1324-1334.	4.0	8
117	Structural Characterization of High-Softening-Point Pitches By Oxidation with RuO ₄ . <i>Energy & Fuels</i> , 2001, 15, 128-134.	2.5	7
118	The effect of the reinforcing carbon on the microstructure of pitch-based granular composites. <i>Journal of Microscopy</i> , 2003, 209, 81-93.	0.8	7
119	Electrochemical improvement of low-temperature petroleum cokes by chemical oxidation with H ₂ O ₂ for their use as anodes in lithium ion batteries. <i>Electrochimica Acta</i> , 2006, 52, 1281-1289.	2.6	7
120	Development of titanium-doped carbon-carbon composites. <i>Journal of Materials Science</i> , 2009, 44, 2525-2532.	1.7	7
121	Thermal curing of mesophase pitch: An alternative to oxidative stabilisation for the development of carbon-carbon composites. <i>Journal of Analytical and Applied Pyrolysis</i> , 2009, 86, 28-32.	2.6	7
122	Optimization of a carbon-based hybrid energy storage device with cerium (III) sulfate as redox electrolyte. <i>Journal of Power Sources</i> , 2016, 309, 50-55.	4.0	6
123	No genome-wide DNA methylation changes found associated with medium-term reduced graphene oxide exposure in human lung epithelial cells. <i>Epigenetics</i> , 2020, 15, 283-293.	1.3	6
124	Preparation and characterisation of pitch-based granular composites to be used in tribological applications. <i>Wear</i> , 2005, 258, 1706-1716.	1.5	5
125	Effect of oxidative stabilization on the electrochemical performance of carbon mesophases as electrode materials for lithium batteries. <i>Journal of Solid State Electrochemistry</i> , 2005, 9, 627-633.	1.2	5
126	A study of Faradaic phenomena in activated carbon by means of macroelectrodes and single particle electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2008, 618, 33-38.	1.9	5

#	ARTICLE	IF	CITATIONS
127	The effect of graphite addition on the mechanical and tribological properties of pitch-based granular carbon composites. <i>Journal of Materials Science</i> , 2008, 43, 4541-4549.	1.7	5
128	¹¹⁹ Sn Mössbauer spectroscopy analysis of Sn-Co-C composites prepared from a Fuel Oil Pyrolysis precursor as anodes for Li-ion batteries. <i>Materials Chemistry and Physics</i> , 2013, 138, 747-754.	2.0	5
129	An insight into Faradaic phenomena in activated carbon investigated by means of the microelectrode technique. <i>Electrochemistry Communications</i> , 2007, 9, 2320-2324.	2.3	4
130	Structural changes during pitch-based carbon granular composites carbonisation. <i>Journal of Materials Science</i> , 2008, 43, 906-921.	1.7	4
131	Behaviour of Ti-doped CFCs under thermal fatigue tests. <i>Fusion Engineering and Design</i> , 2011, 86, 121-125.	1.0	4
132	Influence of Granular Carbons on the Thermal Reactivity of Pitches. <i>Energy & Fuels</i> , 2004, 18, 22-29.	2.5	3
133	Behaviour of Ti-doped 3D carbon fibre composites under intense thermal shock tests. <i>Physica Scripta</i> , 2009, T138, 014055.	1.2	3
134	Experimental and Statistical Optimization of the Tensile Strength of Carbon Fibers from Pitches with Different Composition. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 3243-3250.	1.8	3
135	A new parameter relating the properties of semicokes and the resulting sintered carbons. <i>Carbon</i> , 1995, 33, 1182-1184.	5.4	2
136	Effect of oxidation on the performance of low-temperature petroleum cokes as anodes in lithium ion batteries. <i>Journal of Applied Electrochemistry</i> , 2009, 39, 899-906.	1.5	2
137	Influence of titanium carbide on the interlaminar shear strength of carbon fibre laminate composites. <i>Composites Science and Technology</i> , 2011, 71, 101-106.	3.8	2
138	Enhancement of the rate performance of plasma-treated platelet carbon nanofiber anodes in lithium-ion batteries. <i>RSC Advances</i> , 2016, 6, 4810-4817.	1.7	2
139	Evaluation of novel Ti-doped 3D carbon-carbon composites under transient thermal loads. <i>Fusion Engineering and Design</i> , 2010, 85, 813-818.	1.0	0