

Guillem AromÃ-

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2308785/publications.pdf>

Version: 2024-02-01

157
papers

8,598
citations

53660

45
h-index

60497

81
g-index

163
all docs

163
docs citations

163
times ranked

6414
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of 3d Metallic Single-Molecule Magnets. , 0, , 1-67.		969
2	Triazoles and tetrazoles: Prime ligands to generate remarkable coordination materials. Coordination Chemistry Reviews, 2011, 255, 485-546.	9.5	876
3	Design of magnetic coordination complexes for quantum computing. Chemical Society Reviews, 2012, 41, 537-546.	18.7	492
4	Azide as a Bridging Ligand and Magnetic Coupler in Transition Metal Clusters. European Journal of Inorganic Chemistry, 2006, 2006, 4721-4736.	1.0	330
5	Iron Spin-Crossover compounds: from fundamental studies to practical applications. Dalton Transactions, 2009, , 7845.	1.6	224
6	Heterodimetallic [LnLn ²] Lanthanide Complexes: Toward a Chemical Design of Two-Qubit Molecular Spin Quantum Gates. Journal of the American Chemical Society, 2014, 136, 14215-14222.	6.6	201
7	Poly beta-diketones: Prime ligands to generate supramolecular metallocusters. Coordination Chemistry Reviews, 2008, 252, 964-989.	9.5	194
8	Synthetic and Structural Studies of Cobalt ²⁺ Pivalate Complexes. Chemistry - A European Journal, 2003, 9, 5142-5161.	1.7	185
9	Three-Way Crystal-to-Crystal Reversible Transformation and Controlled Spin Switching by a Nonporous Molecular Material. Journal of the American Chemical Society, 2014, 136, 3869-3874.	6.6	176
10	Synthesis, Crystal Structures, Magnetic Properties and Catecholase Activity of Double Phenoxido-Bridged Penta-Coordinated Dinuclear Nickel(II) Complexes Derived from Reduced Schiff-Base Ligands: Mechanistic Inference of Catecholase Activity. Inorganic Chemistry, 2012, 51, 7993-8001.	1.9	133
11	3-D Lanthanide Metal-Organic Frameworks: Structure, Photoluminescence, and Magnetism. Inorganic Chemistry, 2009, 48, 1062-1068.	1.9	130
12	Spin state switching in 2,6-bis(pyrazol-3-yl)pyridine (3-bpp) based Fe(II) complexes. Coordination Chemistry Reviews, 2014, 269, 13-31.	9.5	124
13	Inelastic Neutron Scattering and Magnetic Susceptibilities of the Single-Molecule Magnets [Mn ₄ O ₃ X(OAc) ₃ (dbm) ₃] (X = Br, Cl, OAc, and F): A Variation of the Anisotropy along the Series. Journal of the American Chemical Society, 2000, 122, 12469-12477.	6.6	120
14	Magneto ²⁺ Structural Correlations: Synthesis of a Family of End-On Azido-Bridged Manganese(II) Dinuclear Compounds with S = 5 Spin Ground State. Inorganic Chemistry, 2005, 44, 2391-2399.	1.9	117
15	A Magneto ²⁺ Optical Molecular Device: Interplay of Spin Crossover, Luminescence, Photomagnetism, and Photochromism. Angewandte Chemie - International Edition, 2017, 56, 15622-15627.	7.2	117
16	High-Spin Molecules: Hexanuclear Mn(III) Clusters with [Mn ₆ O ₄ X ₄] ⁶⁺ (X = Cl-, Br-) Face-Capped Octahedral Cores and S = 12 Ground States. Journal of the American Chemical Society, 1999, 121, 5489-5499.	6.6	109
17	Synthesis and characterisation of a {Ni ₈ } single molecule magnet and another octanuclear nickel cage. Chemical Communications, 2005, , 2808.	2.2	108
18	Lanthanide Contraction within a Series of Asymmetric Dinuclear [Ln ₂] Complexes. Chemistry - A European Journal, 2013, 19, 5881-5891.	1.7	84

#	ARTICLE	IF	CITATIONS
19	Development of Hexagonal Closed-Packed Cobalt Nanoparticles Stable at High Temperature. <i>Chemistry of Materials</i> , 2009, 21, 5637-5643.	3.2	81
20	Synthesis, structure and magnetic properties of a decametallc Ni single-molecule magnet. <i>Chemical Communications</i> , 2005, , 5038.	2.2	79
21	Coupled Crystallographic Order-Disorder and Spin State in a Bistable Molecule: Multiple Transition Dynamics. <i>Chemistry - A European Journal</i> , 2011, 17, 3120-3127.	1.7	75
22	Aggregation of [Cu ^I] ₄ Building Blocks into [Cu ^I] ₈ Clusters or a [Cu ^I] ₄ Chain through Subtle Chemical Control. <i>Chemistry - A European Journal</i> , 2004, 10, 6476-6488.	1.7	73
23	Coordination Complexes Exhibiting Anion-π Interactions: Synthesis, Structure, and Theoretical Studies. <i>Inorganic Chemistry</i> , 2008, 47, 5873-5881.	1.9	72
24	[GdNi ₆] and [LaNi ₆]: High-Field EPR Spectroscopy and Magnetic Studies of Exchange-Coupled Octahedral Clusters. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 1997-2001.	7.2	71
25	Self-Assembly of an Azido-Bridged [Ni ^{II}] ₆ Cluster Featuring Four Fused Defective Cubanes. <i>Inorganic Chemistry</i> , 2008, 47, 3465-3467.	1.9	71
26	A Unique Asymmetric [Mn] Triple-Stranded Helicate from a Symmetric Pentadentate Ligand. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 3444-3446.	7.2	68
27	Tetranuclear Cu(II) complex supported by a central 1,1,3,3 azide bridge. <i>Chemical Communications</i> , 2006, , 3181-3183.	2.2	67
28	A Versatile Series of Nickel(II) Complexes Derived from Tetradentate Imine/Pyridyl Ligands and Various Pseudohalides: Azide and Cyanate Compared. <i>Inorganic Chemistry</i> , 2008, 47, 4109-4117.	1.9	66
29	Bridging Nitrate Groups in [Mn ₄ O ₃ (NO ₃)(O ₂ CMe) ₃ (R ₂ dbm) ₃] (R = H, Et) and [Mn ₄ O ₂ (NO ₃)(O ₂ Ct) ₆ (bpy) ₂](ClO ₄): Acidolysis Routes to Tetranuclear Manganese Carboxylate Complexes. <i>Inorganic Chemistry</i> , 2002, 41, 805-817.	1.9	65
30	Substituted m-phenylene bridges as strong ferromagnetic couplers for Cu ^I bridge magnetic interactions: new perspectives. <i>Chemical Communications</i> , 2005, , 5172.	2.2	65
31	A Systematic Exploration of Nickel-Pyrazolinato Chemistry with Alkali Metals: New Cages From Serendipitous Assembly. <i>Chemistry - A European Journal</i> , 2003, 9, 3024-3032.	1.7	59
32	A Molecular Pair of [GdNi ₃] Tetrahedra Bridged by Water Molecules. <i>Chemistry - A European Journal</i> , 2011, 17, 8264-8268.	1.7	58
33	A Novel 1,4-Oxo Bridged Copper Tetrahedron Derived by Self-Assembly: A First Example of Double Helical Bis(Tridentate) Coordination of a Hexadentate Amine Phenol Ligand. <i>Inorganic Chemistry</i> , 2004, 43, 4787-4789.	1.9	55
34	Molecules Composed of Two Weakly Magnetically Coupled [Mn ^{III}] ₄ Clusters. <i>Inorganic Chemistry</i> , 2007, 46, 9045-9047.	1.9	55
35	Use of the Sulfato Ligand in 3d-Metal Cluster Chemistry: A Family of Hexanuclear Nickel(II) Complexes with 2-Pyridyl-Substituted Oxime Ligands. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 2761-2774.	1.0	54
36	A heterometallic [LnLn ² Ln] lanthanide complex as a qubit with embedded quantum error correction. <i>Chemical Science</i> , 2020, 11, 10337-10343.	3.7	52

#	ARTICLE	IF	CITATIONS
55	Designed Topology and Site-Selective Metal Composition in Tetranuclear [MM ² ...M ² M] Linear Complexes. Chemistry - A European Journal, 2009, 15, 11235-11243.	1.7	41
56	New [LNiII ₂]+Complexes Incorporating 2-Formyl or 2,6-Diformyl-4-methyl Phenol as Inhibitors of the Hydrolysis of the Ligand L3: Ni ²⁺ -Ni Ferromagnetic Coupling and S = 2 Ground States. Inorganic Chemistry, 2007, 46, 5727-5733.	1.9	39
57	Rare Oxidation-State Combinations and Unusual Structural Motifs in Hexanuclear Mn Complexes Using 2-Pyridyloximate Ligands. Inorganic Chemistry, 2010, 49, 4388-4390.	1.9	39
58	Double-CO ₃ ²⁻ Centered [Co ^{II} ₅] Wheel and Modeling of Its Magnetic Properties. Chemistry - A European Journal, 2010, 16, 13825-13833.	1.7	38
59	$\frac{1}{4}$ -1,1-N,N'-Imidazolidine-Bridged Dicopper(II/III) Complexes of a New Dinucleating $\frac{1}{4}$ -Bis(tetradentate) Schiff Base Ligand: Synthesis, Structural Characterization, ¹ H NMR Spectroscopy, and Magnetic Coupling. European Journal of Inorganic Chemistry, 2005, 2005, 2526-2535.	1.0	37
60	New routes to manganese higher-nuclearity topologies: synthesis of the cluster [Mn ₈ (μ -O) ₄ (phpz) ₈ (thf) ₄]. Chemical Communications, 2005, , 3147.	2.2	36
61	Spin transition in a triazine-based Fe(II) complex: variable-temperature structural, thermal, magnetic and spectroscopic studies. Journal of Materials Chemistry, 2006, 16, 2669-2676.	6.7	36
62	Structure and dimensionality of coordination complexes correlated to piperazine conformation: from discrete [CuII ₂] and [CuII ₄] complexes to a $\frac{1}{4}$ [1,3-N ₃] bridged [CuII ₂] _n chain. Dalton Transactions, 2009, , 1352.	1.6	36
63	The Highest-Nuclearity Manganese/Oximate Complex: An Unusual Mn ^{II/III} ₁₅ Cluster with an <i>S</i> = 6 Ground State. Inorganic Chemistry, 2010, 49, 3962-3964.	1.9	36
64	Synthesis of a novel heptacoordinated Fe(III) dinuclear complex: experimental and theoretical study of the magnetic properties. Dalton Transactions, 2010, 39, 4874.	1.6	35
65	Molecular assembly of two [Co ^{II} ₄] linear arrays. Chemical Communications, 2011, 47, 707-709.	2.2	35
66	Selective oxidative para C=C dimerization of 2,6-dimethylphenol. Chemical Communications, 2005, , 5808.	2.2	33
67	A Novel Ni ₄ Complex Exhibiting Microsecond Quantum Tunneling of the Magnetization. Chemistry - A European Journal, 2008, 14, 11158-11166.	1.7	33
68	Structure and properties of a new double-stranded tetranuclear [CuII ₂] ₂ helicate. Chemical Communications, 2006, , 671.	2.2	31
69	A novel [CuII ₄] cluster from the assembly of two [CuII ₂ L] ₂ units by a central μ -1,1,2 perchlorate ligand. Dalton Transactions, 2008, , 861-864.	1.6	31
70	A dissymmetric [Gd ₂] coordination molecular dimer hosting six addressable spin qubits. Communications Chemistry, 2020, 3, .	2.0	30
71	Synthesis and studies of a tetradecanuclear manganese(II)/(III) cage. Chemical Communications, 2002, , 1896-1897.	2.2	29
72	Fe(III) clusters built with tripodal alcohol ligands. Polyhedron, 2006, 25, 325-333.	1.0	29

#	ARTICLE	IF	CITATIONS
73	Coordination Dependence of Magnetic Properties within a Family of Related [FeII ₂] Complexes of a Triazine-Based Ligand. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 1353-1361.	1.0	29
74	A Zig-Zag [MnII ₄] Cluster from a Novel Bis(Î ² -diketonate) Ligand. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 1940-1944.	1.0	29
75	Copper Coordination Polymers Based on Single-Chain or Sheet Structures Involving Dinuclear and Tetranuclear Copper(II) Units: Synthesis, Structures, and Magnetostructural Correlations. <i>Inorganic Chemistry</i> , 2009, 48, 4873-4881.	1.9	29
76	Synthesis, crystal structure and magnetic properties of a mononuclear and a ferromagnetically coupled dinuclear nickel(II) complex derived from a hexadentate Schiff base ligand. <i>Inorganica Chimica Acta</i> , 2005, 358, 3362-3368.	1.2	28
77	Novel Linear Transition Metal Clusters of a Heptadentate Bis-Î ² -diketone Ligand. <i>Inorganic Chemistry</i> , 2007, 46, 2519-2529.	1.9	28
78	Two Cu ₂ and Zn ₂ Metallamacrocycles Featuring a Novel Extended Î-Conjugated Carbazole Bridge. <i>Inorganic Chemistry</i> , 2007, 46, 2947-2949.	1.9	28
79	Ferromagnetic Ni ^{II} Discs. <i>Chemistry - A European Journal</i> , 2009, 15, 12389-12398.	1.7	28
80	Homoleptic versus Heteroleptic Formation of Mononuclear Fe(II) Complexes with Tris-Imine Ligands. <i>Inorganic Chemistry</i> , 2016, 55, 4110-4116.	1.9	28
81	Aqua bridged Cu ₂ dimer of a heptadentate N ₄ O ₃ coordinating ligand: Synthesis, structure and magnetic properties. <i>Polyhedron</i> , 2009, 28, 987-993.	1.0	27
82	A NiII cubane with a ligand derived from a unique metal ion-promoted, crossed-aldol reaction of acetone with di-2-pyridyl ketone. <i>Polyhedron</i> , 2011, 30, 3022-3025.	1.0	27
83	A molecular [Mn ₁₄] coordination cluster featuring two slowly relaxing nanomagnets. <i>Chemical Communications</i> , 2012, 48, 1413-1415.	2.2	27
84	Multimetastability in a Spin-Crossover Compound Leading to Different High-Spin-to-Low-Spin Relaxation Dynamics. <i>Inorganic Chemistry</i> , 2013, 52, 7203-7209.	1.9	27
85	The Impact of Anion-Modulated Structural Variations on the Magnetic Coupling in Trinuclear Heterometallic Cu ^{II} -Co ^{II} Complexes Derived from a Salen-Type Schiff Base Ligand. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 3341-3349.	1.0	25
86	A Magneto-Optical Molecular Device: Interplay of Spin Crossover, Luminescence, Photomagnetism, and Photochromism. <i>Angewandte Chemie</i> , 2017, 129, 15828-15833.	1.6	25
87	The Use of a Bis(phenylpyrazolyl)pyridyl Ligand to Prepare [Mn ₄] and [Mn ₁₀] Cage Complexes. <i>Chemistry - A European Journal</i> , 2011, 17, 4960-4963.	1.7	23
88	Special Issue "Spin Crossover (SCO) Research". <i>Magnetochemistry</i> , 2016, 2, 28.	1.0	22
89	Molecules Designed to Contain Two Weakly Coupled Spins with a Photoswitchable Spacer. <i>Chemistry - A European Journal</i> , 2017, 23, 13648-13659.	1.7	22
90	The First Case of Local cis versus trans Coordination as the Controlling Factor for the Overall Structure in Dinuclear Assemblies. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 1046-1048.	1.0	21

#	ARTICLE	IF	CITATIONS
91	Atmospheric CO ₂ fixation leads to a unique bridged complex and coordination induced ligand hydrolysis to a [CuII] complex. <i>Polyhedron</i> , 2006, 25, 2791-2799.	1.0	21
92	A ketone oximate based cyclic cationic [NiII ₄] inverse metallacrown from simultaneous chelation and bridging of two ligands. <i>Dalton Transactions</i> , 2007, , 1989.	1.6	21
93	Selective Lanthanide Distribution within a Comprehensive Series of Heterometallic [LnPr] Complexes. <i>Inorganic Chemistry</i> , 2018, 57, 8429-8439.	1.9	21
94	Encouraging Chromium(III) Ions to Form Larger Clusters: Syntheses, Structures, Magnetic Properties and Theoretical Studies of Di- and Octametallic Cr Clusters. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 3382-3392.	1.0	20
95	Depolymerization Approach in Mn Cluster Chemistry: Controlled Cleavage of a 1D Coordination Polymer Consisting of Mn ₈ Units in Its Constituent, Discrete Mn ₈ Complex. <i>Inorganic Chemistry</i> , 2010, 49, 359-361.	1.9	20
96	Unusual Crystal Packing in a Family of [Fe{2,6-bis(pyrazol-3-yl)pyridine} ₂] ₂ Compounds and the Effect on the Occurrence of Spin Crossover and Its Cooperative Character. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 6013-6021.	1.0	20
97	Two New bis- β -Diketones as Ligands for Novel Systems in Supramolecular Chemistry. <i>Synthetic Communications</i> , 2003, 33, 11-18.	1.1	19
98	Thermodynamic Stability of Heterodimetallic [LnLn ²] Complexes: Synthesis and DFT Studies. <i>Chemistry - A European Journal</i> , 2017, 23, 5117-5125.	1.7	19
99	A Spin-Crossover Molecular Material Describing Four Distinct Thermal Pathways. <i>Inorganic Chemistry</i> , 2018, 57, 11019-11026.	1.9	19
100	Two New Dinuclear Sterically Crowded CuII Complexes as Catalyst Precursors for the Oxidative Coupling of 2,6-Dimethylphenol. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 1394-1400.	1.0	18
101	Coordination Versatility of 5(3)-(2-Hydroxyphenyl)-3(5)-methylpyrazole: Synthesis, Crystal Structure and Properties of CoIII, NiII and CuII Complexes. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 2635-2640.	1.0	18
102	Tandem Mn ^I Exchange and Homocoupling Processes Mediated by a Synergistically Operative Lithium Manganate. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 3247-3253.	7.2	18
103	A Molecular Chain of Four CoII Ions Stabilized by a Tris-Pyridyl/Bis- β -Diketonate Ligand. <i>Australian Journal of Chemistry</i> , 2009, 62, 1130.	0.5	17
104	Microwave assisted synthesis in coordination chemistry. <i>Polyhedron</i> , 2013, 52, 781-787.	1.0	17
105	Synthesis, structure, spectroscopy and reactivity of new heterotrinnuclear water oxidation catalysts. <i>Chemical Science</i> , 2016, 7, 3304-3312.	3.7	17
106	Molecular Nanomagnets. <i>Molecular Crystals and Liquid Crystals</i> , 2002, 376, 301-313.	0.4	16
107	Synthesis and properties of a novel linear [Ni ₄ L ₂ (py) ₆] cluster: Designed ligand-controlled topology of the metals. <i>Comptes Rendus Chimie</i> , 2008, 11, 1117-1120.	0.2	16
108	Hydrogen bond assisted co-crystallization of a bimetallic Mn ^{III} ₂ Ni ^{II} ₂ cluster and a Ni ^{II} ₂ cluster unit: synthesis, structure, spectroscopy and magnetism. <i>Dalton Transactions</i> , 2010, 39, 4986-4990.	1.6	16

#	ARTICLE	IF	CITATIONS
109	Linear or Cyclic Clusters of Cu(II) with a Hierarchical Relationship. <i>Inorganic Chemistry</i> , 2014, 53, 3290-3297.	1.9	16
110	METAL-BASED MOLECULAR CHAINS: DESIGN BY COORDINATION CHEMISTRY. <i>Comments on Inorganic Chemistry</i> , 2011, 32, 163-194.	3.0	15
111	Supramolecular Click Assembly of a Fused Double-Stranded [Mn ^{II}] ₃ Dihelicate. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 4119-4122.	1.0	14
112	Molecular [(Fe ₃) ²⁺] ₂ and [(Fe ₄) ²⁺] ₂ Coordination Cluster Pairs as Single or Composite Arrays. <i>Inorganic Chemistry</i> , 2012, 51, 8441-8446.	1.9	14
113	Microwave assisted synthesis: A Mn/Ni reaction system affording Mn ₅ Ni ₄ , Mn ₂ Ni ₂ and Mn ₇ complexes. <i>Polyhedron</i> , 2013, 64, 45-51.	1.0	14
114	An Fe ^{II} Spin-Crossover Complex Becomes Increasingly Cooperative with Ageing. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 745-752.	1.0	14
115	Structural and Magnetic Analysis of Retrosynthetically Designed Architectures Built from a Triply Bridged Heterometallic (CuL) ₂ Co Node and Benzenedicarboxylates. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 3028-3037.	1.0	14
116	Two isosceles coordination [Ni ₃] triangles strongly interacting via hydrogen bonds. <i>Polyhedron</i> , 2013, 52, 1369-1374.	1.0	13
117	Synthetic, structural and magnetic implications of introducing 2,2'-dipyridylamide to sodium-ferrate complexes. <i>Dalton Transactions</i> , 2017, 46, 6683-6691.	1.6	13
118	Controlled Heterometallic Composition in Linear Trinuclear [LnCeLn] Lanthanide Molecular Assemblies. <i>Chemistry - A European Journal</i> , 2019, 25, 15228-15232.	1.7	13
119	Polynuclear vanadium complexes from thermal decomposition of [V ₃ O(O ₂ CPh) ₆ (H ₂ O) ₃]Cl. <i>Dalton Transactions</i> , 2006, , 1981-1987.	1.6	12
120	First use of 1,4-dihydro-2,3-quinoxalinedione in the chemistry of coordination polymers: A 3D copper(II) complex containing the 2,3-dioxyquinoxalinate(2-) ligand in a novel coordination mode. <i>Inorganic Chemistry Communication</i> , 2008, 11, 186-191.	1.8	12
121	Dissymmetry of an exogenous bridging ligand facilitates the assembly of a ferromagnetic and chiral [CuII ₃] complex. <i>Dalton Transactions</i> , 2009, , 256-258.	1.6	12
122	Structural and Magnetic Diversity in Alkali-Metal Manganate Chemistry: Evaluating Donor and Alkali-Metal Effects in Co-complexation Processes. <i>Chemistry - A European Journal</i> , 2016, 22, 4843-4854.	1.7	12
123	Heteroleptic Iron(II) Spin-Crossover Complexes Based on a 2,6-Bis(pyrazol-1-yl)pyridine-type Ligand Functionalized with a Carboxylic Acid. <i>Inorganic Chemistry</i> , 2019, 58, 12199-12208.	1.9	12
124	A bis-vanadyl coordination complex as a 2-qubit quantum gate. <i>Chemical Communications</i> , 2020, 56, 3139-3142.	2.2	12
125	A Mixed-Valence [Mn ^{II} Mn ^{III} Mn ^{II}] Complex of a Linear Phenol-bis(pyrazole) Ligand with an <i>S</i> = 3 Spin Ground State. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 3871-3876.	1.0	11
126	Photochromic Performance of Two Cu(II)-One-Dimensional Solvatomorphs Controlled by Intermolecular Interactions. <i>Crystal Growth and Design</i> , 2016, 16, 4026-4033.	1.4	11

#	ARTICLE	IF	CITATIONS
127	Designed polynuclear lanthanide complexes for quantum information processing. Dalton Transactions, 2021, 50, 12045-12057.	1.6	11
128	Synthesis and characterisation of a {Ni ₂ Ag} cage. Chemical Communications, 2005, , 2927.	2.2	10
129	Study of the magnetic exchange within the cluster polymer [NaCu ₆ (gly) ₈ (ClO ₄) ₃ (H ₂ O)] _n (ClO ₄) _{2n} . Inorganica Chimica Acta, 2008, 361, 3919-3925.	1.2	10
130	Selective signalling of alcohols by a molecular lattice and mechanism of single-crystal-to-single-crystal transformations. Inorganic Chemistry Frontiers, 2020, 7, 3165-3175.	3.0	10
131	Elucidating Magnetic Exchange and Anisotropy in Weakly Coupled Mn ^{III} Dimers. Inorganic Chemistry, 2013, 52, 718-723.	1.9	9
132	Characterization of a Robust Co ^{II} Fluorescent Complex Deposited Intact On HOPG. Chemistry - A European Journal, 2014, 20, 10439-10445.	1.7	9
133	Coordination [Co ^{II}] ₂ and [Co ^{II} Zn ^{II}] Helicates Showing Slow Magnetic Relaxation. Inorganic Chemistry, 2019, 58, 9562-9566.	1.9	9
134	A three-dimensional copper(II) coordination polymer featuring the 2,3-dioxyquinoxalinate(-2) ligand: Preparation, structural characterization and magnetic study. Polyhedron, 2009, 28, 1646-1651.	1.0	8
135	A new type of paddle-wheel coordination complex. Dalton Transactions, 2013, 42, 12185.	1.6	8
136	Discrete and polymeric complexes formed from cobalt(II), 4,4'-bipyridine and 2-sulfoterephthalate: synthetic, crystallographic and magnetic studies. CrystEngComm, 2015, 17, 4502-4511.	1.3	8
137	Lanthanide molecules for spin-based quantum technologies. Fundamental Theories of Physics, 2019, , 1-54.	0.1	8
138	Designed asymmetric coordination helicates with bis- β -diketonate ligands. Dalton Transactions, 2019, 48, 16844-16847.	1.6	8
139	Accessing Lanthanide-to-Lanthanide Energy Transfer in a Family of Site-Resolved [Ln ^{III} Ln ^{III}] ²⁺ Heterodimetallic Complexes. Chemistry - A European Journal, 2021, 27, 7288-7299.	1.7	8
140	Synthesis, Structure, and Preliminary Magnetic Studies of a Cluster Polymer with a Hexacopper(II) Barrel Portion. Chemistry Letters, 2003, 32, 202-203.	0.7	7
141	Encapsulation of a Cr ^{III} Single-Ion Magnet within an Fe ^{II} Spin-Crossover Supramolecular Host. Angewandte Chemie, 2018, 130, 13697-13701.	1.6	7
142	Colland Cu ^I Fluorescent Complexes with Acridine-Based Ligands. European Journal of Inorganic Chemistry, 2016, 2016, 3314-3321.	1.0	6
143	Allosteric Spin Crossover Induced by Ligand-Based Molecular Alloying. Inorganic Chemistry, 2020, 59, 12132-12142.	1.9	6
144	Unparalleled selectivity and electronic structure of heterometallic [LnLn TM Ln] molecules as 3-qubit quantum gates. Chemical Science, 0, , .	3.7	6

#	ARTICLE	IF	CITATIONS
145	Molecular [Co(III)Co(II)] Å— 2 assemblies of a new bis-phenol/pyrazolyl ligand. <i>New Journal of Chemistry</i> , 2011, 35, 1202.	1.4	5
146	A Ferric Guest Inside a Spin Crossover Ferrous Helicate. <i>Chemical Communications</i> , 2022, , .	2.2	5
147	A novel bis- β^2 -diketonate ligand stabilizes a [Co(II)8] cage that encapsulates a $(\frac{1}{4}3-O)^{\ominus}H^{\ominus}(\frac{1}{4}3-O)$ moiety. <i>Polyhedron</i> , 2013, 54, 8-12.	1.0	4
148	Dinuclear Copper(II) Complexes Exhibiting Reversible Photochromism. <i>European Journal of Inorganic Chemistry</i> , 2020, 2020, 561-567.	1.0	4
149	Tandem Mn ^{II} Exchange and Homocoupling Processes Mediated by a Synergistically Operative Lithium Manganate. <i>Angewandte Chemie</i> , 2021, 133, 3284-3290.	1.6	4
150	New nanostructured materials: Nanostructuring of a fluorescent magnet based on acridine yellow. <i>Polyhedron</i> , 2013, 66, 136-141.	1.0	2
151	Catalytic H ₂ Evolution with CoO, Co(OH) ₂ and CoO(OH) Nanoparticles Generated from a Molecular Polynuclear Co Complex. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 1499-1505.	1.0	2
152	Serving science through publishing. , 0, 1, 1.		1
153	Two [Ln ₄] molecular rings folded as compact tetrahedra. <i>Dalton Transactions</i> , 2020, 49, 7182-7188.	1.6	1
154	Three Individually Addressable Spin Qubits in a Single Molecule. <i>Chemical Communications</i> , 0, , .	2.2	1
155	Reprint of "A novel bis- β^2 -diketonate ligand stabilizes a [Co(II)8] cage that encapsulates a $(\frac{1}{4}3-O)^{\ominus}H^{\ominus}(\frac{1}{4}3-O)$ moiety". <i>Polyhedron</i> , 2013, 66, 274-278.	1.0	0
156	Frontispiece: Controlled Heterometallic Composition in Linear Trinuclear [LnCeLn] Lanthanide Molecular Assemblies. <i>Chemistry - A European Journal</i> , 2019, 25, .	1.7	0
157	Variations to Spin Crossover in [FexZn(1 $\hat{\sim}$ x)(Me ₁ ,3bpp) ₂ (ClO ₄) ₂] molecular alloys examined by Magnetometry and Single Crystal X-Ray Diffraction. <i>Chemistry Squared</i> , 0, , .	0.0	0