

Nicolas L Fawzi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/230907/publications.pdf>

Version: 2024-02-01

64
papers

8,818
citations

101384

36
h-index

106150

65
g-index

76
all docs

76
docs citations

76
times ranked

7700
citing authors

#	ARTICLE	IF	CITATIONS
1	Protein Phase Separation: A New Phase in Cell Biology. Trends in Cell Biology, 2018, 28, 420-435.	3.6	1,439
2	Residue-by-Residue View of In Vitro FUS Granules that Bind the C-Terminal Domain of RNA Polymerase II. Molecular Cell, 2015, 60, 231-241.	4.5	737
3	ALS Mutations Disrupt Phase Separation Mediated by α -Helical Structure in the TDP-43 Low-Complexity C-Terminal Domain. Structure, 2016, 24, 1537-1549.	1.6	617
4	Phosphorylation of the FUS low-complexity domain disrupts phase separation, aggregation, and toxicity. EMBO Journal, 2017, 36, 2951-2967.	3.5	544
5	Molecular interactions underlying liquid-liquid phase separation of the FUS low-complexity domain. Nature Structural and Molecular Biology, 2019, 26, 637-648.	3.6	463
6	Phase Separation of C9orf72 Dipeptide Repeats Perturbs Stress Granule Dynamics. Molecular Cell, 2017, 65, 1044-1055.e5.	4.5	437
7	Atomic-resolution dynamics on the surface of amyloid- β protofibrils probed by solution NMR. Nature, 2011, 480, 268-272.	13.7	374
8	Mechanistic View of hnRNPA2 Low-Complexity Domain Structure, Interactions, and Phase Separation Altered by Mutation and Arginine Methylation. Molecular Cell, 2018, 69, 465-479.e7.	4.5	312
9	A single N-terminal phosphomimic disrupts TDP-43 polymerization, phase separation, and RNA splicing. EMBO Journal, 2018, 37, .	3.5	297
10	TDP-43 α -helical structure tunes liquid-liquid phase separation and function. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 5883-5894.	3.3	258
11	Nuclear Import Receptor Inhibits Phase Separation of FUS through Binding to Multiple Sites. Cell, 2018, 173, 693-705.e22.	13.5	253
12	SARS-CoV-2 nucleocapsid protein phase-separates with RNA and with human hnRNPs. EMBO Journal, 2020, 39, e106478.	3.5	194
13	Kinetics of Amyloid β Monomer-to-Oligomer Exchange by NMR Relaxation. Journal of the American Chemical Society, 2010, 132, 9948-9951.	6.6	179
14	Structure and Dynamics of the A β ₂₁₋₃₀ Peptide from the Interplay of NMR Experiments and Molecular Simulations. Journal of the American Chemical Society, 2008, 130, 6145-6158.	6.6	153
15	Homogeneous and Heterogeneous Tertiary Structure Ensembles of Amyloid- β Peptides. Biochemistry, 2011, 50, 7612-7628.	1.2	130
16	Mice with endogenous TDP-43 mutations exhibit gain of splicing function and characteristics of amyotrophic lateral sclerosis. EMBO Journal, 2018, 37, .	3.5	129
17	Molecular Details of Protein Condensates Probed by Microsecond Long Atomistic Simulations. Journal of Physical Chemistry B, 2020, 124, 11671-11679.	1.2	127
18	Membrane bending by protein phase separation. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	125

#	ARTICLE	IF	CITATIONS
19	TDP-43 condensation properties specify its RNA-binding and regulatory repertoire. <i>Cell</i> , 2021, 184, 4680-4696.e22.	13.5	121
20	Coarse-grained sequences for protein folding and design. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 10712-10717.	3.3	109
21	Probing exchange kinetics and atomic resolution dynamics in high-molecular-weight complexes using dark-state exchange saturation transfer NMR spectroscopy. <i>Nature Protocols</i> , 2012, 7, 1523-1533.	5.5	98
22	Determining the Critical Nucleus and Mechanism of Fibril Elongation of the Alzheimer's A β 40 Peptide. <i>Journal of Molecular Biology</i> , 2007, 365, 535-550.	2.0	88
23	The (un)structural biology of biomolecular liquid-liquid phase separation using NMR spectroscopy. <i>Journal of Biological Chemistry</i> , 2020, 295, 2375-2384.	1.6	87
24	Physiological, Pathological, and Targetable Membraneless Organelles in Neurons. <i>Trends in Neurosciences</i> , 2019, 42, 693-708.	4.2	83
25	Mechanistic details of a protein-protein association pathway revealed by paramagnetic relaxation enhancement titration measurements. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 1379-1384.	3.3	80
26	Probing the transient dark state of substrate binding to GroEL by relaxation-based solution NMR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 11361-11366.	3.3	76
27	Molecular interactions contributing to FUS SYGQ LC-RGG phase separation and co-partitioning with RNA polymerase II heptads. <i>Nature Structural and Molecular Biology</i> , 2021, 28, 923-935.	3.6	75
28	A rigid disulfide-linked nitroxide side chain simplifies the quantitative analysis of PRE data. <i>Journal of Biomolecular NMR</i> , 2011, 51, 105-114.	1.6	56
29	A predictive coarse-grained model for position-specific effects of post-translational modifications. <i>Biophysical Journal</i> , 2021, 120, 1187-1197.	0.2	56
30	Protofibril Assemblies of the Arctic, Dutch, and Flemish Mutants of the Alzheimer's A β 40 Peptide. <i>Biophysical Journal</i> , 2008, 94, 2007-2016.	0.2	54
31	Interactions between ALS-linked FUS and nucleoporins are associated with defects in the nucleocytoplasmic transport pathway. <i>Nature Neuroscience</i> , 2021, 24, 1077-1088.	7.1	54
32	Hydrophobic Potential of Mean Force as a Solvation Function for Protein Structure Prediction. <i>Structure</i> , 2007, 15, 727-740.	1.6	52
33	Automated sequence- and stereo-specific assignment of methyl-labeled proteins by paramagnetic relaxation and methyl-methyl nuclear overhauser enhancement spectroscopy. <i>Journal of Biomolecular NMR</i> , 2011, 51, 319-328.	1.6	51
34	A coarse-grained 1 μ s carbon protein model with anisotropic hydrogen bonding. <i>Proteins: Structure, Function and Bioinformatics</i> , 2008, 70, 626-638.	1.5	48
35	Influence of denatured and intermediate states of folding on protein aggregation. <i>Protein Science</i> , 2005, 14, 993-1003.	3.1	45
36	Characterizing Methyl-Bearing Side Chain Contacts and Dynamics Mediating Amyloid β Protofibril Interactions Using ^{13}C -methyl-DEST and Lifetime Line Broadening. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 10345-10349.	7.2	45

#	ARTICLE	IF	CITATIONS
37	Tyrosine phosphorylation regulates hnRNPA2 granule protein partitioning and reduces neurodegeneration. <i>EMBO Journal</i> , 2021, 40, e105001.	3.5	44
38	Refining All-Atom Protein Force Fields for Polar-Rich, Prion-like, Low-Complexity Intrinsically Disordered Proteins. <i>Journal of Physical Chemistry B</i> , 2020, 124, 9505-9512.	1.2	40
39	CLAMP and Zelda function together to promote <i>Drosophila</i> zygotic genome activation. <i>ELife</i> , 2021, 10, .	2.8	40
40	Differential Occupancy of Two GA-Binding Proteins Promotes Targeting of the <i>Drosophila</i> Dosage Compensation Complex to the Male X Chromosome. <i>Cell Reports</i> , 2018, 22, 3227-3239.	2.9	39
41	The SH3 domain of Fyn kinase interacts with and induces liquid-liquid phase separation of the low-complexity domain of hnRNPA2. <i>Journal of Biological Chemistry</i> , 2018, 293, 19522-19531.	1.6	38
42	The C-Terminal Threonine of A β 243 Nucleates Toxic Aggregation via Structural and Dynamical Changes in Monomers and Protofibrils. <i>Biochemistry</i> , 2014, 53, 3095-3105.	1.2	36
43	Biophysical studies of phase separation integrating experimental and computational methods. <i>Current Opinion in Structural Biology</i> , 2021, 70, 78-86.	2.6	35
44	Contrasting Disease and Nondisease Protein Aggregation by Molecular Simulation. <i>Accounts of Chemical Research</i> , 2008, 41, 1037-1047.	7.6	34
45	Epigenetic cell fate in <i>Candida albicans</i> is controlled by transcription factor condensates acting at super-enhancer-like elements. <i>Nature Microbiology</i> , 2020, 5, 1374-1389.	5.9	34
46	Phase separation of the LINE-1 ORF1 protein is mediated by the N-terminus and coiled-coil domain. <i>Biophysical Journal</i> , 2021, 120, 2181-2191.	0.2	32
47	Lysines in the RNA Polymerase II C-Terminal Domain Contribute to TAF15 Fibril Recruitment. <i>Biochemistry</i> , 2018, 57, 2549-2563.	1.2	31
48	The oncogenic transcription factor FUS-CHOP can undergo nuclear liquid-liquid phase separation. <i>Journal of Cell Science</i> , 2021, 134, .	1.2	28
49	Reversible Kinetic Trapping of FUS Biomolecular Condensates. <i>Advanced Science</i> , 2022, 9, e2104247.	5.6	28
50	Optimization of DsRed production in <i>Escherichia coli</i> : Effect of ribosome binding site sequestration on translation efficiency. <i>Biotechnology and Bioengineering</i> , 2005, 92, 553-558.	1.7	27
51	N-terminal acetylation modestly enhances phase separation and reduces aggregation of the low-complexity domain of RNA-binding protein fused in sarcoma. <i>Protein Science</i> , 2021, 30, 1337-1349.	3.1	27
52	Protein folding by distributed computing and the denatured state ensemble. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 16684-16689.	3.3	22
53	How hot? Systematic convergence of the replica exchange method using multiple reservoirs. <i>Journal of Computational Chemistry</i> , 2010, 31, 620-627.	1.5	19
54	Meta-analysis of Genetic Modifiers Reveals Candidate Dysregulated Pathways in Amyotrophic Lateral Sclerosis. <i>Neuroscience</i> , 2019, 396, A3-A20.	1.1	17

#	ARTICLE	IF	CITATIONS
55	An efficient protocol for incorporation of an unnatural amino acid in perdeuterated recombinant proteins using glucose-based media. <i>Journal of Biomolecular NMR</i> , 2012, 52, 191-195.	1.6	15
56	Phase separation in biology and disease—a symposium report. <i>Annals of the New York Academy of Sciences</i> , 2019, 1452, 3-11.	1.8	14
57	Weak binding to the A2RE RNA rigidifies hnRNPA2 RRMs and reduces liquid–liquid phase separation and aggregation. <i>Nucleic Acids Research</i> , 2020, 48, 10542-10554.	6.5	12
58	Probing the Atomic Structure of Transient Protein Contacts by Paramagnetic Relaxation Enhancement Solution NMR. <i>Methods in Molecular Biology</i> , 2018, 1688, 243-255.	0.4	10
59	Synthesis and Characterization of a Magnetically Active ¹⁹ F Molecular Beacon. <i>Bioconjugate Chemistry</i> , 2018, 29, 335-342.	1.8	9
60	Protein quality and miRNA slicing get into phase. <i>Nature Cell Biology</i> , 2018, 20, 635-637.	4.6	7
61	Propyl-5-hydroxy-3-methyl-1-phenyl-1H-pyrazole-4-carbodithioate (HMPC): a new bacteriostatic agent against methicillin-resistant <i>Staphylococcus aureus</i> . <i>Scientific Reports</i> , 2018, 8, 7062.	1.6	6
62	An enhancer sequence in the intrinsically disordered region of <i>FtsZ</i> promotes polymer-guided substrate processing by <i>ClpXP</i> protease. <i>Protein Science</i> , 2022, 31, e4306.	3.1	4
63	Coarse-Grained Simulations of Protein Aggregation. <i>Methods in Molecular Biology</i> , 2012, 899, 453-470.	0.4	3
64	EGFP insertional mutagenesis reveals multiple FXR2P fibrillar states with differing ribosome association in neurons. <i>Biology Open</i> , 2019, 8, .	0.6	1