

List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2309113/jeff-m-sands-publications-by-citations.pdf>  
**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162 papers	4,858 citations	40 h-index	62 g-index
178 ext. papers	5,417 ext. citations	5.3 avg, IF	5.69 L-index

#	Paper	IF	Citations
162	Lithium intoxication. <i>Journal of the American Society of Nephrology: JASN</i> , <b>1999</b> , 10, 666-74	12.7	283
161	Urea and Ammonia Metabolism and the Control of Renal Nitrogen Excretion. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2015</b> , 10, 1444-58	6.9	177
160	The physiology of urinary concentration: an update. <i>Seminars in Nephrology</i> , <b>2009</b> , 29, 178-95	4.8	134
159	The TonE/TonEBP pathway mediates tonicity-responsive regulation of UT-A urea transporter expression. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 38275-80	5.4	119
158	Mammalian urea transporters. <i>Annual Review of Physiology</i> , <b>2003</b> , 65, 543-66	23.1	118
157	Cloning and characterization of two new isoforms of the rat kidney urea transporter: UT-A3 and UT-A4. <i>Journal of the American Society of Nephrology: JASN</i> , <b>1999</b> , 10, 230-7	12.7	117
156	Vasopressin rapidly increases phosphorylation of UT-A1 urea transporter in rat IMCDs through PKA. <i>American Journal of Physiology - Renal Physiology</i> , <b>2002</b> , 282, F85-90	4.3	113
155	Localization of the urea transporter UT-B protein in human and rat erythrocytes and tissues. <i>American Journal of Physiology - Cell Physiology</i> , <b>2001</b> , 281, C1318-25	5.4	102
154	Nephrogenic diabetes insipidus. <i>Annals of Internal Medicine</i> , <b>2006</b> , 144, 186-94	8	101
153	High salt intake reprioritizes osmolyte and energy metabolism for body fluid conservation. <i>Journal of Clinical Investigation</i> , <b>2017</b> , 127, 1944-1959	15.9	96
152	Vasopressin-elicited water and urea permeabilities are altered in IMCD in hypercalcemic rats. <i>American Journal of Physiology - Renal Physiology</i> , <b>1998</b> , 274, F978-85	4.3	75
151	Regulation of renal urea transporters. <i>Journal of the American Society of Nephrology: JASN</i> , <b>1999</b> , 10, 635-46	12.7	75
150	Vasopressin increases plasma membrane accumulation of urea transporter UT-A1 in rat inner medullary collecting ducts. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2006</b> , 17, 2680-6	12.7	74
149	Phosphorylation of UT-A1 urea transporter at serines 486 and 499 is important for vasopressin-regulated activity and membrane accumulation. <i>American Journal of Physiology - Renal Physiology</i> , <b>2008</b> , 295, F295-9	4.3	72
148	Expression of urea transporters in the developing rat kidney. <i>American Journal of Physiology - Renal Physiology</i> , <b>2002</b> , 282, F530-40	4.3	71
147	Changes in renal medullary transport proteins during uncontrolled diabetes mellitus in rats. <i>American Journal of Physiology - Renal Physiology</i> , <b>2003</b> , 285, F303-9	4.3	70
146	Renal urea transporters. <i>Current Opinion in Nephrology and Hypertension</i> , <b>2004</b> , 13, 525-32	3.5	69

145	Forskolin stimulates phosphorylation and membrane accumulation of UT-A3. <i>American Journal of Physiology - Renal Physiology</i> , <b>2007</b> , 293, F1308-13	4.3	68
144	97- and 117-kDa forms of collecting duct urea transporter UT-A1 are due to different states of glycosylation. <i>American Journal of Physiology - Renal Physiology</i> , <b>2001</b> , 281, F133-43	4.3	68
143	Advances in understanding the urine-concentrating mechanism. <i>Annual Review of Physiology</i> , <b>2014</b> , 76, 387-409	23.1	66
142	Cloning and characterization of the human urea transporter UT-A1 and mapping of the human Slc14a2 gene. <i>American Journal of Physiology - Renal Physiology</i> , <b>2001</b> , 281, F400-6	4.3	66
141	Electrolytes in the aging. <i>Advances in Chronic Kidney Disease</i> , <b>2010</b> , 17, 308-19	4.7	64
140	Cloning of the rat Slc14a2 gene and genomic organization of the UT-A urea transporter. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , <b>2001</b> , 1518, 19-26		63
139	Angiotensin II increases vasopressin-stimulated facilitated urea permeability in rat terminal IMCDs. <i>American Journal of Physiology - Renal Physiology</i> , <b>2000</b> , 279, F835-40	4.3	62
138	Down-regulation of urea transporters in the renal inner medulla of lithium-fed rats. <i>Kidney International</i> , <b>2002</b> , 61, 995-1002	9.9	61
137	Upregulation of urea transporter UT-A2 and water channels AQP2 and AQP3 in mice lacking urea transporter UT-B. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2004</b> , 15, 1161-7	12.7	57
136	Differential expression of individual UT-A urea transporter isoforms in rat kidney. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2000</b> , 11, 1980-1986	12.7	55
135	Long-term treatment with cyclosporine decreases aquaporins and urea transporters in the rat kidney. <i>American Journal of Physiology - Renal Physiology</i> , <b>2004</b> , 287, F139-51	4.3	53
134	Urea transport in MDCK cells that are stably transfected with UT-A1. <i>American Journal of Physiology - Cell Physiology</i> , <b>2004</b> , 286, C1264-70	5.4	53
133	Urea transport in the kidney. <i>Comprehensive Physiology</i> , <b>2011</b> , 1, 699-729	7.7	52
132	Loss of N-linked glycosylation reduces urea transporter UT-A1 response to vasopressin. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 27436-42	5.4	49
131	Glucocorticoids mediate a decrease in AVP-regulated urea transporter in diabetic rat inner medulla. <i>American Journal of Physiology - Renal Physiology</i> , <b>1997</b> , 273, F949-53	4.3	48
130	Altered expression of urea transporters in response to ureteral obstruction. <i>American Journal of Physiology - Renal Physiology</i> , <b>2004</b> , 286, F1154-62	4.3	48
129	Amiloride restores renal medullary osmolytes in lithium-induced nephrogenic diabetes insipidus. <i>American Journal of Physiology - Renal Physiology</i> , <b>2008</b> , 294, F812-20	4.3	46
128	Role of vasopressin in diabetes mellitus-induced changes in medullary transport proteins involved in urine concentration in Brattleboro rats. <i>American Journal of Physiology - Renal Physiology</i> , <b>2004</b> , 286, F760-6	4.3	45

127	Potential role of purinergic signaling in urinary concentration in inner medulla: insights from P2Y2 receptor gene knockout mice. <i>American Journal of Physiology - Renal Physiology</i> , <b>2008</b> , 295, F1715-24	4.3	44
126	Urea transporters are distributed in endothelial cells and mediate inhibition of L-arginine transport. <i>American Journal of Physiology - Renal Physiology</i> , <b>2002</b> , 283, F578-82	4.3	44
125	Urine concentrating and diluting ability during aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2012</b> , 67, 1352-7	6.4	42
124	Expression of urea transporters in potassium-depleted mouse kidney. <i>American Journal of Physiology - Renal Physiology</i> , <b>2003</b> , 285, F1210-24	4.3	42
123	Molecular approaches to urea transporters. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2002</b> , 13, 2795-806	12.7	41
122	Epac regulates UT-A1 to increase urea transport in inner medullary collecting ducts. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2009</b> , 20, 2018-24	12.7	40
121	Regulation of UT-A1-mediated transepithelial urea flux in MDCK cells. <i>American Journal of Physiology - Cell Physiology</i> , <b>2006</b> , 291, C600-6	5.4	40
120	Glucocorticoids inhibit transcription and expression of the UT-A urea transporter gene. <i>American Journal of Physiology - Renal Physiology</i> , <b>2002</b> , 282, F853-8	4.3	40
119	UT-A urea transporter protein expressed in liver: upregulation by uremia. <i>Journal of the American Society of Nephrology: JASN</i> , <b>1999</b> , 10, 2076-83	12.7	40
118	Monitoring urea transport in rat kidney in vivo using hyperpolarized $^{13}\text{C}$ magnetic resonance imaging. <i>American Journal of Physiology - Renal Physiology</i> , <b>2012</b> , 302, F1658-62	4.3	39
117	Molecular mechanisms of urea transport in health and disease. <i>Pflügers Archiv European Journal of Physiology</i> , <b>2012</b> , 464, 561-72	4.6	38
116	Ultrastructural localization of UT-A and UT-B in rat kidneys with different hydration status. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2006</b> , 290, R479-92	3.2	38
115	Ascending Vasa Recta Are Angiopoietin/Tie2-Dependent Lymphatic-Like Vessels. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2018</b> , 29, 1097-1107	12.7	37
114	Urea transporter UT-A1 and aquaporin-2 proteins decrease in response to angiotensin II or norepinephrine-induced acute hypertension. <i>American Journal of Physiology - Renal Physiology</i> , <b>2006</b> , 291, F952-9	4.3	36
113	MDM2 E3 ubiquitin ligase mediates UT-A1 urea transporter ubiquitination and degradation. <i>American Journal of Physiology - Renal Physiology</i> , <b>2008</b> , 295, F1528-34	4.3	35
112	UT-A urea transporter protein in heart: increased abundance during uremia, hypertension, and heart failure. <i>Circulation Research</i> , <b>2001</b> , 89, 139-45	15.7	35
111	Mature N-linked glycans facilitate UT-A1 urea transporter lipid raft compartmentalization. <i>FASEB Journal</i> , <b>2011</b> , 25, 4531-9	0.9	34
110	Metformin, an AMPK activator, stimulates the phosphorylation of aquaporin 2 and urea transporter A1 in inner medullary collecting ducts. <i>American Journal of Physiology - Renal Physiology</i> , <b>2016</b> , 310, F1008-12	4.3	34

109	Metformin improves urine concentration in rodents with nephrogenic diabetes insipidus. <i>JCI Insight</i> , <b>2016</b> , 1,	9.9	33
108	Tissue distribution of UT-A and UT-B mRNA and protein in rat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2006</b> , 290, R1446-59	3.2	32
107	ENaC activity is increased in isolated, split-open cortical collecting ducts from protein kinase C knockout mice. <i>American Journal of Physiology - Renal Physiology</i> , <b>2014</b> , 306, F309-20	4.3	31
106	Impaired urine concentration and absence of tissue ACE: involvement of medullary transport proteins. <i>American Journal of Physiology - Renal Physiology</i> , <b>2002</b> , 283, F517-24	4.3	31
105	Urea may regulate urea transporter protein abundance during osmotic diuresis. <i>American Journal of Physiology - Renal Physiology</i> , <b>2005</b> , 288, F188-97	4.3	31
104	A novel type of urea transporter, UT-C, is highly expressed in proximal tubule of seawater eel kidney. <i>American Journal of Physiology - Renal Physiology</i> , <b>2005</b> , 288, F455-65	4.3	31
103	Regulated expression of renal and intestinal UT-B urea transporter in response to varying urea load. <i>American Journal of Physiology - Renal Physiology</i> , <b>2005</b> , 289, F451-8	4.3	30
102	The UT-A1 urea transporter interacts with snapin, a SNARE-associated protein. <i>Journal of Biological Chemistry</i> , <b>2007</b> , 282, 30097-106	5.4	29
101	Protein kinase C regulates urea permeability in the rat inner medullary collecting duct. <i>American Journal of Physiology - Renal Physiology</i> , <b>2010</b> , 299, F1401-6	4.3	28
100	Caveolin-1 directly interacts with UT-A1 urea transporter: the role of caveolae/lipid rafts in UT-A1 regulation at the cell membrane. <i>American Journal of Physiology - Renal Physiology</i> , <b>2009</b> , 296, F1514-20	4.3	28
99	Aldosterone decreases UT-A1 urea transporter expression via the mineralocorticoid receptor. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2004</b> , 15, 558-65	12.7	28
98	Internalization of UT-A1 urea transporter is dynamin dependent and mediated by both caveolae- and clathrin-coated pit pathways. <i>American Journal of Physiology - Renal Physiology</i> , <b>2010</b> , 299, F1389-95	4.3	27
97	Urea transporters UT-A1 and UT-A3 accumulate in the plasma membrane in response to increased hypertonicity. <i>American Journal of Physiology - Renal Physiology</i> , <b>2008</b> , 295, F1336-41	4.3	27
96	Expression of salt and urea transporters in rat kidney during cisplatin-induced polyuria. <i>Kidney International</i> , <b>2001</b> , 60, 2274-82	9.9	27
95	Physiological insights into novel therapies for nephrogenic diabetes insipidus. <i>American Journal of Physiology - Renal Physiology</i> , <b>2016</b> , 311, F1149-F1152	4.3	26
94	Protein kinase C mediates hypertonicity-stimulated increase in urea transporter phosphorylation in the inner medullary collecting duct. <i>American Journal of Physiology - Renal Physiology</i> , <b>2012</b> , 302, F1098-103	4.3	26
93	Active urea transport in the rat inner medullary collecting duct: functional characterization and initial expression cloning. <i>Kidney International</i> , <b>1996</b> , 49, 1611-4	9.9	26
92	Imaging Renal Urea Handling in Rats at Millimeter Resolution using Hyperpolarized Magnetic Resonance Relaxometry. <i>Tomography</i> , <b>2016</b> , 2, 125-135	3.1	26

91	Expression of transporters involved in urine concentration recovers differently after cessation of lithium treatment. <i>American Journal of Physiology - Renal Physiology</i> , <b>2010</b> , 298, F601-8	4.3	25
90	Phosphorylation of UT-A1 on serine 486 correlates with membrane accumulation and urea transport activity in both rat IMCDs and cultured cells. <i>American Journal of Physiology - Renal Physiology</i> , <b>2010</b> , 298, F935-40	4.3	25
89	Urinary concentration and dilution in the aging kidney. <i>Seminars in Nephrology</i> , <b>2009</b> , 29, 579-86	4.8	22
88	Regulation of renal urea transport by vasopressin. <i>Transactions of the American Clinical and Climatological Association</i> , <b>2011</b> , 122, 82-92	0.9	22
87	Role of protein kinase C- $\alpha$ in hypertonicity-stimulated urea permeability in mouse inner medullary collecting ducts. <i>American Journal of Physiology - Renal Physiology</i> , <b>2013</b> , 304, F233-8	4.3	21
86	Phosphatase inhibition increases AQP2 accumulation in the rat IMCD apical plasma membrane. <i>American Journal of Physiology - Renal Physiology</i> , <b>2016</b> , 311, F1189-F1197	4.3	20
85	Effect of Dapagliflozin Treatment on Fluid and Electrolyte Balance in Diabetic Rats. <i>American Journal of the Medical Sciences</i> , <b>2016</b> , 352, 517-523	2.2	20
84	Urea transport and clinical potential of urearetics. <i>Current Opinion in Nephrology and Hypertension</i> , <b>2016</b> , 25, 444-51	3.5	18
83	Urea transporter inhibitors: en route to new diuretics. <i>Chemistry and Biology</i> , <b>2013</b> , 20, 1201-2		17
82	Immunohistochemical localization of urea transporters A and B in the rat cochlea. <i>Hearing Research</i> , <b>2003</b> , 183, 84-96	3.9	17
81	Vasopressin increases urea permeability in the initial IMCD from diabetic rats. <i>American Journal of Physiology - Renal Physiology</i> , <b>2005</b> , 289, F531-5	4.3	17
80	Acidosis mediates the upregulation of UT-A protein in livers from uremic rats. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2002</b> , 13, 581-587	12.7	17
79	PKC- $\zeta$ contributes to high NaCl-induced activation of NFAT5 (TonEBP/OREBP) through MAPK ERK1/2. <i>American Journal of Physiology - Renal Physiology</i> , <b>2015</b> , 308, F140-8	4.3	16
78	Thienoquinolins exert diuresis by strongly inhibiting UT-A urea transporters. <i>American Journal of Physiology - Renal Physiology</i> , <b>2014</b> , 307, F1363-72	4.3	16
77	Candesartan augments compensatory changes in medullary transport proteins in the diabetic rat kidney. <i>American Journal of Physiology - Renal Physiology</i> , <b>2008</b> , 294, F1448-52	4.3	16
76	High urea induces depression and LTP impairment through mTOR signalling suppression caused by carbamylation. <i>EBioMedicine</i> , <b>2019</b> , 48, 478-490	8.8	15
75	Lack of protein kinase C- $\delta$ leads to impaired urine concentrating ability and decreased aquaporin-2 in angiotensin II-induced hypertension. <i>American Journal of Physiology - Renal Physiology</i> , <b>2012</b> , 303, F37-44	4.3	15
74	Urea transport processes are induced in rat IMCD subsegments when urine concentrating ability is reduced. <i>American Journal of Physiology - Renal Physiology</i> , <b>1999</b> , 276, F62-71	4.3	15



73	Ethical challenges in nephrology: a call for action. <i>Nature Reviews Nephrology</i> , <b>2020</b> , 16, 603-613	14.9	14
72	Genes and proteins of urea transporters. <i>Sub-Cellular Biochemistry</i> , <b>2014</b> , 73, 45-63	5.5	14
71	Urine-concentrating ability in the aging kidney. <i>Science of Aging Knowledge Environment: SAGE KE</i> , <b>2003</b> , 2003, PE15		14
70	Urea transporters and sweat response to uremia. <i>Physiological Reports</i> , <b>2016</b> , 4, e12825	2.6	14
69	GRHL2 Is Required for Collecting Duct Epithelial Barrier Function and Renal Osmoregulation. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2018</b> , 29, 857-868	12.7	13
68	Transgenic Restoration of Urea Transporter A1 Confers Maximal Urinary Concentration in the Absence of Urea Transporter A3. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2016</b> , 27, 1448-55	12.7	13
67	Small GTPase Rab14 down-regulates UT-A1 urea transport activity through enhanced clathrin-dependent endocytosis. <i>FASEB Journal</i> , <b>2013</b> , 27, 4100-7	0.9	13
66	Activation of the cAMP/PKA pathway induces UT-A1 urea transporter monoubiquitination and targets it for lysosomal degradation. <i>American Journal of Physiology - Renal Physiology</i> , <b>2013</b> , 305, F1775-82	4.3	13
65	Urea and NaCl regulate UT-A1 urea transporter in opposing directions via TonEBP pathway during osmotic diuresis. <i>American Journal of Physiology - Renal Physiology</i> , <b>2009</b> , 296, F67-77	4.3	13
64	Erlotinib preserves renal function and prevents salt retention in doxorubicin treated nephrotic rats. <i>PLoS ONE</i> , <b>2013</b> , 8, e54738	3.7	12
63	A PROSPECTIVE EVALUATION OF THE GLOMERULAR FILTRATION RATE IN OLDER ADULTS WITH FREQUENT NIGHTTIME URINATION. <i>Journal of Urology</i> , <b>2002</b> , 167, 146-150	2.5	12
62	NSAIDs Alter Phosphorylated Forms of AQP2 in the Inner Medullary Tip. <i>PLoS ONE</i> , <b>2015</b> , 10, e0141714	3.7	12
61	Urine concentration in the diabetic mouse requires both urea and water transporters. <i>American Journal of Physiology - Renal Physiology</i> , <b>2013</b> , 304, F103-11	4.3	11
60	Acute calcineurin inhibition with tacrolimus increases phosphorylated UT-A1. <i>American Journal of Physiology - Renal Physiology</i> , <b>2012</b> , 302, F998-F1004	4.3	10
59	Forskolin stimulation promotes urea transporter UT-A1 ubiquitination, endocytosis, and degradation in MDCK cells. <i>American Journal of Physiology - Renal Physiology</i> , <b>2012</b> , 303, F1325-32	4.3	10
58	Protein abundance of urea transporters and aquaporin 2 change differently in nephrotic pair-fed vs. non-pair-fed rats. <i>American Journal of Physiology - Renal Physiology</i> , <b>2012</b> , 302, F1545-53	4.3	10
57	The Urine Concentrating Mechanism and Urea Transporters <b>2008</b> , 1143-1178		10
56	Activation of protein kinase C- $\beta$ and Src kinase increases urea transporter A1 $\beta$ 2, 6 sialylation. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2015</b> , 26, 926-34	12.7	9

55	Accurate mRNA size determination in northern analysis using individual lane size markers. <i>BioTechniques</i> , <b>1999</b> , 27, 280-2	2.5	9
54	Erythropoietin production by the kidney and the liver in response to severe hypoxia evaluated by Western blotting with deglycosylation. <i>Physiological Reports</i> , <b>2020</b> , 8, e14485	2.6	8
53	Functional characterization of the central hydrophilic linker region of the urea transporter UT-A1: cAMP activation and snapin binding. <i>American Journal of Physiology - Cell Physiology</i> , <b>2010</b> , 298, C1431-7	5.4	8
52	Stimulation of UT-A1-mediated transepithelial urea flux in MDCK cells by lithium. <i>American Journal of Physiology - Renal Physiology</i> , <b>2008</b> , 294, F518-24	4.3	8
51	Urine Concentration and Dilution <b>2012</b> , 326-352		8
50	Adaptive physiological water conservation explains hypertension and muscle catabolism in experimental chronic renal failure. <i>Acta Physiologica</i> , <b>2021</b> , 232, e13629	5.6	8
49	Vasopressin regulation of multisite phosphorylation of UT-A1 in the inner medullary collecting duct. <i>American Journal of Physiology - Renal Physiology</i> , <b>2015</b> , 308, F49-55	4.3	7
48	Downregulation of urea transporter UT-A1 activity by 14-3-3 protein. <i>American Journal of Physiology - Renal Physiology</i> , <b>2015</b> , 309, F71-8	4.3	7
47	The Urine Concentrating Mechanism and Urea Transporters <b>2013</b> , 1463-1510		7
46	Identification of a Novel UT-B Urea Transporter in Human Urothelial Cancer. <i>Frontiers in Physiology</i> , <b>2017</b> , 8, 245	4.6	7
45	TRANSGENIC MICE EXPRESSING UT-A1, BUT LACKING UT-A3, HAVE INTACT URINE CONCENTRATING ABILITY. <i>FASEB Journal</i> , <b>2013</b> , 27, 1111.17	0.9	7
44	Glucagon infusion alters the hyperpolarized C-urea renal hemodynamic signature. <i>NMR in Biomedicine</i> , <b>2019</b> , 32, e4028	4.4	7
43	Age-related decline in urine concentration may not be universal: Comparative study from the U.S. and two small-scale societies. <i>American Journal of Physical Anthropology</i> , <b>2019</b> , 168, 705-716	2.5	6
42	Suppression subtractive hybridization analysis of low-protein diet- and vitamin D-induced gene expression from rat kidney inner medullary base. <i>Physiological Genomics</i> , <b>2010</b> , 41, 203-11	3.6	6
41	Micropuncture: unlocking the secrets of renal function. <i>American Journal of Physiology - Renal Physiology</i> , <b>2004</b> , 287, F866-7	4.3	6
40	Activation of protein kinase C increases phosphorylation of the UT-A1 urea transporter at serine 494 in the inner medullary collecting duct. <i>American Journal of Physiology - Cell Physiology</i> , <b>2015</b> , 309, C608-15	5.4	5
39	The N-terminal 81-aa fragment is critical for UT-A1 urea transporter bioactivity. <i>Journal of Epithelial Biology &amp; Pharmacology</i> , <b>2010</b> , 3, 34-39		5
38	Urea Transporter B and MicroRNA-200c Differ in Kidney Outer Versus Inner Medulla Following Dehydration. <i>American Journal of the Medical Sciences</i> , <b>2016</b> , 352, 296-301	2.2	5



37	Adrenomedullin Inhibits Osmotic Water Permeability in Rat Inner Medullary Collecting Ducts. <i>Cells</i> , <b>2020</b> , 9,	7.9	4
36	The medullary collecting duct urea transporters. <i>Current Opinion in Nephrology and Hypertension</i> , <b>1999</b> , 8, 499-504	3.5	4
35	A prospective evaluation of the glomerular filtration rate in older adults with frequent nighttime urination. <i>Journal of Urology</i> , <b>2002</b> , 167, 146-50	2.5	4
34	Understanding renal physiology leads to therapeutic advances in renal disease. <i>Physiology</i> , <b>2015</b> , 30, 171-2	9.8	3
33	Modulation of kidney urea transporter UT-A3 activity by alpha2,6-sialylation. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2016</b> , 468, 1161-1170	4.6	3
32	Inhibition of urea transporter ameliorates uremic cardiomyopathy in chronic kidney disease. <i>FASEB Journal</i> , <b>2020</b> , 34, 8296-8309	0.9	2
31	Aldosterone Decreases Vasopressin-Stimulated Water Reabsorption in Rat Inner Medullary Collecting Ducts. <i>Cells</i> , <b>2020</b> , 9,	7.9	2
30	Lack of urea transporters, UT-A1 and UT-A3, increases nitric oxide accumulation to dampen medullary sodium reabsorption through ENaC. <i>American Journal of Physiology - Renal Physiology</i> , <b>2019</b> , 316, F539-F549	4.3	2
29	Using the payback framework to evaluate the outcomes of pilot projects supported by the Georgia Clinical and Translational Science Alliance. <i>Journal of Clinical and Translational Science</i> , <b>2020</b> , 5, e48	0.4	2
28	Effects of Angiotensin II on Erythropoietin Production in the Kidney and Liver. <i>Molecules</i> , <b>2021</b> , 26,	4.8	2
27	E3 ligase MDM2 mediates urea transporter-A1 ubiquitination under either constitutive or stimulatory conditions. <i>American Journal of Physiology - Renal Physiology</i> , <b>2019</b> , 317, F1331-F1341	4.3	1
26	Increased urinary concentrating ability of P2Y2 receptor null mice is associated with marked increase in protein abundances of AQP2 and UT-A in renal medulla. <i>FASEB Journal</i> , <b>2007</b> , 21, A905	0.9	1
25	Differentiation of endogenous erythropoietin and exogenous ESAs by Western blotting. <i>Heliyon</i> , <b>2020</b> , 6, e05389	3.6	1
24	UT-A1/A3 knockout mice show reduced fibrosis following unilateral ureteral obstruction. <i>American Journal of Physiology - Renal Physiology</i> , <b>2020</b> , 318, F1160-F1166	4.3	0
23	The Health Status of Hispanic Agricultural Workers in Georgia and Florida.. <i>Journal of Immigrant and Minority Health</i> , <b>2022</b> , 1	2.2	0
22	COVID-19 and Agricultural Workers: A Descriptive Study. <i>Journal of Immigrant and Minority Health</i> , <b>2021</b> , 1	2.2	0
21	GDE5 inhibition accumulates intracellular glycerophosphocholine and suppresses adipogenesis at a mitotic clonal expansion stage. <i>American Journal of Physiology - Cell Physiology</i> , <b>2019</b> , 316, C162-C174	5.4	0
20	Vasopressin in the KidneyHistorical Aspects <b>2018</b> , 77-93		

19 The Physiology of Water Homeostasis **2013**, 1-28

18 Vasopressin in the Kidney: Historical Aspects **2009**, 203-223

17 Renal Actions of Vasopressin **2000**, 496-529

16 Nephrogenic Diabetes Insipidus st[Water and Urea Transport **2006**, 622-628

15 The role of SNARE proteins in trafficking and function of Urea Transporter UT-A1. *FASEB Journal*, **2007**, 21, A906 0.9

14 Candesartan differentially regulates distal sodium transporters and channel subunits in cortex versus medulla in streptozotocin-induced diabetic rats.. *FASEB Journal*, **2007**, 21, A1331 0.9

13 The apical membrane is the rate-determining barrier for vasopressin-regulated trans-epithelial urea transport in MDCK-UTA1 cells. *FASEB Journal*, **2007**, 21, A906 0.9

12 AVP causes transient formation of cAMP and activation of phosphodiesterase activity in MDCK cells. *FASEB Journal*, **2008**, 22, 1216.13 0.9

11 Transport proteins in the inner medullas of diabetic kidneys are further increased by candesartan.. *FASEB Journal*, **2008**, 22, 1159.8 0.9

10 UT-A1 urea transporter activation does not involve furin-dependent cleavage. *FASEB Journal*, **2008**, 22, 1216.10 0.9

9 Increased glucocorticoid hormone actions induce skin-specific Na<sup>+</sup> and water loss in melanocortin 3 receptor knockout mice. *Proceedings for Annual Meeting of the Japanese Pharmacological Society*, **2018**, WCP2018, PO2-4-26 0

8 Inner Medullary Urea Transporters Contribute to Development of Renal Fibrosis in Mice With Unilateral Ureteral Obstruction. *FASEB Journal*, **2019**, 33, 575.9 0.9

7 Urea Transporters in Health and Disease. *Physiology in Health and Disease*, **2020**, 381-424 0.2

6 Epac Regulation of Urea Transport and the UT-A1 Urea Transporter in Rat Inner Medullary Collecting Duct.. *FASEB Journal*, **2009**, 23, 970.9 0.9

5 Hypertonicity Increases Urea Permeability through PKC in Inner Medullary Collecting Ducts. *FASEB Journal*, **2010**, 24, 1024.20 0.9

4 Role of PKC In Hypertonicity-stimulated Urea Permeability. *FASEB Journal*, **2012**, 26, 885.12 0.9

3 Rab14 GTPase downregulates urea transporter UT-A1 activity through enhanced clathrin-dependent endocytosis and protein degradation. *FASEB Journal*, **2012**, 26, 885.10 0.9

2 The urea transporter UT-A1 is phosphorylated at serines 486 and 499 downstream of cyclic AMP production. *FASEB Journal*, **2012**, 26, 885.11 0.9

- 1 Increased UT-A1 ubiquitination is partially due to decreased deubiquitination activity in Streptozotocin-induced diabetic rat kidney inner medulla. *FASEB Journal*, **2013**, 27, 1111.4 0.9