

# Fengqiu Wang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2309840/fengqiu-wang-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101  
papers

7,151  
citations

32  
h-index

84  
g-index

124  
ext. papers

8,276  
ext. citations

6.7  
avg, IF

5.62  
L-index

#	Paper	IF	Citations
101	950 nm Femtosecond Laser by Directly Frequency-doubling of a Thulium-doped Fiber Laser. <i>IEEE Photonics Technology Letters</i> , <b>2022</b> , 1-1	2.2	
100	Observation of an anisotropic ultrafast spin relaxation process in large-area WTe <sub>2</sub> films. <i>Journal of Applied Physics</i> , <b>2022</b> , 131, 163903	2.5	
99	Probing the mode-locking pattern in the parameter space of a Figure-9 laser.. <i>Optics Letters</i> , <b>2022</b> , 47, 2606-2609	3	2
98	Highly Sensitive and Ultrafast Organic Phototransistor Based on Rubrene Single Crystals. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 57735-57742	9.5	5
97	10 GHz regeneratively mode-locked thulium fiber laser with a stabilized repetition rate. <i>Optics Express</i> , <b>2021</b> , 29, 37695-37702	3.3	
96	High energy (>40 nJ), sub-100 fs, 950 nm laser for two-photon microscopy. <i>Optics Express</i> , <b>2021</b> , 29, 38979-38988	3.3	38988
95	Sub-Femtosecond Timing Jitter From a SESAM Mode-Locked Yb-Fiber Laser. <i>IEEE Photonics Technology Letters</i> , <b>2021</b> , 33, 1309-1312	2.2	
94	Pushing Optical Switch into Deep Mid-Infrared Region: Band Theory, Characterization, and Performance of Topological Semimetal Antimonene. <i>ACS Nano</i> , <b>2021</b> , 15, 7430-7438	16.7	2
93	1550 nm Compatible Ultrafast Photoconductive Material Based on a GaAs/ErAs/GaAs Heterostructure. <i>Advanced Optical Materials</i> , <b>2021</b> , 9, 2100062	8.1	1
92	Controlling relaxation dynamics of excitonic states in monolayer transition metal dichalcogenides WS <sub>2</sub> through interface engineering. <i>Applied Physics Letters</i> , <b>2021</b> , 118, 121104	3.4	3
91	Manipulating valley-polarized photoluminescence of MoS <sub>2</sub> monolayer at off resonance wavelength with a double-resonance strategy. <i>Applied Physics Letters</i> , <b>2021</b> , 119, 031106	3.4	2
90	Robust, flexible and broadband photodetectors based on van der Waals graphene/C60 heterostructures. <i>Carbon</i> , <b>2020</b> , 167, 668-674	10.4	6
89	Graphene Hybrid Structures for Integrated and Flexible Optoelectronics. <i>Advanced Materials</i> , <b>2020</b> , 32, e1902039	24	53
88	Different ultrafast dynamics of neutral and charged excitons in monolayer WS <sub>2</sub> <b>2020</b> ,		1
87	Recent advances in graphene and black phosphorus nonlinear plasmonics. <i>Nanophotonics</i> , <b>2020</b> , 9, 1695-1715	4.7	9
86	Indium selenide film: a promising saturable absorber in 3- to 4- $\mu$ m band for mid-infrared pulsed laser. <i>Nanophotonics</i> , <b>2020</b> , 9, 2045-2052	6.3	10
85	Two-dimensional Au & Ag hybrid plasmonic nanoparticle network: broadband nonlinear optical response and applications for pulsed laser generation. <i>Nanophotonics</i> , <b>2020</b> , 9, 2537-2548	6.3	5

84	Ultrafast lattice and electronic dynamics in single-walled carbon nanotubes. <i>Nanoscale Advances</i> , <b>2020</b> , 2, 2808-2813	5.1	1
83	Third harmonic generation in Dirac semimetal Cd <sub>3</sub> As <sub>2</sub> . <i>Applied Physics Letters</i> , <b>2020</b> , 117, 011102	3.4	11
82	Modulation of photocarrier relaxation dynamics in two-dimensional semiconductors. <i>Light: Science and Applications</i> , <b>2020</b> , 9, 192	16.7	14
81	Bi <sub>2</sub> O <sub>2</sub> Se/Au-Based Schottky Phototransistor With Fast Response and Ultrahigh Responsivity. <i>IEEE Electron Device Letters</i> , <b>2020</b> , 41, 1464-1467	4.4	2
80	Tailoring exciton dynamics of monolayer transition metal dichalcogenides by interfacial electron-phonon coupling. <i>Communications Physics</i> , <b>2019</b> , 2,	5.4	19
79	Observation of Small Polaron and Acoustic Phonon Coupling in Ultrathin La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> /SrTiO <sub>3</sub> Structures. <i>Physica Status Solidi - Rapid Research Letters</i> , <b>2019</b> , 13, 1800657	2.5	2
78	Spin-ARPES EUV Beamline for Ultrafast Materials Research and Development. <i>Applied Sciences (Switzerland)</i> , <b>2019</b> , 9, 370	2.6	7
77	Nanotube mode-locked, wavelength and pulsewidth tunable thulium fiber laser. <i>Optics Express</i> , <b>2019</b> , 27, 3518-3527	3.3	17
76	Enhancing photocatalytic activity in monolayer MoS <sub>2</sub> by charge compensated co-doping with P and Cl: First principles study. <i>Molecular Catalysis</i> , <b>2019</b> , 468, 94-99	3.3	6
75	Ultrafast free carrier dynamics in black phosphorus/holybdenum disulfide (BP/MoS <sub>2</sub> ) heterostructures. <i>Nanoscale Horizons</i> , <b>2019</b> , 4, 1099-1105	10.8	26
74	Dirac semimetal saturable absorber with actively tunable modulation depth. <i>Optics Letters</i> , <b>2019</b> , 44, 582-585	3	22
73	InAs-Nanowire-Based Broadband Ultrafast Optical Switch. <i>Journal of Physical Chemistry Letters</i> , <b>2019</b> , 10, 4429-4436	6.4	10
72	Layered Semiconductor Bi <sub>2</sub> O <sub>2</sub> Se for Broadband Pulse Generation in the Near-Infrared. <i>IEEE Photonics Technology Letters</i> , <b>2019</b> , 31, 1056-1059	2.2	6
71	Magnetic anisotropy of half-metallic Co <sub>2</sub> FeAl ultra-thin films epitaxially grown on GaAs(001). <i>AIP Advances</i> , <b>2019</b> , 9, 065002	1.5	1
70	Sensitive and Ultrabroadband Phototransistor Based on Two-Dimensional Bi <sub>2</sub> O <sub>2</sub> Se Nanosheets. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1905806	15.6	53
69	All-carbon hybrids for high-performance electronics, optoelectronics and energy storage. <i>Science China Information Sciences</i> , <b>2019</b> , 62, 1	3.4	4
68	Fast Photoelectric Conversion in the Near-Infrared Enabled by Plasmon-Induced Hot-Electron Transfer. <i>Advanced Materials</i> , <b>2019</b> , 31, e1903829	24	26
67	Slowing down photocarrier relaxation in Dirac semimetal CdAs via Mn doping. <i>Optics Letters</i> , <b>2019</b> , 44, 4103-4106	3	13

66	Planar graphene-C60-graphene heterostructures for sensitive UV-Visible photodetection. <i>Carbon</i> , <b>2019</b> , 146, 486-490	10.4	16
65	Magnetism in monolayer InSe by nonmetal doping: First-principles study. <i>Solid State Communications</i> , <b>2019</b> , 288, 56-59	1.6	1
64	\$2-\mu\text{m}\$ Wavelength Grating Coupler, Bent Waveguide, and Tunable Microring on Silicon Photonic MPW. <i>IEEE Photonics Technology Letters</i> , <b>2018</b> , 30, 471-474	2.2	23
63	Broadband nonlinear optical response of monolayer MoSe <sub>2</sub> under ultrafast excitation. <i>Applied Physics Letters</i> , <b>2018</b> , 112, 031108	3.4	21
62	Ultrafast saturable absorption in TiS induced by non-equilibrium electrons and the generation of a femtosecond mode-locked laser. <i>Nanoscale</i> , <b>2018</b> , 10, 9608-9615	7.7	32
61	Broadband photocarrier dynamics and nonlinear absorption of PLD-grown WTe <sub>2</sub> semimetal films. <i>Applied Physics Letters</i> , <b>2018</b> , 112, 171112	3.4	25
60	Bidirectional Red-Light Passively Q-Switched All-Fiber Ring Lasers With Carbon Nanotube Saturable Absorber. <i>Journal of Lightwave Technology</i> , <b>2018</b> , 36, 2694-2701	4	15
59	Pulsed Lasers: An Ultrabroadband Mid-Infrared Pulsed Optical Switch Employing Solution-Processed Bismuth Oxyselenide (Adv. Mater. 31/2018). <i>Advanced Materials</i> , <b>2018</b> , 30, 1870233	2.4	1
58	Three-dimensional Dirac semimetal thin-film absorber for broadband pulse generation in the near-infrared. <i>Optics Letters</i> , <b>2018</b> , 43, 1503-1506	3	38
57	Observation of bimolecular recombination in high mobility semiconductor Bi <sub>2</sub> O <sub>2</sub> Se using ultrafast spectroscopy. <i>Applied Physics Letters</i> , <b>2018</b> , 113, 061104	3.4	7
56	Photoresponsivity of an all-semimetal heterostructure based on graphene and WTe. <i>Scientific Reports</i> , <b>2018</b> , 8, 12840	4.9	10
55	20 GHz actively mode-locked thulium fiber laser. <i>Optics Express</i> , <b>2018</b> , 26, 25769-25777	3.3	7
54	Hot carrier relaxation in three dimensional gapped Dirac semi-metals. <i>Journal Physics D: Applied Physics</i> , <b>2018</b> , 51, 015101	3	6
53	Enhanced Photocatalytic Activity of 2H-MoSe <sub>2</sub> by 3d Transition-Metal Doping. <i>Journal of Physical Chemistry C</i> , <b>2018</b> , 122, 26570-26575	3.8	19
52	Sensitive and Robust Ultraviolet Photodetector Array Based on Self-Assembled Graphene/C Hybrid Films. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 38326-38333	9.5	33
51	An Ultrabroadband Mid-Infrared Pulsed Optical Switch Employing Solution-Processed Bismuth Oxyselenide. <i>Advanced Materials</i> , <b>2018</b> , 30, e1801021	2.4	68
50	A robust and tuneable mid-infrared optical switch enabled by bulk Dirac fermions. <i>Nature Communications</i> , <b>2017</b> , 8, 14111	17.4	126
49	A self-powered high-performance graphene/silicon ultraviolet photodetector with ultra-shallow junction: breaking the limit of silicon?. <i>Npj 2D Materials and Applications</i> , <b>2017</b> , 1,	8.8	144

48	Carbon Nanotube Mode-Locked Thulium Fiber Laser With 200 nm Tuning Range. <i>Scientific Reports</i> , <b>2017</b> , 7, 45109	4.9	60
47	Two-dimensional materials for ultrafast lasers. <i>Chinese Physics B</i> , <b>2017</b> , 26, 034202	1.2	16
46	Graphene-carbon nanotube hybrid films for high-performance flexible photodetectors. <i>Nano Research</i> , <b>2017</b> , 10, 1880-1887	10	44
45	716 nm deep-red passively Q-switched Pr:ZBLAN all-fiber laser using a carbon-nanotube saturable absorber. <i>Optics Letters</i> , <b>2017</b> , 42, 671-674	3	20
44	2- $\mu\text{s}$ m Repetition-Rate Tunable (18 GHz) Picosecond Source. <i>IEEE Photonics Technology Letters</i> , <b>2017</b> , 29, 2234-2237	2.2	3
43	Broadband hot-carrier dynamics in three-dimensional Dirac semimetal Cd <sub>3</sub> As <sub>2</sub> . <i>Applied Physics Letters</i> , <b>2017</b> , 111, 091101	3.4	32
42	Bandgap renormalization in single-wall carbon nanotubes. <i>Scientific Reports</i> , <b>2017</b> , 7, 11221	4.9	9
41	Improving the Performance of Graphene Phototransistors Using a Heterostructure as the Light-Absorbing Layer. <i>Nano Letters</i> , <b>2017</b> , 17, 6391-6396	11.5	61
40	Tuning the transport behavior of centimeter-scale WTe <sub>2</sub> ultrathin films fabricated by pulsed laser deposition. <i>Applied Physics Letters</i> , <b>2017</b> , 111, 031906	3.4	29
39	A light-stimulated synaptic device based on graphene hybrid phototransistor. <i>2D Materials</i> , <b>2017</b> , 4, 035022	9.2	132
38	Weak Anti-Localization and Quantum Oscillations in Topological Crystalline Insulator PbTe. <i>Chinese Physics Letters</i> , <b>2017</b> , 34, 026201	1.8	1
37	Coupled relaxation channels of excitons in monolayer MoSe. <i>Nanoscale</i> , <b>2017</b> , 9, 18546-18551	7.7	19
36	Phosphorus doping effect on linear and nonlinear optical properties of Si/SiO <sub>2</sub> multilayers. <i>Optical Materials Express</i> , <b>2017</b> , 7, 304	2.6	5
35	Graphene Mode-Locked Fiber Laser at 2.8 $\mu\text{m}$ . <i>IEEE Photonics Technology Letters</i> , <b>2016</b> , 28, 7-10	2.2	92
34	Charge transfer at carbon nanotube-graphene van der Waals heterojunctions. <i>Nanoscale</i> , <b>2016</b> , 8, 12883-7	6.7	28
33	Two-dimensional material-based saturable absorbers: towards compact visible-wavelength all-fiber pulsed lasers. <i>Nanoscale</i> , <b>2016</b> , 8, 1066-72	7.7	209
32	Broadband Nonlinear Photoresponse of Monolayer MoSe <sub>2</sub> <b>2016</b> ,		1
31	Three-dimensional Dirac semimetal Cd <sub>3</sub> As <sub>2</sub> as high-performance 2-5 $\mu\text{m}$ saturable absorbers <b>2016</b> ,		1

30	Graphene mode-locked femtosecond Cr <sup>2+</sup> :ZnS laser with ~300 nm tuning range. <i>Optics Express</i> , <b>2016</b> , 24, 20774-80	3.3	17
29	Ultrafast nonlinear photoresponse of single-wall carbon nanotubes: a broadband degenerate investigation. <i>Nanoscale</i> , <b>2016</b> , 8, 9304-9	7.7	32
28	Progress on mid-IR graphene photonics and biochemical applications. <i>Frontiers of Optoelectronics</i> , <b>2016</b> , 9, 259-269	2.8	13
27	Stable Gain-Switched Thulium Fiber Laser With 140-nm Tuning Range. <i>IEEE Photonics Technology Letters</i> , <b>2016</b> , 28, 1340-1343	2.2	13
26	Atomic-Scale Interfacial Magnetism in Fe/Graphene Heterojunction. <i>Scientific Reports</i> , <b>2015</b> , 5, 11911	4.9	24
25	Pulse dynamics in carbon nanotube mode-locked fiber lasers near zero cavity dispersion. <i>Optics Express</i> , <b>2015</b> , 23, 9947-58	3.3	32
24	Planar carbon nanotube-graphene hybrid films for high-performance broadband photodetectors. <i>Nature Communications</i> , <b>2015</b> , 6, 8589	17.4	197
23	All-Fiber Passively Q-Switched Laser Based on Tm <sup>3+</sup> -Doped Tellurite Fiber. <i>IEEE Photonics Technology Letters</i> , <b>2015</b> , 27, 689-692	2.2	9
22	Double-wall carbon nanotubes for wide-band, ultrafast pulse generation. <i>ACS Nano</i> , <b>2014</b> , 8, 4836-47	16.7	54
21	Flexible high-repetition-rate ultrafast fiber laser. <i>Scientific Reports</i> , <b>2013</b> , 3, 3223	4.9	84
20	Versatile multi-wavelength ultrafast fiber laser mode-locked by carbon nanotubes. <i>Scientific Reports</i> , <b>2013</b> , 3, 2718	4.9	260
19	Graphene Q-switched 2.78 $\mu$ m Er <sup>3+</sup> -doped fluoride fiber laser. <i>Optics Letters</i> , <b>2013</b> , 38, 3233-6	3	125
18	500fs wideband tunable fiber laser mode-locked by nanotubes. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2012</b> , 44, 1078-1081	3	28
17	74-fs nanotube-mode-locked fiber laser. <i>Applied Physics Letters</i> , <b>2012</b> , 101, 153107	3.4	101
16	Tm-doped fiber laser mode-locked by graphene-polymer composite. <i>Optics Express</i> , <b>2012</b> , 20, 25077-84	3.3	233
15	Graphene Q-switched, tunable fiber laser. <i>Applied Physics Letters</i> , <b>2011</b> , 98, 073106	3.4	351
14	Graphene mode-locked ultrafast laser. <i>ACS Nano</i> , <b>2010</b> , 4, 803-10	16.7	1547
13	Sub 200 fs pulse generation from a graphene mode-locked fiber laser. <i>Applied Physics Letters</i> , <b>2010</b> , 97, 203106	3.4	344

12	A stable, wideband tunable, near transform-limited, graphene-mode-locked, ultrafast laser. <i>Nano Research</i> , <b>2010</b> , 3, 653-660	10	295
11	Ultrafast stretched-pulse fiber laser mode-locked by carbon nanotubes. <i>Nano Research</i> , <b>2010</b> , 3, 404-411	10	111
10	Nanotube/Polymer Composites for Ultrafast Photonics. <i>Advanced Materials</i> , <b>2009</b> , 21, 3874-3899	24	659
9	A compact, high power, ultrafast laser mode-locked by carbon nanotubes. <i>Applied Physics Letters</i> , <b>2009</b> , 95, 253102	3.4	98
8	Wideband-tuneable, nanotube mode-locked, fibre laser. <i>Nature Nanotechnology</i> , <b>2008</b> , 3, 738-42	28.7	498
7	L-band ultrafast fiber laser mode locked by carbon nanotubes. <i>Applied Physics Letters</i> , <b>2008</b> , 93, 061114	3.4	91
6	Fabrication, characterization and mode locking application of single-walled carbon nanotube/polymer composite saturable absorbers. <i>International Journal of Material Forming</i> , <b>2008</b> , 1, 107-112	2	23
5	Soliton fiber laser mode-locked by a single-wall carbon nanotube-polymer composite. <i>Physica Status Solidi (B): Basic Research</i> , <b>2008</b> , 245, 2319-2322	1.3	19
4	Carbon Nanotube Polycarbonate Composites for Ultrafast Lasers. <i>Advanced Materials</i> , <b>2008</b> , 20, 4040-4043	1.3	129
3	Carbon nanotubes for ultrafast photonics. <i>Physica Status Solidi (B): Basic Research</i> , <b>2007</b> , 244, 4303-4307	1.3	24
2	Generation of ultra-fast laser pulses using nanotube mode-lockers. <i>Physica Status Solidi (B): Basic Research</i> , <b>2006</b> , 243, 3551-3555	1.3	38
1	Harmonic Generation in Low-Dimensional Materials. <i>Advanced Optical Materials</i> , 2101860	8.1	5