

# Qi-Liang Deng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2311082/publications.pdf>

Version: 2024-02-01

85  
papers

2,141  
citations

201674

27  
h-index

243625

44  
g-index

88  
all docs

88  
docs citations

88  
times ranked

2427  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fluorescence sensor based on molecularly imprinted polymers and core-shell upconversion nanoparticles@metal-organic frameworks for detection of bovine serum albumin. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022, 279, 121460.	3.9	6
2	Preparation of C-Terminal Epitope Imprinted Particles Via Reversible Addition-Fragmentation Chain Transfer Polymerization and Zn <sup>2+</sup> Chelating Strategy: Selective Recognition of Cytochrome c. <i>Chromatographia</i> , 2022, 85, 743-754.	1.3	1
3	Carbon tubes from biomass with prominent adsorption performance for paraquat. <i>Chemosphere</i> , 2021, 262, 127797.	8.2	27
4	In-situ preparation of molecularly imprinted fluorescent sensing test strips for on-site detection of tyramine in vinegar. <i>Microchemical Journal</i> , 2021, 160, 105638.	4.5	14
5	Gram-scale synthesis of porous three-dimensional carbon nanosheets for high efficiency clean water production. <i>Materials Research Letters</i> , 2021, 9, 175-181.	8.7	3
6	Synthesis of Magnetic Ferrocene-Containing Polymer with Photothermal Effects for Rapid Degradation of Methylene Blue. <i>Polymers</i> , 2021, 13, 558.	4.5	5
7	Bipyridine-linked three-dimensional covalent organic frameworks for fluorescence sensing of cobalt(II) at nanomole level. <i>Mikrochimica Acta</i> , 2021, 188, 167.	5.0	12
8	Thiol-Functionalized Covalent Organic Frameworks as Thermal History Indicator for Temperature and Time History Monitoring. <i>Advanced Functional Materials</i> , 2021, 31, 2104885.	14.9	10
9	Selective Optosensing of Aminoimidazo-Azaarenes (AIAs) by CdSe/ZnS Quantum Dots-embedded Molecularly Imprinted Silica Gel. <i>Current Analytical Chemistry</i> , 2021, 17, 1027-1036.	1.2	0
10	Black Phosphorus Nanosheet Encapsulated by Zeolitic Imidazole Framework-8 for Tumor Multimodal Treatments. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 43855-43867.	8.0	15
11	Desirability of position 2, 2'-bipyridine group into COFs for the fluorescence sensing of Ni (II). <i>Sensors and Actuators B: Chemical</i> , 2021, 344, 130216.	7.8	17
12	New benzotriazole-based D type solvatochromic dyes for water content detection in organic solvents. <i>Dyes and Pigments</i> , 2021, 195, 109667.	3.7	24
13	Metal-organic gel as a fluorescence sensing platform to trace copper(II). <i>Analytical Methods</i> , 2021, 14, 52-57.	2.7	2
14	Efficient Solar-Driven Water Purification Based on Biochar with Multi-Level Pore Bundle Structure for Preparation of Drinking Water. <i>Foods</i> , 2021, 10, 3087.	4.3	3
15	Fluorometric determination of fipronil by integrating the advantages of molecularly imprinted silica and carbon quantum dots. <i>Mikrochimica Acta</i> , 2020, 187, 12.	5.0	18
16	Dummy molecularly imprinted silica materials for effective removal of aristolochic acid I from kaempfer dutchmanspipe root extract. <i>Microchemical Journal</i> , 2020, 152, 104463.	4.5	15
17	Sensing of perfluorinated compounds using a functionalized tricolor upconversion nanoparticle based fluorescence sensor array. <i>Environmental Science: Nano</i> , 2020, 7, 3036-3046.	4.3	8
18	Fluorometric determination of tyramine by molecularly imprinted upconversion fluorescence test strip. <i>Mikrochimica Acta</i> , 2020, 187, 573.	5.0	15

#	ARTICLE	IF	CITATIONS
19	Synthesis of anionic ionic liquids@TpBd-(SO <sub>3</sub> ) <sub>2</sub> for the selective adsorption of cationic dyes with superior capacity. RSC Advances, 2020, 10, 5443-5453.	3.6	10
20	Surface chemistry modified upconversion nanoparticles as fluorescent sensor array for discrimination of foodborne pathogenic bacteria. Journal of Nanobiotechnology, 2020, 18, 41.	9.1	48
21	Covalent organic frameworks as a sensing platform for water in organic solvent over a broad concentration range. Analytica Chimica Acta, 2020, 1109, 114-121.	5.4	40
22	Modified carbon spheres as universal materials for adsorption of cationic harmful substances (paraquat and dyes) in water. Microporous and Mesoporous Materials, 2020, 297, 110040.	4.4	28
23	Highly Sensitive Detection of Benzoyl Peroxide Based on Organoboron Fluorescent Conjugated Polymers. Polymers, 2019, 11, 1655.	4.5	8
24	Surfactant-Sensitized Covalent Organic Frameworks-Functionalized Lanthanide-Doped Nanocrystals: An Ultrasensitive Sensing Platform for Perfluorooctane Sulfonate. ACS Omega, 2019, 4, 15947-15955.	3.5	47
25	Simultaneous Sensing of Seven Pathogenic Bacteria by Guanidine-Functionalized Upconversion Fluorescent Nanoparticles. ACS Omega, 2019, 4, 8953-8959.	3.5	47
26	Upconversion fluorescent nanoparticles based-sensor array for discrimination of the same variety red grape wines. RSC Advances, 2019, 9, 7349-7355.	3.6	7
27	Adsorption properties of natural biomass tube clusters for dyes. Functional Materials Letters, 2019, 12, 1941001.	1.2	1
28	Carbon Tube Clusters with Nanometer Walls Thickness, Micrometer Diameter from Biomass, and Its Adsorption Property as Bioadsorbent. ACS Sustainable Chemistry and Engineering, 2019, 7, 858-866.	6.7	26
29	Highly selective and sensitive sensing of 2,4,6-trinitrophenol in beverages based on guanidine functionalized upconversion fluorescent nanoparticles. Sensors and Actuators B: Chemical, 2018, 255, 1422-1429.	7.8	38
30	Bifunctional supported ionic liquid-based smart films for dyes adsorption and photodegradation. Journal of Colloid and Interface Science, 2018, 530, 302-311.	9.4	14
31	One-step post-imprint modification achieve dual-function of glycoprotein fluorescent sensor by "Click Chemistry". Biosensors and Bioelectronics, 2017, 91, 756-761.	10.1	31
32	Capillary electrochromatography immunoassay for alpha-fetoprotein based on poly(guanidinium ionic) Tj ETQq0 0 0 rgBT /Overlock 10 T	2.4	12
33	Preparation of novel anionic polymeric ionic liquid materials and their potential application to protein adsorption. Journal of Materials Chemistry B, 2017, 5, 6339-6347.	5.8	13
34	Poly(guanidinium ionic liquid)s particles as affinity platform for highly selective enrichment of phosphopeptides. RSC Advances, 2016, 6, 41707-41713.	3.6	7
35	A double responsive smart upconversion fluorescence sensing material for glycoprotein. Biosensors and Bioelectronics, 2016, 85, 596-602.	10.1	39
36	Upconversion fluorescence metal-organic frameworks thermo-sensitive imprinted polymer for enrichment and sensing protein. Biosensors and Bioelectronics, 2016, 79, 341-346.	10.1	108

#	ARTICLE	IF	CITATIONS
37	Metal-organic frameworks supported surface-imprinted nanoparticles for the sensitive detection of metolcarb. <i>Biosensors and Bioelectronics</i> , 2016, 79, 359-363.	10.1	69
38	Preparation of poly(quaternary ammonium ionic liquid)s materials and their adsorption properties for proteins. <i>Chinese Journal of Chromatography (Se Pu)</i> , 2016, 34, 545.	0.8	1
39	Preparation of poly(guanidinium ionic liquid)s materials and evaluation of their recognition properties for protein. <i>Chinese Journal of Chromatography (Se Pu)</i> , 2016, 34, 456.	0.8	0
40	Molecularly imprinted upconversion nanoparticles for highly selective and sensitive sensing of Cytochrome c. <i>Biosensors and Bioelectronics</i> , 2015, 74, 498-503.	10.1	72
41	A triple-dimensional sensing chip for discrimination of eight antioxidants based on quantum dots and graphene. <i>Biosensors and Bioelectronics</i> , 2015, 74, 313-317.	10.1	19
42	High selectivity and sensitivity fluorescence sensing of melamine based on the combination of a fluorescent chemosensor and molecularly imprinted polymers. <i>RSC Advances</i> , 2015, 5, 94084-94090.	3.6	6
43	A Novel Poly(ionic liquid) Interface-Free Two-Dimensional Monolithic Material for the Separation of Multiple Types of Glycoproteins. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 20430-20437.	8.0	33
44	Facile preparation of organic-inorganic hybrid polymeric ionic liquid monolithic column with a one-pot process for protein separation in capillary electrochromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 7175-7183.	3.7	31
45	Guanidinium functionalized superparamagnetic silica spheres for selective enrichment of phosphopeptides and intact phosphoproteins from complex mixtures. <i>Journal of Materials Chemistry B</i> , 2014, 2, 1048-1058.	5.8	53
46	Preparation of ionic liquid polymer materials and their recognition properties for proteins. <i>RSC Advances</i> , 2014, 4, 52147-52154.	3.6	9
47	A novel C18 reversed phase organic-silica hybrid cationic monolithic capillary column with an ionic liquid as an organic monomer via a one-pot approach for capillary electrochromatography. <i>RSC Advances</i> , 2014, 4, 15518-15525.	3.6	12
48	Facile synthesis of graphene doped poly(ionic liquid) boronate affinity material for specific capture of glycoproteins. <i>Journal of Materials Chemistry B</i> , 2014, 2, 5229.	5.8	25
49	Protein imprinted ionic liquid polymer on the surface of multiwall carbon nanotubes with high binding capacity for lysozyme. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 960, 239-246.	2.3	40
50	Preparation of protein imprinted materials by hierarchical imprinting techniques and application in selective depletion of albumin from human serum. <i>Scientific Reports</i> , 2014, 4, 5487.	3.3	55
51	Ionic liquids monolithic columns for protein separation in capillary electrochromatography. <i>Analytica Chimica Acta</i> , 2013, 804, 313-320.	5.4	45
52	Facile synthesis of Fe <sub>3</sub> O <sub>4</sub> @TiO <sub>2</sub> -ZrO <sub>2</sub> and its application in phosphopeptide enrichment. <i>Journal of Materials Chemistry B</i> , 2013, 1, 1947.	5.8	63
53	Highly Selective Fluorescent Sensing of Proteins Based on a Fluorescent Molecularly Imprinted Nanosensor. <i>Sensors</i> , 2013, 13, 12994-13004.	3.8	26
54	Preparation and Evaluation of Lysozyme Molecularly Imprinted Polymer Film on the Surface of Multi-wall Carbon Nanotubes. <i>Current Organic Chemistry</i> , 2012, 16, 1461-1467.	1.6	8

#	ARTICLE	IF	CITATIONS
55	A novel ionic liquid monolithic column and its separation properties in capillary electrochromatography. <i>Analytica Chimica Acta</i> , 2012, 712, 1-8.	5.4	44
56	A novel ionic liquid polymer material with high binding capacity for proteins. <i>Journal of Materials Chemistry</i> , 2012, 22, 3965.	6.7	39
57	Highly sensitive fluorescent sensing for water based on poly(m-aminobenzoic acid). <i>Chemical Communications</i> , 2012, 48, 3009.	4.1	119
58	Determination of metolcarb in food by capillary electrophoresis immunoassay with a laser-induced fluorescence detector. <i>Electrophoresis</i> , 2012, 33, 1471-1476.	2.4	15
59	Highly selective capture of phosphopeptides using a nano titanium dioxide-multiwalled carbon nanotube nanocomposite. <i>Analytical Biochemistry</i> , 2012, 423, 210-217.	2.4	26
60	Preparation of a new type of affinity materials combining metal coordination with molecular imprinting. <i>Chemical Communications</i> , 2011, 47, 3969.	4.1	87
61	Molecularly imprinted macroporous monolithic materials for protein recognition. <i>Chinese Chemical Letters</i> , 2011, 22, 1351-1354.	9.0	21
62	Preparation and evaluation of molecularly imprinted ionic liquids polymer as sorbent for on-line solid-phase extraction of chlorsulfuron in environmental water samples. <i>Journal of Chromatography A</i> , 2011, 1218, 6271-6277.	3.7	94
63	Preparation, characterization and application of organic-inorganic hybrid ractopamine multi-template molecularly imprinted capillary monolithic column. <i>Analytica Chimica Acta</i> , 2011, 692, 57-62.	5.4	47
64	Catalytic Spectrophotometry Determination of Ultratrace Amounts of Silver with Solubilizing Effect of Nonionic Surfactant. <i>Chinese Journal of Chemistry</i> , 2010, 20, 39-44.	4.9	1
65	Macroporous molecularly imprinted monolithic polymer columns for protein recognition by liquid chromatography. <i>Journal of Separation Science</i> , 2010, 33, 2757-2761.	2.5	34
66	Fingerprint Analysis of Ginkgo biloba Leaves and Related Health Foods by High-Performance Liquid Chromatography/Electrospray Ionization-Mass Spectrometry. <i>Journal of AOAC INTERNATIONAL</i> , 2010, 93, 1798-1805.	1.5	21
67	High sensitivity analysis of water-soluble, cyanine dye labeled proteins by high-performance liquid chromatography with fluorescence detection. <i>Analytica Chimica Acta</i> , 2009, 640, 114-120.	5.4	16
68	Organic-Inorganic Hybrid Silica Monolith Based Immobilized Trypsin Reactor with High Enzymatic Activity. <i>Analytical Chemistry</i> , 2008, 80, 2949-2956.	6.5	193
69	1-(Carbamoylmethyl)-5-oxopyrrolidin-3-yl acetate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o478-o479.	0.2	0
70	(S)-Ibuprofen-imprinted polymers incorporating $\beta$ -methacryloxypropyl-trimethoxysilane for CEC separation of ibuprofen enantiomers. <i>Electrophoresis</i> , 2006, 27, 4351-4358.	2.4	34
71	Molecularly Imprinted Polymer Monolithic Column Separation of Isomers and Analogues of Vanillin by Capillary Electrochromatography. <i>Chinese Journal of Chemistry</i> , 2006, 24, 442-444.	4.9	10
72	An Investigation of the Inclusion Complex of $\beta$ -Cyclodextrin with 8-Nitro-Quinoline in the Solid State. <i>Supramolecular Chemistry</i> , 2006, 18, 7-11.	1.2	7

#	ARTICLE	IF	CITATIONS
73	Molecularly imprinted polymers as tools for the screening of felodipine from dihydropyridine calcium antagonists by pressurized capillary electrochromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 382, 51-58.	3.7	23
74	2-Hydroxy-3-methoxybenzaldehyde 2,4-dinitrophenylhydrazone dimethylformamide solvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o145-o146.	0.2	1
75	(Z)-3-[(2,4-Dinitrophenyl)hydrazono]-4,4,4-trifluoro-1-(2-thienyl)butan-1-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o534-o535.	0.2	1
76	4-[(4-Hydroxy-3-methoxybenzylidene)amino]-1,5-dimethyl-2-phenylpyrazolidin-3-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o2322-o2323.	0.2	0
77	N <sup>4</sup> -(4-Hydroxybenzylidene)isonicotinohydrazide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o2545-o2546.	0.2	5
78	4-[(2-Hydroxy-3-methoxybenzylidene)amino]-1,5-dimethyl-2-phenyl-1H-pyrazol-3(2H)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o3271-o3272.	0.2	0
79	N <sup>4</sup> -(4-Methoxybenzylidene)isonicotinohydrazide monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o3208-o3209.	0.2	3
80	4-[(3-Hydroxybenzylidene)amino]-1,5-dimethyl-2-phenyl-1H-pyrazol-3(2H)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o3532-o3533.	0.2	3
81	4-[(4-Hydroxybenzylidene)amino]-1,5-dimethyl-2-phenyl-1H-pyrazol-3(2H)-one monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o3534-o3535.	0.2	0
82	4-[2-(4-Formyl-2-methoxyphenoxy)ethoxy]-3-methoxybenzaldehyde. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o3741-o3742.	0.2	0
83	N <sup>4</sup> -(2,4-Dichlorobenzylidene)benzohydrazide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o4316-o4317.	0.2	1
84	DETERMINATION OF GALLIUM BY SPECTROFLUORIMETRY USING ACID CHROME BLUE K. <i>Analytical Letters</i> , 2001, 34, 415-423.	1.8	8
85	N-terminal epitope surface imprinted particles for high selective cytochrome c recognition prepared by reversible addition-fragmentation chain transfer strategy. <i>Chemical Papers</i> , 0, , 1.	2.2	1