

Araceli G Campaa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/231145/araceli-g-campana-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

2,885
citations

31
h-index

53
g-index

91
ext. papers

3,466
ext. citations

8.2
avg, IF

5.31
L-index

#	Paper	IF	Citations
72	Vinyl sulfonyl chemistry-driven unidirectional transport of a macrocycle through a [2]rotaxane. <i>Organic Chemistry Frontiers</i> , 2022 , 9, 633-642	5.2	1
71	Rektilbild: Bright Long-Lived Circularly Polarized Luminescence in Chiral Chromium(III) Complexes (Angew. Chem. 18/2021). <i>Angewandte Chemie</i> , 2021 , 133, 10524-10524	3.6	
70	Bright Long-Lived Circularly Polarized Luminescence in Chiral Chromium(III) Complexes. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 10095-10102	16.4	23
69	Bright Long-Lived Circularly Polarized Luminescence in Chiral Chromium(III) Complexes. <i>Angewandte Chemie</i> , 2021 , 133, 10183-10190	3.6	4
68	Octagon-Embedded Carbohelicene as a Chiral Motif for Circularly Polarized Luminescence Emission of Saddle-Helix Nanographenes. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 6094-6100	16.4	26
67	Single-Molecule Conductance of 1,4-Azaborine Derivatives as Models of BN-doped PAHs. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 6609-6616	16.4	8
66	Heptagon-Containing Saddle-Shaped Nanographenes: Self-Association and Complexation Studies with Polycyclic Aromatic Hydrocarbons and Fullerenes. <i>Organic Materials</i> , 2021 , 03, 051-059	1.9	2
65	Single-Molecule Conductance of 1,4-Azaborine Derivatives as Models of BN-doped PAHs. <i>Angewandte Chemie</i> , 2021 , 133, 6683-6690	3.6	2
64	Octagon-Embedded Carbohelicene as a Chiral Motif for Circularly Polarized Luminescence Emission of Saddle-Helix Nanographenes. <i>Angewandte Chemie</i> , 2021 , 133, 6159-6165	3.6	10
63	Chiral Distorted Hexa-peri-hexabenzocoronenes Bearing a Nonagon-Embedded Carbohelicene. <i>Angewandte Chemie</i> , 2021 , 133, 22222-22227	3.6	0
62	Chiral Distorted Hexa-peri-hexabenzocoronenes Bearing a Nonagon-Embedded Carbohelicene. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 22051-22056	16.4	6
61	A Macrocycle Based on a Heptagon-Containing Hexa-peri-hexabenzocoronene. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 15124-15128	16.4	11
60	Two-Photon Absorption Enhancement by the Inclusion of a Tropone Ring in Distorted Nanographene Ribbons. <i>Angewandte Chemie</i> , 2020 , 132, 7205-7211	3.6	6
59	Two-Photon Absorption Enhancement by the Inclusion of a Tropone Ring in Distorted Nanographene Ribbons. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 7139-7145	16.4	30
58	A Macrocycle Based on a Heptagon-Containing Hexa-peri-hexabenzocoronene. <i>Angewandte Chemie</i> , 2020 , 132, 15236-15240	3.6	4
57	Simple Perylene Diimide Cyclohexane Derivative With Combined CPL and TPA Properties. <i>Frontiers in Chemistry</i> , 2020 , 8, 306	5	10
56	An Enantiopure Propeller-Like Trityl-Brominated Radical: Bringing Together a High Racemization Barrier and an Efficient Circularly Polarized Luminescent Magnetic Emitter. <i>Chemistry - A European Journal</i> , 2020 , 26, 3776-3781	4.8	14

55	Innenrücktitelbild: Two-Photon Absorption Enhancement by the Inclusion of a Tropone Ring in Distorted Nanographene Ribbons (Angew. Chem. 18/2020). <i>Angewandte Chemie</i> , 2020 , 132, 7338-7338	3.6	
54	Dibenzocycloheptatriene as end-group of Thiele and tetrabenzo-Chichibabin hydrocarbons. <i>Chemical Communications</i> , 2020 , 56, 12813-12816	5.8	3
53	O-H and (CO)N-H bond weakening by coordination to Fe(ii). <i>Dalton Transactions</i> , 2019 , 48, 2179-2189	4.3	7
52	A Triskelion-Shaped Saddle-Helix Hybrid Nanographene. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 8068-8072	16.4	57
51	A Triskelion-Shaped Saddle-Helix Hybrid Nanographene. <i>Angewandte Chemie</i> , 2019 , 131, 8152-8156	3.6	31
50	[2]Rotaxane End-Capping Synthesis by Click Michael-Type Addition to the Vinyl Sulfonyl Group. <i>Chemistry - A European Journal</i> , 2019 , 25, 6170-6179	4.8	5
49	Combining Defects in a Single Nanographene: A Fully Helical Saddle Ribbon. <i>Synlett</i> , 2019 , 30, 997-1002	2.2	14
48	Chiral double stapled o-OPEs with intense circularly polarized luminescence. <i>Chemical Communications</i> , 2019 , 55, 10685-10688	5.8	24
47	Chiral Molecular Ruby [Cr(dqp)] with Long-Lived Circularly Polarized Luminescence. <i>Journal of the American Chemical Society</i> , 2019 , 141, 13244-13252	16.4	76
46	A [2]Rotaxane-Based Circularly Polarized Luminescence Switch. <i>Journal of the American Chemical Society</i> , 2019 , 141, 18064-18074	16.4	59
45	Organic Free Radicals as Circularly Polarized Luminescence Emitters. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 16282-16288	16.4	34
44	Organic Free Radicals as Circularly Polarized Luminescence Emitters. <i>Angewandte Chemie</i> , 2019 , 131, 16428-16434	3.6	9
43	Aggregation-induced emission of [3]cumulenes functionalized with heptagon-containing polyphenylenes. <i>Chemical Communications</i> , 2018 , 54, 3359-3362	5.8	13
42	Enantiopure distorted ribbon-shaped nanographene combining two-photon absorption-based upconversion and circularly polarized luminescence. <i>Chemical Science</i> , 2018 , 9, 3917-3924	9.4	86
41	Pyrene-Containing ortho-Oligo(phenylene)ethynylene Foldamer as a Ratiometric Probe Based on Circularly Polarized Luminescence. <i>Journal of Organic Chemistry</i> , 2018 , 83, 4455-4463	4.2	58
40	Undecabenzo[7]superhelicene: A Helical Nanographene Ribbon as a Circularly Polarized Luminescence Emitter. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 14782-14786	16.4	125
39	Undecabenzo[7]superhelicene: A Helical Nanographene Ribbon as a Circularly Polarized Luminescence Emitter. <i>Angewandte Chemie</i> , 2018 , 130, 14998-15002	3.6	67
38	OFF/ON switching of circularly polarized luminescence by oxophilic interaction of homochiral sulfoxide-containing o-OPEs with metal cations. <i>Chemical Communications</i> , 2018 , 54, 13985-13988	5.8	38

37	Circularly Polarized Luminescence of Boronic Acid-Derived Salicylidenehydrazone Complexes Containing Chiral Boron as Stereogenic Unit. <i>Journal of Organic Chemistry</i> , 2018 , 83, 14057-14062	4.2	14
36	Synthesis of distorted nanographenes containing seven- and eight-membered carbocycles. <i>Chemical Communications</i> , 2018 , 54, 6705-6718	5.8	91
35	Versatile synthesis and enlargement of functionalized distorted heptagon-containing nanographenes. <i>Chemical Science</i> , 2017 , 8, 1068-1074	9.4	69
34	Cp ₂ TiCl-catalyzed highly stereoselective intramolecular epoxide allylation using allyl carbonates. <i>Organic Chemistry Frontiers</i> , 2014 , 1, 373-381	5.2	7
33	Recent applications of Cp ₂ TiCl in natural product synthesis. <i>Organic Chemistry Frontiers</i> , 2014 , 1, 15-33	5.2	82
32	Ti/Ni-mediated inter- and intramolecular conjugate addition of aryl and alkenyl halides and triflates. <i>Journal of Organic Chemistry</i> , 2014 , 79, 1529-41	4.2	20
31	Dichlorobis(cyclopentadienyl)titanium 2013 ,		1
30	The role of water-based hydrogen atom wires in long-range electron-transfer reactions in aqueous media for the FeII-FeIII self-exchange and related systems. <i>Chemistry - A European Journal</i> , 2013 , 19, 16187-91	4.8	2
29	One-dimensional random walk of a synthetic small molecule toward a thermodynamic sink. <i>Journal of the American Chemical Society</i> , 2013 , 135, 8639-45	16.4	38
28	Ti/Ni-Based Multimetallic System for the Efficient Allylation of Carbonyl Compounds. <i>European Journal of Organic Chemistry</i> , 2012 , 2012, 1499-1503	3.2	16
27	Water control over the chemoselectivity of a Ti/Ni multimetallic system: Heck- or reductive-type cyclization reactions of alkyl iodides. <i>Organic Letters</i> , 2012 , 14, 5984-7	6.2	48
26	A small molecule that walks non-directionally along a track without external intervention. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 5480-3	16.4	43
25	A Small Molecule that Walks Non-Directionally Along a Track Without External Intervention. <i>Angewandte Chemie</i> , 2012 , 124, 5576-5579	3.6	11
24	Innenrücktitelbild: A Small Molecule that Walks Non-Directionally Along a Track Without External Intervention (Angew. Chem. 22/2012). <i>Angewandte Chemie</i> , 2012 , 124, 5599-5599	3.6	
23	Inside Back Cover: A Small Molecule that Walks Non-Directionally Along a Track Without External Intervention (Angew. Chem. Int. Ed. 22/2012). <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 5505-5505	16.4	
22	Bioinspired terpene synthesis: a radical approach. <i>Chemical Society Reviews</i> , 2011 , 40, 3525-37	58.5	104
21	Carbocations or cyclopropyl gold carbenes in cyclizations of enynes. <i>Chemistry - an Asian Journal</i> , 2011 , 6, 482-6	4.5	29
20	Titanium/Palladium-Mediated Regioselective Propargylation of Ketones using Propargylic Carbonates as Pronucleophiles. <i>Advanced Synthesis and Catalysis</i> , 2011 , 353, 73-78	5.6	23

19	Light-Driven Transport of a Molecular Walker in Either Direction along a Molecular Track. <i>Angewandte Chemie</i> , 2011 , 123, 299-304	3.6	48
18	Titelbild: Light-Driven Transport of a Molecular Walker in Either Direction along a Molecular Track (Angew. Chem. 1/2011). <i>Angewandte Chemie</i> , 2011 , 123, 1-1	3.6	29
17	Light-driven transport of a molecular walker in either direction along a molecular track. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 285-90	16.4	134
16	Cover Picture: Light-Driven Transport of a Molecular Walker in Either Direction along a Molecular Track (Angew. Chem. Int. Ed. 1/2011). <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 1-1	16.4	382
15	Ti/Pd bimetallic systems for the efficient allylation of carbonyl compounds and homocoupling reactions. <i>Chemistry - A European Journal</i> , 2011 , 17, 3985-94	4.8	41
14	Water-based hydrogen-atom wires as mediators in long-range proton-coupled electron transfer in enzymes: a new twist on water reactivity. <i>Chemistry - A European Journal</i> , 2011 , 17, 8318-23	4.8	17
13	Understanding the exceptional hydrogen-atom donor characteristics of water in Ti(III)-mediated free-radical chemistry. <i>Journal of the American Chemical Society</i> , 2010 , 132, 12748-56	16.4	103
12	Unprecedented H-atom transfer from water to ketyl radicals mediated by Cp(2)TiCl. <i>Dalton Transactions</i> , 2010 , 39, 8796-800	4.3	33
11	Radical Reduction of Epoxides Using a Titanocene(III)/Water System: Synthesis of β -Deuterated Alcohols and Their Use as Internal Standards in Food Analysis. <i>European Journal of Organic Chemistry</i> , 2010 , 2010, 4288-4295	3.2	35
10	Unexpected Ti(III)/Mn-promoted pinacol coupling of ketones. <i>Journal of Organic Chemistry</i> , 2009 , 74, 3616-9	4.2	50
9	Divergent titanium-mediated allylations with modulation by nickel or palladium. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 7515-9	16.4	57
8	Titanium-Catalyzed Enantioselective Synthesis of β -Ambrinol. <i>Advanced Synthesis and Catalysis</i> , 2008 , 350, 571-576	5.6	37
7	Sml ₂ -promoted intra- and intermolecular C-C bond formation with chiral N-acyl oxazolidinones. <i>Tetrahedron</i> , 2008 , 64, 11884-11895	2.4	21
6	Unprecedented hydrogen transfer from water to alkenes and alkynes mediated by Ti(III) and late transition metals. <i>Organic Letters</i> , 2007 , 9, 2195-8	6.2	82
5	Sodium tetramethoxyborate: an efficient catalyst for Michael additions of stabilized carbon nucleophiles. <i>Journal of Organic Chemistry</i> , 2007 , 72, 8127-30	4.2	20
4	Water: the ideal hydrogen-atom source in free-radical chemistry mediated by Ti(III) and other single-electron-transfer metals?. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 5522-6	16.4	148
3	Water: The Ideal Hydrogen-Atom Source in Free-Radical Chemistry Mediated by Ti(III) and Other Single-Electron-Transfer Metals?. <i>Angewandte Chemie</i> , 2006 , 118, 5648-5652	3.6	39
2	7-endo radical cyclizations catalyzed by titanocene(III). Straightforward synthesis of terpenoids with seven-membered carbocycles. <i>Journal of the American Chemical Society</i> , 2005 , 127, 14911-21	16.4	143

- 1 Aromatic Carbonyl Compound Reduction and Pinacol Coupling Processes Mediated by Titanocene(III)/Zn in Water. *Synthesis*, **2005**, 2005, 2619-2622

2.9 2