
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2312971/publications.pdf Version: 2024-02-01



IOHN C RVDD

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Targeting BTK with Ibrutinib in Relapsed Chronic Lymphocytic Leukemia. New England Journal of Medicine, 2013, 369, 32-42. | 13.9 | 2,019 |
| 2 | Pretreatment cytogenetic abnormalities are predictive of induction success, cumulative incidence of relapse, and overall survival in adult patients with de novo acute myeloid leukemia: results from Cancer and Leukemia Group B (CALGB 8461). Blood, 2002, 100, 4325-4336. | 0.6 | 1,444 |
| 3 | Ibrutinib versus Ofatumumab in Previously Treated Chronic Lymphoid Leukemia. New England Journal of Medicine, 2014, 371, 213-223. | 13.9 | 1,427 |
| 4 | iwCLL guidelines for diagnosis, indications for treatment, response assessment, and supportive management of CLL. Blood, 2018, 131, 2745-2760. | 0.6 | 1,069 |
| 5 | Acalabrutinib (ACP-196) in Relapsed Chronic Lymphocytic Leukemia. New England Journal of Medicine, 2016, 374, 323-332. | 13.9 | 785 |
| 6 | Ibrutinib Regimens versus Chemoimmunotherapy in Older Patients with Untreated CLL. New England Journal of Medicine, 2018, 379, 2517-2528. | 13.9 | 706 |
| 7 | Randomized phase 2 study of fludarabine with concurrent versus sequential treatment with rituximab in symptomatic, untreated patients with B-cell chronic lymphocytic leukemia: results from Cancer and Leukemia Group B 9712 (CALGB 9712). Blood, 2003, 101, 6-14. | 0.6 | 549 |
| 8 | Etiology of Ibrutinib Therapy Discontinuation and Outcomes in Patients With Chronic Lymphocytic Leukemia. JAMA Oncology, 2015, 1, 80. | 3.4 | 498 |
| 9 | lbrutinib as initial therapy for elderly patients with chronic lymphocytic leukaemia or small lymphocytic lymphoma: an open-label, multicentre, phase 1b/2 trial. Lancet Oncology, The, 2014, 15, 48-58. | 5.1 | 438 |
| 10 | Acalabrutinib with or without obinutuzumab versus chlorambucil and obinutuzumab for treatment-naive chronic lymphocytic leukaemia (ELEVATE-TN): a randomised, controlled, phase 3 trial. Lancet, The, 2020, 395, 1278-1291. | 6.3 | 393 |
| 11 | lbrutinib enhances chimeric antigen receptor T-cell engraftment and efficacy in leukemia. Blood, 2016, 127, 1117-1127. | 0.6 | 381 |
| 12 | Addition of rituximab to fludarabine may prolong progression-free survival and overall survival in patients with previously untreated chronic lymphocytic leukemia: an updated retrospective comparative analysis of CALGB 9712 and CALGB 9011. Blood, 2005, 105, 49-53. | 0.6 | 376 |
| 13 | A phase 1 and pharmacodynamic study of depsipeptide (FK228) in chronic lymphocytic leukemia and acute myeloid leukemia. Blood, 2004, 105, 959-967. | 0.6 | 371 |
| 14 | Flavopiridol administered using a pharmacologically derived schedule is associated with marked clinical efficacy in refractory, genetically high-risk chronic lymphocytic leukemia. Blood, 2007, 109, 399-404. | 0.6 | 367 |
| 15 | The mechanism of tumor cell clearance by rituximab in vivo in patients with B-cell chronic lymphocytic leukemia: evidence of caspase activation and apoptosis induction. Blood, 2002, 99, 1038-1043. | 0.6 | 350 |
| 16 | Single-agent ibrutinib in treatment-naÃ⁻ve and relapsed/refractory chronic lymphocytic leukemia: a 5-year experience. Blood, 2018, 131, 1910-1919. | 0.6 | 339 |
| 17 | Venetoclax for chronic lymphocytic leukaemia progressing after ibrutinib: an interim analysis of a multicentre, open-label, phase 2 trial. Lancet Oncology, The, 2018, 19, 65-75. | 5.1 | 314 |
| 18 | Patients With t(8;21)(q22;q22) and Acute Myeloid Leukemia Have Superior Failure-Free and Overall Survival When Repetitive Cycles of High-Dose Cytarabine Are Administered. Journal of Clinical Oncology, 1999, 17, 3767-3775. | 0.8 | 290 |

| # | Article | lF | CITATIONS |
|----|---|-----|-----------|
| 19 | Ibrutinib treatment improves T cell number and function in CLL patients. Journal of Clinical Investigation, 2017, 127, 3052-3064. | 3.9 | 280 |
| 20 | Acalabrutinib Versus Ibrutinib in Previously Treated Chronic Lymphocytic Leukemia: Results of the First Randomized Phase III Trial. Journal of Clinical Oncology, 2021, 39, 3441-3452. | 0.8 | 266 |
| 21 | Targeting the C481S Ibrutinib-Resistance Mutation in Bruton's Tyrosine Kinase Using PROTAC-Mediated Degradation. Biochemistry, 2018, 57, 3564-3575. | 1.2 | 261 |
| 22 | DNA methylation dynamics during B cell maturation underlie a continuum of disease phenotypes in chronic lymphocytic leukemia. Nature Genetics, 2016, 48, 253-264. | 9.4 | 254 |
| 23 | Prolonged lymphocytosis during ibrutinib therapy is associated with distinct molecular characteristics and does not indicate a suboptimal response to therapy. Blood, 2014, 123, 1810-1817. | 0.6 | 246 |
| 24 | A phase 1 study of the PI3Kδ inhibitor idelalisib in patients with relapsed/refractory mantle cell lymphoma (MCL). Blood, 2014, 123, 3398-3405. | 0.6 | 245 |
| 25 | Select High-Risk Genetic Features Predict Earlier Progression Following Chemoimmunotherapy With Fludarabine and Rituximab in Chronic Lymphocytic Leukemia: Justification for Risk-Adapted Therapy. Journal of Clinical Oncology, 2006, 24, 437-443. | 0.8 | 233 |
| 26 | Characterization of atrial fibrillation adverse events reported in ibrutinib randomized controlled registration trials. Haematologica, 2017, 102, 1796-1805. | 1.7 | 200 |
| 27 | Daunorubicin‣oaded DNA Origami Nanostructures Circumvent Drugâ€Resistance Mechanisms in a Leukemia Model. Small, 2016, 12, 308-320. | 5.2 | 191 |
| 28 | Repetitive Cycles of High-Dose Cytarabine Benefit Patients With Acute Myeloid Leukemia and inv(16)(p13q22) or t(16;16)(p13;q22): Results from CALGB 8461. Journal of Clinical Oncology, 2004, 22, 1087-1094. | 0.8 | 190 |
| 29 | Increased T follicular helper cells and germinal center B cells are required for cGVHD and bronchiolitis obliterans. Blood, 2014, 123, 3988-3998. | 0.6 | 179 |
| 30 | Long-term follow-up of the RESONATE phase 3 trial of ibrutinib vs ofatumumab. Blood, 2019, 133, 2031-2042. | 0.6 | 178 |
| 31 | Phase I and Pharmacokinetic Trial of Gemcitabine in Patients With Hepatic or Renal Dysfunction: Cancer and Leukemia Group B 9565. Journal of Clinical Oncology, 2000, 18, 2780-2787. | 0.8 | 177 |
| 32 | Genomic analyses reveal recurrent mutations in epigenetic modifiers and the JAK–STAT pathway in Sézary syndrome. Nature Communications, 2015, 6, 8470. | 5.8 | 177 |
| 33 | Bruton's tyrosine kinase (BTK) function is important to the development and expansion of chronic lymphocytic leukemia (CLL). Blood, 2014, 123, 1207-1213. | 0.6 | 176 |
| 34 | Hypertension and incident cardiovascular events following ibrutinib initiation. Blood, 2019, 134, 1919-1928. | 0.6 | 155 |
| 35 | Myeloid-Derived Suppressor Cells Express Bruton's Tyrosine Kinase and Can Be Depleted in Tumor-Bearing Hosts by Ibrutinib Treatment. Cancer Research, 2016, 76, 2125-2136. | 0.4 | 150 |
| 36 | Acalabrutinib monotherapy in patients with chronic lymphocytic leukemia who are intolerant to ibrutinib. Blood Advances, 2019, 3, 1553-1562. | 2.5 | 145 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Characterization of CLL exosomes reveals a distinct microRNA signature and enhanced secretion by activation of BCR signaling. Blood, 2015, 125, 3297-3305. | 0.6 | 138 |
| 38 | Acalabrutinib monotherapy in patients with relapsed/refractory chronic lymphocytic leukemia: updated phase 2 results. Blood, 2020, 135, 1204-1213. | 0.6 | 130 |
| 39 | Treatment of Relapsed Chronic Lymphocytic Leukemia by 72-Hour Continuous Infusion or 1-Hour Bolus Infusion of Flavopiridol: Results from Cancer and Leukemia Group B Study 19805. Clinical Cancer Research, 2005, 11, 4176-4181. | 3.2 | 124 |
| 40 | Chemoimmunotherapy With Fludarabine and Rituximab Produces Extended Overall Survival and Progression-Free Survival in Chronic Lymphocytic Leukemia: Long-Term Follow-Up of CALGB Study 9712. Journal of Clinical Oncology, 2011, 29, 1349-1355. | 0.8 | 124 |
| 41 | The Bruton Tyrosine Kinase (BTK) Inhibitor Acalabrutinib Demonstrates Potent On-Target Effects and Efficacy in Two Mouse Models of Chronic Lymphocytic Leukemia. Clinical Cancer Research, 2017, 23, 2831-2841. | 3.2 | 123 |
| 42 | Cumulative incidence, risk factors, and management of atrial fibrillation in patients receiving ibrutinib. Blood Advances, 2017, 1, 1739-1748. | 2.5 | 123 |
| 43 | Tetraspanin CD37 Directly Mediates Transduction of Survival and Apoptotic Signals. Cancer Cell, 2012, 21, 694-708. | 7.7 | 122 |
| 44 | Frequency and type of serious infections in fludarabine-refractory B-cell chronic lymphocytic leukemia and small lymphocytic lymphoma. Cancer, 2002, 94, 2033-2039. | 2.0 | 115 |
| 45 | The BTK Inhibitor ARQ 531 Targets Ibrutinib-Resistant CLL and Richter Transformation. Cancer Discovery, 2018, 8, 1300-1315. | 7.7 | 115 |
| 46 | Characterization of the TCL-1 transgenic mouse as a preclinical drug development tool for human chronic lymphocytic leukemia. Blood, 2006, 108, 1334-1338. | 0.6 | 112 |
| 47 | NCCN Guidelines Insights: Non-Hodgkin's Lymphomas, Version 3.2016. Journal of the National Comprehensive Cancer Network: JNCCN, 2016, 14, 1067-1079. | 2.3 | 107 |
| 48 | Therapeutic CD94/NKG2A blockade improves natural killer cell dysfunction in chronic lymphocytic leukemia. Oncolmmunology, 2016, 5, e1226720. | 2.1 | 105 |
| 49 | Precision medicine treatment in acute myeloid leukemia using prospective genomic profiling: feasibility and preliminary efficacy of the Beat AML Master Trial. Nature Medicine, 2020, 26, 1852-1858. | 15.2 | 104 |
| 50 | BRD4 Profiling Identifies Critical Chronic Lymphocytic Leukemia Oncogenic Circuits and Reveals Sensitivity to PLX51107, a Novel Structurally Distinct BET Inhibitor. Cancer Discovery, 2018, 8, 458-477. | 7.7 | 101 |
| 51 | IPI-145 antagonizes intrinsic and extrinsic survival signals in chronic lymphocytic leukemia cells. Blood, 2014, 124, 3583-3586. | 0.6 | 91 |
| 52 | Ten-year outcome of patients with acute myeloid leukemia not treated with allogeneic transplantation in first complete remission. Blood Advances, 2018, 2, 1645-1650. | 2.5 | 85 |
| 53 | Selinexor is effective in acquired resistance to ibrutinib and synergizes with ibrutinib in chronic lymphocytic leukemia. Blood, 2015, 125, 3128-3132. | 0.6 | 84 |
| 54 | Magnetic Tweezers-Based 3D Microchannel Electroporation for High-Throughput Gene Transfection in Living Cells. Small, 2015, 11, 1818-1828. | 5.2 | 83 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Mutation patterns identify adult patients with de novo acute myeloid leukemia aged 60 years or older who respond favorably to standard chemotherapy: an analysis of Alliance studies. Leukemia, 2018, 32, 1338-1348. | 3.3 | 80 |
| 56 | Randomized phase 2 study of obinutuzumab monotherapy in symptomatic, previously untreated chronic lymphocytic leukemia. Blood, 2016, 127, 79-86. | 0.6 | 72 |
| 57 | Efficacy and safety in a 4-year follow-up of the ELEVATE-TN study comparing acalabrutinib with or without obinutuzumab versus obinutuzumab plus chlorambucil in treatment-naÃ ⁻ ve chronic lymphocytic leukemia. Leukemia, 2022, 36, 1171-1175. | 3.3 | 72 |
| 58 | Consolidation Therapy With Subcutaneous Alemtuzumab After Fludarabine and Rituximab Induction Therapy for Previously Untreated Chronic Lymphocytic Leukemia: Final Analysis of CALGB 10101. Journal of Clinical Oncology, 2010, 28, 4500-4506. | 0.8 | 71 |
| 59 | Phase II Study of Combination Obinutuzumab, Ibrutinib, and Venetoclax in Treatment-NaÃ ⁻ ve and Relapsed or Refractory Chronic Lymphocytic Leukemia. Journal of Clinical Oncology, 2020, 38, 3626-3637. | 0.8 | 71 |
| 60 | Proteomic characterization of circulating extracellular vesicles identifies novel serum myeloma associated markers. Journal of Proteomics, 2016, 136, 89-98. | 1.2 | 68 |
| 61 | Interphase cytogenetic abnormalities in chronic lymphocytic leukemia may predict response to rituximab. Cancer Research, 2003, 63, 36-8. | 0.4 | 68 |
| 62 | Additional gene mutations may refine the 2017 European LeukemiaNet classification in adult patients with de novo acute myeloid leukemia aged <60 years. Leukemia, 2020, 34, 3215-3227. | 3.3 | 66 |
| 63 | Incidence of opportunistic infections during ibrutinib treatment for B-cell malignancies. Leukemia, 2019, 33, 2527-2530. | 3.3 | 65 |
| 64 | Use of a comprehensive frailty assessment to predict morbidity in patients with multiple myeloma undergoing transplant. Journal of Geriatric Oncology, 2019, 10, 479-485. | 0.5 | 64 |
| 65 | <i>TCL1</i> targeting <i>miR-3676</i> is codeleted with tumor protein p53 in chronic lymphocytic leukemia. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 2169-2174. | 3.3 | 63 |
| 66 | A phase 1 study evaluating the safety and tolerability of otlertuzumab, an anti-CD37 mono-specific ADAPTIR therapeutic protein in chronic lymphocytic leukemia. Blood, 2014, 123, 1302-1308. | 0.6 | 62 |
| 67 | NF-κB Functions in Tumor Initiation by Suppressing the Surveillance of Both Innate and Adaptive Immune Cells. Cell Reports, 2014, 9, 90-103. | 2.9 | 60 |
| 68 | Assessment of CD37 B-cell antigen and cell of origin significantly improves risk prediction in diffuse large B-cell lymphoma. Blood, 2016, 128, 3083-3100. | 0.6 | 59 |
| 69 | A phase 1 trial of the Fc-engineered CD19 antibody XmAb5574 (MOR00208) demonstrates safety and preliminary efficacy in relapsed CLL. Blood, 2014, 124, 3553-3560. | 0.6 | 56 |
| 70 | Use of anticoagulants and antiplatelet in patients with chronic lymphocytic leukaemia treated with singleâ€agent ibrutinib. British Journal of Haematology, 2017, 178, 286-291. | 1.2 | 55 |
| 71 | NCCN Guidelines Insights: Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma, Version 1.2017. Journal of the National Comprehensive Cancer Network: JNCCN, 2017, 15, 293-311. | 2.3 | 55 |
| 72 | Complex karyotype in de novo acute myeloid leukemia: typical and atypical subtypes differ molecularly and clinically. Leukemia, 2019, 33, 1620-1634. | 3.3 | 55 |

| # | Article | lF | CITATIONS |
|----|---|-----|-----------|
| 73 | A singleâ€institution retrospective cohort study of firstâ€line Râ€ <scp>EPOCH</scp> chemoimmunotherapy for Richter syndrome demonstrating complex chronic lymphocytic leukaemia karyotype as an adverse prognostic factor. British Journal of Haematology, 2018, 180, 259-266. | 1.2 | 53 |
| 74 | Epigenetic silencing of miR-708 enhances NF-κB signaling in chronic lymphocytic leukemia. International Journal of Cancer, 2015, 137, 1352-1361. | 2.3 | 52 |
| 75 | Noncovalent inhibition of C481S Bruton tyrosine kinase by GDC-0853: a new treatment strategy for ibrutinib-resistant CLL. Blood, 2018, 132, 1039-1049. | 0.6 | 51 |
| 76 | Alemtuzumab can be Incorporated Into Front-Line Therapy of Adult Acute Lymphoblastic Leukemia (ALL): Final Phase I Results of a Cancer and Leukemia Group B Study (CALGB 10102) Blood, 2009, 114, 838-838. | 0.6 | 50 |
| 77 | Somatic <i>MED12</i> mutations are associated with poor prognosis markers in chronic lymphocytic leukemia. Oncotarget, 2015, 6, 1884-1888. | 0.8 | 49 |
| 78 | Preclinical Evaluation of the Novel BTK Inhibitor Acalabrutinib in Canine Models of B-Cell Non-Hodgkin Lymphoma. PLoS ONE, 2016, 11, e0159607. | 1.1 | 49 |
| 79 | Persistence of <i><scp>DNMT</scp>3A</i> R882 mutations during remission does not adversely affect outcomes of patients with acute myeloid leukaemia. British Journal of Haematology, 2016, 175, 226-236. | 1.2 | 49 |
| 80 | Acalabrutinib in treatment-naive chronic lymphocytic leukemia. Blood, 2021, 137, 3327-3338. | 0.6 | 47 |
| 81 | Tetraspanins as therapeutic targets in hematological malignancy: a concise review. Frontiers in Physiology, 2015, 6, 91. | 1.3 | 44 |
| 82 | A phase 1 trial of the HDAC inhibitor AR-42 in patients with multiple myeloma and T- and B-cell lymphomas. Leukemia and Lymphoma, 2017, 58, 2310-2318. | 0.6 | 43 |
| 83 | PI3K p110δ inactivation antagonizes chronic lymphocytic leukemia and reverses T cell immune suppression. Journal of Clinical Investigation, 2018, 129, 122-136. | 3.9 | 42 |
| 84 | Granzyme B Expression Is Enhanced in Human Monocytes by TLR8 Agonists and Contributes to Antibody-Dependent Cellular Cytotoxicity. Journal of Immunology, 2015, 194, 2786-2795. | 0.4 | 41 |
| 85 | Up-regulation of CDK9 kinase activity and Mcl-1 stability contributes to the acquired resistance to cyclin-dependent kinase inhibitors in leukemia. Oncotarget, 2015, 6, 2667-2679. | 0.8 | 41 |
| 86 | Ibrutinib restores immune cell numbers and function in first-line and relapsed/refractory chronic lymphocytic leukemia. Leukemia Research, 2020, 97, 106432. | 0.4 | 40 |
| 87 | Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma, Version 4.2020, NCCN Clinical Practice Guidelines in Oncology. Journal of the National Comprehensive Cancer Network: JNCCN, 2020, 18, 185-217. | 2.3 | 40 |
| 88 | DNA Origami Nanostructures Elicit Doseâ€Đependent Immunogenicity and Are Nontoxic up to High Doses In Vivo. Small, 2022, 18, . | 5.2 | 40 |
| 89 | Synergistic effect of BCL2 and FLT3 co-inhibition in acute myeloid leukemia. Journal of Hematology and Oncology, 2020, 13, 139. | 6.9 | 39 |
| 90 | Immunoglobulin transcript sequence and somatic hypermutation computation from unselected RNA-seq reads in chronic lymphocytic leukemia. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 4322-4327. | 3.3 | 38 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | HDAC inhibitor AR-42 decreases CD44 expression and sensitizes myeloma cells to lenalidomide. Oncotarget, 2015, 6, 31134-31150. | 0.8 | 38 |
| 92 | Ocaratuzumab, an Fc-engineered antibody demonstrates enhanced antibody-dependent cell-mediated cytotoxicity in chronic lymphocytic leukemia. MAbs, 2014, 6, 748-754. | 2.6 | 37 |
| 93 | T Cell Transcriptional Profiling and Immunophenotyping Uncover LAG3 as a Potential Significant Target of Immune Modulation in Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2020, 26, 7-15. | 2.0 | 37 |
| 94 | Randomized phase 2 study of otlertuzumab and bendamustine <i>versus</i> bendamustine in patients with relapsed chronic lymphocytic leukaemia. British Journal of Haematology, 2017, 176, 618-628. | 1.2 | 36 |
| 95 | Histone Deacetylase Inhibitors Enhance the Therapeutic Potential of Reovirus in Multiple Myeloma. Molecular Cancer Therapeutics, 2016, 15, 830-841. | 1.9 | 35 |
| 96 | Long-Term Studies Assessing Outcomes of Ibrutinib Therapy in Patients With Del(11q) Chronic Lymphocytic Leukemia. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, 715-722.e6. | 0.2 | 35 |
| 97 | A novel liposomal formulation of FTY720 (Fingolimod) for promising enhanced targeted delivery. Nanomedicine: Nanotechnology, Biology, and Medicine, 2014, 10, 393-400. | 1.7 | 34 |
| 98 | NF1 mutations are recurrent in adult acute myeloid leukemia and confer poor outcome. Leukemia, 2018, 32, 2536-2545. | 3.3 | 33 |
| 99 | A phase 1 clinical trial of flavopiridol consolidation in chronic lymphocytic leukemia patients following chemoimmunotherapy. Annals of Hematology, 2016, 95, 1137-1143. | 0.8 | 31 |
| 100 | Ibrutinib enhances IL-17 response by modulating the function of bone marrow derived dendritic cells. Oncolmmunology, 2016, 5, e1057385. | 2.1 | 31 |
| 101 | Recurrent XPO1 mutations alter pathogenesis of chronic lymphocytic leukemia. Journal of Hematology and Oncology, 2021, 14, 17. | 6.9 | 31 |
| 102 | Targeting BTK through microRNA in chronic lymphocytic leukemia. Blood, 2016, 128, 3101-3112. | 0.6 | 30 |
| 103 | A Phase I/II Trial of Cetuximab in Combination with Interleukin-12 Administered to Patients with Unresectable Primary or Recurrent Head and Neck Squamous Cell Carcinoma. Clinical Cancer Research, 2019, 25, 4955-4965. | 3.2 | 30 |
| 104 | CD19 CAR-T cells combined with ibrutinib to induce complete remission in CLL Journal of Clinical Oncology, 2017, 35, 7509-7509. | 0.8 | 30 |
| 105 | Genomics of primary chemoresistance and remission induction failure in paediatric and adult acute myeloid leukaemia. British Journal of Haematology, 2017, 176, 86-91. | 1.2 | 29 |
| 106 | Selinexor in combination with decitabine in patients with acute myeloid leukemia: results from a phase 1 study. Leukemia and Lymphoma, 2020, 61, 387-396. | 0.6 | 29 |
| 107 | Role of B cell receptor signaling in ILâ€10 production by normal and malignant Bâ€1 cells. Annals of the New York Academy of Sciences, 2015, 1362, 239-249. | 1.8 | 28 |
| 108 | Preclinical activity and a pilot phase I study of pacritinib, an oral JAK2/FLT3 inhibitor, and chemotherapy in FLT3-ITD-positive AML. Investigational New Drugs, 2020, 38, 340-349. | 1.2 | 28 |

| # | ARTICLE The Bruton's Tyrosine Kinase (BTK) Inhibitor Ibrutinib (PCI-32765) Promotes High Response Rate, Durable | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Remissions, and Is Tolerable in Treatment Nail ^v e (TN) and Relapsed or Refractory (RR) Chronic Lymphocytic Leukemia (CLL) or Small Lymphocytic Lymphoma (SLL) Patients Including Patients with High-Risk (HR) Disease: New and Updated Results of 116 Patients in a Phase Ib/II Study. Blood, 2012, 120, | 0.6 | 28 |
| 110 | Resistance Mechanisms to SYK Inhibition in Acute Myeloid Leukemia. Cancer Discovery, 2020, 10, 214-231. | 7.7 | 27 |
| 111 | Incidence and Type of Opportunistic Infections during Ibrutinib Treatment at a Single Academic Center. Blood, 2017, 130, 830-830. | 0.6 | 27 |
| 112 | Monitoring and Managing BTK Inhibitor Treatment-Related Adverse Events in Clinical Practice. Frontiers in Oncology, 2021, 11, 720704. | 1.3 | 27 |
| 113 | Treatment of Relapsed Chronic Lymphocytic Leukemia: Old and New Therapies. Seminars in Oncology, 2006, 33, 210-219. | 0.8 | 26 |
| 114 | The B-Cell Receptor Pathway: A Critical Component of Healthy and Malignant Immune Biology. Seminars in Hematology, 2014, 51, 206-218. | 1.8 | 25 |
| 115 | The Raf Kinase Inhibitor Sorafenib Inhibits JAK–STAT Signal Transduction in Human Immune Cells. Journal of Immunology, 2015, 195, 1995-2005. | 0.4 | 25 |
| 116 | Low-cost, simple, and scalable self-assembly of DNA origami nanostructures. Nano Research, 2019, 12, 1207-1215. | 5.8 | 24 |
| 117 | Evidence of Clinical Activity in a Phase 1 Study of CAL-101, An Oral P110Δ Isoform-Selective Inhibitor of Phosphatidylinositol 3-Kinase, in Patients with Relapsed or Refractory B-Cell Malignancies Blood, 2009, 114, 922-922. | 0.6 | 24 |
| 118 | Mutational Landscape and Gene Expression Patterns in Adult Acute Myeloid Leukemias with Monosomy 7 as a Sole Abnormality. Cancer Research, 2017, 77, 207-218. | 0.4 | 23 |
| 119 | Bortezomib Maintenance (BM) Versus Consolidation (BC) Following Aggressive Immunochemotherapy and Autologous Stem Cell Transplant (ASCT) for Untreated Mantle Cell Lymphoma (MCL): CALGB (Alliance) 50403. Blood, 2015, 126, 337-337. | 0.6 | 23 |
| 120 | Barriers to Reduced-Intensity Conditioning (RIC) Transplant in Patients with Chronic Lymphocytic Leukemia Blood, 2009, 114, 1374-1374. | 0.6 | 23 |
| 121 | Use of <scp>PD</scp> â€1 (<scp>PDCD</scp> 1) inhibitors for the treatment of Richter syndrome: experience at a single academic centre. British Journal of Haematology, 2019, 185, 363-366. | 1.2 | 22 |
| 122 | Leukemic B Cell CTLA-4 Suppresses Costimulation of T Cells. Journal of Immunology, 2019, 202, 2806-2816. | 0.4 | 22 |
| 123 | Phase 1b Results of a Phase 1b/2 Study of Obinutuzmab, Ibrutinib, and Venetoclax in Relapsed/Refractory Chronic Lymphocytic Leukemia (CLL). Blood, 2016, 128, 639-639. | 0.6 | 22 |
| 124 | Reprogramming Nurse-like Cells with Interferon Î ³ to Interrupt Chronic Lymphocytic Leukemia Cell Survival. Journal of Biological Chemistry, 2016, 291, 14356-14362. | 1.6 | 21 |
| 125 | Anti-leukemic effects of all-trans retinoic acid in combination with Daratumumab in acute myeloid leukemia. International Immunology, 2018, 30, 375-383. | 1.8 | 21 |
| 126 | Modulation of immune checkpoint molecule expression in mantle cell lymphoma. Leukemia and Lymphoma, 2019, 60, 2498-2507. | 0.6 | 21 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Prognostic Factors for Complete Response to Ibrutinib in Patients With Chronic Lymphocytic Leukemia. JAMA Oncology, 2018, 4, 712. | 3.4 | 20 |
| 128 | Management of <scp>CLL</scp> patients early in the <scp>COVID</scp> â€19 pandemic: An international survey of <scp>CLL</scp> experts. American Journal of Hematology, 2020, 95, E199-E203. | 2.0 | 20 |
| 129 | DNA methylation epitypes highlight underlying developmental and disease pathways in acute myeloid leukemia. Genome Research, 2021, 31, 747-761. | 2.4 | 20 |
| 130 | The Bruton's Tyrosine Kinase (BTK) Inhibitor PCI-32765 Induces Durable Responses in Relapsed or Refractory (R/R) Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL): Follow-up of a Phase Ib/II Study. Blood, 2011, 118, 983-983. | 0.6 | 20 |
| 131 | OSU-T315: a novel targeted therapeutic that antagonizes AKT membrane localization and activation of chronic lymphocytic leukemia cells. Blood, 2015, 125, 284-295. | 0.6 | 19 |
| 132 | Complex Karyotype Is Associated With Aggressive Disease and Shortened Progression-Free Survival in Patients With Newly Diagnosed Mantle Cell Lymphoma. Clinical Lymphoma, Myeloma and Leukemia, 2015, 15, 278-285.e1. | 0.2 | 19 |
| 133 | Individual differences in physical symptom burden and psychological responses in individuals with chronic lymphocytic leukemia. Annals of Hematology, 2016, 95, 1989-1997. | 0.8 | 19 |
| 134 | Acalabrutinib ± obinutuzumab versus obinutuzumab + chlorambucil in treatment-naÃ⁻ve chronic lymphocytic leukemia: Elevate-TN four-year follow up Journal of Clinical Oncology, 2021, 39, 7509-7509. | 0.8 | 19 |
| 135 | Proteomic profiling identifies specific histone species associated with leukemic and cancer cells. Clinical Proteomics, 2015, 12, 22. | 1.1 | 18 |
| 136 | Cyclin-dependent kinase inhibitors for the treatment of chronic lymphocytic leukemia. Seminars in Oncology, 2016, 43, 265-273. | 0.8 | 18 |
| 137 | Combination Chemotherapy with Pentostatin, Cyclophosphamide and Rituximab Induces High Rate of Remissions Including Complete Responses and Achievement of Minimal Residual Disease in Previously Untreated B-Chronic Lymphocytic Leukemia Blood, 2004, 104, 339-339. | 0.6 | 18 |
| 138 | Hodgkin lymphoma arising in patients with chronic lymphocytic leukemia: outcomes from a large multi-center collaboration. Haematologica, 2021, 106, 2845-2852. | 1.7 | 18 |
| 139 | A Tec kinase BTK inhibitor ibrutinib promotes maturation and activation of dendritic cells. Oncolmmunology, 2016, 5, e1151592. | 2.1 | 17 |
| 140 | MuCor: mutation aggregation and correlation. Bioinformatics, 2016, 32, 1557-1558. | 1.8 | 17 |
| 141 | Eμ-TCL1xMyc: A Novel Mouse Model for Concurrent CLL and B-Cell Lymphoma. Clinical Cancer Research, 2019, 25, 6260-6273. | 3.2 | 17 |
| 142 | Characterizing the kinetics of lymphocytosis in patients with chronic lymphocytic leukemia treated with single-agent ibrutinib. Leukemia and Lymphoma, 2019, 60, 1000-1005. | 0.6 | 17 |
| 143 | Flavopiridol Administered as a Pharmacologically-Derived Schedule Demonstrates Marked Clinical Activity in Refractory, Genetically High Risk, Chronic Lymphocytic Leukemia (CLL) Blood, 2004, 104, 341-341. | 0.6 | 17 |
| 144 | ROR1-targeted delivery of OSU-2S, a nonimmunosuppressive FTY720 derivative, exerts potent cytotoxicity in mantle-cell lymphoma inÂvitro and inÂvivo. Experimental Hematology, 2015, 43, 770-774.e2. | 0.2 | 16 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | A novel regimen for relapsed/refractory adult acute myeloid leukemia using a <i>KMT2A</i> partial tandem duplication targeted therapy: results of phase 1 study NCI 8485. Haematologica, 2018, 103, 982-987. | 1.7 | 16 |
| 146 | A multicenter phase 1 study of plerixafor and rituximab in patients with chronic lymphocytic leukemia. Leukemia and Lymphoma, 2019, 60, 3461-3469. | 0.6 | 16 |
| 147 | Preclinical efficacy for a novel tyrosine kinase inhibitor, ArQule 531 against acute myeloid leukemia. Journal of Hematology and Oncology, 2020, 13, 8. | 6.9 | 16 |
| 148 | The Bruton's Tyrosine Kinase (BTK) Inhibitor ARQ 531 Effectively Inhibits Wild Type and C481S Mutant BTK and Is Superior to Ibrutinib in a Mouse Model of Chronic Lymphocytic Leukemia. Blood, 2016, 128, 3232-3232. | 0.6 | 16 |
| 149 | Lenalidomide Induces Interleukin-21 Production by T Cells and Enhances IL21-Mediated Cytotoxicity in Chronic Lymphocytic Leukemia B Cells. Cancer Immunology Research, 2016, 4, 698-707. | 1.6 | 15 |
| 150 | The regulation of tumor-suppressive microRNA, miR-126, inÂchronic lymphocytic leukemia. Cancer Medicine, 2017, 6, 778-787. | 1.3 | 15 |
| 151 | Methylome-based cell-of-origin modeling (Methyl-COOM) identifies aberrant expression of immune regulatory molecules in CLL. Genome Medicine, 2020, 12, 29. | 3.6 | 15 |
| 152 | Targeting DNA Damage Repair Functions of Two Histone Deacetylases, HDAC8 and SIRT6, Sensitizes Acute Myeloid Leukemia to NAMPT Inhibition. Clinical Cancer Research, 2021, 27, 2352-2366. | 3.2 | 15 |
| 153 | Phase 3 randomized trial of chemotherapy with or without oblimersen in older AML patients: CALGB 10201 (Alliance). Blood Advances, 2021, 5, 2775-2787. | 2.5 | 15 |
| 154 | Phase 2 Study of Combination Obinutuzumab, Ibrutinib, and Venetoclax in Treatment-Naive and Relapsed/Refractory Chronic Lymphocytic Leukemia. Blood, 2018, 132, 693-693. | 0.6 | 15 |
| 155 | ACP-196 Is a Second Generation Inhibitor of Bruton Tyrosine Kinase (BTK) with Enhanced Target Specificity. Blood, 2015, 126, 2908-2908. | 0.6 | 15 |
| 156 | Targeting Interleukin-2 Inducible T-Cell Kinase (ITK) in T-Cell Related Diseases. Postdoc Journal, 2014, 2, 1-11. | 0.4 | 15 |
| 157 | Expression of TCL-1 as a potential prognostic factor for treatment outcome in B-cell chronic lymphocytic leukemia. Leukemia Research, 2007, 31, 1737-1740. | 0.4 | 14 |
| 158 | TP-0903 is active in models of drug-resistant acute myeloid leukemia. JCI Insight, 2020, 5, . | 2.3 | 14 |
| 159 | Chromosome abnormalities at onset of complete remission are associated with worse outcome in patients with acute myeloid leukemia and an abnormal karyotype at diagnosis: CALGB 8461 (Alliance). Haematologica, 2016, 101, 1516-1523. | 1.7 | 13 |
| 160 | A phase I trial of the intravenous Hsp90 inhibitor alvespimycin (17-DMAG) in patients with relapsed chronic lymphocytic leukemia/small lymphocytic lymphoma. Leukemia and Lymphoma, 2016, 57, 2212-2215. | 0.6 | 13 |
| 161 | Fc-engineered anti-CD33 monoclonal antibody potentiates cytotoxicity of membrane-bound interleukin-21 expanded natural killer cells in acute myeloid leukemia. Cytotherapy, 2020, 22, 369-376. | 0.3 | 13 |
| 162 | Venetoclax for chronic lymphocytic leukaemia patients who progress after more than one B ell receptor pathway inhibitor. British Journal of Haematology, 2019, 185, 961-966. | 1.2 | 12 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Adverse event burden in older patients with CLL receiving bendamustine plus rituximab or ibrutinib regimens: Alliance A041202. Leukemia, 2021, 35, 2854-2861. | 3.3 | 12 |
| 164 | Three-Year Follow-up from a Phase 2 Study of Combination Obinutuzumab, Ibrutinib, and Venetoclax in Chronic Lymphocytic Leukemia. Blood, 2020, 136, 9-10. | 0.6 | 12 |
| 165 | PrEMeR-CG: inferring nucleotide level DNA methylation values from MethylCap-seq data. Bioinformatics, 2014, 30, 3567-3574. | 1.8 | 11 |
| 166 | A dose escalation feasibility study of lenalidomide for treatment of symptomatic, relapsed chronic lymphocytic leukemia. Leukemia Research, 2014, 38, 1025-1029. | 0.4 | 11 |
| 167 | BRAFV600E induces ABCB1/P-glycoprotein expression and drug resistance in B-cells via AP-1 activation. Leukemia Research, 2015, 39, 1270-1277. | 0.4 | 11 |
| 168 | CLEAR: coverage-based limiting-cell experiment analysis for RNA-seq. Journal of Translational Medicine, 2020, 18, 63. | 1.8 | 11 |
| 169 | A Phase I Trial of the Bruton's Tyrosine Kinase (BTK) Inhibitor, Ibrutinib (PCI-32765), in Combination with Rituximab (R) and Bendamustine in Patients with Relapsed/Refractory Non-Hodgkin's Lymphoma (NHL). Blood, 2012, 120, 1643-1643. | 0.6 | 11 |
| 170 | Dinaciclib (SCH 727965) Is a Novel Cyclin-Dependent Kinase (CDK) Inhibitor That Exhibits Activity In Patients With Relapsed Or Refractory Chronic Lymphocytic Leukemia (CLL). Blood, 2013, 122, 871-871. | 0.6 | 11 |
| 171 | Interim Results of a Phase 1b/2 Study of Entospletinib (GS-9973) Monotherapy and in Combination with Chemotherapy in Patients with Acute Myeloid Leukemia. Blood, 2016, 128, 2831-2831. | 0.6 | 11 |
| 172 | Novel Presentation of Acute Myelogenous Leukemia as Symptomatic Galactorrhea. Annals of Internal Medicine, 2001, 135, 303. | 2.0 | 10 |
| 173 | Venous and arterial thrombosis in patients with haematological malignancy during treatment with ibrutinib. British Journal of Haematology, 2019, 187, 399-402. | 1.2 | 10 |
| 174 | Cotargeting of XPO1 Enhances the Antileukemic Activity of Midostaurin and Gilteritinib in Acute Myeloid Leukemia. Cancers, 2020, 12, 1574. | 1.7 | 10 |
| 175 | Pharmacokinetics and Pharmacodynamics from a First-in-Human Phase 1 Dose Escalation Study with Antagonist Anti-CD40 Antibody, HCD122 (Formerly CHIR-12.12), in Patients with Relapsed and Refractory Chronic Lymphocytic Leukemia Blood, 2006, 108, 2837-2837. | 0.6 | 10 |
| 176 | A Single-Institution Retrospective Cohort Study of Patients Treated with R-EPOCH for Richter's Transformation of Chronic Lymphocytic Leukemia. Blood, 2015, 126, 2951-2951. | 0.6 | 10 |
| 177 | Targeting PI3Kδfunction for amelioration of murine chronic graft-versus-host disease. American Journal of Transplantation, 2019, 19, 1820-1830. | 2.6 | 9 |
| 178 | Preclinical evaluation of the Hsp90 inhibitor SNX-5422 in ibrutinib resistant CLL. Journal of Hematology and Oncology, 2021, 14, 36. | 6.9 | 9 |
| 179 | PLK1: a promising and previously unexplored target in double-hit lymphoma. Journal of Clinical Investigation, 2018, 128, 5206-5208. | 3.9 | 9 |
| 180 | Alemtuzumab Increases Serious Infections in Patients with Previously Untreated Chronic Lymphocytic Leukemia (CLL) Receiving Fludarabine-Based Therapy: A Comparative Analysis of 3 Cancer and Leukemia Group B Studies (CALGB 9011, 9712, 19901) Blood, 2007, 110, 756-756. | 0.6 | 9 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | A Phase 1 Trial of TRU-016, An Anti-CD37 Small Modular Immunopharmaceutical (SMIPTM) Protein in Relapsed and Refractory CLL: Early Promising Clinical Activity Blood, 2009, 114, 3424-3424. | 0.6 | 9 |
| 182 | The Bruton's Tyrosine Kinase (BTK) Inhibitor Ibrutinib (PCI-32765) Monotherapy Demonstrates Long-Term Safety and Durability Of Response In Chronic Lymphocytic Leukemia (CLL)/Small Lymphocytic Lymphoma (SLL) Patients In An Open-Label Extension Study. Blood, 2013, 122, 4163-4163. | 0.6 | 9 |
| 183 | Hsp90 inhibition increases SOCS3 transcript and regulates migration and cell death in chronic lymphocytic leukemia. Oncotarget, 2016, 7, 28684-28696. | 0.8 | 9 |
| 184 | Phase I Dose Escalation Study of Flavopiridol in Combination with Fludarabine and Rituximab: Activity in Indolent B-Cell Lymphoproliferative Disorders and Mantle Cell Lymphoma Blood, 2004, 104, 2492-2492. | 0.6 | 9 |
| 185 | Effects of the Btk Inhibitor Ibrutinib on Monocyte Responses to Antibodies. Blood, 2015, 126, 1017-1017. | 0.6 | 9 |
| 186 | Inequities in Alliance Acute Leukemia Clinical Trial and Biobank Participation: Defining Targets for Intervention. Journal of Clinical Oncology, 2022, 40, 3709-3718. | 0.8 | 9 |
| 187 | Carboxyamido-Triazole (CAI)-a Novel "static―Signal Transduction Inhibitor Induces Apoptosis in Human B-Cell Chronic Lymphocytic Leukemia Cells. Leukemia and Lymphoma, 2001, 42, 1049-1053. | 0.6 | 8 |
| 188 | Jumping translocations, a novel finding in chronic lymphocytic leukaemia. British Journal of Haematology, 2015, 170, 200-207. | 1.2 | 8 |
| 189 | Clinical and molecular characterization of patients with acute myeloid leukemia and sole trisomies of chromosomes 4, 8, 11, 13 or 21. Leukemia, 2020, 34, 358-368. | 3.3 | 8 |
| 190 | Characterization and mitigation of fragmentation enzyme-induced dual stranded artifacts. NAR Genomics and Bioinformatics, 2020, 2, Iqaa070. | 1.5 | 8 |
| 191 | Anti-tumor NAMPT inhibitor, KPT-9274, mediates gender-dependent murine anemia and nephrotoxicity by regulating SIRT3-mediated SOD deacetylation. Journal of Hematology and Oncology, 2021, 14, 101. | 6.9 | 8 |
| 192 | Outcome of Treatment with Fludarabine Versus Fludarabine and Cyclophosphamide in Chronic Lymphocytic Leukemia (CLL) Is Adversely Impacted by High Risk Genetic Features: Results from ECOG 2997 Blood, 2004, 104, 3487-3487. | 0.6 | 8 |
| 193 | the Development and Expansion of Resistant Subclones Precedes Relapse during Ibrutinib Therapy in Patients with CLL. Blood, 2016, 128, 55-55. | 0.6 | 8 |
| 194 | Translating PI3K-Delta Inhibitors to the Clinic in Chronic Lymphocytic Leukemia: The Story of CAL-101 (GS1101). American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2012, , 691-694. | 1.8 | 8 |
| 195 | CpG oligodeoxynucleotide CpG-685 upregulates functional interleukin-21 receptor on chronic lymphocytic leukemia B cells through an NF-κB mediated pathway. Oncotarget, 2015, 6, 15931-15939. | 0.8 | 8 |
| 196 | Therapeutic Targeting of B-Cell Receptor Signaling Pathways. Blood, 2012, 120, SCI-27-SCI-27. | 0.6 | 8 |
| 197 | The Eµ-Myc/TCL1 Transgenic Mouse As a New Aggressive B-Cell Malignancy Model Suitable for Preclinical Therapeutics Testing. Blood, 2015, 126, 2752-2752. | 0.6 | 8 |
| 198 | Reduced dose pentostatin for initial management of hairy cell leukemia patients who have active infection or risk of hemorrhage is safe and effective. Haematologica, 2015, 100, e18-e20. | 1.7 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | DNA Origami: Daunorubicin‣oaded DNA Origami Nanostructures Circumvent Drugâ€Resistance Mechanisms in a Leukemia Model (Small 3/2016). Small, 2016, 12, 307-307. | 5.2 | 7 |
| 200 | Cly101Val BCL2 Mutation: One Step Closer to Understanding Venetoclax Resistance in CLL. Cancer Discovery, 2019, 9, 320-322. | 7.7 | 7 |
| 201 | The Bruton Tyrosine Kinase (BTK) Inhibitor ACP-196 Demonstrates Clinical Activity in Two Mouse Models of Chronic Lymphocytic Leukemia. Blood, 2015, 126, 2920-2920. | 0.6 | 7 |
| 202 | Phase 1 study of selinexor plus mitoxantrone, etoposide, and cytarabine in acute myeloid leukemia Journal of Clinical Oncology, 2018, 36, 7048-7048. | 0.8 | 7 |
| 203 | Hypertension and incident cardiovascular events after next-generation BTKi therapy initiation. Journal of Hematology and Oncology, 2022, 15, . | 6.9 | 7 |
| 204 | Antagonizing ClpP: A New Power Play in Targeted Therapy for AML. Cancer Cell, 2015, 27, 747-749. | 7.7 | 6 |
| 205 | Large-Scale Drug Screen Identifies FDA-Approved Drugs for Repurposing in Sickle-Cell Disease. Journal of Clinical Medicine, 2020, 9, 2276. | 1.0 | 6 |
| 206 | Frequency and type of serious infections in fludarabine-refractory B-cell chronic lymphocytic leukemia and small lymphocytic lymphoma. , 2002, 94, 2033. | | 6 |
| 207 | Imaging intercellular interaction and extracellular vesicle exchange in a co-culture model of chronic lymphocytic leukemia and stromal cells by lattice light-sheet fluorescence microscopy. Methods in Enzymology, 2020, 645, 79-107. | 0.4 | 6 |
| 208 | Rarity of B-Cell Receptor Pathway Mutations in Progression-Free Patients With Chronic Lymphocytic Leukemia (CLL) During First-Line Versus Relapsed/Refractory (R/R) Treatment With Ibrutinib. Blood, 2020, 136, 32-33. | 0.6 | 6 |
| 209 | Flavopiridol Is Active in Genetically High-Risk, Relapsed Chronic Lymphocytic Leukemia (CLL): Analysis of 56 Patients by Cytogenetic Abnormality Blood, 2006, 108, 302-302. | 0.6 | 6 |
| 210 | Recombinant Interleukin-21 Plus Rituximab: Clinical Activity in a Phase 1, Dose-Finding Trial in Relapsed Low-Grade B Cell Lymphoma Blood, 2007, 110, 2577-2577. | 0.6 | 6 |
| 211 | Intentional Modulation of Ibrutinib Pharmacokinetics through CYP3A Inhibition. Cancer Research Communications, 2021, 1, 79-89. | 0.7 | 6 |
| 212 | A New Role for Lyn in the CLL Microenvironment. Cancer Cell, 2016, 30, 511-512. | 7.7 | 5 |
| 213 | NK Cell–Mediated Antitumor Effects of a Folate-Conjugated Immunoglobulin Are Enhanced by Cytokines. Cancer Immunology Research, 2016, 4, 323-336. | 1.6 | 5 |
| 214 | HSP90 inhibition depletes DNA repair proteins to sensitize acute myelogenous leukemia to nucleoside analog chemotherapeutics. Leukemia and Lymphoma, 2019, 60, 2308-2311. | 0.6 | 5 |
| 215 | A precision medicine classification for treatment of acute myeloid leukemia in older patients. Journal of Hematology and Oncology, 2021, 14, 96. | 6.9 | 5 |
| 216 | Combination Bortezomib (PS341, Velcade) and Rituximab Treatment Affects Multiple Survival and Death Pathways To Promote Apoptosis in Mantle Cell Lymphoma Blood, 2005, 106, 2407-2407. | 0.6 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Flavopiridol, Fludarabine and Rituximab Is a Highly Active Regimen in Indolent B-Cell Lymphoproliferative Disorders Including Mantle Cell Lymphoma Blood, 2005, 106, 944-944. | 0.6 | 5 |
| 218 | Phase II Trial of Ofatumumab (OFA) for Older Patients and Patients Who Refuse Fludarabine-Based Regimens with Previously Untreated Chronic Lymphocytic Leukemia (CLL) or Small Lymphocytic Lymphoma (SLL). Blood, 2012, 120, 719-719. | 0.6 | 5 |
| 219 | Phase 2 Study Of Otlertuzumab (TRU-016), An Anti-CD37 ADAPTIRTM Protein, In Combination With Bendamustine Vs Bendamustine Alone In Patients With Relapsed Chronic Lymphocytic Leukemia (CLL). Blood, 2013, 122, 2860-2860. | 0.6 | 5 |
| 220 | Inhibitors of Bruton's Tyrosine Kinase Reduce Anti-Red Blood Cell Response in a Murine Model of Autoimmune Hemolytic Anemia. Blood, 2016, 128, 1259-1259. | 0.6 | 5 |
| 221 | Ibrutinib Represents a Novel Class of Immune Modulating Therapeutics That Enhances the Survival of Activated T Cells in Vitro and In Vivo through a Non-BTK Mediated Mechanism. Blood, 2016, 128, 3238-3238. | 0.6 | 5 |
| 222 | Low Incidence of Opportunistic Infections in CLL Patients Treated with Single Agent Flavopiridol Blood, 2007, 110, 3128-3128. | 0.6 | 5 |
| 223 | Performance of Standard Prognostic Models in Older Adults Receiving Ibrutinib for Treatment-NaÃ ⁻ ve (TN) Chronic Lymphocytic Leukemia (CLL): A Post Hoc Analysis of Alliance A041202 Phase 3 Trial. Blood, 2021, 138, 2642-2642. | 0.6 | 5 |
| 224 | Transducin β-like protein 1 controls multiple oncogenic networks in diffuse large B-cell lymphoma. Haematologica, 2021, 106, 2927-2939. | 1.7 | 5 |
| 225 | Quantification of OSU-2S, a novel derivative of FTY720, in mouse plasma by liquid chromatography–tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2014, 98, 160-165. | 1.4 | 4 |
| 226 | Whole-genome sequencing for myeloid disease: one assay to stratify them all?. Nature Reviews Clinical Oncology, 2021, 18, 543-544. | 12.5 | 4 |
| 227 | Poor Treatment Outcomes of Young (<60 Years) African American Patients (Pts) Diagnosed with Acute Myeloid Leukemia (AML) (Alliance). Blood, 2020, 136, 5-7. | 0.6 | 4 |
| 228 | A Phase II Study of the TNF-α Inhibitor Etanercept and Thrice Weekly Rituximab in Relapsed CLL/SLL: Clinical Activity in the Absence of Del(17p13) Genomic Abnormalities Blood, 2006, 108, 2841-2841. | 0.6 | 4 |
| 229 | Flavopiridol Can Be Safely Dose Escalated in Relapsed CLL Patients: Achievement of Target Cmax Results in Improved Clinical Activity Blood, 2006, 108, 2845-2845. | 0.6 | 4 |
| 230 | CAL-101, a Selective Inhibitor of the p110δIsoform of Phosphatidylinositol 3-Kinase, Effectively Induces Apoptosis in Primary Chronic Lymphocytic Leukemia Cells Providing a Novel Therapeutic Strategy for the Treatment of This Disease. Blood, 2008, 112, 3165-3165. | 0.6 | 4 |
| 231 | Venetoclax Adds a New Arrow Targeting Relapsed CLL to the Quiver. Cancer Cell, 2016, 29, 3-4. | 7.7 | 3 |
| 232 | Pharmacokinetics and Tolerability of the Novel Non-immunosuppressive Fingolimod Derivative, OSU-2S, in Dogs and Comparisons with Data in Mice and Rats. AAPS Journal, 2020, 22, 92. | 2.2 | 3 |
| 233 | Early Intervention with Lenalidomide in Patients with High-risk Chronic Lymphocytic Leukemia. Clinical Cancer Research, 2020, 26, 6187-6195. | 3.2 | 3 |
| 234 | Natural history of noninfectious, ibrutinib-attributable adverse events in patients with chronic lymphocytic leukemia. Leukemia and Lymphoma, 2021, 62, 716-721. | 0.6 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Genomic analysis of cellular hierarchy in acute myeloid leukemia using ultrasensitive LC-FACSeq. Leukemia, 2021, 35, 3406-3420. | 3.3 | 3 |
| 236 | Enasidenib (ENA) Monotherapy with Addition of Azacitidine in Non-Responders Is Effective in Older Patients with Newly Diagnosed IDH2 Mutated Acute Myeloid Leukemia (AML): A Completed Phase 2/1b Sub-Study of the Beat AML Master Trial. Blood, 2020, 136, 27-30. | 0.6 | 3 |
| 237 | Effects of the Redox Mediator Motexafin Gadolinium in a Pilot Phase I Trial in Refractory Chronic Lymphocytic Leukemia (CLL) Blood, 2004, 104, 3486-3486. | 0.6 | 3 |
| 238 | NK Cells Contribute Significantly to the Innate Immune Effector Role of CD37-Specific SMIP in CLL and NHL Blood, 2006, 108, 135-135. | 0.6 | 3 |
| 239 | CD37â^'SMIPTM Drug Induced Caspase Independent Cellular Cytotoxicity Is Associated with Activation of Phosphotyrosine-Mediated Signaling Events in Primary Chronic Lymphocytic Leukemia (CLL) B Cells Blood, 2006, 108, 753-753. | 0.6 | 3 |
| 240 | Preliminary Results of a Phase II Study of Flavopiridol (Alvocidib) in Relapsed Chronic Lymphocytic Leukemia (CLL): Confirmation of Clinical Activity in High-Risk Patients and Achievement of Complete Responses (CR) Blood, 2007, 110, 3104-3104. | 0.6 | 3 |
| 241 | Chronic Lymphocytic Leukemia Patients with IGHV Genes Carrying Only Silent Mutations Have A Longer Time From Diagnosis to Initial Therapy Than Patients Expressing B-Cell Receptors with No Somatic Mutations. Blood, 2011, 118, 288-288. | 0.6 | 3 |
| 242 | Ibrutinib Treatment Reduces Both T-Regulatory Cells and B-Regulatory Cell Phenotype in Malignant B Cells in Chronic Lymphocytic Leukemia Patients. Blood, 2015, 126, 2940-2940. | 0.6 | 3 |
| 243 | Leukemic Cell Expressed CTLA-4 Suppresses T Cells Via Down-Modulation of CD80 By Trans-Endocytosis. Blood, 2016, 128, 3221-3221. | 0.6 | 3 |
| 244 | The Novel BET Inhibitor PLX51107 Has In Vitro and In Vivo Activity Against Acute Myeloid Leukemia. Blood, 2016, 128, 3941-3941. | 0.6 | 3 |
| 245 | Generation and Analysis of Transgenic Mice Reveal a Role for CRE Binding Proteins in Multiple Stages of B Cell Development, Functional Maturation, Proliferation and Apoptosis Blood, 2004, 104, 3233-3233. | 0.6 | 3 |
| 246 | Select High Risk Genetic Features Predict Earlier Progression Following Chemoimmunotherapy with Fludarabine and Rituximab in Chronic Lymphocytic Leukemia (CLL): Preliminary Justification for Risk-Adapted Therapy Blood, 2004, 104, 476-476. | 0.6 | 3 |
| 247 | Hyperglycemia in Patients with Acute Myeloid Leukemia Is Associated with Increased Hospital Mortality Blood, 2006, 108, 5515-5515. | 0.6 | 3 |
| 248 | Rare t(X;14)(q28;q32) translocation reveals link between MTCP1 and chronic lymphocytic leukemia. Nature Communications, 2021, 12, 6338. | 5.8 | 3 |
| 249 | Utilizing Clinical Features of Progression to Predict Richter's Syndrome in Patients with CLL Progressing after Ibrutinib. Blood, 2021, 138, 3731-3731. | 0.6 | 3 |
| 250 | Sweet-Like Eruption Associated With Obinutuzumab Therapy for Chronic Lymphocytic Leukemia. JAMA Dermatology, 2017, 153, 108. | 2.0 | 2 |
| 251 | Role and regulation of microRNAs targeting BTK in acute myelogenous leukemia. Leukemia and Lymphoma, 2018, 59, 1461-1465. | 0.6 | 2 |
| 252 | A phase I study of lenalidomide plus chemotherapy with idarubicin and cytarabine in patients with relapsed or refractory acute myeloid leukemia and highâ€risk myelodysplastic syndrome. American Journal of Hematology, 2020, 95, 1457-1465. | 2.0 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Type of prior genotoxic insult determines the genomic characteristics of therapyâ€related myeloid neoplasms. American Journal of Hematology, 2021, 96, E223-E225. | 2.0 | 2 |
| 254 | A Multicenter Study of Ibrutinib Resistance Development and Intervention with Venetoclax in Patients with Chronic Lymphocytic Leukemia. Blood, 2019, 134, 3049-3049. | 0.6 | 2 |
| 255 | Clinical and Prognostic Implications of PTPN11 Mutations in Acute Myeloid Leukemia (Alliance). Blood, 2020, 136, 20-21. | 0.6 | 2 |
| 256 | Clinical, Laboratory, and Treatment Outcome Characteristics of Chronic Lymphocytic Leukemia (CLL) Patients with p53 Mutations or del(17p) Enrolled on a Prospective Phase III Clinical Trial: Short Progression Free Survival, Irrespective of Fludarabine-Based Treatment Used Blood, 2004, 104, 949-949. | 0.6 | 2 |
| 257 | Silvestrol, a Rocaglate Derivative from the Indonesian Plant Aglaia foveolata, Has Significant Bcl-2- and p53-Independent Anti-Tumor Activity against Chronic Lymphocytic Leukemia Cells Blood, 2006, 108, 2600-2600. | 0.6 | 2 |
| 258 | Developing a Novel Class of Drug to Inhibit Protein Arginine Methyltransferase 5 (PRMT5) Enzyme Dysregulation in Mantle Cell Lymphoma. Blood, 2011, 118, 595-595. | 0.6 | 2 |
| 259 | B-1239, a Novel Anti-BAFF-R Afucosylated Human Antibody, Promotes Potent Natural Killer Cell- Mediated Antibody Dependent Cellular Cytotoxicity In Chronic Lymphocytic Leukemia Cells In- Vitro and Depletion Of Circulating Leukemic CLL B Cells In-Vivo. Blood, 2013, 122, 4185-4185. | 0.6 | 2 |
| 260 | The Aberrantly Expressed Long Noncoding RNA, TRERNA1, Predicts for Aggressive Disease in Chronic Lymphocytic Leukemia. Blood, 2015, 126, 2911-2911. | 0.6 | 2 |
| 261 | A Phase II Study of the Fc Engineered CD19 Antibody MOR208 in Combination with Lenalidomide for Patients with Chronic Lymphocytic Leukemia (CLL). Blood, 2015, 126, 2953-2953. | 0.6 | 2 |
| 262 | Management and Outcomes of Atrial Fibrillation in Patients Receiving Ibrutinib for Hematologic Malignancies at a Single Center. Blood, 2016, 128, 2040-2040. | 0.6 | 2 |
| 263 | Natural History of Non-Infectious, Ibrutinib-Attributable Adverse Events Leading to Alternative BTK Inhibitor Use in CLL. Blood, 2016, 128, 4385-4385. | 0.6 | 2 |
| 264 | Updated Results from a Phase II Study of the Fc Engineered CD19 Antibody MOR208 in Combination with Lenalidomide for Patients with Chronic Lymphocytic Leukemia (CLL) and Richter's Transformation or Ibrutinib for Patients with Ibrutinib-Resistant Clones. Blood, 2016, 128, 4386-4386. | 0.6 | 2 |
| 265 | Durability of response to venetoclax (VEN) in patients with CLL relapsed/refractory to ibrutinib and/or idelalisib Journal of Clinical Oncology, 2018, 36, 7512-7512. | 0.8 | 2 |
| 266 | Depth of response and progression free survival in CLL patients on ibrutinib Journal of Clinical Oncology, 2018, 36, 7514-7514. | 0.8 | 2 |
| 267 | Second cancer incidence in CLL patients receiving BTK inhibitors Journal of Clinical Oncology, 2019, 37, 7511-7511. | 0.8 | 2 |
| 268 | Phase 1 Study of TRU-016, An Anti-CD37 SMIPâ"¢ Protein in Relapsed and/or Refractory NHL Patients. Blood, 2011, 118, 1636-1636. | 0.6 | 2 |
| 269 | A Phase II Trial of Ofatumumab for Older Patients and Patients Who Refuse Fludarabine-Based Regimens with Previously Untreated Chronic Lymphocytic Leukemia or Small Lymphocytic Lymphoma,. Blood, 2011, 118, 3912-3912. | 0.6 | 2 |
| 270 | Phase 1 Study of Tru-016, An Anti-CD37 SMIPâ"¢ Protein in NaiÌ^ve and Relapsed and/or Refractory CLL Patients. Blood, 2011, 118, 1792-1792. | 0.6 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Red blood cells differentiated in vitro using sequential liquid and semi-solid culture as a pre-clinical model. Experimental Hematology and Oncology, 2021, 10, 50. | 2.0 | 2 |
| 272 | Preclinical Characterization of TPâ€0903, a Novel Multikinase Inhibitor, in <i>TP53</i> Mutant Acute Myeloid Leukemia. FASEB Journal, 2021, 35, . | 0.2 | 1 |
| 273 | Rapid Dose Escalation of Venetoclax in Patients with Relapsed/Refractory Chronic Lymphocytic Leukemia Previously Treated with B-Cell Receptor Inhibitor Therapy. Blood, 2019, 134, 3045-3045. | 0.6 | 1 |
| 274 | Increasing Karyotypic Complexity Predicts Outcomes in Patients with Chronic Lymphocytic Leukemia Treated with Ibrutinib. Blood, 2020, 136, 2-3. | 0.6 | 1 |
| 275 | del(17p13.1) in Chronic Lymphocytic Leukemia Confers Poor Prognosis Even at Low Percentage Involvement and Increases Proportionately with Increase in Clonal Involvement Blood, 2007, 110, 2073-2073. | 0.6 | 1 |
| 276 | The Plant-Derived Agent Silvestrol Has B-Cell Selective Activity In Vitro in Chronic Lymphocytic Leukemia Patient Cells and In Vivo in the Tcl-1 Mouse Model of CLL Blood, 2007, 110, 3123-3123. | 0.6 | 1 |
| 277 | Flavopiridol, Fludarabine and Rituximab (FFR): An Active Regimen in Indolent B-Cell Lymphoproliferative Disorders and Mantle Cell Lymphoma Blood, 2008, 112, 1571-1571. | 0.6 | 1 |
| 278 | A Phase II Trial of Induction Plus Maintenance Rituximab and Bortezomib in Patients with Relapsed/Refractory Mantle Cell (MCL) and Follicular (FL) Non-Hodgkin's Lymphoma. Blood, 2008, 112, 3053-3053. | 0.6 | 1 |
| 279 | Identification of the Histone Deacetylase Inhibitor (HDACi), AR-42, as a Novel Anti-Leukemia Stem Cell Agent in Acute Myeloid Leukemia (AML) Blood, 2009, 114, 2070-2070. | 0.6 | 1 |
| 280 | Response, Progression-Free Survival, and Overall Survival of Patients with Relapsed or Refractory Chronic Lymphocytic Leukemia (CLL) Treated with Flavopiridol: Impact of Poor Risk Cytogenetic Abnormalities. Blood, 2010, 116, 2456-2456. | 0.6 | 1 |
| 281 | Increasing Genetic Complexity Predicts for Inferior Outcomes Following Reduced-Intensity Conditioning Allogeneic Transplant for Chronic Lymphocytic Leukemia. Blood, 2011, 118, 3090-3090. | 0.6 | 1 |
| 282 | Histone Deacetylase Inhibitors Induce microRNAs Targeting BTK in Acute Myeloid Leukemia. Blood, 2015, 126, 1222-1222. | 0.6 | 1 |
| 283 | Targeting BTK By a microRNA Mechanism in Chronic Lymphocytic Leukemia. Blood, 2015, 126, 1232-1232. | 0.6 | 1 |
| 284 | The Role of Tetraspanin CD37 in B-Cell Malignancy. Blood, 2015, 126, 1258-1258. | 0.6 | 1 |
| 285 | High-Level Expression of ROR1 Associates with Early Disease Progression in Patients with Chronic Lymphocytic Leukemia. Blood, 2015, 126, 1713-1713. | 0.6 | 1 |
| 286 | Progressive Epigenetic Programming during B Cell Maturation Is Reflected in a Continuum of Epigenetic Disease Phenotypes in Chronic Lymphocytic Leukemia. Blood, 2015, 126, 2436-2436. | 0.6 | 1 |
| 287 | Factors That Influence Patient Treatment Decision Making in the Era of Novel Agents: An Internet-Based Survey of 281 Patients with CLL. Blood, 2016, 128, 4398-4398. | 0.6 | 1 |
| 288 | Toxicities and Related Outcomes of Elderly Patients (pts) (≥65 Years) with Hematologic Malignancies in the Contemporary Era (Alliance A151611). Blood, 2016, 128, 536-536. | 0.6 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | SL-401 Mediates Potent Cytotoxicity Against CD123+ AML and MDS with Excess Blasts and Demonstrates Therapeutic Benefit in PDX Model. Blood, 2016, 128, 580-580. | 0.6 | 1 |
| 290 | Final analysis from RESONATE: Six-year follow-up in patients (pts) with previously treated chronic lymphocytic leukemia or small lymphocytic lymphoma (CLL/SLL) on ibrutinib Journal of Clinical Oncology, 2019, 37, 7510-7510. | 0.8 | 1 |
| 291 | Motexafin Gadolinium Induces Apoptosis in Lymphoid Cell Lines and Demonstrates Enhanced Biological Activity with Akt Kinase Inhibitors Blood, 2004, 104, 3406-3406. | 0.6 | 1 |
| 292 | A Phase II Study of the TNF-α Inhibitor Etanercept and Thrice Weekly Rituximab: Evidence of Clinical Activity in the Absence of del(17p13.1) Genomic Abnormalities Blood, 2004, 104, 3469-3469. | 0.6 | 1 |
| 293 | Successful Management (Mgt) of Hyperkalemia Associated with Tumor Lysis Syndrome (TLS) in Refractory Chronic Lymphocytic Leukemia (CLL) Patients (pts) Receiving Flavopiridol on an Active Pharmacologically Derived Schedule Blood, 2005, 106, 2124-2124. | 0.6 | 1 |
| 294 | The Novel Histone Deacetylase Inhibitor OSU-HDAC42 Has Class I and II Histone Deacetylase (HDAC) Inhibitory Activity and Represents a Novel Therapy for Chronic Lymphocytic Leukemia Blood, 2006, 108, 2807-2807. | 0.6 | 1 |
| 295 | NF-κB Is Active in Mcl-1 Promoter Regulation in Human CLL Blood, 2008, 112, 2265-2265. | 0.6 | 1 |
| 296 | Evidence of MicroRNA-29b and Sp1/NFκB-HDAC Regulatory Network for KIT Expression in KIT-Driven Acute Myeloid Leukemia (AML): Biologic and Therapeutic Implications Blood, 2009, 114, 938-938. | 0.6 | 1 |
| 297 | Comparative Assessment of Different Clinically Utilized CD20 Directed Antibodies in Chronic Lymphocytic Leukemia (CLL) Cells Reveals Divergent NK-Cell, Monocyte and Macrophage Properties,. Blood, 2011, 118, 3717-3717. | 0.6 | 1 |
| 298 | CRM1/XPO1 Represents a Promising Therapeutic Target for Treatment of Chronic Lymphocytic Leukemia. Blood, 2011, 118, 232-232. | 0.6 | 1 |
| 299 | Significant in Vivo Efficacy of the SINE KPT-330 in Mouse Models of CLL Blood, 2012, 120, 2452-2452. | 0.6 | 1 |
| 300 | Exploring the Functional Relevance of BTK Beyond Chronic Lymphocytic Leukemia (CLL) Cells: BTK Expression in Non-Malignant Immune Cells of the Microenvironment Mediates CLL Development and Progression In Vivo. Blood, 2016, 128, 352-352. | 0.6 | 1 |
| 301 | Exploring the Role of the Recurrent Exportin 1 (XPO1/CRM1) Mutations E571G and E571K in Chronic Lymphocytic Leukemia. Blood, 2016, 128, 972-972. | 0.6 | 1 |
| 302 | Change in tumor lysis syndrome risk after lead-in treatment in a phase 1b/2 study of obinutuzumab, ibrutinib, and venetoclax for chronic lymphocytic leukemia Journal of Clinical Oncology, 2018, 36, 7528-7528. | 0.8 | 1 |
| 303 | A U.Sbased survey: The experiences of 1147 chronic lymphocytic leukemia (CLL) patients (pts) Journal of Clinical Oncology, 2018, 36, 7532-7532. | 0.8 | 1 |
| 304 | Factors That Influence Treatment Decision-Making: Perspectives of 1147 Chronic Lymphocytic Leukemia (CLL) Patients in the United States. Blood, 2018, 132, 4414-4414. | 0.6 | 1 |
| 305 | Role of Mutant p53 in the Progression of Chronic Lymphocytic Leukemia. Blood, 2019, 134, 2526-2526. | 0.6 | 1 |
| 306 | The Protein Kinase C Inhibitor MS-553 for the Treatment of Chronic Lymphocytic Leukemia. Blood, 2019, 134, 2077-2077. | 0.6 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Diagnostic utility of bronchoscopy in newly diagnosed acute leukemia patients. Hematological Oncology, 2022, 40, 116-119. | 0.8 | 1 |
| 308 | Final Results of a Phase II Study of Fc Engineered, CD19 Antibody Tafasitamab in Combination with Lenalidomide or Ibrutinib in Patients with Chronic Lymphocytic Leukemia (CLL). Blood, 2020, 136, 22-23. | 0.6 | 1 |
| 309 | Evaluation of the Incidence and Risk Factors Associated with Major Cardiovascular Events in Patients Receiving Acalabrutinib Therapy. Blood, 2020, 136, 29-30. | 0.6 | 1 |
| 310 | Prolonged myelosuppression with clofarabine in the treatment of patients with relapsed or refractory, aggressive non-Hodgkin lymphoma. Leukemia and Lymphoma, 2009, 50, 1232-1234. | 0.6 | 0 |
| 311 | Chronic Lymphocytic Leukemia: State of the Art and Beyond. Journal of the National Comprehensive Cancer Network: JNCCN, 2014, 12, 801-803. | 2.3 | 0 |
| 312 | IGHVand Interphase Cytogenetics in a Patient With Chronic Lymphocytic Leukemia. JAMA Oncology, 2015, 1, 681. | 3.4 | 0 |
| 313 | Perceived risk for cancer progression and psychological status in chronic lymphocytic leukemia patients: CALGB 70603 (Alliance). Leukemia and Lymphoma, 2019, 60, 2580-2583. | 0.6 | 0 |
| 314 | Significance of chromosome 2p gain in ibrutinib-treated chronic lymphocytic leukemia patients. Leukemia, 2021, 35, 3287-3290. | 3.3 | 0 |
| 315 | Sequential Phase II Studies of Flavopiridol by 72-Hour Continuous Infusion and 1-Hour Intravenous Bolus for the Treatment of Relapsed B-Cell Chronic Lymphocytic Leukemia: Results from CALGB Study 19805 Blood, 2004, 104, 3485-3485. | 0.6 | 0 |
| 316 | Leflunomide Inhibits Proliferation of Neoplastic B-Cell Lines and Induces Apoptosis in Primary CLL Cells Blood, 2004, 104, 2497-2497. | 0.6 | 0 |
| 317 | Single Institution Experience with Two High-Dose Chemotherapy (HDC) Conditioning Regimens Prior to Autologous Stem Cell Transplant (ASCT) for Multiple Myeloma (MM) Blood, 2004, 104, 5214-5214. | 0.6 | 0 |
| 318 | Alemtuzumab Induces Cell Death in Human Chronic Lymphocytic Leukemia Cells through a Lipid Raft-Dependent Mechanism Blood, 2004, 104, 2507-2507. | 0.6 | 0 |
| 319 | The Histone Deacetylase Inhibitor Depsipeptide Mediates Distinct Patterns of Histone Acetylation in Cells Overexpressing Bcl-2 Blood, 2004, 104, 2802-2802. | 0.6 | 0 |
| 320 | Excessive Neurotoxicity in a Phase II Trial of Combined Bortezomib and Rituximab in Patients with Relapsed/Refractory Mantle Cell (MCL) and Follicular (FL) Non-Hodgkin's Lymphoma Blood, 2006, 108, 2768-2768. | 0.6 | 0 |
| 321 | The Addition of CT Scans to NCI-96 Chronic Lymphocytic Leukemia (CLL) Response Criteria Fails To Improve the Predictive Power of Complete Response (CR) and Partial Response (PR) as Assessed by Improvement in Progression-Free (PFS) and Overall Survival (OS) Blood, 2006, 108, 2833-2833. | 0.6 | 0 |
| 322 | Flavopiridol Decreases Mcl-1 and Initiates Early Mitochondrial Damage in Chronic Lymphocytic Leukemia (CLL) Cells Blood, 2006, 108, 2098-2098. | 0.6 | 0 |
| 323 | Expression of Tcl-1 as a Potential Prognostic Factor for Treatment Outcome in B-Cell Chronic Lymphocytic Leukemia Blood, 2006, 108, 2792-2792. | 0.6 | 0 |
| 324 | Unacceptable Toxicity of Lenalidomide When Administered to CLL Patients at Higher Doses Blood, 2007, 110, 4727-4727. | 0.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Natural Killer Cell Immune Reconstitution Predicts Outcomes for Patients with Chronic Lymphocytic Leukemia Undergoing Allogeneic Stem Cell Transplantation. Blood, 2008, 112, 3300-3300. | 0.6 | Ο |
| 326 | A Phase I Evaluation of Low Dose Decitabine Targeting DNA Hypermethylation in Patients with Chronic Lymphocytic Leukemia (CLL) and Non-Hodgkin's Lymphoma (NHL): Dose-Limiting Myelosuppression without Evidence of Hypomethylation. Blood, 2008, 112, 3169-3169. | 0.6 | 0 |
| 327 | Attainment of Minimal Residual Disease Negative State Is Crucial for Successful Outcome of Reduced Intensity Conditioning Allogeneic Stem Cell Transplantation in Advanced Chronic Lymphocytic Leukemia (CLL) Blood, 2008, 112, 2170-2170. | 0.6 | 0 |
| 328 | Karyotype Results From CpG Oligodeoxynucleotide Stimulated Chronic Lymphocytic Leukemia (CLL) Cultures Are Consistent Among Laboratories: a CLL Research Consortium (CRC) Study Blood, 2009, 114, 1614-1614. | 0.6 | 0 |
| 329 | OSU-DY7, a Novel D-Tyrosinol Derivative, Mediates Cytotoxicity in Chronic Lymphocytic Leukemia and Lymphoblastic Lymphoma through p38 Mitogen-Activated Protein Kinase Pathway Blood, 2009, 114, 3778-3778. | 0.6 | 0 |
| 330 | CD19 Targeting of Lymphoid Malignancies by Novel Fc-Domain Engineered Monoclonal Antibody Blood, 2009, 114, 3725-3725. | 0.6 | 0 |
| 331 | Resistance to the Novel Translation Inhibitor Silvestrol Is Mediated by Elevated Mcl-1 Expression Blood, 2009, 114, 1737-1737. | 0.6 | 0 |
| 332 | Glycovariant CD37 Small Modular Immuno-Pharmaceutical (TruADhanCeâ,,¢ SMIP) Promotes Enhanced Natural Killer Cell Mediated Cytotoxicity against Primary Chronic Lymphocytic Leukemia Cells Blood, 2009, 114, 1744-1744. | 0.6 | 0 |
| 333 | Flavopiridol Treatment of Patients Aged 70 or Older with Refractory or Relapsed Chronic Lymphocytic Leukemia Is Feasible and Not Associated with Adverse Outcome When Compared to Younger Patients. Blood, 2010, 116, 1378-1378. | 0.6 | 0 |
| 334 | Longitudinal Genome Wide Analysis of Patients with Chronic Lymphocytic Leukemia Reveals Complex Evolution of Clonal Architecture At Disease Progression and At the Time of Relapse. Blood, 2011, 118, 2838-2838. | 0.6 | 0 |
| 335 | FTY720 Increases CD74 Expression and Sensitizes Mantle Cell Lymphoma Cells to Milatuzumab-Mediated Cell Death. Blood, 2011, 118, 600-600. | 0.6 | 0 |
| 336 | Multi-Trial Safety Evaluation of the Fully Antagonistic Human Anti-CD40 Monoclonal Antibody Lucatumumab (HCD122) in Patients with Relapsed or Refractory B-Cell Malignancies,. Blood, 2011, 118, 3702-3702. | 0.6 | 0 |
| 337 | Juxtaposing CD20 and CD74 with Novel Bispecific Antibodies Evokes Potent Cytotoxicity in Mantle Cell Lymphoma (MCL). Blood, 2011, 118, 599-599. | 0.6 | 0 |
| 338 | Alemtuzumab Consolidation Does Not Improve Outcome for CLL Patients with High Risk Genomic Features on Successive CALGB Trials Blood, 2011, 118, 1791-1791. | 0.6 | 0 |
| 339 | Activity of Combined Flavopiridol and Lenalidomide in Patients with Cytogenetically High Risk Chronic Lymphocytic Leukemia (CLL): Updated Results of a Phase I Trial,. Blood, 2011, 118, 3910-3910. | 0.6 | 0 |
| 340 | Tetraspanin CD37 Directly Mediates Transduction of Survival and Apoptotic Signals. Blood, 2011, 118, 622-622. | 0.6 | 0 |
| 341 | Treatment with Auranofin Induces Oxidative and Lethal Endoplasmic Reticulum (ER) Stress Exerting Single Agent Activity Against Primary CLL Cells. Blood, 2011, 118, 929-929. | 0.6 | 0 |
| 342 | Results of A Phase I Study of Milatuzumab, a Humanized Anti-CD74 Antibody, and Veltuzumab, a Humanized Anti-CD20 Antibody, In Patients with Relapsed and Refractory B-Cell Non-Hodgkin's Lymphoma,. Blood, 2011, 118, 3707-3707. | 0.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|------------------|------------------|
| 343 | Priming of Mir-181a in Acute Myeloid Leukemia (AML) to Increase Chemosensitivity: A Phase I Trial of Lenalidomide (LEN) Followed by Idarubicin and Cytarabine Blood, 2012, 120, 2619-2619. | 0.6 | 0 |
| 344 | TLR7/8 Agonists Overcome the Suppression of Fcl ³ R Activity in Monocytes From Chronic Lymphocytic Leukemia Patients. Blood, 2012, 120, 4595-4595. | 0.6 | 0 |
| 345 | Identification of Endoplasmic Reticulum Stress Inducing Agents by Antagonizing Autophagy: A New Potential Strategy for Identification of Anti-Cancer Therapeutics in B-Cell Malignancies Blood, 2012, 120, 2473-2473. | 0.6 | 0 |
| 346 | Fatigue, Distress, and Quality of Life As Covariates for Early-Stage Chronic Lymphocytic Leukemia. Blood, 2012, 120, 2075-2075. | 0.6 | 0 |
| 347 | Phase I Study of the Combination of Azacitidine (AZA) with MEC (Mitoxantrone, Etoposide and) Tj ETQq1 1 0.784 Blood, 2012, 120, 3616-3616. | 1314 rgBT 0.6 | /Overlock 1 0 |
| 348 | A Phase I Trial of the Intravenous (IV) Hsp90 Inhibitor 17-DMAG (alvespimycin) in Patients (pts) with Relapsed Chronic Lymphocytic Leukemia (CLL)/Small Lymphocytic Lymphoma (SLL). Blood, 2012, 120, 1800-1800. | 0.6 | 0 |
| 349 | The Relative Significance of ZAP-70 Promoter Methylation As a Prognostic Factor in Previously Untreated Chronic Lymphocytic Leukemia: Validation of Results Using a Second Large CLL Research Consortium (CRC) Patient Data Set. Blood, 2012, 120, 3865-3865. | 0.6 | 0 |
| 350 | The Hsp90 Inhibitor 17-DMAG Increases SOCS3 and Regulates Cytokine Production, Migration and Cell Death in Chronic Lymphocytic Leukemia. Blood, 2012, 120, 1362-1362. | 0.6 | 0 |
| 351 | PKC Inhibitor AEB071 Demonstrates Pre-Clinical Activity In Chronic Lymphocytic Leukemia. Blood, 2013, 122, 4187-4187. | 0.6 | 0 |
| 352 | OSU-T315, An Integrin-Linked Kinase (ILK) Inhibitor, Induces Apoptosis By Targeting B Cell Receptor and CD49d Mediated AKT/ERK Activation In Chronic Lymphocytic Leukemia Cells. Blood, 2013, 122, 2523-2523. | 0.6 | 0 |
| 353 | A Novel Inhibitor of BET Family Bromodomains Demonstrates In Vivo and I n Vi tro Potency in B-Cell Malignancies. Blood, 2015, 126, 318-318. | 0.6 | 0 |
| 354 | BRAFV600E Induces ABCB1/P-Glycoprotein Expression and Drug Resistance in B-Cells Via AP-1 Activation. Blood, 2015, 126, 2477-2477. | 0.6 | 0 |
| 355 | In Vitro and In Vivo Anti-Leukemic Effects of KPT-9274, a Reported PAK4 Allosteric Modulator, in Acute Myeloid Leukemia: Promising Results Justifying Further Development in This Disease. Blood, 2015, 126, 2471-2471. | 0.6 | 0 |
| 356 | Immunoliposomal Delivery of Mir-29b By Targeting Tumor Antigen ROR1 Induces Epigenetic Reprograming in Human-ROR1-Expressed Mouse Model of Chronic Lymphocytic Leukemia. Blood, 2015, 126, 1743-1743. | 0.6 | 0 |
| 357 | The Bruton Tyrosine Kinase (Btk) Inhibitor ACP-196: Marked Activity in Relapsed/Refractory CLL with a Favorable Safety Profile. Blood, 2015, 126, 831-831. | 0.6 | 0 |
| 358 | Genomic and Proteomic Analysis of Primary Chemoresistance and Induction Failure in Acute Myeloid Leukemia. Blood, 2015, 126, 88-88. | 0.6 | 0 |
| 359 | Suppression of Anti-Tumor Immunity in Chronic Lymphocytic Leukemia Via Interleukin-10 Production. Blood, 2016, 128, 3215-3215. | 0.6 | 0 |
| 360 | Near-Tetraploidy Is Strongly Associated with Development of Richter's Transformation in Chronic Lymphocytic Leukemia Patients Receiving Ibrutinib. Blood, 2016, 128, 3198-3198. | 0.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | The Mutational Patterns Associated with Cytogenetic Subsets of De Novo Acute Myeloid Leukemia (AML): A Study of 1603 Adult Patients (Pts). Blood, 2016, 128, 287-287. | 0.6 | 0 |
| 362 | CCND1 and CCND2 Mutations Are Frequent in Adults with Core-Binding Factor Acute Myeloid Leukemia (CBF-AML) with t(8;21)(q22;q22). Blood, 2016, 128, 2740-2740. | 0.6 | 0 |
| 363 | Genomic Profiling Identifies Novel Mutations and Fusion Genes in Newly Diagnosed and Relapsed Pediatric FLT3-ITD-Positive AML. Blood, 2016, 128, 2838-2838. | 0.6 | 0 |
| 364 | BI 836826, a Novel Fc-Engineered Antibody in Combination with Phosphoinositide-3-Kinase Inhibitor for Treatment of High Risk Chronic Lymphocytic Leukemia and Lymphoma. Blood, 2016, 128, 2767-2767. | 0.6 | 0 |
| 365 | COSMOS: MOR208 plus idelalisib or venetoclax in patients with relapsed or refractory (R/R) chronic lymphocytic leukemia (CLL) or small lymphocytic lymphoma (SLL) previously treated with a Bruton's tyrosine kinase inhibitor (BTKi)â€"A two-cohort phase II study Journal of Clinical Oncology, 2017, 35, TPS7567-TPS7567. | 0.8 | 0 |
| 366 | Prognostic role of beta-2 microglobulin (B2M) in relapsed/refractory (R/R) chronic lymphocytic leukemia (CLL) patients (pts) treated with ibrutinib (ibr) Journal of Clinical Oncology, 2018, 36, 7521-7521. | 0.8 | 0 |
| 367 | Incidence, Type, and Management of Venous and Arterial Thrombosis during Ibrutinib Treatment. Blood, 2018, 132, 3148-3148. | 0.6 | 0 |
| 368 | Restoring Functional Deficits in Older Adults with Hematologic Malignancy. Blood, 2019, 134, 4776-4776. | 0.6 | 0 |
| 369 | Identification of Novel Synthetic Lethal Partners of NAMPT Inhibitor By CRISPR-Cas9 Screens in Acute Myeloid Leukemia. Blood, 2019, 134, 2072-2072. | 0.6 | 0 |
| 370 | Simultaneous Disruption of XPO1 and A20 in Murine B Cells Influences Both B and T Cell Repertoire. Blood, 2021, 138, 1542-1542. | 0.6 | 0 |
| 371 | PRMT5 Inhibition Modulates E2F1 and P53 to Restore Cell Cycle Regulation and Drive DNA Damage Response in Ibrutinib-Resistant Mantle Cell Lymphoma. Blood, 2021, 138, 787-787. | 0.6 | 0 |
| 372 | Meta-Analysis of Genome-Wide Association Studies of Acute Myeloid Leukemia (AML) Patients Identifies Variants Associated with Risk of 11q23/KMT2A-Translocated and Core-Binding Factor (CBF) AML and Suggests a Role for Transcription Elongation in Leukemogenesis. Blood, 2020, 136, 29-30. | 0.6 | 0 |
| 373 | Differential Impact of Prognostically Significant Gene Mutations in Acute Myeloid Leukemia (AML) Patients (Pts) Older Than 70 Years (y) Treated with Cytarabine-Based Induction Therapy. Blood, 2020, 136, 40-41. | 0.6 | 0 |