Nicole Paquet

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/231518/publications.pdf

Version: 2024-02-01

567144 526166 46 800 15 27 citations h-index g-index papers 52 52 52 804 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Hip-Spine Movement Interaction and Muscle Activation Patterns During Sagittal Trunk Movements in Low Back Pain Patients. Spine, 1994, 19, 596-603.	1.0	129
2	Improving the detection of proteins after transfer to polyvinylidene difluoride membranes. Electrophoresis, 1992, 13, 715-717.	1.3	69
3	Aging affects coordination of rapid head motions with trunk and pelvis movements during standing and walking. Gait and Posture, 2006, 24, 62-69.	0.6	62
4	A human de-ubiquitinating enzyme with both isopeptidase and peptidase activities in vitro. FEBS Letters, 1995, 359, 73-77.	1.3	46
5	Stroke affects the coordination and stabilization of head, thorax and pelvis during voluntary horizontal head motions performed in walking. Clinical Neurophysiology, 2005, 116, 101-111.	0.7	43
6	Clinical Evaluation of Dynamic Visual Acuity in Subjects With Unilateral Vestibular Hypofunction. Otology and Neurotology, 2009, 30, 368-372.	0.7	41
7	Prioritizing attention on a reaction time task improves postural control and reaction time. International Journal of Neuroscience, 2015, 125, 100-106.	0.8	36
8	Postural adjustments to voluntary head motions during standing are modified following stroke. Clinical Biomechanics, 2003, 18, 832-842.	0.5	32
9	Optimal Parameters for the Clinical Test of Dynamic Visual Acuity in Patients with a Unilateral Vestibular Deficit. The Journal of Otolaryngology, 2005, 34, 13.	0.6	29
10	What Is Evidence-Based Physiotherapy?. Physiotherapy Canada Physiotherapie Canada, 2016, 68, 95-96.	0.3	27
11	cDNA cloning of a human 100 kDa de-ubiquitinating enzyme: the 100 kDa human de-ubiquitinase belongs to the ubiquitin C-terminal hydrolase family 2 (UCH2). FEBS Letters, 1995, 376, 233-237.	1.3	22
12	Balance and mobility training with or without concurrent cognitive training does not improve posture, but improves reaction time in healthy older adults. Gait and Posture, 2017, 52, 227-232.	0.6	21
13	Validity and Reliability of a New Electrogoniometer for the Measurement of Sagittal Dorsolumbar Movements. Spine, 1991, 16, 516-519.	1.0	19
14	Fukuda and Babinski-Weil tests: Within-subject variability and test-retest reliability in nondisabled adults. Journal of Rehabilitation Research and Development, 2014, 51, 1013-1022.	1.6	19
15	Engagement in Personally Valued Occupations Following Stroke and a Move to Assisted Living. Physical and Occupational Therapy in Geriatrics, 2014, 32, 25-41.	0.2	16
16	Balance and mobility training with or without concurrent cognitive training improves the timed up and go (TUG), TUG cognitive, and TUG manual in healthy older adults: an exploratory study. Aging Clinical and Experimental Research, 2017, 29, 711-720.	1.4	16
17	Functional modulation of the human flexion and crossed extension reflexes by body position. Neuroscience Letters, 1996, 209, 215-217.	1.0	14
18	Predictors of daily mobility skills 6 months post-discharge from acute care or rehabilitation in older adults with stroke living at home. Disability and Rehabilitation, 2009, 31, 1267-1274.	0.9	14

#	Article	IF	CITATIONS
19	The Ottawa Panel guidelines on programmes involving therapeutic exercise for the management of hand osteoarthritis. Clinical Rehabilitation, 2018, 32, 026921551878097.	1.0	13
20	Effect of navigation direction on the dual-task of counting backward during blind navigation. Neuroscience Letters, 2008, 442, 148-151.	1.0	10
21	Age-related differences in Fukuda stepping and Babinski-Weil tests, within-day variability and test–retest reliability. Aging Clinical and Experimental Research, 2017, 29, 223-230.	1.4	10
22	Reproducibility of Distance and Direction Errors Associated with Forward, Backward, and Sideway Walking in the Context of Blind Navigation. Perception, 2007, 36, 525-536.	0.5	8
23	A spring-activated tilting apparatus for the study of balance control in man. Journal of Neuroscience Methods, 1995, 58, 39-48.	1.3	6
24	Impact of age and obstacles on navigation precision and reaction time during blind navigation in dual-task conditions. Gait and Posture, 2014, 39, 835-840.	0.6	6
25	The knitting community-based trial for older women with osteoarthritis of the hands: design and rationale of a randomized controlled trial. BMC Musculoskeletal Disorders, 2018, 19, 56.	0.8	6
26	Balance and Mobility Training With or Without Simultaneous Cognitive Training Reduces Attention Demand But Does Not Improve Obstacle Clearance in Older Adults. Motor Control, 2018, 22, 275-294.	0.3	6
27	Human soleus H-reflex excitability is decreased by dynamic head-and-body tilts. Journal of Vestibular Research: Equilibrium and Orientation, 1999, 9, 379-383.	0.8	6
28	Responses to Dynamic Head-and-Body Tilts are Enhanced in Parkinson's Disease. Canadian Journal of Neurological Sciences, 1997, 24, 44-52.	0.3	5
29	Reflex Interactions during Whole Head-and-Body Tilts are Modified by Age in Humans. Neurorehabilitation and Neural Repair, 2000, 14, 149-154.	1.4	5
30	Spatial Navigation after Surgical Resection of an Acoustic Neuroma: Pilot Study. The Journal of Otolaryngology, 2003, 32, 180.	0.6	5
31	Extensor muscle responses to tibial nerve stimulation are enhanced during dynamic tilts in standing humans. Neuroscience Letters, 1997, 222, 13-16.	1.0	4
32	Examining the stability of dual-task posture and reaction time measures in older adults over five sessions: a pilot study. Aging Clinical and Experimental Research, 2016, 28, 1211-1218.	1.4	4
33	Influence of Gymnastic Background on Triangle Completion Performance in Single and Dual-Task Conditions. The Open Sports Sciences Journal, 2013, 6, 15-21.	0.2	4
34	2-Year Review of a Novel Vestibular Rehabilitation Program in Montreal and Laval, Quebec. The Journal of Otolaryngology, 2004, 33, 5.	0.6	4
35	Effect of Ankle Weight on Blind Navigation. Perceptual and Motor Skills, 2015, 120, 502-518.	0.6	3
36	The influence of carrying an anterior load on attention demand and obstacle clearance before, during, and after obstacle crossing. Experimental Brain Research, 2019, 237, 3313-3319.	0.7	3

#	Article	IF	CITATIONS
37	Rhythmical eye-head-torso rotation alters fore-aft head stabilization during treadmill locomotion in humans*. Journal of Vestibular Research: Equilibrium and Orientation, 2000, 10, 41-49.	0.8	3
38	Improvements in Obstacle Clearance Parameters and Reaction Time Over a Series of Obstacles Revealed After Five Repeated Testing Sessions in Older Adults. Motor Control, 2018, 22, 245-262.	0.3	2
39	Impact of the Number of Steps on the Fukuda Stepping Test in Older Adults. Physical and Occupational Therapy in Geriatrics, 2016, 34, 104-111.	0.2	1
40	Unregulated health care workers in the care of aging populations: Similarities and differences between Brazil and Canada. Family Medicine and Community Health, 2016, 4, 3-14.	0.6	1
41	La physiothérapie fondée sur les données probantes : une définition. Physiotherapy Canada Physiotherapie Canada, 2016, 68, 96-98.	0.3	1
42	Effect of Transient Perturbations of Short-Term Memory on Target-Directed Blind Locomotion. Journal of Motor Behavior, 2018, 50, 2-7.	0.5	1
43	The Fukuda Stepping Test Is Influenced by a Concurrent Cognitive Task and Step Height in Healthy Young Adults: A Descriptive Study. Physiotherapy Canada Physiotherapie Canada, 2021, 73, 322-328.	0.3	1
44	The effects of an 8-week knitting program on osteoarthritis symptoms in elderly women: A pilot randomized controlled trial. Journal of Bodywork and Movement Therapies, 2021, 27, 410-419.	0.5	1
45	Effect of Dual Task on Step Variability during Stepping in Place without Vision. Journal of Motor Behavior, 2022, 54, 337-343.	0.5	1
46	Effect of Bilateral and Unilateral Plantarflexor Muscle Fatigue on Blind Navigation Precision and Gait Parameters. Journal of Motor Behavior, 2020, 52, 41-49.	0.5	O