

Teizo Fujita

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2315334/publications.pdf>

Version: 2024-02-01

23
papers

2,192
citations

516215

16
h-index

676716

22
g-index

25
all docs

25
docs citations

25
times ranked

2259
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeting of Liver Mannan-Binding Lectin-Associated Serine Protease-3 with RNA Interference Ameliorates Disease in a Mouse Model of Rheumatoid Arthritis. <i>ImmunoHorizons</i> , 2018, 2, 274-295.	0.8	16
2	Lectin pathway effector enzyme mannan-binding lectin-associated serine protease-2 can activate native complement C3 in absence of C4 and/or C2. <i>FASEB Journal</i> , 2017, 31, 2210-2219.	0.2	43
3	Deconstructing the Lectin Pathway in the Pathogenesis of Experimental Inflammatory Arthritis: Essential Role of the Lectin Ficolin B and Mannose-Binding Protein-Associated Serine Protease 2. <i>Journal of Immunology</i> , 2017, 199, 1835-1845.	0.4	24
4	Mannan-Binding Lectin-Associated Serine Protease 1/3 Cleavage of Pro-Factor D into Factor D In Vivo and Attenuation of Collagen Antibody-Induced Arthritis through Their Targeted Inhibition by RNA Interference-Mediated Gene Silencing. <i>Journal of Immunology</i> , 2016, 197, 3680-3694.	0.4	15
5	Mannan binding lectin-associated serine protease-2 (MASP-2) critically contributes to post-ischemic brain injury independent of MASP-1. <i>Journal of Neuroinflammation</i> , 2016, 13, 213.	3.1	59
6	Trypanosoma cruzi calreticulin inhibits the complement lectin pathway activation by direct interaction with L-Ficolin. <i>Molecular Immunology</i> , 2014, 60, 80-85.	1.0	45
7	Mitochondria and the Lectin Pathway of Complement. <i>Journal of Biological Chemistry</i> , 2013, 288, 8016-8027.	1.6	36
8	The Role of Mannose-Binding Lectin-Associated Serine Protease-3 in Activation of the Alternative Complement Pathway. <i>Journal of Immunology</i> , 2011, 187, 3751-3758.	0.4	125
9	Essential role of Mannose-binding lectin-associated serine protease-1 in activation of the complement factor D. <i>Journal of Experimental Medicine</i> , 2010, 207, 29-37.	4.2	151
10	Essential Role of Complement Mannose-Binding Lectin-Associated Serine Proteases-1/3 in the Murine Collagen Antibody-Induced Model of Inflammatory Arthritis. <i>Journal of Immunology</i> , 2010, 185, 5598-5606.	0.4	55
11	MBL-associated serine protease 1 (MASP1) is necessary for thrombin substrate cleavage in vitro. <i>FASEB Journal</i> , 2010, 24, 951.15.	0.2	0
12	The lectin-complement pathway - its role in innate immunity and evolution. <i>Immunological Reviews</i> , 2004, 198, 185-202.	2.8	537
13	Primitive complement system? recognition and activation. <i>Molecular Immunology</i> , 2004, 41, 103-111.	1.0	92
14	Expression of H-ficolin/Hakata antigen, mannan-binding lectin-associated serine protease (MASP)-1 and MASP-3 by human glioma cell line T98G. <i>International Immunology</i> , 2003, 15, 109-117.	1.8	45
15	Functional characterization of human mannan-binding lectin-associated serine protease (MASP)-1/3 and MASP-2 promoters, and comparison with the C1s promoter. <i>International Immunology</i> , 2002, 14, 1193-1201.	1.8	19
16	MASP-3 and Its Association with Distinct Complexes of the Mannan-Binding Lectin Complement Activation Pathway. <i>Immunity</i> , 2001, 15, 127-135.	6.6	357
17	Complement and Polymorphonuclear Leukocyte Activation Each Play a Role in Determining Myocardial Ischemia - Reperfusion Injury. <i>Japanese Circulation Journal</i> , 2001, 65, 659-666.	1.0	3
18	Polymorphic expression of decay-accelerating factor in human colorectal cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2001, 16, 184-189.	1.4	28

#	ARTICLE	IF	CITATIONS
19	Fc γ 1/4 receptor mediates endocytosis of IgM-coated microbes. <i>Nature Immunology</i> , 2000, 1, 441-446.	7.0	346
20	A truncated form of mannose-binding lectin-associated serine protease (MASP)-2 expressed by alternative polyadenylation is a component of the lectin complement pathway. <i>International Immunology</i> , 1999, 11, 859-863.	1.8	183
21	FT EPR Study of the Hydrated Electron Generated by Laser Excitation of Phenothiazine in Quinone-SDS Micellar Systems. <i>Journal of the American Chemical Society</i> , 1996, 118, 5778-5782.	6.6	10
22	C3d and Epstein-Barr Virus (CR2/CD21 Ligands) Stimulate Cells of an HTLV-2 Line, MT-2. <i>Microbiology and Immunology</i> , 1995, 39, 145-151.	0.7	1
23	Inherited Deficiency of the Ninth Component of Complement Associated with Streptococcal Infection. <i>Pediatrics International</i> , 1992, 34, 169-172.	0.2	2