

Jesper Wengel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2315424/jesper-wengel-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

398 papers	15,554 citations	56 h-index	109 g-index
453 ext. papers	16,681 ext. citations	5.7 avg, IF	6.49 L-index

#	Paper	IF	Citations
398	Chirality transmission in macromolecular domains.. <i>Nature Communications</i> , 2022 , 13, 76	17.4	1
397	Antisense locked nucleic acid gapmers to control <i>Candida albicans</i> filamentation. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2022 , 39, 102469	6	
396	Dual role of the miR-146 family in rhinovirus-induced airway inflammation and allergic asthma exacerbation. <i>Clinical and Translational Medicine</i> , 2021 , 11, e427	5.7	7
395	Polyamine-Functionalized 2'-Amino-LNA in Oligonucleotides: Facile Synthesis of New Monomers and High-Affinity Binding towards ssDNA and dsDNA. <i>Chemistry - A European Journal</i> , 2021 , 27, 1416-1422	4.8	1
394	Locked nucleic acids Properties and applications 2021 , 339-347		
393	Cationic oligonucleotide derivatives and conjugates: A favorable approach for enhanced DNA and RNA targeting oligonucleotides. <i>Beilstein Journal of Organic Chemistry</i> , 2021 , 17, 1828-1848	2.5	0
392	Oligonucleotides Targeting DNA Repeats Downregulate Gene Expression in Huntington's Patient-Derived Neural Model System. <i>Nucleic Acid Therapeutics</i> , 2021 ,	4.8	2
391	Self-Assembly of DNA-Peptide Supermolecules: Coiled-Coil Peptide Structures Templated by d-DNA and l-DNA Triplexes Exhibit Chirality-Independent but Orientation-Dependent Stabilizing Cooperativity. <i>Chemistry - A European Journal</i> , 2020 , 26, 5676-5684	4.8	4
390	Electrochemical intercalator binding to single- and double-strand DNA- and LNA-based molecules on Au(111)-electrode surfaces. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 865, 114138	4.1	2
389	Alpha-l-Locked Nucleic Acid-Modified Antisense Oligonucleotides Induce Efficient Splice Modulation In Vitro. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
388	Novel assemblies based on oligonucleotides containing intercalating nucleic acid monomers. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2020 , 39, 82-96	1.4	
387	Gapmer Antisense Oligonucleotides Containing 2',3'-Dideoxy-2'-fluoro-3'-C-hydroxymethyl- β -D-lyxofuranosyl Nucleotides Display Site-Specific RNase H Cleavage and Induce Gene Silencing. <i>Chemistry - A European Journal</i> , 2020 , 26, 1368-1379	4.8	2
386	Systemic Evaluation of Chimeric LNA/2'-O-Methyl Steric Blockers for Myotonic Dystrophy Type 1 Therapy. <i>Nucleic Acid Therapeutics</i> , 2020 , 30, 80-93	4.8	2
385	In vitro and in vivo properties of therapeutic oligonucleotides containing non-chiral 3' and 5' thiophosphate linkages. <i>Nucleic Acids Research</i> , 2020 , 48, 63-74	20.1	4
384	Reprint of "Electrochemical intercalator binding to single- and double-strand DNA- and LNA-based molecules on Au(111)-electrode surfaces". <i>Journal of Electroanalytical Chemistry</i> , 2020 , 872, 114527	4.1	
383	NickFect type of cell-penetrating peptides present enhanced efficiency for microRNA-146a delivery into dendritic cells and during skin inflammation. <i>Biomaterials</i> , 2020 , 262, 120316	15.6	11
382	Synthesis and anti-inflammatory activity evaluation of novel chroman derivatives. <i>New Journal of Chemistry</i> , 2020 , 44, 13716-13727	3.6	1

381	Improved Cancer Targeting by Multimerizing Aptamers on Nanoscaffolds. <i>Molecular Therapy - Nucleic Acids</i> , 2020 , 22, 994-1003	10.7	4
380	Carbazole modified oligonucleotides: synthesis, hybridization studies and fluorescence properties. <i>Organic and Biomolecular Chemistry</i> , 2020 , 18, 6935-6948	3.9	1
379	Albumin-Binding Fatty Acid-Modified Gapmer Antisense Oligonucleotides for Modulation of Pharmacokinetics. <i>Methods in Molecular Biology</i> , 2020 , 2176, 163-174	1.4	1
378	Molecular determinants for agonist recognition and discrimination in P2X2 receptors. <i>Journal of General Physiology</i> , 2019 , 151, 898-911	3.4	5
377	A self-assembled, modular nucleic acid-based nanoscaffold for multivalent theranostic medicine. <i>Theranostics</i> , 2019 , 9, 2662-2677	12.1	7
376	microRNA-155 inhibition restores Fibroblast Growth Factor 7 expression in diabetic skin and decreases wound inflammation. <i>Scientific Reports</i> , 2019 , 9, 5836	4.9	24
375	The ability of locked nucleic acid oligonucleotides to pre-structure the double helix: A molecular simulation and binding study. <i>PLoS ONE</i> , 2019 , 14, e0211651	3.7	2
374	Improved RE31 Analogues Containing Modified Nucleic Acid Monomers: Thermodynamic, Structural, and Biological Effects. <i>Journal of Medicinal Chemistry</i> , 2019 , 62, 2499-2507	8.3	16
373	Synthetic, Structural, and Anticancer Activity Evaluation Studies on Novel Pyrazolynucleosides. <i>Molecules</i> , 2019 , 24,	4.8	1
372	Synergy of Two Highly Specific Biomolecular Recognition Events: Aligning an AT-Hook Peptide in DNA Minor Grooves via Covalent Conjugation to 2'-Amino-LNA. <i>Bioconjugate Chemistry</i> , 2018 , 29, 1025-1029	6.3	4
371	Hydrogel-Assisted Antisense LNA Gapmer Delivery for In Situ Gene Silencing in Spinal Cord Injury. <i>Molecular Therapy - Nucleic Acids</i> , 2018 , 11, 393-406	10.7	13
370	Novel conformationally constrained 2'-C-methylribonucleosides: synthesis and incorporation into oligonucleotides. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 1312-1321	3.9	6
369	Thermodynamic, Anticoagulant, and Antiproliferative Properties of Thrombin Binding Aptamer Containing Novel UNA Derivative. <i>Molecular Therapy - Nucleic Acids</i> , 2018 , 10, 304-316	10.7	28
368	Unlocked nucleic acid modified primer-based enzymatic polymerization assay: towards allele-specific genotype detection of human platelet antigens.. <i>RSC Advances</i> , 2018 , 8, 32770-32774	3.7	1
367	MicroRNA therapeutics: design of single-stranded miR-216b mimics to target KRAS in pancreatic cancer cells. <i>RNA Biology</i> , 2018 , 15, 1273-1285	4.8	21
366	Targeting miR-9 in gastric cancer cells using locked nucleic acid oligonucleotides. <i>BMC Molecular Biology</i> , 2018 , 19, 6	4.5	12
365	Palmitoylated phosphodiester gapmer designs with albumin binding capacity and maintained in vitro gene silencing activity. <i>Journal of Gene Medicine</i> , 2018 , 20, e3025	3.5	3
364	Modification of oligodeoxynucleotides by on-column Suzuki cross-coupling reactions. <i>Chemical Communications</i> , 2018 , 54, 8003-8006	5.8	8

363	Development of an Efficient G-Quadruplex-Stabilised Thrombin-Binding Aptamer Containing a Three-Carbon Spacer Molecule. <i>ChemBioChem</i> , 2017 , 18, 755-763	3.8	22
362	3'-Pyrene-modified unlocked nucleic acids: synthesis, fluorescence properties and a surprising stabilization effect on duplexes and triplexes. <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 2073-2085	3.9	6
361	Role of Pseudoisocytidine Tautomerization in Triplex-Forming Oligonucleotides: In Silico and in Vitro Studies. <i>ACS Omega</i> , 2017 , 2, 2165-2177	3.9	7
360	CTG repeat-targeting oligonucleotides for down-regulating Huntingtin expression. <i>Nucleic Acids Research</i> , 2017 , 45, 5153-5169	20.1	15
359	Oligodeoxynucleotides containing 2'-amino-LNA nucleotides as constrained morpholino phosphoramidate and phosphorodiamidate monomers. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 3173-3176	2.9	3
358	Folding Topology of a Short Coiled-Coil Peptide Structure Templated by an Oligonucleotide Triplex. <i>Chemistry - A European Journal</i> , 2017 , 23, 9297-9305	4.8	8
357	Oligonucleotides Containing Aminated 2'-Amino-LNA Nucleotides: Synthesis and Strong Binding to Complementary DNA and RNA. <i>Bioconjugate Chemistry</i> , 2017 , 28, 1214-1220	6.3	11
356	A hyaluronic acid-based hydrogel enabling CD44-mediated chondrocyte binding and gapmer oligonucleotide release for modulation of gene expression in osteoarthritis. <i>Journal of Controlled Release</i> , 2017 , 253, 153-159	11.7	35
355	LNA effects on DNA binding and conformation: from single strand to duplex and triplex structures. <i>Scientific Reports</i> , 2017 , 7, 11043	4.9	18
354	An Albumin-Oligonucleotide Assembly for Potential Combinatorial Drug Delivery and Half-Life Extension Applications. <i>Molecular Therapy - Nucleic Acids</i> , 2017 , 9, 284-293	10.7	15
353	Fatty Acid-Modified Gapmer Antisense Oligonucleotide and Serum Albumin Constructs for Pharmacokinetic Modulation. <i>Molecular Therapy</i> , 2017 , 25, 1710-1717	11.7	26
352	Synthesis and Excellent Duplex Stability of Oligonucleotides Containing 2'-Amino-LNA Functionalized with Galactose Units. <i>Molecules</i> , 2017 , 22,	4.8	3
351	Prediction of melting temperatures in fluorescence in situ hybridization (FISH) procedures using thermodynamic models. <i>Critical Reviews in Biotechnology</i> , 2016 , 36, 566-77	9.4	21
350	Synthesis and Biophysical Investigations of Oligonucleotides Containing Galactose-Modified DNA, LNA, and 2'-Amino-LNA Monomers. <i>Journal of Organic Chemistry</i> , 2016 , 81, 10845-10856	4.2	7
349	Peptide-oligonucleotide conjugates as nanoscale building blocks for assembly of an artificial three-helix protein mimic. <i>Nature Communications</i> , 2016 , 7, 12294	17.4	31
348	Application of locked nucleic acid-based probes in fluorescence in situ hybridization. <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 5897-906	5.7	15
347	Next-generation bis-locked nucleic acids with stacking linker and 2'-glycylamino-LNA show enhanced DNA invasion into supercoiled duplexes. <i>Nucleic Acids Research</i> , 2016 , 44, 2007-19	20.1	18
346	Delivery, Effect on Cell Viability, and Plasticity of Modified Aptamer Constructs. <i>Nucleic Acid Therapeutics</i> , 2016 , 26, 183-9	4.8	7

345	Fluorescence In Vivo Hybridization (FIVH) for Detection of Helicobacter pylori Infection in a C57BL/6 Mouse Model. <i>PLoS ONE</i> , 2016 , 11, e0148353	3.7	10
344	An albumin-mediated cholesterol design-based strategy for tuning siRNA pharmacokinetics and gene silencing. <i>Journal of Controlled Release</i> , 2016 , 232, 143-51	11.7	25
343	Mismatch discrimination in fluorescent in situ hybridization using different types of nucleic acids. <i>Applied Microbiology and Biotechnology</i> , 2015 , 99, 3961-9	5.7	23
342	Selection of LNA-containing DNA aptamers against recombinant human CD73. <i>Molecular BioSystems</i> , 2015 , 11, 1260-70		30
341	Targeting VEGF with LNA-stabilized G-rich oligonucleotide for efficient breast cancer inhibition. <i>Chemical Communications</i> , 2015 , 51, 9499-502	5.8	38
340	Detection and discrimination of biofilm populations using locked nucleic acid/2'-O-methyl-RNA fluorescence in situ hybridization (LNA/2'-OMe-FISH). <i>Biochemical Engineering Journal</i> , 2015 , 104, 64-73	4.2	16
339	Modular Assembly of Cell-targeting Devices Based on an Uncommon G-quadruplex Aptamer. <i>Molecular Therapy - Nucleic Acids</i> , 2015 , 4, e251	10.7	28
338	Watson-Crick hydrogen bonding of unlocked nucleic acids. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015 , 25, 5064-6	2.9	5
337	Oligonucleotides containing a piperazino-modified 2'-amino-LNA monomer exhibit very high duplex stability and remarkable nuclease resistance. <i>Chemical Communications</i> , 2015 , 51, 4024-7	5.8	15
336	Effect of Native Gastric Mucus on in vivo Hybridization Therapies Directed at Helicobacter pylori. <i>Molecular Therapy - Nucleic Acids</i> , 2015 , 4, e269	10.7	8
335	Towards Fluorescence In Vivo Hybridization (FIVH) Detection of H. pylori in Gastric Mucosa Using Advanced LNA Probes. <i>PLoS ONE</i> , 2015 , 10, e0125494	3.7	25
334	Brightness through local constraint--LNA-enhanced FIT hybridization probes for in vivo ribonucleotide particle tracking. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 11370-5	16.4	50
333	Bis-pyrene-modified unlocked nucleic acids: synthesis, hybridization studies, and fluorescent properties. <i>ChemMedChem</i> , 2014 , 9, 2120-7	3.7	7
332	Functionalization of 2'-C-(Piperazinomethyl)-2',3'-BcNA (Bicyclic Nucleic Acids) with Pyren-1-ylcarbonyl Units. <i>Helvetica Chimica Acta</i> , 2014 , 97, 1204-1218	2	
331	Unlocked nucleic acids with a pyrene-modified uracil: synthesis, hybridization studies, fluorescent properties and i-motif stability. <i>ChemBioChem</i> , 2014 , 15, 146-56	3.8	19
330	Scaffolding along nucleic acid duplexes using 2'-amino-locked nucleic acids. <i>Accounts of Chemical Research</i> , 2014 , 47, 1768-77	24.3	56
329	Improvement of a streptavidin-binding aptamer by LNA- and β -LNA-substitutions. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 2273-7	2.9	12
328	Helligkeit durch lokale Rigidifizierung β -LNA-verstärkte FIT-Sonden zur bildgebenden Darstellung von Ribonukleotidpartikeln in vivo. <i>Angewandte Chemie</i> , 2014 , 126, 11553-11558	3.6	8

327	Dissecting the chemical interactions and substrate structural signatures governing RNA polymerase II trigger loop closure by synthetic nucleic acid analogues. <i>Nucleic Acids Research</i> , 2014 , 42, 5863-70	20.1	13
326	Multifunctional nucleic acids for tumor cell treatment. <i>Nucleic Acid Therapeutics</i> , 2014 , 24, 171-7	4.8	20
325	Splice-correcting oligonucleotides restore BTK function in X-linked agammaglobulinemia model. <i>Journal of Clinical Investigation</i> , 2014 , 124, 4067-81	15.9	29
324	By-product formation in repetitive PCR amplification of DNA libraries during SELEX. <i>PLoS ONE</i> , 2014 , 9, e114693	3.7	57
323	Electrochemistry and in situ scanning tunnelling microscopy of pure and redox-marked DNA- and UNA-based oligonucleotides on Au(111)-electrode surfaces. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 776-86	3.6	13
322	Electrochemistry of single metalloprotein and DNA-based molecules at Au(111) electrode surfaces. <i>ChemPhysChem</i> , 2013 , 14, 2101-11	3.2	18
321	Boronic acid-based autoligation of nucleic acids: influence of the nature of the 3'-end ribonucleotidic strand. <i>Monatshefte Für Chemie</i> , 2013 , 144, 495-500	1.4	3
320	A quencher-free molecular beacon design based on pyrene excimer fluorescence using pyrene-labeled UNA (unlocked nucleic acid). <i>Bioorganic and Medicinal Chemistry</i> , 2013 , 21, 6186-90	3.4	24
319	"Clickable" LNA/DNA probes for fluorescence sensing of nucleic acids and autoimmune antibodies. <i>Chemical Communications</i> , 2013 , 49, 10751-3	5.8	24
318	A Chemical Perspective on Transcriptional Fidelity: Dominant Contributions of Sugar Integrity Revealed by Unlocked Nucleic Acids. <i>Angewandte Chemie</i> , 2013 , 125, 12567-12571	3.6	
317	Synthesis and characterization of oligodeoxyribonucleotides modified with 2'-amino-LNA adenine monomers: high-affinity targeting of single-stranded DNA. <i>Journal of Organic Chemistry</i> , 2013 , 78, 12690-702	4.2	11
316	Identification and characterization of second-generation invader locked nucleic acids (LNAs) for mixed-sequence recognition of double-stranded DNA. <i>Journal of Organic Chemistry</i> , 2013 , 78, 9560-70	4.2	30
315	Branched DNA nanostructures efficiently stabilised and monitored by novel pyrene-perylene 2'-amino-LNA FRET pairs. <i>Chemical Communications</i> , 2013 , 49, 511-3	5.8	22
314	Interfacing click chemistry with automated oligonucleotide synthesis for the preparation of fluorescent DNA probes containing internal xanthene and cyanine dyes. <i>Chemistry - A European Journal</i> , 2013 , 19, 1112-22	4.8	35
313	G-rich VEGF aptamer with locked and unlocked nucleic acid modifications exhibits a unique G-quadruplex fold. <i>Nucleic Acids Research</i> , 2013 , 41, 9524-36	20.1	64
312	Biological activity and biotechnological aspects of locked nucleic acids. <i>Advances in Genetics</i> , 2013 , 82, 47-107	3.3	75
311	Chemical fidelity of an RNA polymerase ribozyme. <i>Chemical Science</i> , 2013 , 4, 2804	9.4	22
310	A locked nucleic acid-based nanocrawler: designed and reversible movement detected by multicolor fluorescence. <i>Journal of the American Chemical Society</i> , 2013 , 135, 2423-6	16.4	19

309	Peptide-LNA oligonucleotide conjugates. <i>Organic and Biomolecular Chemistry</i> , 2013 , 11, 4240-9	3.9	20
308	A chemical perspective on transcriptional fidelity: dominant contributions of sugar integrity revealed by unlocked nucleic acids. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 12341-5	16.4	13
307	Development of bis-locked nucleic acid (bisLNA) oligonucleotides for efficient invasion of supercoiled duplex DNA. <i>Nucleic Acids Research</i> , 2013 , 41, 3257-73	20.1	21
306	Hybridization-based detection of <i>Helicobacter pylori</i> at human body temperature using advanced locked nucleic acid (LNA) probes. <i>PLoS ONE</i> , 2013 , 8, e81230	3.7	32
305	Enzymatic polymerisation involving 2'-amino-LNA nucleotides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 3522-6	2.9	11
304	Pyrene-modified unlocked nucleic acids: synthesis, thermodynamic studies, and fluorescent properties. <i>ChemBioChem</i> , 2012 , 13, 590-601	3.8	18
303	Oligonucleotides with 1,4-dioxane-based nucleotide monomers. <i>Journal of Organic Chemistry</i> , 2012 , 77, 3878-86	4.2	6
302	Cleavage and protection of locked nucleic acid-modified DNA by restriction endonucleases. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 4836-8	2.9	7
301	Photoinduzierter reduktiver Elektronentransfer in LNA:DNA-Hybriden: Kompromiss aus Konformation und Basenstapelung. <i>Angewandte Chemie</i> , 2012 , 124, 10168-10172	3.6	6
300	Photoinduced reductive electron transfer in LNA:DNA hybrids: a compromise between conformation and base stacking. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 10026-9	16.4	19
299	Selective biocatalytic acylation studies on 5'-O-(4,4'-dimethoxytrityl)-2',3'-secouridine: an efficient synthesis of UNA monomer. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2012 , 31, 831-40	1.4	4
298	Large scale synthesis of 2'-amino-LNA thymine and 5-methylcytosine nucleosides. <i>Journal of Organic Chemistry</i> , 2012 , 77, 10718-28	4.2	15
297	Stepping towards highly flexible aptamers: enzymatic recognition studies of unlocked nucleic acid nucleotides. <i>Chemical Communications</i> , 2012 , 48, 5503-5	5.8	9
296	Efficient reverse transcription using locked nucleic acid nucleotides towards the evolution of nuclease resistant RNA aptamers. <i>PLoS ONE</i> , 2012 , 7, e35990	3.7	25
295	Amplification and re-generation of LNA-modified libraries. <i>Molecules</i> , 2012 , 17, 13087-97	4.8	8
294	Synthetic genetic polymers capable of heredity and evolution. <i>Science</i> , 2012 , 336, 341-4	33.3	515
293	Novel (phenylethynyl)pyrene-LNA constructs for fluorescence SNP sensing in polymorphic nucleic acid targets. <i>ChemBioChem</i> , 2012 , 13, 1509-19	3.8	24
292	Enzymatic synthesis of DNA strands containing Ψ -LNA (Ψ -configured locked nucleic acid) thymine nucleotides. <i>Artificial DNA, PNA & XNA</i> , 2012 , 3, 14-21		8

291	Locked nucleic acid and aptamers. <i>Nucleic Acid Therapeutics</i> , 2012 , 22, 366-70	4.8	30
290	Modulating Anti-MicroRNA-21 Activity and Specificity Using Oligonucleotide Derivatives and Length Optimization. <i>ISRN Pharmaceutics</i> , 2012 , 2012, 407154		7
289	In vivo screening of modified siRNAs for non-specific antiviral effect in a small fish model: number and localization in the strands are important. <i>Nucleic Acids Research</i> , 2012 , 40, 4653-65	20.1	12
288	Locked vs. unlocked nucleic acids (LNA vs. UNA): contrasting structures work towards common therapeutic goals. <i>Chemical Society Reviews</i> , 2011 , 40, 5680-9	58.5	189
287	Amino acids attached to 2'-amino-LNA: synthesis and excellent duplex stability. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 243-52	3.9	32
286	Unlocked nucleic acid--an RNA modification with broad potential. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 3591-7	3.9	47
285	Photoligation of self-assembled DNA constructs containing anthracene-functionalized 2'-amino-LNA monomers. <i>Bioorganic and Medicinal Chemistry</i> , 2011 , 19, 7407-15	3.4	11
284	LNA for optimization of fluorescent oligonucleotide probes: improved spectral properties and target binding. <i>Bioconjugate Chemistry</i> , 2011 , 22, 533-9	6.3	23
283	Minimal substrate features for Erm methyltransferases defined by using a combinatorial oligonucleotide library. <i>ChemBioChem</i> , 2011 , 12, 610-4	3.8	5
282	Synthesis and structural characterization of 2'-fluoro-L-RNA-modified oligonucleotides. <i>ChemBioChem</i> , 2011 , 12, 1904-11	3.8	7
281	Locked Nucleic Acid Oligonucleotides toward Clinical Applications 2011 , 335-348		
280	Thermodynamic and biological evaluation of a thrombin binding aptamer modified with several unlocked nucleic acid (UNA) monomers and a 2'-C-piperazino-UNA monomer. <i>Bioorganic and Medicinal Chemistry</i> , 2011 , 19, 4739-45	3.4	37
279	Modulation of i-motif thermodynamic stability by the introduction of UNA (unlocked nucleic acid) monomers. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 752-5	2.9	30
278	Improved thrombin binding aptamer by incorporation of a single unlocked nucleic acid monomer. <i>Nucleic Acids Research</i> , 2011 , 39, 1155-64	20.1	130
277	Optimizing anti-gene oligonucleotide 'Zorro-LNA' for improved strand invasion into duplex DNA. <i>Nucleic Acids Research</i> , 2011 , 39, 1142-54	20.1	23
276	Fluorescent oligonucleotides containing a novel perylene 2'-amino-L-LNA monomer: Synthesis and analytical potential. <i>Collection of Czechoslovak Chemical Communications</i> , 2011 , 76, 1347-1360		6
275	Synthesis and structural characterization of piperazino-modified DNA that favours hybridization towards DNA over RNA. <i>Nucleic Acids Research</i> , 2011 , 39, 1953-65	20.1	9
274	Thermodynamics of RNA duplexes modified with unlocked nucleic acid nucleotides. <i>Nucleic Acids Research</i> , 2010 , 38, 6697-706	20.1	44

273	A screen of chemical modifications identifies position-specific modification by UNA to most potently reduce siRNA off-target effects. <i>Nucleic Acids Research</i> , 2010 , 38, 5761-73	20.1	139
272	Polymerase directed incorporation studies of LNA-G nucleoside 5'-triphosphate and primer extension involving all four LNA nucleotides. <i>New Journal of Chemistry</i> , 2010 , 34, 877	3.6	12
271	In vivo efficacy and off-target effects of locked nucleic acid (LNA) and unlocked nucleic acid (UNA) modified siRNA and small internally segmented interfering RNA (sisiRNA) in mice bearing human tumor xenografts. <i>Artificial DNA, PNA & XNA</i> , 2010 , 1, 36-44		33
270	Novel interstrand communication systems within DNA duplexes based on 1-, 2- and 4-(phenylethynyl)pyrenes attached to 2'-amino-LNA: high-affinity hybridization and fluorescence sensing. <i>Chemical Communications</i> , 2010 , 46, 8362-4	5.8	28
269	Synthesis and biophysical studies of coronene functionalized 2'-amino-LNA: a novel class of fluorescent nucleic acids. <i>Bioconjugate Chemistry</i> , 2010 , 21, 513-20	6.3	20
268	LNA 5'-phosphoramidites for 5'-B'-oligonucleotide synthesis. <i>Organic and Biomolecular Chemistry</i> , 2010 , 8, 5012-6	3.9	8
267	Biocatalytic separation of N-7/N-9 guanine nucleosides. <i>Journal of Organic Chemistry</i> , 2010 , 75, 7932-5	4.2	12
266	Polymerase-directed synthesis of C5-ethynyl locked nucleic acids. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 6565-8	2.9	21
265	Utilization of unlocked nucleic acid (UNA) to enhance siRNA performance in vitro and in vivo. <i>Molecular BioSystems</i> , 2010 , 6, 862-70		84
264	David versus Goliath. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2010 , 6, 504-9	6	3
263	Application of small interfering RNAs modified by unlocked nucleic acid (UNA) to inhibit the heart-pathogenic coxsackievirus B3. <i>FEBS Letters</i> , 2010 , 584, 591-8	3.8	23
262	Synthesis and biophysical properties of oligodeoxynucleotides containing 2'-deoxy-5-(4-nitro-1H-imidazol-1-yl)-beta-D-uridine and 2'-deoxy-5-(1,3-dioxo-1H-benzo[de]isoquinolin-2(3H)-yl)-beta-D-uridine monomers. <i>Chemistry and Biodiversity</i> , 2010 , 7, 255-68	2.5	2
261	Locked nucleic acids: promising nucleic acid analogs for therapeutic applications. <i>Chemistry and Biodiversity</i> , 2010 , 7, 536-42	2.5	189
260	Novel insights into the use of Glowing LNA as nucleic acid detection probes--influence of labeling density and nucleobases. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 7265-8	2.9	9
259	Neolignans, cyclohexanes and alkaloids from <i>Piper wightii</i> . <i>Recueil Des Travaux Chimiques Des Pays-Bas</i> , 2010 , 115, 9-12		8
258	Locked nucleic acid as a novel class of therapeutic agents. <i>RNA Biology</i> , 2009 , 6, 321-3	4.8	94
257	Nuclease resistant methylphosphonate-DNA/LNA chimeric oligonucleotides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 2707-9	2.9	10
256	UNA (unlocked nucleic acid): a flexible RNA mimic that allows engineering of nucleic acid duplex stability. <i>Bioorganic and Medicinal Chemistry</i> , 2009 , 17, 5420-5	3.4	94

255	Parallel RNA-strand recognition by 2'-amino-beta-L-LNA. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 2396-9	2.9	6
254	Aptamers as a model for functional evaluation of LNA and 2'-amino LNA. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 6585-7	2.9	44
253	Naked siRNA-mediated gene silencing of lung bronchoepithelium EGFP expression after intravenous administration. <i>Oligonucleotides</i> , 2009 , 19, 163-8		45
252	Functionalized 2'-amino-alpha-L-LNA: directed positioning of intercalators for DNA targeting. <i>Journal of Organic Chemistry</i> , 2009 , 74, 1070-81	4.2	43
251	Synthesis of an unlocked nucleic acid terpyridine monomer and binding of divalent metal ion in nucleic acid duplexes. <i>Journal of Organic Chemistry</i> , 2009 , 74, 8838-41	4.2	18
250	Locked nucleic acid nucleoside triphosphates and polymerases: on the way towards evolution of LNA aptamers. <i>Molecular BioSystems</i> , 2009 , 5, 787-92		49
249	Filling the gap in LNA antisense oligo gapmers: the effects of unlocked nucleic acid (UNA) and 4'-C-hydroxymethyl-DNA modifications on RNase H recruitment and efficacy of an LNA gapmer. <i>Molecular BioSystems</i> , 2009 , 5, 838-43		31
248	A large-scale chemical modification screen identifies design rules to generate siRNAs with high activity, high stability and low toxicity. <i>Nucleic Acids Research</i> , 2009 , 37, 2867-81	20.1	273
247	The effect of chemical modification and nanoparticle formulation on stability and biodistribution of siRNA in mice. <i>Molecular Therapy</i> , 2009 , 17, 1225-33	11.7	191
246	Efficient enzymatic synthesis of LNA-modified DNA duplexes using KOD DNA polymerase. <i>Organic and Biomolecular Chemistry</i> , 2009 , 7, 1404-9	3.9	48
245	Functionalization of 2'-amino-LNA with additional nucleobases. <i>Organic and Biomolecular Chemistry</i> , 2009 , 7, 1793-7	3.9	35
244	Synthesis and hybridization studies of alpha-configured arabino nucleic acids. <i>Organic and Biomolecular Chemistry</i> , 2009 , 7, 2389-401	3.9	6
243	Design of LNA-modified siRNAs against the highly structured 5' UTR of coxsackievirus B3. <i>FEBS Letters</i> , 2008 , 582, 3061-6	3.8	16
242	Perylene attached to 2'-amino-LNA: synthesis, incorporation into oligonucleotides, and remarkable fluorescence properties in vitro and in cell culture. <i>Bioconjugate Chemistry</i> , 2008 , 19, 1995-2007	6.3	45
241	The sugar conformation governs (6-4) photoproduct formation at the dinucleotide level. <i>Journal of the American Chemical Society</i> , 2008 , 130, 30-1	16.4	35
240	Polymerase chain reaction and transcription using locked nucleic acid nucleotide triphosphates. <i>Journal of the American Chemical Society</i> , 2008 , 130, 8124-5	16.4	73
239	Identification of efficient and sequence specific bimolecular artificial ribonucleases by a combinatorial approach. <i>Chemical Communications</i> , 2008 , 762-4	5.8	10
238	Nucleic acid structural engineering using pyrene-functionalized 2'-amino-alpha-L-LNA monomers and abasic sites. <i>Journal of Organic Chemistry</i> , 2008 , 73, 7060-6	4.2	35

237	Thermodynamics of DNA-RNA heteroduplex formation: effects of locked nucleic acid nucleotides incorporated into the DNA strand. <i>Biochemistry</i> , 2008 , 47, 1218-27	3.2	44
236	Greener biocatalytic approach to the synthesis of nucleosides and their precursors. <i>Nucleic Acids Symposium Series</i> , 2008 , 273-4		1
235	New conformationally restricted DNA mimics. <i>Nucleic Acids Symposium Series</i> , 2008 , 271-2		2
234	Thermodynamic, counterion and hydration effects for the incorporation of locked nucleic acid (LNA) nucleotides in duplex. <i>Nucleic Acids Symposium Series</i> , 2008 , 425-6		2
233	Effect of locked nucleic acid (LNA) modification on hybridization kinetics of DNA duplex. <i>Nucleic Acids Symposium Series</i> , 2008 , 417-8		10
232	Nucleosides with 1,4-dioxane as sugar moiety. <i>Nucleic Acids Symposium Series</i> , 2008 , 269-70		
231	Unlocked nucleic acid (UNA) and UNA derivatives: thermal denaturation studies. <i>Nucleic Acids Symposium Series</i> , 2008 , 133-4		24
230	Splice-switching efficiency and specificity for oligonucleotides with locked nucleic acid monomers. <i>Biochemical Journal</i> , 2008 , 412, 307-13	3.8	30
229	Highly fluorescent conjugated pyrenes in nucleic acid probes: (phenylethynyl)pyrenecarbonyl-functionalized locked nucleic acids. <i>Chemistry - A European Journal</i> , 2008 , 14, 11010-26	4.8	58
228	Pyrene-perylene as a FRET pair coupled to the N2'-functionality of 2'-amino-LNA. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 94-9	3.4	48
227	Chemically modified oligonucleotides with efficient RNase H response. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008 , 18, 2296-300	2.9	6
226	Enzymatic synthesis of LNA oligonucleotides using polymerases 2008 ,		2
225	Deacylation studies on furanose triesters using an immobilized lipase: synthesis of a key precursor for bicyclonucleosides. <i>Chemical Communications</i> , 2007 , 2616-7	5.8	20
224	Effective modulation of DNA duplex stability by reversible transition metal complex formation in the minor groove. <i>Journal of the American Chemical Society</i> , 2007 , 129, 9392-400	16.4	57
223	In vitro incorporation of LNA nucleotides. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007 , 26, 1207-10	1.4	28
222	Efficient inhibition of HIV-1 expression by LNA modified antisense oligonucleotides and DNazymes targeted to functionally selected binding sites. <i>Retrovirology</i> , 2007 , 4, 29	3.6	45
221	Direct imaging of hexamine-ruthenium(III) in domain boundaries in monolayers of single-stranded DNA. <i>Langmuir</i> , 2007 , 23, 1410-3	4	18
220	Selective biocatalytic deacylation studies on furanose triesters: a novel and efficient approach towards bicyclonucleosides. <i>Organic and Biomolecular Chemistry</i> , 2007 , 5, 3524-30	3.9	18

219	Enzymatic incorporation of LNA nucleotides into DNA strands. <i>ChemBioChem</i> , 2007 , 8, 490-2	3.8	62
218	2'-N-(pyren-1-yl)acetyl-2'-amino-alpha-L-LNA: synthesis and detection of single nucleotide mismatches in DNA and RNA targets. <i>ChemBioChem</i> , 2007 , 8, 1122-5	3.8	46
217	Sensitive SNP dual-probe assays based on pyrene-functionalized 2'-amino-LNA: lessons to be learned. <i>ChemBioChem</i> , 2007 , 8, 2240-8	3.8	34
216	LNA nucleotides improve cleavage efficiency of singular and binary hammerhead ribozymes. <i>Bioorganic and Medicinal Chemistry</i> , 2007 , 15, 6135-43	3.4	15
215	On the influence of conformational locking of sugar moieties on the absorption and circular dichroism of nucleosides from synchrotron radiation experiments. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2007 , 187, 293-298	4.7	17
214	N2'-functionalized 2'-amino-alpha-L-LNA adenine derivatives--efficient targeting of single stranded DNA. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007 , 26, 1415-7	1.4	7
213	Pyrene-functionalized 2'-amino-alpha-L-LNA as potential diagnostic probes. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007 , 26, 1407-9	1.4	4
212	Triplex-forming ability of modified oligonucleotides. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007 , 26, 1411-4	1.4	6
211	Novel selective biocatalytic deacylation studies on key precursors for bicyclonucleosides. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007 , 26, 1517-21	1.4	2
210	Synthesis and biophysical studies of N2'-functionalized 2'-amino-alpha-L-LNA. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007 , 26, 1403-5	1.4	4
209	Dual-probe system using pyrenylmethyl-modified amino-LNA for mismatch detection. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007 , 26, 1261-3	1.4	3
208	Novel applications of locked nucleic acids. <i>Nucleic Acids Symposium Series</i> , 2007 , 29-30		7
207	Improved silencing properties using small internally segmented interfering RNAs. <i>Nucleic Acids Research</i> , 2007 , 35, 5886-97	20.1	156
206	The advantages of being locked. Assessing the cleavage of short and long RNAs by locked nucleic acid-containing 8-17 deoxyribozymes. <i>Journal of Biological Chemistry</i> , 2007 , 282, 35510-8	5.4	22
205	LNA-modified oligonucleotides effectively drive intramolecular-stable hairpin to intermolecular-duplex state. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 352, 118-22	3.4	17
204	LNA (locked nucleic acid) and analogs as triplex-forming oligonucleotides. <i>Organic and Biomolecular Chemistry</i> , 2007 , 5, 2375-9	3.9	37
203	A Conformationally Locked Aminomethyl C-Glycoside and Studies on ItsN-Pyren-1-ylcarbonyl Derivative Inserted into Oligodeoxynucleotides. <i>European Journal of Organic Chemistry</i> , 2006 , 2006, 2538-2548 ¹⁹	3.2	19
202	Thermodynamic, counterion, and hydration effects for the incorporation of locked nucleic acid nucleotides into DNA duplexes. <i>Biochemistry</i> , 2006 , 45, 7347-55	3.2	139

201	Synthesis and hybridization studies of 2'-amino-alpha-L-LNA and tetracyclic "locked LNA". <i>Journal of Organic Chemistry</i> , 2006 , 71, 4188-201	4.2	39
200	Locked nucleoside analogues expand the potential of DNAzymes to cleave structured RNA targets. <i>BMC Molecular Biology</i> , 2006 , 7, 19	4.5	29
199	DNA and LNA oligonucleotides containing N2'-functionalised derivatives of 2'-amino-2'-deoxyuridine. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006 , 16, 3166-9	2.9	13
198	Synthesis, nucleic acid hybridization properties and molecular modelling studies of conformationally restricted 3'-O,4'-C-methylene-linked alpha-L-ribonucleotides. <i>Carbohydrate Research</i> , 2006 , 341, 1398-407	2.9	6
197	Adsorption and surface dynamics of short DNA and LNA oligonucleotides on single-crystal Au(111) electrode surfaces. <i>Surface Science</i> , 2006 , 600, 122-127	1.8	9
196	Synthesis and RNA-selective hybridization of H-ribo- and H-lyxo-configured oligonucleotides. <i>Tetrahedron</i> , 2006 , 62, 2278-2294	2.4	12
195	Electron injection from the side of an M-DNA duplex. <i>Journal of Biological Inorganic Chemistry</i> , 2006 , 11, 82-7	3.7	8
194	Chemistry of Locked Nucleic Acids (LNA) 2006 , 114-132		
193	Intercalator conjugates of pyrimidine locked nucleic acid-modified triplex-forming oligonucleotides: improving DNA binding properties and reaching cellular activities. <i>Nucleic Acids Research</i> , 2005 , 33, 4223-34	20.1	30
192	Targeting of mixed sequence double-stranded DNA using pyrene-functionalized 2'-amino-alpha-L-LNA. <i>Chemical Communications</i> , 2005 , 4279-81	5.8	46
191	Optimized DNA targeting using N,N-bis(2-pyridylmethyl)-beta-alanyl 2'-amino-LNA. <i>Chemical Communications</i> , 2005 , 1705-7	5.8	29
190	Synthesis of a 2'-amino-alpha-L-LNA-T phosphoramidite. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2005 , 24, 1101-4	1.4	1
189	Synthesis and biological evaluation of conformationally restricted and nucleobase-modified analogs of the anticancer compound 3'-C-ethynylcytidine (ECyd). <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2005 , 24, 397-400	1.4	4
188	DNA self-assembling systems: branched oligonucleotides as building blocks and monitoring by pyrene excimer band formation. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2005 , 24, 679-81	1.4	10
187	Synthesis and thermal denaturation studies of novel 2'-O,3'-C-linked bicyclic oligonucleotides with a methoxy or a piperazino group facing the major groove of nucleic acid duplexes. <i>Organic and Biomolecular Chemistry</i> , 2005 , 3, 130-5	3.9	9
186	Investigations toward new lead compounds from medicinally important plants. <i>Pure and Applied Chemistry</i> , 2005 , 77, 25-40	2.1	27
185	Locked nucleic acid (LNA): High affinity targeting of RNA for diagnostics and therapeutics. <i>Drug Discovery Today: Technologies</i> , 2005 , 2, 287-90	7.1	57
184	Multilabeled pyrene-functionalized 2'-amino-LNA probes for nucleic acid detection in homogeneous fluorescence assays. <i>Journal of the American Chemical Society</i> , 2005 , 127, 13293-9	16.4	124

183	Locked nucleic acid synthesis. <i>Methods in Molecular Biology</i> , 2005 , 288, 127-46	1.4	7
182	Selective transacylation reactions on 4-aryl-3,4-dihydropyrimidin-2-ones and nucleosides mediated by novel lipases. <i>Pure and Applied Chemistry</i> , 2005 , 77, 237-243	2.1	7
181	Synthesis and biological evaluation of nucleobase-modified analogs of the anticancer compounds 3'-C-ethynyluridine (EUrd) and 3'-C-ethynylcytidine (ECyd). <i>Bioorganic and Medicinal Chemistry</i> , 2005 , 13, 1249-60	3.4	19
180	Synthesis and biological evaluation of branched and conformationally restricted analogs of the anticancer compounds 3'-C-ethynyluridine (EUrd) and 3'-C-ethynylcytidine (ECyd). <i>Bioorganic and Medicinal Chemistry</i> , 2005 , 13, 2597-621	3.4	18
179	XNA (xylo Nucleic Acid): A Summary and New Derivatives. <i>European Journal of Organic Chemistry</i> , 2005 , 2005, 2297-2321	3.2	22
178	Synthesis and Thermal Denaturation Studies of Conformationally Restricted 3'-C-Ethynyl-3'-O,4'-C-methyleneribonucleotides. <i>European Journal of Organic Chemistry</i> , 2005 , 2005, 5184-5188	3.2	2
177	Enhanced inhibition of transcription start by targeting with 2'-OMe pentaribonucleotides comprising locked nucleic acids and intercalating nucleic acids. <i>ChemBioChem</i> , 2005 , 6, 1181-4	3.8	10
176	Chemistry of locked nucleic acids (LNA): Design, synthesis, and bio-physical properties. <i>International Journal of Peptide Research and Therapeutics</i> , 2005 , 10, 237-253	2.1	
175	Novel nucleic acid architectures involving locked nucleic acid (LNA) and pyrene residues: Results from an Indo-Danish collaboration. <i>Pure and Applied Chemistry</i> , 2005 , 77, 319-326	2.1	4
174	Exploring cellular activity of locked nucleic acid-modified triplex-forming oligonucleotides and defining its molecular basis. <i>Journal of Biological Chemistry</i> , 2005 , 280, 20076-85	5.4	34
173	Oligodeoxynucleotides Containing Diastereomeric O2',C3'-linked Bicyclic Nucleotide Units for Functionalization of the Major Groove of Nucleic Acid Duplexes: A Summary and Novel Derivatives*. <i>Journal of Carbohydrate Chemistry</i> , 2005 , 24, 475-502	1.7	4
172	Interstrand communication between 2'-N-(pyren-1-yl)methyl-2'-amino-LNA monomers in nucleic acid duplexes: directional control and signalling of full complementarity. <i>Chemical Communications</i> , 2004 , 1478-9	5.8	86
171	Locked nucleic acids and intercalating nucleic acids in the design of easily denaturing nucleic acids: thermal stability studies. <i>ChemBioChem</i> , 2004 , 5, 1673-9	3.8	21
170	Synthesis of 1-(2'-O-methyl- β -D-ribofuranosyl)-5-nitroindole and its phosphoramidite derivative. <i>Tetrahedron Letters</i> , 2004 , 45, 5629-5632	2	4
169	DNA-selective hybridization and dual strand invasion of short double-stranded DNA using pyren-1-ylcarbonyl-functionalized 4'-C-piperazinomethyl-DNA. <i>Chemical Communications</i> , 2004 , 1064-5	5.8	34
168	Oligodeoxynucleotides containing alpha-L-ribo configured LNA-type C-aryl nucleotides. <i>Organic and Biomolecular Chemistry</i> , 2004 , 2, 80-9	3.9	17
167	Parallel nucleic acid recognition by the LNA (locked nucleic acid) stereoisomers beta-L-LNA and alpha-D-LNA; studies in the mirror image world. <i>Chemical Communications</i> , 2004 , 282-3	5.8	13
166	Conformationally controlled high-affinity targeting of RNA or DNA by novel 2'-amino-DNA/LNA mixmers and pyrenyl-functionalized 2'-amino-DNA. <i>Organic and Biomolecular Chemistry</i> , 2004 , 2, 2885-7	3.9	34

165	Nucleic acid nanotechnology-towards Angstrom-scale engineering. <i>Organic and Biomolecular Chemistry</i> , 2004 , 2, 277-80	3.9	162
164	Transcription factor decoy oligonucleotides modified with locked nucleic acids: an in vitro study to reconcile biostability with binding affinity. <i>Nucleic Acids Research</i> , 2004 , 32, 1874-85	20.1	27
163	Sequence and pH effects of LNA-containing triple helix-forming oligonucleotides: physical chemistry, biochemistry, and modeling studies. <i>Biochemistry</i> , 2004 , 43, 4160-9	3.2	65
162	Locked nucleic acid: a potent nucleic acid analog in therapeutics and biotechnology. <i>Oligonucleotides</i> , 2004 , 14, 130-46		162
161	3'-C-Branched LNA-type nucleosides locked in an N-type furanose ring conformation: synthesis, incorporation into oligodeoxynucleotides, and hybridization studies. <i>Journal of Organic Chemistry</i> , 2004 , 69, 6310-22	4.2	15
160	NMR studies of fully modified locked nucleic acid (LNA) hybrids: solution structure of an LNA:RNA hybrid and characterization of an LNA:DNA hybrid. <i>Bioconjugate Chemistry</i> , 2004 , 15, 449-57	6.3	86
159	LNA (locked nucleic acid): high-affinity targeting of complementary RNA and DNA. <i>Biochemistry</i> , 2004 , 43, 13233-41	3.2	555
158	Improved RNA cleavage by LNAzyme derivatives of DNAzymes. <i>Biochemical Society Transactions</i> , 2004 , 32, 37-40	5.1	27
157	LNA-antisense rivals siRNA for gene silencing. <i>Current Opinion in Drug Discovery & Development</i> , 2004 , 7, 188-94		35
156	A structure-activity study of the inhibition of HIV-1 Tat-dependent trans-activation by mixmer 2'-O-methyl oligoribonucleotides containing locked nucleic acid (LNA), alpha-L-LNA, or 2'-thio-LNA residues. <i>Oligonucleotides</i> , 2003 , 13, 435-53		35
155	Synthesis of 2'-spiro ribo- and arabinonucleosides. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003 , 22, 1313-5	1.4	3
154	Chemistry of locked nucleic acids (LNA): Design, synthesis, and bio-physical properties. <i>International Journal of Peptide Research and Therapeutics</i> , 2003 , 10, 237-253		3
153	LNA: a versatile tool for therapeutics and genomics. <i>Trends in Biotechnology</i> , 2003 , 21, 74-81	15.1	531
152	Highly efficient diastereoselective biocatalytic acylation of a diastereotopic furanose diol and synthesis of key intermediates for amino derivatized bicyclonucleosides. <i>Tetrahedron</i> , 2003 , 59, 1333-1338	2.4	17
151	Methylphosphonate LNA: a locked nucleic acid with a methylphosphonate linkage. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003 , 13, 253-6	2.9	9
150	Xylo-Configured oligonucleotides (XNA, xylo nucleic acid): synthesis of conformationally restricted derivatives and hybridization towards DNA and RNA complements. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003 , 13, 2285-90	2.9	16
149	Aryl-beta-C-LNA monomers as universal hybridization probes. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003 , 22, 1317-9	1.4	0
148	2'-Spiro ribo- and arabinonucleosides: synthesis, molecular modelling and incorporation into oligodeoxynucleotides. <i>Organic and Biomolecular Chemistry</i> , 2003 , 1, 3514-26	3.9	23

147	Functionalized LNA (locked nucleic acid): high-affinity hybridization of oligonucleotides containing N-acylated and N-alkylated 2'-amino-LNA monomers. <i>Chemical Communications</i> , 2003 , 2130-1	5.8	80
146	Synthesis of 2'-amino-LNA: a new strategy. <i>Organic and Biomolecular Chemistry</i> , 2003 , 1, 655-63	3.9	42
145	Synthesis of a base-protected alpha-L-LNA guanine nucleoside. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003 , 22, 1155-7	1.4	1
144	Chemistry of locked nucleic acids (LNA): Design, synthesis, and bio-physical properties. <i>International Journal of Peptide Research and Therapeutics</i> , 2003 , 10, 237-253	2.1	27
143	NMR solution structure of dsDNA containing a bicyclic D-arabino-configured nucleotide fixed in an O4'-endo sugar conformation. <i>Organic and Biomolecular Chemistry</i> , 2003 , 1, 1790-7	3.9	7
142	Synthesis of a base-protected xylo-LNA adenine nucleoside. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003 , 22, 1163-5	1.4	0
141	A substituted triaza crown ether as a binding site in DNA conjugates. <i>Chemical Communications</i> , 2003 , 1006-7	5.8	16
140	N-methylpiperazinocarbonyl-2',3'-BcNA and 4'-C-(N-methylpiperazino)methyl-DNA: introduction of basic functionalities facing the major groove and the minor groove of a DNA:DNA duplex. <i>Chemical Communications</i> , 2003 , 1604-5	5.8	10
139	LNA and alpha-L-LNA: towards therapeutic applications. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003 , 22, 601-4	1.4	22
138	Structural characterization of LNA and alpha-L-LNA hybridized to RNA. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003 , 22, 1691-3	1.4	4
137	Synthesis and hybridization properties of oligodeoxynucleotides containing 3'-deoxy-3'-C-methyleneuridine. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003 , 22, 1159-61	1.4	0
136	Synthesis of an asymmetrically substituted AZA crown ether as metal and amino acid binding site in DNA conjugates. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003 , 22, 1039-40	1.4	0
135	xylo-configured oligonucleotides (XNA, xylo nucleic acids): synthesis and hybridization studies. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003 , 22, 1147-9	1.4	4
134	Improved synthesis of 2'-amino-LNA. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003 , 22, 1131-3	1.4	3
133	alpha-L-LNA (alpha-L-ribo configured locked nucleic acid) recognition of DNA: an NMR spectroscopic study. <i>Chemistry - A European Journal</i> , 2002 , 8, 3001-9	4.8	42
132	Alpha-L-RNA (alpha-L-ribo configured RNA): synthesis and RNA-selective hybridization of alpha-L-RNA/alpha-L-LNA chimera. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002 , 12, 593-6	2.9	10
131	alpha-L-ribo-configured locked nucleic acid (alpha-L-LNA): synthesis and properties. <i>Journal of the American Chemical Society</i> , 2002 , 124, 2164-76	16.4	129
130	Locked nucleic acid (LNA) recognition of RNA: NMR solution structures of LNA:RNA hybrids. <i>Journal of the American Chemical Society</i> , 2002 , 124, 5974-82	16.4	218

129	LNAzymes: incorporation of LNA-type monomers into DNAzymes markedly increases RNA cleavage. <i>Journal of the American Chemical Society</i> , 2002 , 124, 13682-3	16.4	109
128	Synthesis and antiviral evaluation of novel conformationally locked nucleosides and masked 5'-phosphate derivatives thereof. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2002 , 1655-1662		12
127	Conformationally locked aryl C-nucleosides: synthesis of phosphoramidite monomers and incorporation into single-stranded DNA and LNA (locked nucleic acid). <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2002 , 2509-2519		16
126	Oligodeoxynucleotides containing amide-linked LNA-type dinucleotides: synthesis and high-affinity nucleic acid hybridization. <i>Chemical Communications</i> , 2002 , 530-1	5.8	9
125	3',4'-trans-linked bicyclic nucleosides locked in S-type conformations. <i>Chemical Communications</i> , 2002 , 1888-9	5.8	19
124	Stopped-flow kinetics of locked nucleic acid (LNA)-oligonucleotide duplex formation: studies of LNA-DNA and DNA-DNA interactions. <i>Biochemical Journal</i> , 2001 , 354, 481-4	3.8	60
123	Stereocontrolled synthesis of LNA dinucleoside phosphorothioate by the oxathiaphospholane approach. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001 , 11, 1001-3	2.9	9
122	The adenine derivative of alpha-L-LNA (alpha-L-ribo configured locked nucleic acid): synthesis and high-affinity hybridization towards DNA, RNA, LNA and alpha-L-LNA complementary sequences. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001 , 11, 935-8	2.9	25
121	Mechanism of biochemical action of substituted benzopyran-2-ones. Part 8: Acetoxycoumarin: protein transacetylase specificity for aromatic nuclear acetoxy groups in proximity to the oxygen heteroatom. <i>Bioorganic and Medicinal Chemistry</i> , 2001 , 9, 1085-9	3.4	28
120	Parallel synthesis of a small library of novel aminoglycoside analogs based on 2-amino-2-deoxy-d-glucose and d-ribose scaffolds. <i>Tetrahedron</i> , 2001 , 57, 6277-6287	2.4	12
119	LNA (locked nucleic acid) and the diastereoisomeric alpha-L-LNA: conformational tuning and high-affinity recognition of DNA/RNA targets. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2001 , 20, 389-96	1.4	51
118	Synthesis and evaluation of anti-HIV activity of 3-azido-4-(hydroxymethyl)tetrahydrofuran derivatives containing 2-(thymine-1-yl)methyl, 2-(cytosine-1-yl)methyl or 2-(adenine-9-yl)methyl substituents & a new series of AZT analogues. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2001 , 2229-2234		6
117	Inhibition of HIV-1 Tat-dependent trans activation by steric block chimeric 2'-O-methyl/LNA oligoribonucleotides. <i>Biochemistry</i> , 2001 , 40, 14645-54	3.2	118
116	Universal hybridization using LNA (locked nucleic acid) containing a novel pyrene LNA nucleotide monomer. <i>Chemical Communications</i> , 2001 , 2114-5	5.8	10
115	Oligonucleotide analogue interference with the HIV-1 Tat protein-TAR RNA interaction. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2001 , 20, 471-80	1.4	36
114	A comparison of the solution structures of an LNA:DNA duplex and the unmodified DNA:DNA duplex. <i>Perkin Transactions II RSC</i> , 2001 , 1224-1232		34
113	Antisense molecules and furanose conformations & it really that simple?. <i>Chemical Communications</i> , 2001 , 1419-1424	5.8	35
112	X-ray crystal structure of a locked nucleic acid (LNA) duplex composed of a palindromic 10-mer DNA strand containing one LNA thymine monomer. <i>Chemical Communications</i> , 2001 , 651-652	5.8	40

110	alpha-L-LNA (alpha-l-ribo configured locked nucleic acid) recognition of RNA. A study by NMR spectroscopy and molecular dynamics simulations. <i>Journal of the American Chemical Society</i> , 2001 , 123, 7431-2	16.4	40
-----	---	------	----

93	Structural basis of cleavage by RNase H of hybrids of arabinonucleic acids and RNA. <i>Biochemistry</i> , 2000 , 39, 3525-32	3.2	39
92	Synthesis and evaluation of anti-HIV-1 activity of 3'-azido-3'-deoxy-2'-O,4'-C-methylene-linked bicyclic thymine nucleosides. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2000 , 3610-3614		13
91	High-affinity nucleic acid recognition using LNA (locked nucleic acid, D-ribo configured LNA), xylo-LNA (D-xylo configured LNA) or L-LNA (L-ribo configured LNA). <i>Chemical Communications</i> , 1999 , 2073-2074	5.8	36
90	The solution structure of a locked nucleic acid (LNA) hybridized to DNA. <i>Journal of Biomolecular Structure and Dynamics</i> , 1999 , 17, 175-91	3.6	63
89	Evaluation of oligonucleotides containing two novel 2'-O-methyl modified nucleotide monomers: a 3'-C-allyl and a 2'-O,3'-C-linked bicyclic derivative. <i>Nucleosides & Nucleotides</i> , 1999 , 18, 2017-30		3
88	Oligonucleotides containing 4'-C-aminomethyl-2'-modified thymidines show increased binding affinity towards DNA and RNA. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1999 , 9, 2667-72	2.9	7
87	Mechanism of biochemical action of substituted 4-methylbenzopyran-2-ones. Part 4: hyperbolic activation of rat liver microsomal NADPH-cytochrome C reductase by the novel acetylator 7,8-diacetoxy-4-methylcoumarin. <i>Bioorganic and Medicinal Chemistry</i> , 1999 , 7, 369-73	3.4	40
86	Mechanism of biochemical action of substituted 4-methylbenzopyran-2-ones. Part 5: Pulse radiolysis studies on the antioxidant action of 7,8-diacetoxy-4-methylcoumarin. <i>Bioorganic and Medicinal Chemistry</i> , 1999 , 7, 2091-4	3.4	12
85	Investigation of restricted backbone conformations as an explanation for the exceptional thermal stabilities of duplexes involving LNA (Locked Nucleic Acid): synthesis and evaluation of abasic LNA. <i>Chemical Communications</i> , 1999 , 657-658	5.8	14
84	LNA stereoisomers: xylo-LNA (D-xylo configured locked nucleic acid) and L-LNA (L-ribo configured locked nucleic acid). <i>Chemical Communications</i> , 1999 , 1395-1396	5.8	52
83	Lna (Locked Nucleic Acid). <i>Nucleosides & Nucleotides</i> , 1999 , 18, 1365-1370		29
82	Oligonucleotide analogues containing (2'S)- and (2'R)-2'-O,3'-C-((2'-C-hydroxymethyl)ethylene)-linked bicyclic nucleoside monomers: synthesis, RNA-selective binding, and diastereoselective formation of a very stable homocomplex based on RNA. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 1999 , 3743-3754		8
81	Synthesis and restricted furanose conformations of three novel bicyclic thymine nucleosides: a xylo-LNA nucleoside, a 3'-O,5'-C-methylene-linked nucleoside, and a 2'-O,5'-C-methylene-linked nucleoside. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1999 , 1407-1414		20
80	Synthesis of 3'- and 4'-Branched Oligodeoxynucleotides and the Development of Locked Nucleic Acid (LNA). <i>Accounts of Chemical Research</i> , 1999 , 32, 301-310	24.3	304
79	A New Synthetic Approach Towards D and L LNA (Locked Nucleic Acids). <i>Nucleosides & Nucleotides</i> , 1999 , 18, 701-702		1
78	Mechanism of biochemical action of substituted 4-methylbenzopyran-2-ones. Part II: Mechanism-based inhibition of rat liver microsome-mediated aflatoxin B1-DNA binding by the candidate antimutagen 7,8-diacetoxy-4-methylcoumarin. <i>Bioorganic and Medicinal Chemistry</i> , 1998 , 6, 1005-1014	3.4	47
77	Aflatoxin B1-induced micronuclei and cell cycle alterations in lung and bone marrow cells and their modulation by Piper argyrophyllum extract. <i>Teratogenesis, Carcinogenesis, and Mutagenesis</i> , 1998 , 18, 249-261		14
76	LNA (Locked Nucleic Acids): Synthesis of the adenine, cytosine, guanine, 5-methylcytosine, thymine and uracil bicyclonucleoside monomers, oligomerisation, and unprecedented nucleic acid recognition. <i>Tetrahedron</i> , 1998 , 54, 3607-3630	2.4	854

75	Novel convenient syntheses of LNA [2.2.1]bicyclo nucleosides. <i>Tetrahedron Letters</i> , 1998 , 39, 4381-4384	2	119
74	Phosphoramidites derived from tertiary alcohols. Why do they sometimes couple with low efficiency?. <i>Tetrahedron Letters</i> , 1998 , 39, 8361-8364	2	12
73	Polyphenols and alkaloids from piper species. <i>Phytochemistry</i> , 1998 , 49, 1069-1078	4	90
72	The first analogues of LNA (locked nucleic acids): phosphorothioate-LNA and 2'-thio-LNA. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998 , 8, 2219-22	2.9	191
71	Mechanism of biochemical action of substituted 4-methylbenzopyran-2-ones. Part I: Dioxygenated 4-methyl coumarins as superb antioxidant and radical scavenging agents. <i>Bioorganic and Medicinal Chemistry</i> , 1998 , 6, 833-9	3.4	74
70	Mechanism of biochemical action of substituted 4-methylbenzopyran-2-ones. Part 3: A novel mechanism for the inhibition of biological membrane lipid peroxidation by dioxygenated 4-methylcoumarins mediated by the formation of a stable ADP-Fe-inhibitor mixed ligand complex. <i>Bioorganic and Medicinal Chemistry</i> , 1998 , 6, 885-18	3.4	27
69	Synthesis of novel 3?-C-branched 2?-deoxynucleosides. Incorporation of 3?-C-(3-hydroxypropyl)thymidine into oligodeoxynucleotides. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1998 , 1409-1422		7
68	Synthesis and chemoselective activation of phenyl 3,5-di-O-benzyl-2-O,4-C-methylene-1-thio- β -D-ribofuranoside: a key synthon towards LNA. <i>Chemical Communications</i> , 1998 , 2645-2646	5.8	14
67	Synthesis of Novel 2',3'-Linked Bicyclic Thymine Ribonucleosides. <i>Journal of Organic Chemistry</i> , 1998 , 63, 2778-2781	4.2	45
66	LNA (Locked Nucleic Acid): An RNA Mimic Forming Exceedingly Stable LNA:LNA Duplexes. <i>Journal of the American Chemical Society</i> , 1998 , 120, 13252-13253	16.4	276
65	Synthesis of 2'-Amino-LNA: A Novel Conformationally Restricted High-Affinity Oligonucleotide Analogue with a Handle. <i>Journal of Organic Chemistry</i> , 1998 , 63, 10035-10039	4.2	121
64	Synthesis of Novel Bicyclo[2.2.1] Ribonucleosides: 2'-Amino- and 2'-Thio-LNA Monomeric Nucleosides. <i>Journal of Organic Chemistry</i> , 1998 , 63, 6078-6079	4.2	71
63	A Novel Class of Oligonucleotide Analogues Containing 2EO,3EC-Linked [3.2.0]Bicycloarabinonucleoside Monomers: Synthesis, Thermal Affinity Studies, and Molecular Modeling. <i>Journal of the American Chemical Society</i> , 1998 , 120, 5458-5463	16.4	56
62	Universality of LNA-mediated high-affinity nucleic acid recognition. <i>Chemical Communications</i> , 1998 , 1247-1248	5.8	75
61	LNA (locked nucleic acids): synthesis and high-affinity nucleic acid recognition. <i>Chemical Communications</i> , 1998 , 455-456	5.8	540
60	Synthesis and Evaluation of Novel Oligodeoxynucleotides Containing 3?-C-(3-Benzoyloxypyl)thymidine and Bicyclo Nucleoside Derivatives. <i>Nucleosides & Nucleotides</i> , 1997 , 16, 1439-1442		
59	Automated synthesis of branched oligodeoxynucleotide analogues using arabino-uridine as branching nucleotide. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1997 , 1951-1956		4
58	Introduction of a Universal Solid Support for Oligonucleotide Synthesis. <i>Nucleosides & Nucleotides</i> , 1997 , 16, 67-80		19

57	A novel class of conformationally restricted oligonucleotide analogues: synthesis of 2',3'-bridged monomers and RNA-selective hybridisation. <i>Chemical Communications</i> , 1997 , 825-826	5.8	25
56	Synthesis of 2'-O,3'-C-linked bicyclic nucleosides and bicyclic oligonucleotides. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1997 , 3423-3434		46
55	Synthesis and hybridization properties of β - and β -oligodeoxynucleotides containing β - and β -[3-C-allyl-2-deoxy-D-erythro-pentofuranosyl]thymine and β -[3-C-(3-aminopropyl)-2-deoxy-D-erythro-pentofuranosyl]thymine. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1997 , 3275-3284		6
54	Synthesis of Novel 3'-C-Hydroxymethyl Nucleosides by a Convergent Strategy. <i>Nucleosides & Nucleotides</i> , 1997 , 16, 1063-1066		0
53	Diastereoselective and regioselective reactions on D-aldopentose mixtures: A possible reason for nature's choice of D-ribofuranose based nucleic acids?. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1997 , 7, 1999-2002	2.9	3
52	Anti-invasive activity of alkaloids and polyphenolics in vitro. <i>Bioorganic and Medicinal Chemistry</i> , 1997 , 5, 1609-19	3.4	48
51	Novel chemoselective de-esterification of esters of polyacetoxy aromatic acids by lipases. <i>Tetrahedron</i> , 1997 , 53, 2163-2176	2.4	42
50	Phytochemistry of the genus Piper. <i>Phytochemistry</i> , 1997 , 46, 597-673	4	583
49	Stereoselective synthesis of C-branched nucleoside analogues. <i>Studies in Natural Products Chemistry</i> , 1996 , 19, 511-547	1.5	3
48	Structure of a DNA duplex containing a single 2'-O-methyl-beta-D-araT: combined use of NMR, restrained molecular dynamics, and full relaxation matrix refinement. <i>Bioconjugate Chemistry</i> , 1996 , 7, 680-8	6.3	15
47	Enzyme-Mediated Protecting Group Chemistry on the Hydroxyl Groups of Nucleosides. <i>Nucleosides & Nucleotides</i> , 1996 , 15, 1347-1359		30
46	Towards 2',3'-dideoxynucleoside libraries: synthesis of 3'-alkylthio analogues from an α -unsaturated aldehyde. <i>Tetrahedron Letters</i> , 1996 , 37, 7619-7622	2	2
45	Incorporation of amide linked thymidine dimers into oligodeoxynucleotides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1996 , 6, 987-990	2.9	6
44	Synthesis and properties of alpha- and beta-oligodeoxynucleotides containing alpha- and beta-1-(2-O-methyl-D-arabino-furanosyl)thymine. <i>Bioorganic and Medicinal Chemistry</i> , 1996 , 4, 1217-25	3.4	13
43	Neolignans and alkaloids from Piper argyrophyllum. <i>Phytochemistry</i> , 1996 , 43, 1355-1360	4	32
42	Convenient Synthesis of 4-C-Branched Lactones and 3'-C-Branched 2',3'-Dideoxynucleosides. <i>Nucleosides & Nucleotides</i> , 1996 , 15, 1361-1368		5
41	Synthesis of diastereomeric mixtures of 5'-C-hydroxymethylthymidine and introduction of a novel class of C-hydroxymethyl functionalised oligodeoxynucleotides. <i>Acta Chemica Scandinavica</i> , 1996 , 50, 1157-63		16
40	Synthesis and evaluation of oligodeoxynucleotides containing acyclic nucleosides: introduction of three novel analogues and a summary. <i>Bioorganic and Medicinal Chemistry</i> , 1995 , 3, 19-28	3.4	83

- 39 Stereoselective synthesis, chemistry and antiviral evaluation of 1-(2,3-dideoxy-3-C-hydroxymethyl-beta-D-threo-pentofuranosyl)thymine derivatives. *Bioorganic and Medicinal Chemistry*, **1995**, 3, 1223-9 3.4 10
- 38 Oligonucleotide analogues containing 4'-C-(hydroxymethyl)uridine: synthesis, evaluation and mass spectrometric analysis. *Bioorganic and Medicinal Chemistry*, **1995**, 3, 1493-502 3.4 15
- 37 Branched oligodeoxynucleotides: a new synthetic strategy and formation of strong intra- and intermolecular triple helical complexes. *Bioorganic and Medicinal Chemistry Letters*, **1995**, 5, 791-794 2.9 10
- 36 Methyleneedioxyphenyl substituted compounds from Piper species as inhibitors of liver microsome-mediated aflatoxin B1-DNA binding in vitro. *Bioorganic and Medicinal Chemistry Letters*, **1995**, 5, 1567-1572 2.9 5
- 35 Neolignans and a lignan from Piper clarkii. *Phytochemistry*, **1995**, 39, 655-658 4 23
- 34 Incorporation of 3'-C-(Hydroxymethyl)thymidine into novel oligodeoxynucleotide analogues. *Tetrahedron*, **1995**, 51, 2155-2164 2.4 12
- 33 Branched oligodeoxynucleotides: Automated synthesis and triple helical hybridization studie. *Tetrahedron*, **1995**, 51, 8491-8506 2.4 12
- 32 Synthesis of oligodeoxynucleotides containing 4'-C-(Hydroxymethyl)thymidine: Novel promising antisense molecules. *Tetrahedron Letters*, **1995**, 36, 2535-2538 2 22
- 31 Tri-O-acyl 2-deoxy-D-ribofuranose: An effective enzyme-assisted one-pot synthesis from 2-deoxy-D-ribose and transformation into 2'-deoxynucleosides. *Tetrahedron Letters*, **1995**, 36, 6163-6166 2 36
- 30 Evaluation of Oligonucleotides with Novel Modifications. *Nucleosides, Nucleotides and Nucleic Acids*, **1995**, 14, 1097-1100 1.4 2
- 29 3'-C-Hydroxymethylthymidine: Synthesis and Incorporation into Oligodeoxynucleotide Analogues. *Nucleosides, Nucleotides and Nucleic Acids*, **1995**, 14, 921-924 1.4 2
- 28 Synthesis and Characterization of Short Oligonucleotide Segments Containing Nonnatural Internucleoside Amine- and Amide Linkages. *Nucleosides, Nucleotides and Nucleic Acids*, **1995**, 14, 925-928 1.4 2
- 27 Synthesis of Novel 3'-C-(Hydroxymethyl)thymidines and Oligodeoxynucleotide Analogues Containing Compressed 3'-C-Hydroxymethyl-Linked Phosphodiester Backbones. *Nucleosides & Nucleotides*, **1995**, 14, 1465-1479 6
- 26 2-Deoxy-3-C-(hydroxymethyl)-D-pentofuranose Derivatives: Stereoselective Synthesis and Conversion into a Novel Class of Nucleoside Analogs. *Journal of Organic Chemistry*, **1995**, 60, 7298-7303 4.2 9
- 25 Synthesis of thymidine dimers containing piperazine in the internucleoside linkage and their incorporation into oligodeoxynucleotides. *Tetrahedron*, **1995**, 51, 2145-2154 2.4 14
- 24 Novel linear and branched oligodeoxynucleotide analogues containing 4'-c-(hydroxymethyl)thymidine. *Tetrahedron*, **1995**, 51, 10389-10402 2.4 50
- 23 Neolignans from Piper schmidtii and Reassignment of the Structure of Schmiditin.. *Acta Chemica Scandinavica*, **1995**, 49, 142-148 12
- 22 Some recent isolation studies from potential insecticidal Piper species. *Pure and Applied Chemistry*, **1994**, 66, 2339-2342 2.1 12

21	Synthesis and Evaluation of Oligodeoxynucleotides Containing 3'-O-Ethyl-4'-C-(hydroxymethyl)thymidine: Introduction of a Novel Class of Phosphodiester Internucleoside Linkages. <i>Nucleosides & Nucleotides</i> , 1994 , 13, 1939-1952		4
20	Incorporation of (R)- and (S)-3',4'-seco-thymidine into oligodeoxynucleotides: hybridization properties and enzymatic stability. <i>Nucleic Acids Research</i> , 1994 , 22, 703-10	20.1	33
19	Synthesis of 3'-(N-Acetylpiperazino)-2',3'-dideoxy-D-ribo-hexofuranosyl and -D-erythro-pentofuranosyl Thymine Nucleosides. <i>Synthesis</i> , 1994 , 1994, 823-826	2.9	7
18	Lignans and neolignans from stems of <i>Piper wightii</i> . <i>Tetrahedron</i> , 1994 , 50, 10579-10586	2.4	6
17	Lignans and neolignans from stems and fruits of <i>Piper wightii</i> . <i>Tetrahedron</i> , 1994 , 50, 2231-2240	2.4	16
16	Novel oligodeoxynucleotide analogues containing a 2'-O-methylarabinonucleoside. <i>Tetrahedron Letters</i> , 1994 , 35, 6941-6944	2	10
15	Synthesis of 3'-C-(Hydroxymethyl)thymidine: Introduction of a Novel Class of Deoxynucleosides and Oligodeoxynucleotides. <i>Journal of the American Chemical Society</i> , 1994 , 116, 2231-2232	16.4	39
14	Benzofuranoid Neolignans from <i>Piper wightii</i> Miq... <i>Acta Chemica Scandinavica</i> , 1994 , 48, 1007-1011		9
13	Oligodeoxynucleotide analogues containing 3'-deoxy-3'-C-threo-hydroxymethylthymidine: Synthesis, hybridization properties and enzymatic stability. <i>Tetrahedron</i> , 1993 , 49, 11341-11352	2.4	36
12	Synthesis of 2',3'-Dideoxy-3'-piperidino- and 2', 3'-Dideoxy-3'-pyrrolidino-D-ribo-hexofuranosyl Nucleosides from Tri-O-acetyl-D-glucal. <i>Synthesis</i> , 1992 , 1992, 319-322	2.9	9
11	Synthesis of 1-(3-(1,2,4-triazol-1-yl)-2,3,6-trideoxy-L-arabino-hexofuranosyl)uracils via an α -Unsaturated aldehydohexose. <i>Monatshefte Für Chemie</i> , 1992 , 123, 349-354	1.4	1
10	Analogues of the antibiotic puromycin as potential prodrugs of 3'-amino-3'-deoxythymidine. <i>Journal of Heterocyclic Chemistry</i> , 1992 , 29, 5-9	1.9	8
9	Selective Deformylation of an α -Unsaturated Sugar Aldehyde in a Very Short Synthesis of 3'-Azido-3'-deoxythymidine (AZT) and its Stereoisomers. <i>Synthesis</i> , 1991 , 1991, 451-454	2.9	12
8	Synthesis of 2',3'-Dideoxy-D-erythro-hexofuranosyl Nucleosides and 3'-Azido-2', 3'-dideoxy-D-arabino-hexofuranosyl Nucleosides From Tri-O-acetyl-D-glucal via an α -Unsaturated Hexose Aldehyde. <i>Synthesis</i> , 1991 , 1991, 1183-1190	2.9	12
7	New Strategies in the Synthesis of 3'-Azido-2',3'-dideoxy-nucleosides with Furanose Configuration. <i>Nucleosides & Nucleotides</i> , 1991 , 10, 405-408		3
6	Synthesis of L-3'-azido-3'-deoxythymidine (L-AZT) and its stereoisomers. <i>Journal of Organic Chemistry</i> , 1991 , 56, 3591-3594	4.2	38
5	A Convenient Method for the Synthesis of L-3'-Amino-2',3'-dideoxyuridines. <i>Synthesis</i> , 1989 , 1989, 829-832	2.9	14
4	A Convenient Route to 3'-Amino-3'-deoxythymidine. <i>Synthesis</i> , 1989 , 1989, 384-387	2.9	48

- 3 Synthesis of New 3'-Amino-2',3'-Dideoxynucleosides in Five Steps Starting from Peracetylated Cyclicals. *Nucleosides, Nucleotides and Nucleic Acids*, **1989**, 8, 961-965 1.4 1
- 2 2,3-Dideoxy-3-Phthalimidopentoses in the Synthesis of 3'-Amino-2',3'-Dideoxynucleosides. *Nucleosides, Nucleotides and Nucleic Acids*, **1989**, 8, 1069-1070 1.4
- 1 Locked Nucleic Acids: Properties, Applications, and Perspectives 133-152