

Anders Thomassen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2317306/publications.pdf>

Version: 2024-02-01

35
papers

782
citations

567281

15
h-index

501196

28
g-index

35
all docs

35
docs citations

35
times ranked

1057
citing authors

#	ARTICLE	IF	CITATIONS
1	Thoracic aorta calcification but not inflammation is associated with increased cardiovascular disease risk: results of the CAMONA study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 249-258.	6.4	99
2	Delayed 18F-fluorodeoxyglucose PET/CT imaging improves quantitation of atherosclerotic plaque inflammation: Results from the CAMONA study. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 588-597.	2.1	74
3	Head-to-Head Comparison of Chest X-Ray/Head and Neck MRI, Chest CT/Head and Neck MRI, and ¹⁸ F-FDG PET/CT for Detection of Distant Metastases and Synchronous Cancer in Oral, Pharyngeal, and Laryngeal Cancer. <i>Journal of Nuclear Medicine</i> , 2017, 58, 1919-1924.	5.0	72
4	Duration of 18F-FDG avidity in lymph nodes after pandemic H1N1v and seasonal influenza vaccination. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 894-898.	6.4	68
5	Clinical impact of 18F-FDG-PET/CT in the extra cardiac work-up of patients with infective endocarditis. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 1013-1019.	1.2	51
6	Delayed sodium 18F-fluoride PET/CT imaging does not improve quantification of vascular calcification metabolism: Results from the CAMONA study. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 293-304.	2.1	48
7	Impact of Personal Characteristics and Technical Factors on Quantification of Sodium ¹⁸ F-Fluoride Uptake in Human Arteries: Prospective Evaluation of Healthy Subjects. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1534-1540.	5.0	46
8	Coronary fluorine-18-sodium fluoride uptake is increased in healthy adults with an unfavorable cardiovascular risk profile. <i>Nuclear Medicine Communications</i> , 2017, 38, 1007-1014.	1.1	37
9	A "package solution" fast track program can reduce the diagnostic waiting time in head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 1163-1170.	1.6	35
10	Hybrid CT angiography and quantitative 15O-water PET for assessment of coronary artery disease: comparison with quantitative coronary angiography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 1894-1904.	6.4	32
11	PET/CT without capacity limitations: a Danish experience from a European perspective. <i>European Radiology</i> , 2011, 21, 1277-1285.	4.5	22
12	Quantitative evaluation of normal spinal osseous metabolism with 18F-NaF PET/CT. <i>Nuclear Medicine Communications</i> , 2018, 39, 945-950.	1.1	21
13	Quantitative myocardial perfusion by O-15-water PET: individualized vs. standardized vascular territories. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 970-6.	1.2	20
14	18F-FDG PET/CT to differentiate malignant necrotic lymph node from benign cystic lesions in the neck. <i>Annals of Nuclear Medicine</i> , 2017, 31, 101-108.	2.2	20
15	PET/CT Versus Standard Imaging for Prediction of Survival in Patients with Recurrent Head and Neck Squamous Cell Carcinoma. <i>Journal of Nuclear Medicine</i> , 2019, 60, 592-599.	5.0	16
16	Up-front PET/CT changes treatment intent in patients with head and neck squamous cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 613-621.	6.4	13
17	Coronary computed tomography angiography "Tolerability of β -blockers and contrast media, and temporal changes in radiation dose. <i>Scandinavian Cardiovascular Journal</i> , 2014, 48, 271-277.	1.2	9
18	Outcome of revascularisation in stable coronary artery disease without ischaemia: a Danish registry-based follow-up study. <i>BMJ Open</i> , 2017, 7, e016169.	1.9	9

#	ARTICLE	IF	CITATIONS
19	PET/CT and prediction of thyroid cancer in patients with follicular neoplasm or atypia. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 2109-2117.	1.6	9
20	Seeing the Unseen—Bioturbation in 4D: Tracing Bioirrigation in Marine Sediment Using Positron Emission Tomography and Computed Tomography. <i>PLoS ONE</i> , 2015, 10, e0122201.	2.5	8
21	Patients With Suspected Coronary Artery Disease Referred for Examinations in the Era of Coronary Computed Tomography Angiography. <i>American Journal of Cardiology</i> , 2015, 116, 344-349.	1.6	8
22	Reference values for fluorine-18-fluorodeoxyglucose and fluorine-18-sodium fluoride uptake in human arteries. <i>Nuclear Medicine Communications</i> , 2017, 38, 998-1006.	1.1	8
23	Up-front F18-FDG PET/CT in suspected salivary gland carcinoma. <i>Annals of Nuclear Medicine</i> , 2019, 33, 554-563.	2.2	8
24	Changes in medical treatment six months after risk stratification with HeartScore and coronary artery calcification scanning of healthy middle-aged subjects. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 1496-1502.	1.8	7
25	Risk of Malignancy in FDG-Avid Thyroid Incidentalomas on PET/CT: A Prospective Study. <i>World Journal of Surgery</i> , 2019, 43, 2454-2458.	1.6	6
26	Carotid artery molecular calcification assessed by [18F]fluoride PET/CT: correlation with cardiovascular and thromboembolic risk factors. <i>European Radiology</i> , 2021, 31, 8050-8059.	4.5	6
27	A PET/CT-Based Strategy Is a Stronger Predictor of Survival Than a Standard Imaging Strategy in Patients with Head and Neck Squamous Cell Carcinoma. <i>Journal of Nuclear Medicine</i> , 2018, 59, 575-581.	5.0	6
28	18F-Fluorodeoxyglucose-Positron Emission Tomography/Computed Tomography in Malignancies of the Thyroid and in Head and Neck Squamous Cell Carcinoma. <i>PET Clinics</i> , 2015, 10, 75-88.	3.0	5
29	Upfront PET/CT affects management decisions in patients with recurrent head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2019, 94, 1-7.	1.5	5
30	FDG-PET/CT can rule out malignancy in patients with vocal cord palsy. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 4, 193-201.	1.0	5
31	15-O-water myocardial flow reserve PET and CT angiography by full hybrid PET/CT as a potential alternative to invasive angiography. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 2011-2022.	1.5	4
32	Latissimus dorsi free flap reconstruction of major abdominal defect in treatment of giant Marjolin's ulcer: a short report focused on preoperative imaging. <i>Acta Radiologica Short Reports</i> , 2014, 3, 204798161351661.	0.7	2
33	Skin perfusion pressure measured with a photo sensor in an air-filled plastic balloon: validity and reproducibility on the lower leg in normal subjects and patients suspected of obliterative arterial disease. <i>Physiological Measurement</i> , 2011, 32, 1605-1610.	2.1	1
34	15O-Water Positron Emission Tomography of Myocardial Ischemia in Patients Referred for Percutaneous Coronary Intervention. <i>Cardiovascular Revascularization Medicine</i> , 2020, 21, 1237-1243.	0.8	1
35	Synchronous detection of SDHA-related gallbladder paraganglioma and pancreatic neuroendocrine tumor. <i>Pathology Research and Practice</i> , 2020, 216, 153006.	2.3	1