

Hideto Yamada

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2317356/hideto-yamada-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94
papers

1,549
citations

21
h-index

34
g-index

104
ext. papers

1,836
ext. citations

4
avg, IF

4.2
L-index

#	Paper	IF	Citations
94	Screening of COVID-19 polymerase chain reaction tests using saliva for pregnant women and their partners in Himeji city. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 47, 1253-1255	1.9	1
93	Fetal Goitrous Hyperthyroidism in a Pregnant Woman with Triiodothyronine-Predominant Graves Disease. <i>Kobe Journal of Medical Sciences</i> , 2021 , 66, E153-E158	0.6	
92	Anti-SARS-CoV-2 vaccination strategy for pregnant women in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 47, 1958-1964	1.9	10
91	The physical and mental burden on obstetricians and gynecologists during the COVID-19 pandemic: A September 2020 questionnaire study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 47, 3001-3007	1.9	0
90	Neurodevelopmental Outcomes at 18 Months of Corrected Age for Late Preterm Infants Born at 34 and 35 Gestational Weeks. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
89	Immunoglobulin fetal therapy and neonatal therapy with antiviral drugs improve neurological outcome of infants with symptomatic congenital cytomegalovirus infection. <i>Journal of Reproductive Immunology</i> , 2021 , 143, 103263	4.2	0
88	Changes in awareness and knowledge concerning mother-to-child infections among Japanese pregnant women between 2012 and 2018. <i>PLoS ONE</i> , 2021 , 16, e0244945	3.7	4
87	The β Glycoprotein I/HLA-DR Complex As a Major Autoantibody Target in Obstetric Antiphospholipid Syndrome. <i>Arthritis and Rheumatology</i> , 2020 , 72, 1882-1891	9.5	6
86	A cohort study of the universal neonatal urine screening for congenital cytomegalovirus infection. <i>Journal of Infection and Chemotherapy</i> , 2020 , 26, 790-794	2.2	6
85	Case report of eight pregnant women with syphilis. <i>Journal of Infection and Chemotherapy</i> , 2020 , 26, 298-300	2.2	
84	Clinical Factors Associated With Congenital Cytomegalovirus Infection: A Cohort Study of Pregnant Women and Newborns. <i>Clinical Infectious Diseases</i> , 2020 , 71, 2833-2839	11.6	7
83	Vaginal microbiota associated with preterm delivery. <i>Journal of Infection and Chemotherapy</i> , 2020 , 26, 1134-1138	2.2	2
82	Clinical and ultrasound features associated with congenital cytomegalovirus infection as potential predictors for targeted newborn screening in high-risk pregnancies. <i>Scientific Reports</i> , 2020 , 10, 19706	4.9	2
81	Survey on the use of personal protective equipment and COVID-19 testing of pregnant women in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2020 , 46, 1933-1939	1.9	6
80	Recurrence of post-partum hemorrhage in women with a history of uterine artery embolization. <i>Journal of Obstetrics and Gynaecology Research</i> , 2020 , 46, 119-123	1.9	3
79	Histopathological analysis of placentas with congenital cytomegalovirus infection. <i>Placenta</i> , 2019 , 75, 62-67	3.4	14
78	Prediction of poor neurological development in patients with symptomatic congenital cytomegalovirus diseases after oral valganciclovir treatment. <i>Brain and Development</i> , 2019 , 41, 743-750	2.2	6

77	Clinical factors associated with pregnancy outcome in women with recurrent pregnancy loss. <i>Gynecological Endocrinology</i> , 2019 , 35, 913-918	2.4	4
76	Hepatitis B virus infection: Prevention of mother-to-child transmission and exacerbation during pregnancy. <i>Journal of Infection and Chemotherapy</i> , 2019 , 25, 621-625	2.2	2
75	A cohort study of maternal screening for congenital <i>Toxoplasma gondii</i> infection: 12 yearsS experience. <i>Journal of Infection and Chemotherapy</i> , 2019 , 25, 427-430	2.2	6
74	Efficacy of Valganciclovir Treatment Depends on the Severity of Hearing Dysfunction in Symptomatic Infants with Congenital Cytomegalovirus Infection. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	11
73	Risk Factors and Outcomes of Recurrent Pregnancy Loss in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 1997-2006	1.9	13
72	Diagnostic Value of Cytomegalovirus IgM Antibodies at Birth in PCR-Confirmed Congenital Cytomegalovirus Infection. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
71	Maternal and neonatal screening methods for congenital cytomegalovirus infection. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 514-521	1.9	8
70	Decidual CD68 HLA-DR CD163 M1 macrophages increase in miscarriages with normal fetal chromosome. <i>American Journal of Reproductive Immunology</i> , 2018 , 79, e12791	3.8	8
69	Effectiveness of high-dose i.v. immunoglobulin therapy for pregnant women with aspirin-heparin-resistant secondary antiphospholipid syndrome. <i>Reproductive Medicine and Biology</i> , 2018 , 17, 149-154	4.1	
68	A novel scoring system for predicting adherent placenta in women with placenta previa. <i>Placenta</i> , 2018 , 64, 27-33	3.4	13
67	Clinical factor associated with congenital cytomegalovirus infection in pregnant women with non-primary infection. <i>Journal of Infection and Chemotherapy</i> , 2018 , 24, 702-706	2.2	13
66	Factors associated with adverse pregnancy outcomes in women with systematic lupus erythematosus. <i>Journal of Reproductive Immunology</i> , 2018 , 125, 39-44	4.2	10
65	Potential Biomarkers for Predicting Congenital Cytomegalovirus Infection. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	4
64	Natural killer cell activity in women with recurrent miscarriage: Etiology and pregnancy outcome. <i>Journal of Reproductive Immunology</i> , 2017 , 120, 42-47	4.2	16
63	Newborn Congenital Cytomegalovirus Screening Based on Clinical Manifestations and Evaluation of DNA-based Assays for In Vitro Diagnostics. <i>Pediatric Infectious Disease Journal</i> , 2017 , 36, 942-946	3.4	4
62	A pregnant woman with a surgical site infection after mesh repair of an abdominal wall incisional hernia: a case report. <i>Journal of Medical Case Reports</i> , 2017 , 11, 66	1.2	
61	Universal Screening With Use of Immunoglobulin G Avidity for Congenital Cytomegalovirus Infection. <i>Clinical Infectious Diseases</i> , 2017 , 65, 1652-1658	11.6	28
60	Factors associated with adverse pregnancy outcomes in women with antiphospholipid syndrome: A multicenter study. <i>Journal of Reproductive Immunology</i> , 2017 , 122, 21-27	4.2	24

59	Prediction of Congenital Cytomegalovirus Infection in High-Risk Pregnant Women. <i>Clinical Infectious Diseases</i> , 2017 , 64, 159-165	11.6	21
58	Extremely preterm infants small for gestational age are at risk for motor impairment at 3 years corrected age. <i>Brain and Development</i> , 2016 , 38, 188-95	2.2	12
57	Usefulness of joint laboratory animal training in gynecology and surgery. <i>Japanese Journal of Gynecologic and Obstetric Endoscopy</i> , 2016 , 31, 464-469	0	2
56	Prenatal diagnosis of holoprosencephaly with proboscis and cyclopa caused by monosomy 18p resulting from unbalanced whole-arm translocation of 18;21. <i>Case Reports in Perinatal Medicine</i> , 2016 , 5, 55-59	0.6	1
55	Protein S deficiency complicated pregnancy in women with recurrent pregnancy loss. <i>Gynecological Endocrinology</i> , 2016 , 32, 672-674	2.4	4
54	Neurological outcomes in symptomatic congenital cytomegalovirus-infected infants after introduction of newborn urine screening and antiviral treatment. <i>Brain and Development</i> , 2016 , 38, 209-16	2.2	30
53	Evaluation of interobserver variability and diagnostic performance of developed MRI-based radiological scoring system for invasive placenta previa. <i>Journal of Magnetic Resonance Imaging</i> , 2016 , 44, 573-83	5.6	17
52	Risk factors for postpartum glucose intolerance in women with gestational diabetes mellitus. <i>Gynecological Endocrinology</i> , 2016 , 32, 803-806	2.4	10
51	Divergence of helper, cytotoxic, and regulatory T cells in the decidua from miscarriage. <i>American Journal of Reproductive Immunology</i> , 2016 , 76, 199-204	3.8	16
50	Medium-dose intravenous immunoglobulin therapy for women with six or more recurrent miscarriages. <i>Journal of Reproductive Immunology</i> , 2015 , 109, 48-51	4.2	8
49	The IgG avidity value for the prediction of <i>Toxoplasma gondii</i> infection in the amniotic fluid. <i>Journal of Infection and Chemotherapy</i> , 2015 , 21, 668-71	2.2	3
48	History of biochemical pregnancy was associated with the subsequent reproductive failure among women with recurrent spontaneous abortion. <i>Gynecological Endocrinology</i> , 2015 , 31, 306-8	2.4	10
47	Rapid increase in the serum Cytomegalovirus IgG avidity index in women with a congenitally infected fetus. <i>Journal of Clinical Virology</i> , 2015 , 66, 44-7	14.5	12
46	Incidence of short stature at 3 years of age in late preterm infants: a population-based study. <i>Archives of Disease in Childhood</i> , 2015 , 100, 250-4	2.2	13
45	Prediction of adherent placenta in pregnancy with placenta previa using ultrasonography and magnetic resonance imaging. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 187, 41-4	2.4	7
44	β ₂ -Glycoprotein I/HLA class II complexes are novel autoantigens in antiphospholipid syndrome. <i>Blood</i> , 2015 , 125, 2835-44	2.2	42
43	Prenatal genetic testing for familial severe congenital protein C deficiency. <i>Human Genome Variation</i> , 2015 , 2, 15017	1.8	4
42	Low levels of plasma protein S, protein C and coagulation factor XII during early pregnancy and adverse pregnancy outcome. <i>Thrombosis and Haemostasis</i> , 2015 , 114, 65-9	7	19

41	Low total IgM values and high cytomegalovirus loads in the blood of newborns with symptomatic congenital cytomegalovirus infection. <i>Journal of Perinatal Medicine</i> , 2015 , 43, 239-43	2.7	14
40	Nationwide survey of mother-to-child infections in Japan. <i>Journal of Infection and Chemotherapy</i> , 2015 , 21, 161-4	2.2	18
39	Postnatal serum concentrations of endogenous free fatty acids in newborns admitted to the neonatal intensive care unit: effects on unbound bilirubin. <i>Annals of Clinical Biochemistry</i> , 2014 , 51, 680-7	2.2	2
38	Quantitative evaluation of ventricular dilatation using computed tomography in infants with congenital cytomegalovirus infection. <i>Brain and Development</i> , 2014 , 36, 10-5	2.2	8
37	Risk factors for neonatal thyroid dysfunction in pregnancies complicated by Graves Disease. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014 , 177, 89-93	2.4	11
36	Association of a vascular endothelial growth factor polymorphism with the development of bronchopulmonary dysplasia in Japanese premature newborns. <i>Scientific Reports</i> , 2014 , 4, 4459	4.9	19
35	Awareness of and knowledge about mother-to-child infections in Japanese pregnant women. <i>Congenital Anomalies (discontinued)</i> , 2014 , 54, 35-40	1.1	21
34	Nationwide survey of maternal screening for mother-to-child infections in Japan. <i>Congenital Anomalies (discontinued)</i> , 2014 , 54, 100-3	1.1	5
33	The factors associated with the failure of transcatheter pelvic arterial embolization for intractable postpartum hemorrhage. <i>Journal of Perinatal Medicine</i> , 2014 , 42, 359-62	2.7	9
32	The IgG avidity value for the prediction of congenital cytomegalovirus infection in a prospective cohort study. <i>Journal of Perinatal Medicine</i> , 2014 , 42, 755-9	2.7	10
31	Novel MRI finding for diagnosis of invasive placenta praevia: evaluation of findings for 65 patients using clinical and histopathological correlations. <i>European Radiology</i> , 2014 , 24, 881-8	8	52
30	Second trimester fetal death caused by varicella-zoster virus infection. <i>Journal of Medical Virology</i> , 2013 , 85, 935-8	19.7	5
29	Relaxin has anti-apoptotic effects on human trophoblast-derived HTR-8/SV neo cells. <i>Gynecological Endocrinology</i> , 2013 , 29, 1051-4	2.4	10
28	Argatroban therapy for heparin-induced thrombocytopenia during pregnancy in a woman with hereditary antithrombin deficiency. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 749-52	1.9	18
27	Low IgG avidity and ultrasound fetal abnormality predict congenital cytomegalovirus infection. <i>Journal of Medical Virology</i> , 2012 , 84, 1928-33	19.7	18
26	Recombinant H2 relaxin inhibits apoptosis and induces cell proliferation in cultured leiomyoma cells without affecting those in cultured normal myometrial cells. <i>Fertility and Sterility</i> , 2012 , 97, 734-41	4.8	10
25	A high dose intravenous immunoglobulin therapy for women with four or more recurrent spontaneous abortions. <i>ISRN Obstetrics & Gynecology</i> , 2012 , 2012, 512732		15
24	A successful birth of severe secondary recurrent miscarriage case after a decline of phosphatidylserine-dependent anti-prothrombin antibody by intravenous immunoglobulin administration. <i>Open Journal of Obstetrics and Gynecology</i> , 2012 , 02, 156-160	0.1	1

23	Ectopic ovary found in laparoscopic surgery: case report. <i>Japanese Journal of Gynecologic and Obstetric Endoscopy</i> , 2012 , 28, 378-381	0	
22	Screening for congenital cytomegalovirus infection using newborn urine samples collected on filter paper: feasibility and outcomes from a multicentre study. <i>BMJ Open</i> , 2011 , 1, e000118	3	83
21	Prospective study of congenital toxoplasmosis screening with use of IgG avidity and multiplex nested PCR methods. <i>Journal of Clinical Microbiology</i> , 2011 , 49, 2552-6	9.7	40
20	Intravenous immunoglobulin therapy for aspirin-heparinoid-resistant antiphospholipid syndrome. <i>Reproductive Medicine and Biology</i> , 2010 , 9, 217-221	4.1	4
19	Anti-beta2 glycoprotein-I antibody increases the risk of pregnancy-induced hypertension: a case-controlled study. <i>Journal of Reproductive Immunology</i> , 2010 , 84, 95-9	4.2	16
18	Antiphospholipid antibodies increase the risk of pregnancy-induced hypertension and adverse pregnancy outcomes. <i>Journal of Reproductive Immunology</i> , 2009 , 79, 188-95	4.2	64
17	A high dose of intravenous immunoglobulin increases CD94 expression on natural killer cells in women with recurrent spontaneous abortion. <i>American Journal of Reproductive Immunology</i> , 2009 , 62, 301-7	3.8	19
16	A case of congenital toxoplasmosis whose mother demonstrated serum low IgG avidity and positive tests for multiplex-nested PCR in the amniotic fluid. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009 , 35, 372-8		9
15	Screening for vaginal shedding of cytomegalovirus in healthy pregnant women using real-time PCR: correlation of CMV in the vagina and adverse outcome of pregnancy. <i>Journal of Medical Virology</i> , 2006 , 78, 757-9	19.7	30
14	Natural killer, natural killer T, helper and cytotoxic T cells in the decidua from sporadic miscarriage. <i>American Journal of Reproductive Immunology</i> , 2006 , 56, 193-200	3.8	28
13	Divergence of natural killer cell receptor and related molecule in the decidua from sporadic miscarriage with normal chromosome karyotype. <i>Molecular Human Reproduction</i> , 2005 , 11, 451-7	4.4	30
12	Expression of allograft inflammatory factor-1 in mouse uterus and poly(I:C)-induced fetal resorption. <i>American Journal of Reproductive Immunology</i> , 2003 , 50, 104-12	3.8	28
11	Pre-conceptional natural killer cell activity and percentage as predictors of biochemical pregnancy and spontaneous abortion with normal chromosome karyotype. <i>American Journal of Reproductive Immunology</i> , 2003 , 50, 351-4	3.8	111
10	Intravenous immunoglobulin treatment in women with recurrent abortions: increased cytokine levels and reduced Th1/Th2 lymphocyte ratio in peripheral blood. <i>American Journal of Reproductive Immunology</i> , 2003 , 49, 84-9	3.8	49
9	Prevalence of diverse antiphospholipid antibodies in women with recurrent spontaneous abortion. <i>Fertility and Sterility</i> , 2003 , 80, 1276-8	4.8	17
8	Massive intravenous immunoglobulin treatment in women with four or more recurrent spontaneous abortions of unexplained etiology: down-regulation of NK cell activity and subsets. <i>American Journal of Reproductive Immunology</i> , 2001 , 46, 399-404	3.8	39
7	Management of pregnancy with congenital antithrombin III deficiency: two case reports and a review of the literature. <i>Journal of Obstetrics and Gynaecology Research</i> , 2001 , 27, 189-97		22
6	Recurrent pregnancy loss: etiology of thrombophilia. <i>Seminars in Thrombosis and Hemostasis</i> , 2001 , 27, 121-9	5.3	37

5	NK cell activity and subsets in women with a history of spontaneous abortion. Cause, number of abortions, and subsequent pregnancy outcome. <i>Gynecologic and Obstetric Investigation</i> , 2001 , 52, 163-7	2.5	19
4	Factor XII deficiency in women with recurrent miscarriage. <i>Gynecologic and Obstetric Investigation</i> , 2000 , 49, 80-3	2.5	28
3	Hypocomplementemia correlates with intrauterine growth retardation in systemic lupus erythematosus. <i>American Journal of Reproductive Immunology</i> , 1999 , 42, 153-9	3.8	18
2	Subchromosomal mapping of a putative transformation suppressor gene on human chromosome 1. <i>Japanese Journal of Cancer Research</i> , 1995 , 86, 444-50		2
1	Construction of mouse A9 clones containing a single human chromosome tagged with neomycin-resistance gene via microcell fusion. <i>Japanese Journal of Cancer Research</i> , 1989 , 80, 413-8		136