

Haruki Kume

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2318260/haruki-kume-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

135 papers	1,237 citations	18 h-index	29 g-index
146 ext. papers	1,652 ext. citations	3.7 avg, IF	4.11 L-index

#	Paper	IF	Citations
135	Recurrent somatic mutations underlie corticotropin-independent Cushing's syndrome. <i>Science</i> , 2014 , 344, 917-20	33.3	142
134	TCEB1-mutated renal cell carcinoma: a distinct genomic and morphological subtype. <i>Modern Pathology</i> , 2015 , 28, 845-853	9.8	76
133	Sarcopenia Evaluated Using the Skeletal Muscle Index Is a Significant Prognostic Factor for Metastatic Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, 237-43	3.3	56
132	Fluorescence Detection of Prostate Cancer by an Activatable Fluorescence Probe for PSMA Carboxypeptidase Activity. <i>Journal of the American Chemical Society</i> , 2019 , 141, 10409-10416	16.4	42
131	Preserved Na/HCO ₃ cotransporter sensitivity to insulin may promote hypertension in metabolic syndrome. <i>Kidney International</i> , 2015 , 87, 535-42	9.9	35
130	Pretreatment neutrophil-to-lymphocyte ratio as an independent predictor of survival in patients with metastatic urothelial carcinoma: A multi-institutional study. <i>International Journal of Urology</i> , 2015 , 22, 638-43	2.3	34
129	Expression of androgen and estrogen signaling components and stem cell markers to predict cancer progression and cancer-specific survival in patients with metastatic prostate cancer. <i>Clinical Cancer Research</i> , 2014 , 20, 4625-35	12.9	33
128	Integration of Recurrent Somatic Mutations with Clinical Outcomes: A Pooled Analysis of 1049 Patients with Clear Cell Renal Cell Carcinoma. <i>European Urology Focus</i> , 2017 , 3, 421-427	5.1	29
127	Botulinum toxin type A injection for refractory interstitial cystitis: A randomized comparative study and predictors of treatment response. <i>International Journal of Urology</i> , 2015 , 22, 835-41	2.3	28
126	Stimulatory effect of insulin on renal proximal tubule sodium transport is preserved in type 2 diabetes with nephropathy. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 461, 154-8	3.4	25
125	Loss of imprinting of igf2 in renal-cell carcinomas. <i>International Journal of Cancer</i> , 1998 , 75, 343-6	7.5	25
124	Molecular Taxonomy of Interstitial Cystitis/Bladder Pain Syndrome Based on Whole Transcriptome Profiling by Next-Generation RNA Sequencing of Bladder Mucosal Biopsies. <i>Journal of Urology</i> , 2019 , 202, 290-300	2.5	25
123	Bladder recurrence of upper urinary tract cancer after laparoscopic surgery. <i>Journal of Surgical Oncology</i> , 2006 , 93, 318-22	2.8	24
122	Irinotecan as a new agent for urachal cancer. <i>Urologia Internationalis</i> , 2006 , 76, 281-2	1.9	24
121	Hydrodistension with or without fulguration of hunner lesions for interstitial cystitis: Long-term outcomes and prognostic predictors. <i>Neurourology and Urodynamics</i> , 2016 , 35, 965-969	2.3	23
120	HapMuC: somatic mutation calling using heterozygous germ line variants near candidate mutations. <i>Bioinformatics</i> , 2014 , 30, 3302-9	7.2	19
119	TRIM44 promotes cell proliferation and migration by inhibiting FRK in renal cell carcinoma. <i>Cancer Science</i> , 2020 , 111, 881-890	6.9	18

118	Angiotensin II dose-dependently stimulates human renal proximal tubule transport by the nitric oxide/guanosine 3',5'-cyclic monophosphate pathway. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 1523-32	12.7	18
117	Novel lincRNA SLINKY is a prognostic biomarker in kidney cancer. <i>Oncotarget</i> , 2017 , 8, 18657-18669	3.3	16
116	The prognostic value of PD-L1 expression in upper tract urothelial carcinoma varies according to platelet count. <i>Cancer Medicine</i> , 2018 , 7, 4330-4338	4.8	16
115	Robot-assisted radical prostatectomy significantly reduced biochemical recurrence compared to retro pubic radical prostatectomy. <i>BMC Cancer</i> , 2017 , 17, 454	4.8	16
114	Toremifene, a selective estrogen receptor modulator, significantly improved biochemical recurrence in bone metastatic prostate cancer: a randomized controlled phase II trial. <i>BMC Cancer</i> , 2015 , 15, 836	4.8	16
113	Skeletal-related events and prognosis in urothelial cancer patients with bone metastasis. <i>International Journal of Clinical Oncology</i> , 2017 , 22, 548-553	4.2	15
112	Incidence and risk factors of inguinal hernia after robot-assisted radical prostatectomy. <i>World Journal of Surgical Oncology</i> , 2017 , 15, 61	3.4	15
111	HER2 protein overexpression and gene amplification in upper urinary tract urothelial carcinoma-an analysis of 171 patients. <i>International Journal of Clinical and Experimental Pathology</i> , 2014 , 7, 699-708	1.4	15
110	Validation of an educational program balancing surgeon training and surgical quality control during robot-assisted radical prostatectomy. <i>International Journal of Urology</i> , 2016 , 23, 160-6	2.3	15
109	Preoperative chronic kidney disease is predictive of oncological outcome of radical cystectomy for bladder cancer. <i>World Journal of Urology</i> , 2018 , 36, 249-256	4	15
108	Efficacy of post-nephroureterectomy cisplatin-based adjuvant chemotherapy for locally advanced upper tract urothelial carcinoma: a multi-institutional retrospective study. <i>World Journal of Urology</i> , 2017 , 35, 1569-1575	4	14
107	Nomogram for predicting survival of postcystectomy recurrent urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 457.e15-457.e21	2.8	13
106	Comparison of perioperative outcomes in elderly (age ≥ 75 years) vs. younger men undergoing robot-assisted radical prostatectomy. <i>PLoS ONE</i> , 2020 , 15, e0234113	3.7	13
105	Oncologic Outcome of Metastasectomy for Urothelial Carcinoma: Who Is the Best Candidate?. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2794-2800	3.1	13
104	Elucidation of the molecular mechanisms underlying adverse reactions associated with a kinase inhibitor using systems toxicology. <i>Npj Systems Biology and Applications</i> , 2015 , 1, 15005	5	13
103	Molecular classification and diagnostics of upper urinary tract urothelial carcinoma. <i>Cancer Cell</i> , 2021 , 39, 793-809.e8	24.3	13
102	Video-urodynamic effects of mirabegron, a β ₃ -adrenoceptor agonist, in patients with low-compliance bladder. <i>International Journal of Urology</i> , 2015 , 22, 956-61	2.3	12
101	Impact of Gleason pattern 5 including tertiary pattern 5 on outcomes of salvage treatment for biochemical recurrence in pT2-3N0M0 prostate cancer. <i>International Journal of Clinical Oncology</i> , 2016 , 21, 975-980	4.2	12

100	Extent of Hunner lesions: The relationships with symptom severity and clinical parameters in Hunner type interstitial cystitis patients. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1441-1447	2.3	11
99	Biphasic decline in renal function after radical cystectomy with urinary diversion. <i>International Journal of Clinical Oncology</i> , 2017 , 22, 359-365	4.2	11
98	Radical Prostatectomy versus External Beam Radiotherapy for cT1-4N0M0 Prostate Cancer: Comparison of Patient Outcomes Including Mortality. <i>PLoS ONE</i> , 2015 , 10, e0141123	3.7	11
97	Comprehensive epigenome characterization reveals diverse transcriptional regulation across human vascular endothelial cells. <i>Epigenetics and Chromatin</i> , 2019 , 12, 77	5.8	11
96	Androgen-responsive tripartite motif 36 enhances tumor-suppressive effect by regulating apoptosis-related pathway in prostate cancer. <i>Cancer Science</i> , 2018 , 109, 3840-3852	6.9	11
95	Attenuated lipopolysaccharide-induced inflammatory bladder hypersensitivity in mice deficient of transient receptor potential ankin1. <i>Scientific Reports</i> , 2018 , 8, 15622	4.9	11
94	Validation of major prognostic models for metastatic urothelial carcinoma using a multi-institutional cohort of the real world. <i>World Journal of Urology</i> , 2016 , 34, 163-71	4	10
93	Optimal timing of salvage radiotherapy for biochemical recurrence after radical prostatectomy: is ultra-early salvage radiotherapy beneficial?. <i>Radiation Oncology</i> , 2016 , 11, 102	4.2	10
92	Overactive bladder is a negative predictor of achieving continence after robot-assisted radical prostatectomy. <i>International Journal of Urology</i> , 2017 , 24, 749-756	2.3	10
91	MAGE-A expression, immune microenvironment, and prognosis in upper urinary tract carcinoma. <i>Human Pathology</i> , 2016 , 50, 62-9	3.7	9
90	Establishment of permutation for cancer risk estimation in the urothelium based on genome-wide DNA methylation analysis. <i>Carcinogenesis</i> , 2019 , 40, 1308-1319	4.6	9
89	High expression of heat shock protein 105 predicts a favorable prognosis for patients with urinary bladder cancer treated with radical cystectomy. <i>Molecular and Clinical Oncology</i> , 2014 , 2, 38-42	1.6	9
88	A Fatal Case of Myocarditis Following Myositis Induced by Pembrolizumab Treatment for Metastatic Upper Urinary Tract Urothelial Carcinoma. <i>International Heart Journal</i> , 2020 , 61, 1070-1074	1.8	9
87	Immune-related adverse events predict the therapeutic efficacy of pembrolizumab in urothelial cancer patients. <i>European Journal of Cancer</i> , 2019 , 116, 114-115	7.5	8
86	Prognostic value of CD66b positive tumor-infiltrating neutrophils in testicular germ cell tumor. <i>BMC Cancer</i> , 2016 , 16, 898	4.8	8
85	Insulin promotes sodium transport but suppresses gluconeogenesis via distinct cellular pathways in human and rat renal proximal tubules. <i>Kidney International</i> , 2020 , 97, 316-326	9.9	8
84	Symptoms at diagnosis as independent prognostic factors in retroperitoneal liposarcoma. <i>Molecular and Clinical Oncology</i> , 2016 , 4, 255-260	1.6	7
83	Lower ureteral lesion is an independent predictor of intravesical recurrence after radical nephroureterectomy for upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 59.e9-13	2.8	7

82	Longitudinal change of comprehensive lower urinary tract symptoms and various types of urinary incontinence during robot-assisted radical prostatectomy. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1067-1075	2.3	6
81	Prognostic significance of neutrophil-to-lymphocyte ratio in collecting duct carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2018 , 48, 692-694	2.8	6
80	Carbon 11-choline positron emission tomography/computed tomography and palliative local therapy for castration-resistant prostate cancer. <i>International Urology and Nephrology</i> , 2019 , 51, 1763-1769	2.3	6
79	Combination of docetaxel, ifosfamide and cisplatin (DIP) as a potential salvage chemotherapy for metastatic urothelial carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2015 , 45, 281-5	2.8	6
78	Signet-ring cell carcinoma of the urinary bladder associated with transitional cell carcinoma of the right ureter. <i>Scandinavian Journal of Urology and Nephrology</i> , 2000 , 34, 278-9		6
77	Squamous differentiation and prognosis in upper urinary tract urothelial carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 7203-9	1.4	6
76	Regional clinical practice variation in urology: Usage example of the Open Data of the National Database of Health Insurance Claims and Specific Health Checkups of Japan. <i>International Journal of Urology</i> , 2019 , 26, 303-305	2.3	6
75	Sleep Apnea and Circadian Extracellular Fluid Change as Independent Factors for Nocturnal Polyuria. <i>Journal of Urology</i> , 2016 , 196, 1183-9	2.5	5
74	Profiling the inhibitory receptors LAG-3, TIM-3, and TIGIT in renal cell carcinoma reveals malignancy. <i>Nature Communications</i> , 2021 , 12, 5547	17.4	5
73	Prognostic significance of serum neuron-specific enolase in small cell carcinoma of the urinary bladder. <i>World Journal of Urology</i> , 2017 , 35, 97-103	4	4
72	Quantification of the individual risk of each Gleason pattern, including tertiary Gleason pattern 5, after radical prostatectomy: development of the modified Gleason grade grouping (mGGG) model. <i>BMC Cancer</i> , 2020 , 20, 371	4.8	4
71	Clinical significance of random bladder biopsy in primary T1 bladder cancer. <i>Molecular and Clinical Oncology</i> , 2018 , 8, 665-670	1.6	4
70	Senescent Cells Impair Erectile Function through Induction of Endothelial Dysfunction and Nerve Injury in Mice. <i>PLoS ONE</i> , 2015 , 10, e0124129	3.7	4
69	A case of Birt-Hogg-Dubé syndrome implying reduced or no wild-type folliculin without mutated protein is pathogenic. <i>European Journal of Medical Genetics</i> , 2020 , 63, 103820	2.6	4
68	Clinical outcomes in donors and recipients of kidney transplantations involving medically complex living donors - a retrospective study. <i>Transplant International</i> , 2020 , 33, 1417-1423	3	4
67	The impact of complications after initial prostate biopsy on repeat protocol biopsy acceptance rate. Results from the Prostate Cancer Research International: Active Surveillance JAPAN study. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 2107-2114	4.2	4
66	Autoimmunity to urothelial antigen causes bladder inflammation, pelvic pain, and voiding dysfunction: a novel animal model for Hunner-type interstitial cystitis. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 320, F174-F182	4.3	4
65	Impact of age, body mass index, and renal function for severe hypotension caused by oral 5-aminolevulinic acid administration in patients undergoing transurethral resection of bladder tumor. <i>Photodiagnosis and Photodynamic Therapy</i> , 2021 , 33, 102179	3.5	4

64	Techniques of orthotopic renal transplantation in pigs. One donor to two recipients via inverted grafting. <i>Acta Cirurgica Brasileira</i> , 2021 , 36, e360208	1.6	4
63	Perinephric invasion as a prognostic factor in non-metastatic renal cell carcinoma: analysis of a nation-wide registry program. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 772-779	2.8	3
62	Nationwide survey of continence status among older adult residents living in long-term care facilities in Japan: The prevalence and associated risk factors of incontinence and effect of comprehensive care on continence status. <i>Geriatrics and Gerontology International</i> , 2020 , 20, 285-290	2.9	3
61	Predictors of Early Continence after Robot-assisted Radical Prostatectomy. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2018 , 10, 287-291	1.9	3
60	Overexpression of HIF1 α in Hunner Lesions of Interstitial Cystitis: Pathophysiological Implications. <i>Journal of Urology</i> , 2021 , 101097JU00000000000002278	2.5	3
59	B7-H3 expression in upper tract urothelial carcinoma associates with adverse clinicopathological features and poor survival. <i>Pathology Research and Practice</i> , 2020 , 216, 153219	3.4	3
58	Discovery of Functional Alternatively Spliced Transcripts in Human Cancers. <i>Cancers</i> , 2021 , 13,	6.6	3
57	Squamous differentiation is a potential biomarker predicting tumor progression in patients treated with pembrolizumab for urothelial carcinoma. <i>Pathology Research and Practice</i> , 2021 , 219, 153364	3.4	3
56	Robot-assisted radical prostatectomy versus volumetric modulated arc therapy: Comparison of front-line therapies for localized prostate cancer. <i>Radiotherapy and Oncology</i> , 2019 , 140, 62-67	5.3	2
55	Prospective evaluation of visual function in patients with ocular diseases after robot-assisted laparoscopic prostatectomy. <i>International Journal of Urology</i> , 2020 , 27, 307-312	2.3	2
54	Benefit of adjuvant immunotherapy in renal cell carcinoma: A myth or a reality?. <i>PLoS ONE</i> , 2017 , 12, e0172341	3.7	2
53	Adenocarcinoma at Anastomotic Site of Ureterosigmoidostomy Potentially of Urothelial Origin Spreading to the Upper Urinary Tract. <i>Case Reports in Urology</i> , 2015 , 2015, 564082	0.5	2
52	Axitinib Induces and Aggravates Hypertension Regardless of Prior Treatment With Tyrosine Kinase Inhibitors. <i>Circulation Reports</i> , 2021 , 3, 234-240	0.7	2
51	Long-term outcomes of androgen deprivation therapy in prostate cancer among Japanese men over 80 years old. <i>Cancer Science</i> , 2021 , 112, 3074-3082	6.9	2
50	Clinical characterization of interstitial cystitis/bladder pain syndrome in women based on the presence or absence of Hunner lesions and glomerulations. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2021 , 13, 139-143	1.9	2
49	Aggressive Cancer Behavior of Latent Gleason Pattern 5 in Prostatectomy Specimens. <i>Anticancer Research</i> , 2018 , 38, 6529-6535	2.3	2
48	A rare case of de novo large cell neuroendocrine carcinoma of the prostate with long-term survival after cystoprostatectomy and androgen deprivation. <i>Urology Case Reports</i> , 2018 , 21, 95-97	0.5	2
47	Stratification of patients with clear cell renal cell carcinoma to facilitate drug repositioning. <i>IScience</i> , 2021 , 24, 102722	6.1	2

46	Molecular analysis and literature-based hypothesis of an immunonegative prostate small cell carcinoma causing ectopic ACTH syndrome. <i>Endocrine Journal</i> , 2019 , 66, 547-554	2.9	1
45	Inverted papilloma of the urinary bladder shows fluorescence on photodynamic diagnosis using 5-aminolevulinic acid. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020 , 30, 101766	3.5	1
44	Penile size and stretched rate in a Japanese male population: A cross-sectional cadaveric study. <i>International Journal of Urology</i> , 2019 , 26, 936-937	2.3	1
43	Cancer-specific survival in patients with urothelial carcinoma of the bladder with recurrence after radical cystectomy: External validation of the prognostic risk stratification model.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 325-325	2.2	1
42	Evaluating the efficacy of a low-cost cognitive MRI-targeted prostate biopsy protocol: is there still a role for lower volume centers in the Prostate Imaging Reporting and Data System (PI-RADS) version 2 era?. <i>International Urology and Nephrology</i> , 2020 , 52, 2043-2050	2.3	1
41	Clinical significance and risk factors of International Society of Urological Pathology (ISUP) grade upgrading in prostate cancer patients undergoing robot-assisted radical prostatectomy. <i>BMC Cancer</i> , 2021 , 21, 501	4.8	1
40	Immune checkpoint inhibitor combination therapies very frequently induce secondary adrenal insufficiency. <i>Scientific Reports</i> , 2021 , 11, 11617	4.9	1
39	Lacking transient receptor potential melastatin 2 attenuates lipopolysaccharide-induced bladder inflammation and its associated hypersensitivity in mice. <i>International Journal of Urology</i> , 2021 , 28, 107-114	2.3	1
38	Relationship between the frequency of electrocautery of Hunner lesions and changes in bladder capacity in patients with Hunner type interstitial cystitis. <i>Scientific Reports</i> , 2021 , 11, 105	4.9	1
37	Regional and facility disparities in androgen deprivation therapy for prostate cancer from a multi-institutional Japan-wide database. <i>International Journal of Urology</i> , 2021 , 28, 584-591	2.3	1
36	Nose size indicates maximum penile length. <i>Basic and Clinical Andrology</i> , 2021 , 31, 3	2.8	1
35	Prognostic significance of the albumin-to-globulin ratio for advanced urothelial carcinoma treated with pembrolizumab: a multicenter retrospective study. <i>Scientific Reports</i> , 2021 , 11, 15623	4.9	1
34	Prediction of drug candidates for clear cell renal cell carcinoma using a systems biology-based drug repositioning approach.. <i>EBioMedicine</i> , 2022 , 78, 103963	8.8	1
33	Clinical characteristics of patients with inguinal hernia mesh migration into the bladder. <i>IJU Case Reports</i> ,	0.5	1
32	Onychomadesis following pembrolizumab treatment for metastatic urothelial carcinoma: A report of two cases. <i>European Journal of Cancer</i> , 2020 , 126, 91-92	7.5	0
31	Transient acute kidney injury observed immediately after robot-assisted radical prostatectomy but not after open radical prostatectomy. <i>Molecular and Clinical Oncology</i> , 2020 , 13, 18	1.6	0
30	A case of miliary tuberculosis following transurethral surgery and prostate biopsy after intravesical Bacillus Calmette-Guerin immunotherapy.. <i>IJU Case Reports</i> , 2022 , 5, 45-47	0.5	0
29	Smaller decline of renal function after nephroureterectomy predicts poorer prognosis of upper tract urothelial carcinoma: a multicentre retrospective study. <i>Japanese Journal of Clinical Oncology</i> , 2021 , 51, 1577-1586	2.8	0

28	Dynamics of conditional survival and risk factors in androgen deprivation therapy for prostate cancer using a multi-institutional Japan-wide database. <i>International Journal of Urology</i> , 2021 , 28, 927-935 ^{2,3}	3.3	○
27	An autopsy case of prostatic rhabdomyosarcoma with DICER1 hotspot mutation. <i>Pathology International</i> , 2021 , 71, 102-108	1.8	○
26	Comparison of major definitions of sarcopenia based on the skeletal muscle index in patients with urothelial carcinoma. <i>Future Oncology</i> , 2021 , 17, 197-203	3.6	○
25	Intravascular large B-cell lymphoma in renal cell carcinoma incidentally detected by robot-assisted partial nephrectomy.. <i>IJU Case Reports</i> , 2022 , 5, 191-194	0.5	○
24	Cessation of long-term adjuvant androgen deprivation therapy after radical prostatectomy: is it feasible?. <i>Japanese Journal of Clinical Oncology</i> , 2016 , 46, 1143-1147	2.8	
23	Adenoma-carcinoma Sequence in the Bladder After Augmentation Cystoplasty. <i>Urology Case Reports</i> , 2014 , 2, 73-4	0.5	
22	Intrascrotal dedifferentiated leiomyosarcoma originating from dartos muscle. <i>Case Reports in Urology</i> , 2014 , 2014, 841929	0.5	
21	Oxidized alkyl phospholipids stimulate sodium transport in proximal tubules via a non-genomic PPAR β -dependent pathway.. <i>Journal of Biological Chemistry</i> , 2022 , 101681	5.4	
20	Reply by Authors.. <i>Journal of Urology</i> , 2022 , 207, 646	2.5	
19	A cross-sectional cadaveric study of the correlation between genital organ measurements, serum testosterone, and serum prostate-specific antigen levels in Japanese male subjects. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2021 , 13, 36-42	3.4	
18	Outcomes of the patients with pT0 on first protocol biopsy during active surveillance for early prostate cancer: From the PRIAS-JAPAN study.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 20-20	2.2	
17	The impact of complications after diagnostic biopsy on repeat biopsy in men: Results from the Prostate Cancer Research International: Active surveillance (PRIAS-JAPAN) study.. <i>Journal of Clinical Oncology</i> , 2020 , 38, e17616-e17616	2.2	
16	Externally validated improved 5-factor prognostic model in patients (pts) receiving salvage systemic therapy for advanced urothelial carcinoma (UC).. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4527-4527 ^{2,2}	2.2	
15	Impact of prior platinum on patients receiving salvage systemic therapy for advanced urothelial carcinoma (UC).. <i>Journal of Clinical Oncology</i> , 2016 , 34, 386-386	2.2	
14	Baseline high-sensitivity C-reactive protein to predict progression-free survival in metastatic renal cell carcinoma patients treated with first-line sunitinib.. <i>Journal of Clinical Oncology</i> , 2013 , 31, e15527-e15527 ^{2,2}	1.5	
13	Multicenter phase II clinical trial of everolimus in Japanese patients with unresectable or metastatic renal cell carcinoma (mRCC) after failure of treatment with first-line tyrosine kinase inhibitor (TKI) therapy.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 455-455	2.2	
12	Novel operative technique of advancement urethral meatoplasty utilizing buccal mucosa for Vulvar Paget's disease with urethral invasion: two case reports. <i>Journal of Medical Case Reports</i> , 2021 , 15, 136	1.2	
11	Health Checkup of Urological Disease. <i>Health Evaluation and Promotion</i> , 2021 , 48, 319-324	0.1	

10	Clinical significance and risk factors of urethrovesical anastomotic urinary leakage following robot-assisted radical prostatectomy: a multi-institutional study. <i>BMC Urology</i> , 2021 , 21, 75	2.2
9	Latent prostate cancer among Japanese males: a bibliometric study of autopsy reports from 1980-2016. <i>Japanese Journal of Clinical Oncology</i> , 2021 , 51, 156-159	2.8
8	Dermatomyositis associated with prostate adenocarcinoma with neuroendocrine differentiation. <i>BMC Urology</i> , 2021 , 21, 8	2.2
7	Trends in prostate cancer diagnosis during the COVID-19 crisis: A report from one high-volume Japanese center. <i>GHM Open</i> , 2021 , 1, 28-30	
6	Early recurrence of bladder cancer in the colon after robot-assisted radical cystectomy: Disappearance following dose-dense methotrexate, vinblastine, doxorubicin and cisplatin treatment. <i>IJU Case Reports</i> , 2021 , 4, 429-432	0.5
5	Impact of Initial Computed Tomography Findings on Management of Atypical Urinary Cytology of the Upper Urinary Tract. <i>Urologia Internationalis</i> , 2021 , 105, 619-623	1.9
4	Development of a novel porcine ischemia/reperfusion model inducing different ischemia times in bilateral kidneys-effects of hydrogen gas inhalation.. <i>Translational Andrology and Urology</i> , 2022 , 11, 430-438	2.3
3	Reduction of residual tumors by photodynamic diagnosis-assisted TURBT using 5-aminolevulinic acid for high-risk nonmuscle-invasive bladder cancer (BRIGHT study).. <i>Journal of Clinical Oncology</i> , 2022 , 40, 489-489	2.2
2	Cumulative Incidence and Clinical Risk Factors of Radiation Cystitis after Radiotherapy for Prostate Cancer.. <i>Urologia Internationalis</i> , 2022 , 1-7	1.9
1	Primary signet-ring cell carcinoma of the renal pelvis: An autopsy case. <i>IJU Case Reports</i> ,	0.5