Kelly K Anderson

List of Publications by Citations

Source: https://exaly.com/author-pdf/2319381/kelly-k-anderson-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97 ext. papers 1,734 ext. citations 20 g-index 20 g-ind

| # | Paper | IF | Citations |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 85 | The pathways to mental health care of first-episode psychosis patients: a systematic review. <i>Psychological Medicine</i> , 2010 , 40, 1585-97 | 6.9 | 117 |
| 84 | Incidence of psychotic disorders among first-generation immigrants and refugees in Ontario. <i>Cmaj</i> , 2015 , 187, E279-E286 | 3.5 | 80 |
| 83 | Determinants of negative pathways to care and their impact on service disengagement in first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 125-36 | 4.5 | 67 |
| 82 | Association of Suicidality and Depression With 5EReductase Inhibitors. <i>JAMA Internal Medicine</i> , 2017 , 177, 683-691 | 11.5 | 66 |
| 81 | Pathways to mental health services for young people: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 1005-1038 | 4.5 | 64 |
| 80 | A meta-analysis of ethnic differences in pathways to care at the first episode of psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 257-68 | 6.5 | 55 |
| 79 | "There are too many steps before you get to where you need to be": help-seeking by patients with first-episode psychosis. <i>Journal of Mental Health</i> , 2013 , 22, 384-95 | 2.7 | 48 |
| 78 | Effectiveness of Early Psychosis Intervention: Comparison of Service Users and Nonusers in Population-Based Health Administrative Data. <i>American Journal of Psychiatry</i> , 2018 , 175, 443-452 | 11.9 | 45 |
| 77 | The traumatic experience of first-episode psychosis: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2017 , 189, 27-36 | 3.6 | 38 |
| 76 | Patterns of health services use prior to a first diagnosis of psychosis: the importance of primary care. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1389-98 | 4.5 | 37 |
| 75 | A systematic review of quality of life in parents of children with epilepsy. <i>Epilepsy and Behavior</i> , 2018 , 82, 38-45 | 3.2 | 35 |
| 74 | Stigmatizing attitudes toward mental illness among primary school children in Kenya. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 73-80 | 4.5 | 34 |
| 73 | Pathways to First-Episode Care for Psychosis in African-, Caribbean-, and European-Origin Groups in Ontario. <i>Canadian Journal of Psychiatry</i> , 2015 , 60, 223-31 | 4.8 | 33 |
| 72 | The incidence of first-episode schizophrenia-spectrum psychosis in adolescents and young adults in montreal: an estimate from an administrative claims database. <i>Canadian Journal of Psychiatry</i> , 2012 , 57, 626-33 | 4.8 | 31 |
| 71 | The African, Caribbean and European (ACE) Pathways to Care study: a qualitative exploration of similarities and differences between African-origin, Caribbean-origin and European-origin groups in pathways to care for psychosis. <i>BMJ Open</i> , 2015 , 5, e006562 | 3 | 25 |
| 70 | Minimal evidence that untreated psychosis damages brain structures: a systematic review. <i>Schizophrenia Research</i> , 2015 , 162, 222-33 | 3.6 | 25 |
| 69 | The role of untreated psychosis in neurodegeneration: a review of hypothesized mechanisms of neurotoxicity in first-episode psychosis. <i>Canadian Journal of Psychiatry</i> , 2014 , 59, 513-7 | 4.8 | 23 |

(2020-2021)

| 68 | Interplay between social media use, sleep quality, and mental health in youth: A systematic review. <i>Sleep Medicine Reviews</i> , 2021 , 56, 101414 | 10.2 | 23 |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----|
| 67 | Impaired response to amphetamine and neuronal degeneration in the nucleus accumbens of autoimmune MRL-lpr mice. <i>Behavioural Brain Research</i> , 2006 , 166, 32-8 | 3.4 | 22 |
| 66 | Race, ethnicity, and the duration of untreated psychosis: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1161-74 | 4.5 | 21 |
| 65 | Sex and Diffusion Tensor Imaging of White Matter in Schizophrenia: A Systematic Review Plus Meta-analysis of the Corpus Callosum. <i>Schizophrenia Bulletin</i> , 2018 , 44, 203-221 | 1.3 | 19 |
| 64 | Estimating the incidence of first-episode psychosis using population-based health administrative data to inform early psychosis intervention services. <i>Psychological Medicine</i> , 2019 , 49, 2091-2099 | 6.9 | 19 |
| 63 | The prevalence of mental disorders among upper primary school children in Kenya. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 63-71 | 4.5 | 18 |
| 62 | Factors Associated with Timely Physician Follow-up after a First Diagnosis of Psychotic Disorder. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 268-277 | 4.8 | 18 |
| 61 | Examining the impact of migrant status on ethnic differences in mental health service use preceding a first diagnosis of schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 94 | 9 ⁴ 9̄を1 | 16 |
| 60 | Gender differences in pathways to care for early psychosis. <i>Microbial Biotechnology</i> , 2018 , 12, 355-361 | 3.3 | 16 |
| 59 | Knowledge and perceptions of tuberculosis among a sample of urban Aboriginal people. <i>Journal of Community Health</i> , 2008 , 33, 192-8 | 4 | 16 |
| 58 | The need for additional safeguards in the informed consent process in schizophrenia research. Journal of Medical Ethics, 2007 , 33, 647-50 | 2.5 | 16 |
| 57 | Involuntary hospitalization among young people with early psychosis: A population-based study using health administrative data. <i>Schizophrenia Research</i> , 2019 , 208, 276-284 | 3.6 | 14 |
| 56 | Disparities in Access to Early Psychosis Intervention Services: Comparison of Service Users and Nonusers in Health Administrative Data. <i>Canadian Journal of Psychiatry</i> , 2018 , 63, 395-403 | 4.8 | 14 |
| 55 | Views of family physicians in southwestern Ontario on preventive care services and performance incentives. <i>Family Practice</i> , 2006 , 23, 469-71 | 1.9 | 14 |
| 54 | Recurrence of bipolar disorder during pregnancy: a systematic review. <i>Archives of Womens Mental Health</i> , 2018 , 21, 475-479 | 5 | 13 |
| 53 | Patient Characteristics, Length of Stay, and Functional Improvement for Schizophrenia Spectrum Disorders: A Population Study of Inpatient Care in Ontario 2005 to 2015. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 854-863 | 4.8 | 12 |
| 52 | Age at migration and the risk of psychotic disorders: a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 410-420 | 6.5 | 12 |
| 51 | Sleep behaviours and multimorbidity occurrence in middle-aged and older adults: findings from the Canadian Longitudinal Study on Aging (CLSA). <i>Sleep Medicine</i> , 2020 , 75, 156-162 | 4.6 | 12 |

| 50 | Validation of the Quality of Life in Childhood Epilepsy Questionnaire (QOLCE-55 and QOLCE-16) for use by parents of young adults with childhood-onset epilepsy. <i>Epilepsy and Behavior</i> , 2020 , 104, 106904 | 3.2 | 11 |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|------------|
| 49 | Patient views on reminder letters for influenza vaccinations in an older primary care patient population: a mixed methods study. <i>Canadian Journal of Public Health</i> , 2008 , 99, 133-6 | 3.2 | 11 |
| 48 | Concordance between health administrative data and survey-derived diagnoses for mood and anxiety disorders. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 385-395 | 6.5 | 11 |
| 47 | Youth-focused group mindfulness-based intervention in individuals with early psychosis: A randomized pilot feasibility study. <i>Microbial Biotechnology</i> , 2019 , 13, 993-998 | 3.3 | 11 |
| 46 | Health-related quality of life in mothers of children with epilepsy: 10 years after diagnosis. <i>Quality of Life Research</i> , 2018 , 27, 969-977 | 3.7 | 10 |
| 45 | Acceptability of reminder letters for Papanicolaou tests: a survey of women from 23 Family Health Networks in Ontario. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2007 , 29, 829-34 | 1.3 | 10 |
| 44 | Practitioner Review: Pharmacological treatment of attention-deficit/hyperactivity disorder symptoms in children and youth with autism spectrum disorder: a systematic review and meta-analysis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 680-700 | 7.9 | 9 |
| 43 | Symptom profiles and explanatory models of first-episode psychosis in African-, Caribbean- and European-origin groups in Ontario. <i>Microbial Biotechnology</i> , 2017 , 11, 165-170 | 3.3 | 8 |
| 42 | Trajectories of quality of life 10 years following a diagnosis of epilepsy in childhood. <i>Epilepsia</i> , 2020 , 61, 1453-1463 | 6.4 | 8 |
| 41 | Untreated illness and recovery in clients of an early psychosis intervention program: a 10-year prospective cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 171-182 | 4.5 | 8 |
| 40 | Risk of involuntary admission among first-generation ethnic minority groups with early psychosis: a retrospective cohort study using health administrative data. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e59 | 5.1 | 7 |
| 39 | Prevalence and trajectories of depressive symptoms among mothers of children with newly diagnosed epilepsy: A longitudinal 10-year study. <i>Epilepsia</i> , 2019 , 60, 358-366 | 6.4 | 7 |
| 38 | Towards a public health approach to psychotic disorders. <i>Lancet Public Health, The</i> , 2019 , 4, e212-e213 | 22.4 | 6 |
| 37 | Gaps in Understanding of the Epidemiology of Mood and Anxiety Disorders among Migrant Groups in Canada: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 595-606 | 4.8 | 6 |
| 36 | Framing the incidence of psychotic disorders: the case for context. <i>Psychological Medicine</i> , 2019 , 49, 263 | 8 8. 363 | 8 6 |
| 35 | Early stopping rules in oncology: considerations for clinicians. <i>European Journal of Cancer</i> , 2011 , 47, 238 | 1 7. 65 | 6 |
| 34 | Challenges to tuberculin screening and follow-up in an urban Aboriginal sample in Montreal, Canada. <i>Journal of Health Care for the Poor and Underserved</i> , 2008 , 19, 369-79 | 1.4 | 6 |
| 33 | Social capital and psychosis: a scoping review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 659-671 | 4.5 | 6 |

(2020-2021)

| 32 | The risk of physical multimorbidity in people with psychotic disorders: A systematic review and meta-analysis. <i>Journal of Psychosomatic Research</i> , 2021 , 140, 110315 | 4.1 | 6 |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---|
| 31 | Understanding the role of the family physician in early psychosis intervention. <i>BJPsych Open</i> , 2018 , 4, 447-453 | 5 | 6 |
| 30 | Comparative analysis of pathways to early intervention services and duration of untreated psychosis in two Canadian cities. <i>Microbial Biotechnology</i> , 2017 , 11, 517-521 | 3.3 | 5 |
| 29 | Differences in duration of untreated psychosis for racial and ethnic minority groups with first-episode psychosis: an updated systematic review and meta-analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 1295-1298 | 4.5 | 5 |
| 28 | Stability of outcomes after 5 years of treatment in an early intervention programme. <i>Microbial Biotechnology</i> , 2018 , 12, 720-725 | 3.3 | 5 |
| 27 | Mortality After the First Diagnosis of Schizophrenia-Spectrum Disorders: A Population-based Retrospective Cohort Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 864-874 | 1.3 | 5 |
| 26 | Practice and physician characteristics associated with influenza vaccination delivery rates following a patient reminder letter intervention. <i>Journal of Primary Prevention</i> , 2008 , 29, 93-7 | 2.1 | 4 |
| 25 | Psychometric properties of the Ndetei-Othieno-Kathuku (NOK) Scale: A mental health assessment tool for an African setting. <i>Journal of Child and Adolescent Mental Health</i> , 2017 , 29, 39-49 | 1.7 | 3 |
| 24 | Early Psychosis Intervention-Spreading Evidence-based Treatment (EPI-SET): protocol for an effectiveness-implementation study of a structured model of care for psychosis in youth and emerging adults. <i>BMJ Open</i> , 2020 , 10, e034280 | 3 | 3 |
| 23 | The Incidence of Psychotic Disorders and Area-level Marginalization in Ontario, Canada: A Population-based Retrospective Cohort Study. <i>Canadian Journal of Psychiatry</i> , 2021 , 706743721101185 | 52 ^{4.8} | 3 |
| 22 | A Bayesian approach to estimating the population prevalence of mood and anxiety disorders using multiple measures. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e4 | 5.1 | 3 |
| 21 | Ethnic differences in physician follow-up after a first diagnosis of psychotic disorder. <i>Schizophrenia Research</i> , 2018 , 193, 463-464 | 3.6 | 2 |
| 20 | Psychiatric hospitalization following psychosis onset: A retrospective cohort study using health administrative data. <i>Microbial Biotechnology</i> , 2020 , 14, 235-240 | 3.3 | 2 |
| 19 | Interventions for people at ultra-high risk for psychosis: A systematic review of economic evaluations. <i>Microbial Biotechnology</i> , 2021 , 15, 1115-1126 | 3.3 | 2 |
| 18 | The Case for Cautious Interpretation and Replication: Lead-Time Bias as a Potential Explanation for the Link Between Duration of Untreated Psychosis and Outcome. <i>American Journal of Psychiatry</i> , 2020 , 177, 1180-1181 | 11.9 | 2 |
| 17 | Unmet need for mental health services among people screened but not admitted to an early psychosis intervention program. <i>Schizophrenia Research</i> , 2019 , 204, 55-57 | 3.6 | 2 |
| 16 | Participatory video as a novel recovery-oriented intervention in early psychosis: A pilot study. <i>International Journal of Social Psychiatry</i> , 2020 , 66, 780-784 | 8.5 | 1 |
| 15 | Sleep difficulties and alcohol use behaviors in adolescents and young adults: a systematic review. <i>European Journal of Public Health</i> , 2020 , 30, | 2.1 | 1 |

| 14 | Neighbourhood-level social capital, marginalisation, and the incidence of schizophrenia and schizoaffective disorder in Toronto, Canada: a retrospective population-based cohort study. <i>Psychological Medicine</i> , 2021 , 1-9 | 6.9 | 1 |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|----------------|
| 13 | Access and Health System Impact of an Early Intervention Treatment Program for Emerging Adults with Mood and Anxiety Disorders. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 492-500 | 4.8 | 1 |
| 12 | The prevalence of physical multimorbidity among people with non-affective psychotic disorders 10 years after first diagnosis: a matched retrospective cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1 | 4.5 | 1 |
| 11 | Healthcare utilization costs of emerging adults with mood and anxiety disorders in an early intervention treatment program compared to a matched cohort. <i>Microbial Biotechnology</i> , 2019 , 13, 143 | 9 ³ 1 ³ 446 | ; ⁰ |
| 10 | Green Space and the Incidence of Schizophrenia in Toronto, Canada <i>Canadian Journal of Psychiatry</i> , 2022 , 7067437221076722 | 4.8 | О |
| 9 | Patterns of Primary Care Use Prior to a First Diagnosis of Nonaffective Psychotic Disorder in Ontario, Canada: Modles d'utilisation des soins de premille ligne avant un premier diagnostic de trouble psychotique non affectif en Ontario, Canada. <i>Canadian Journal of Psychiatry</i> , 2021 , 66, 406-417 | 4.8 | O |
| 8 | Physician remuneration schemes, psychiatric hospitalizations and follow-up care: Evidence from blended fee-for-service and capitation models. <i>Social Science and Medicine</i> , 2021 , 268, 113465 | 5.1 | O |
| 7 | An App-Based Surveillance System for Undergraduate StudentsTMental Health During the COVID-19 Pandemic: Protocol for a Prospective Cohort Study. <i>JMIR Research Protocols</i> , 2021 , 10, e3050 | 4 ² | O |
| 6 | Residential greenness and substance use among youth and young adults: Associations with alcohol, tobacco, and marijuana use <i>Environmental Research</i> , 2022 , 212, 113124 | 7.9 | 0 |
| 5 | Associations between sleep patterns, smoking, and alcohol use among older adults in Canada: Insights from the Canadian Longitudinal Study on Aging (CLSA) <i>Addictive Behaviors</i> , 2022 , 132, 107345 | 4.2 | O |
| 4 | ED to EPI: protocol for a pragmatic randomised controlled trial of an SMS (text) messaging intervention to improve the transition from the emergency department to early psychosis intervention for young people with psychosis. <i>BMJ Open</i> , 2020 , 10, e042751 | 3 | |
| 3 | Examining Variations in the Prevalence of Diagnosed Mood or Anxiety Disorders Among Migrant Groups in Ontario, 1995-2015: A Population-Based, Repeated Cross-Sectional Study: Examen des variations de la pr alence des troubles anxieux ou de l fiumeur diagnostiqu chez les groupes de | 4.8 | |
| 2 | Factors associated with initiation of community-based therapy for emerging adults with mood and anxiety disorders. <i>Microbial Biotechnology</i> , 2021 , 15, 123-132 | 3.3 | |
| 1 | Mental Health Services Provision in Primary Care and Emergency Department Settings: Analysis of Blended Fee-for-Service and Blended Capitation Models in Ontario, Canada. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2021 , 48, 654-667 | 3.1 | |