

Michael Griffin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2320548/publications.pdf>

Version: 2024-02-01

104
papers

3,053
citations

172207

29
h-index

214527

47
g-index

107
all docs

107
docs citations

107
times ranked

4225
citing authors

#	ARTICLE	IF	CITATIONS
1	Transferrin receptor 1 is a reticulocyte-specific receptor for <i>Plasmodium vivax</i> . <i>Science</i> , 2018, 359, 48-55.	6.0	158
2	Conformational switching of the pseudokinase domain promotes human MLKL tetramerization and cell death by necroptosis. <i>Nature Communications</i> , 2018, 9, 2422.	5.8	154
3	Small Heat-shock Proteins Prevent α -Synuclein Aggregation via Transient Interactions and Their Efficacy Is Affected by the Rate of Aggregation. <i>Journal of Biological Chemistry</i> , 2016, 291, 22618-22629.	1.6	96
4	Methionine oxidation induces amyloid fibril formation by full-length apolipoprotein A-I. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 1977-1982.	3.3	87
5	Structure and Evolution of a Novel Dimeric Enzyme from a Clinically Important Bacterial Pathogen. <i>Journal of Biological Chemistry</i> , 2008, 283, 27598-27603.	1.6	85
6	The crystal structures of native and (S)-lysine-bound dihydrodipicolinate synthase from <i>Escherichia coli</i> with improved resolution show new features of biological significance. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2005, 61, 1116-1124.	2.5	77
7	Evolution of Quaternary Structure in a Homotetrameric Enzyme. <i>Journal of Molecular Biology</i> , 2008, 380, 691-703.	2.0	77
8	Crystal structure and kinetic study of dihydrodipicolinate synthase from <i>Mycobacterium tuberculosis</i> . <i>Biochemical Journal</i> , 2008, 411, 351-360.	1.7	74
9	The brace helices of MLKL mediate interdomain communication and oligomerisation to regulate cell death by necroptosis. <i>Cell Death and Differentiation</i> , 2018, 25, 1567-1580.	5.0	66
10	A Novel Ultra-Stable, Monomeric Green Fluorescent Protein For Direct Volumetric Imaging of Whole Organs Using CLARITY. <i>Scientific Reports</i> , 2018, 8, 667.	1.6	66
11	Phospholipid Interaction Induces Molecular-level Polymorphism in Apolipoprotein C-II Amyloid Fibrils via Alternative Assembly Pathways. <i>Journal of Molecular Biology</i> , 2008, 375, 240-256.	2.0	63
12	Loss of NF- κ B1 Causes Gastric Cancer with Aberrant Inflammation and Expression of Immune Checkpoint Regulators in a STAT-1-Dependent Manner. <i>Immunity</i> , 2018, 48, 570-583.e8.	6.6	61
13	Structural Understanding of Interleukin 6 Family Cytokine Signaling and Targeted Therapies: Focus on Interleukin 11. <i>Frontiers in Immunology</i> , 2020, 11, 1424.	2.2	60
14	Emerging roles for the IL-6 family of cytokines in pancreatic cancer. <i>Clinical Science</i> , 2020, 134, 2091-2115.	1.8	59
15	Apolipoproteins and amyloid fibril formation in atherosclerosis. <i>Protein and Cell</i> , 2011, 2, 116-127.	4.8	57
16	Biochemical and Structural Insights into Doublecortin-like Kinase Domain 1. <i>Structure</i> , 2016, 24, 1550-1561.	1.6	56
17	A Structural Core Within Apolipoprotein C-II Amyloid Fibrils Identified Using Hydrogen Exchange and Proteolysis. <i>Journal of Molecular Biology</i> , 2007, 366, 1639-1651.	2.0	53
18	Insight into the self-association of key enzymes from pathogenic species. <i>European Biophysics Journal</i> , 2005, 34, 469-476.	1.2	50

#	ARTICLE	IF	CITATIONS
19	Dihydrodipicolinate synthase (DHDPS) from <i>Escherichia coli</i> displays partial mixed inhibition with respect to its first substrate, pyruvate. <i>Biochimie</i> , 2004, 86, 311-315.	1.3	47
20	Avoiding the oligomeric state: Î±-crystallin inhibits fragmentation and induces dissociation of apolipoprotein C-II amyloid fibrils. <i>FASEB Journal</i> , 2013, 27, 1214-1222.	0.2	47
21	The structure of human interleukin-11 reveals receptor-binding site features and structural differences from interleukin-6. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2014, 70, 2277-2285.	2.5	47
22	A Structural Model for Apolipoprotein C-II Amyloid Fibrils: Experimental Characterization and Molecular Dynamics Simulations. <i>Journal of Molecular Biology</i> , 2011, 405, 1246-1266.	2.0	45
23	Characterisation of the First Enzymes Committed to Lysine Biosynthesis in <i>Arabidopsis thaliana</i> . <i>PLoS ONE</i> , 2012, 7, e40318.	1.1	45
24	Substrate-mediated Stabilization of a Tetrameric Drug Target Reveals Achilles Heel in Anthrax. <i>Journal of Biological Chemistry</i> , 2010, 285, 5188-5195.	1.6	44
25	Cryo-EM structure of an essential <i>Plasmodium vivax</i> invasion complex. <i>Nature</i> , 2018, 559, 135-139.	13.7	43
26	Polyalanine expansions drive a shift into Î±-helical clusters without amyloid-fibril formation. <i>Nature Structural and Molecular Biology</i> , 2015, 22, 1008-1015.	3.6	42
27	Structure of Sgk223 pseudokinase reveals novel mechanisms of homotypic and heterotypic association. <i>Nature Communications</i> , 2017, 8, 1157.	5.8	40
28	Methionine Oxidation Inhibits Assembly and Promotes Disassembly of Apolipoprotein C-II Amyloid Fibrils. <i>Biochemistry</i> , 2008, 47, 10208-10217.	1.2	35
29	Selective inhibition of apicoplast tryptophanyl-tRNA synthetase causes delayed death in <i>Plasmodium falciparum</i> . <i>Scientific Reports</i> , 2016, 6, 27531.	1.6	34
30	The structure of the extracellular domains of human interleukin 11Î± receptor reveals mechanisms of cytokine engagement. <i>Journal of Biological Chemistry</i> , 2020, 295, 8285-8301.	1.6	33
31	Notch ligand delta-like1: X-ray crystal structure and binding affinity. <i>Biochemical Journal</i> , 2015, 468, 159-166.	1.7	32
32	Repurposing the selective estrogen receptor modulator <i>bazedoxifene</i> to suppress gastrointestinal cancer growth. <i>EMBO Molecular Medicine</i> , 2019, 11, .	3.3	32
33	Irreversible inhibition of dihydrodipicolinate synthase by 4-oxo-heptenedioic acid analogues. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 9975-9983.	1.4	31
34	Conserved main-chain peptide distortions: A proposed role for Ile203 in catalysis by dihydrodipicolinate synthase. <i>Protein Science</i> , 2008, 17, 2080-2090.	3.1	31
35	The structure of the PA28â€œ20S proteasome complex from <i>Plasmodium falciparum</i> and implications for proteostasis. <i>Nature Microbiology</i> , 2019, 4, 1990-2000.	5.9	31
36	Emerging roles for IL-11 in inflammatory diseases. <i>Cytokine</i> , 2022, 149, 155750.	1.4	31

#	ARTICLE	IF	CITATIONS
37	Characterization of the structure, expression and function of Pinus radiata D. Don arabinogalactan-proteins. <i>Planta</i> , 2007, 226, 1131-1142.	1.6	30
38	Effects of oxidation, pH and lipids on amyloidogenic peptide structure: implications for fibril formation?. <i>European Biophysics Journal</i> , 2008, 38, 99-110.	1.2	30
39	Exploring the dihydrodipicolinate synthase tetramer: How resilient is the dimer-dimer interface?. <i>Archives of Biochemistry and Biophysics</i> , 2010, 494, 58-63.	1.4	30
40	High-Affinity Amphipathic Modulators of Amyloid Fibril Nucleation and Elongation. <i>Journal of Molecular Biology</i> , 2011, 406, 416-429.	2.0	30
41	Small Oligomers of Ribulose-bisphosphate Carboxylase/Oxygenase (Rubisco) Activase Are Required for Biological Activity. <i>Journal of Biological Chemistry</i> , 2013, 288, 20607-20615.	1.6	30
42	Structural Elucidation of Viral Antagonism of Innate Immunity at the STAT1 Interface. <i>Cell Reports</i> , 2019, 29, 1934-1945.e8.	2.9	30
43	Chameleon aggregation-prone segments of apoA-I: A model of amyloid fibrils formed in apoA-I amyloidosis. <i>International Journal of Biological Macromolecules</i> , 2015, 79, 711-718.	3.6	29
44	Phosphorylation of the dimeric cytoplasmic domain of the phytosulfokine receptor, PSKR1. <i>Biochemical Journal</i> , 2016, 473, 3081-3098.	1.7	27
45	The Relationship between Oligomeric State and Protein Function. <i>Advances in Experimental Medicine and Biology</i> , 2012, 747, 74-90.	0.8	26
46	Determinants of oligosaccharide specificity of the carbohydrate-binding modules of AMP-activated protein kinase. <i>Biochemical Journal</i> , 2015, 468, 245-257.	1.7	26
47	Identification of an amyloid fibril forming peptide comprising residues 46-59 of apolipoprotein A-II. <i>FEBS Letters</i> , 2012, 586, 1754-1758.	1.3	25
48	Probing the correlation between ligand efficacy and conformational diversity at the β 1A-adrenoreceptor reveals allosteric coupling of its microswitches. <i>Journal of Biological Chemistry</i> , 2020, 295, 7404-7417.	1.6	25
49	Reaction hijacking of tyrosine tRNA synthetase as a new whole-of-life-cycle antimalarial strategy. <i>Science</i> , 2022, 376, 1074-1079.	6.0	25
50	Sedimentation velocity analysis of amyloid oligomers and fibrils using fluorescence detection. <i>Methods</i> , 2011, 54, 67-75.	1.9	24
51	N- and C-terminal regions of β -crystallin and Hsp27 mediate inhibition of amyloid nucleation, fibril binding, and fibril disaggregation. <i>Journal of Biological Chemistry</i> , 2020, 295, 9838-9854.	1.6	22
52	From Knock-Out Phenotype to Three-Dimensional Structure of a Promising Antibiotic Target from <i>Streptococcus pneumoniae</i> . <i>PLoS ONE</i> , 2013, 8, e83419.	1.1	22
53	EPO does not promote interaction between the erythropoietin and beta-common receptors. <i>Scientific Reports</i> , 2018, 8, 12457.	1.6	21
54	A repeat sequence domain of the ring-exported protein α 1 of <i>Plasmodium falciparum</i> controls export machinery architecture and virulence protein trafficking. <i>Molecular Microbiology</i> , 2015, 98, 1101-1114.	1.2	20

#	ARTICLE	IF	CITATIONS
55	Functional and structural analysis of cytokine-selective IL6ST defects that cause recessive hyper-IgE syndrome. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 585-598.	1.5	20
56	An Equilibrium Model for Linear and Closed-Loop Amyloid Fibril Formation. <i>Journal of Molecular Biology</i> , 2012, 421, 364-377.	2.0	19
57	Design of proteasome inhibitors with oral efficacy in vivo against <i>Plasmodium falciparum</i> and selectivity over the human proteasome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	19
58	Shear Flow Induced Changes in Apolipoprotein C-II Conformation and Amyloid Fibril Formation. <i>Biochemistry</i> , 2011, 50, 4046-4057.	1.2	18
59	Crystal structure of TcpK in complex with oriT DNA of the antibiotic resistance plasmid pCW3. <i>Nature Communications</i> , 2018, 9, 3732.	5.8	18
60	Loss of NFKB1 Results in Expression of Tumor Necrosis Factor and Activation of Signal Transducer and Activator of Transcription 1 to Promote Gastric Tumorigenesis in Mice. <i>Gastroenterology</i> , 2020, 159, 1444-1458.e15.	0.6	18
61	Lipids Enhance Apolipoprotein C-II-Derived Amyloidogenic Peptide Oligomerization but Inhibit Fibril Formation. <i>Journal of Physical Chemistry B</i> , 2009, 113, 9447-9453.	1.2	17
62	A tetrameric structure is not essential for activity in dihydrodipicolinate synthase (DHDPS) from <i>Mycobacterium tuberculosis</i> . <i>Archives of Biochemistry and Biophysics</i> , 2011, 512, 154-159.	1.4	16
63	Structural and Dynamic Requirements for Optimal Activity of the Essential Bacterial Enzyme Dihydrodipicolinate Synthase. <i>PLoS Computational Biology</i> , 2012, 8, e1002537.	1.5	16
64	A Cyclic Peptide Inhibitor of ApoC-II Peptide Fibril Formation: Mechanistic Insight from NMR and Molecular Dynamics Analysis. <i>Journal of Molecular Biology</i> , 2012, 416, 642-655.	2.0	16
65	Mechanism of NanR gene repression and allosteric induction of bacterial sialic acid metabolism. <i>Nature Communications</i> , 2021, 12, 1988.	5.8	16
66	Effect of Oxidation and Mutation on the Conformational Dynamics and Fibril Assembly of Amyloidogenic Peptides Derived from Apolipoprotein C-II. <i>Journal of Physical Chemistry B</i> , 2009, 113, 14006-14014.	1.2	15
67	Effects of mutation on the amyloidogenic propensity of apolipoprotein C-II60-70 peptide. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 14762.	1.3	15
68	Phospholipids Enhance Nucleation but Not Elongation of Apolipoprotein C-II Amyloid Fibrils. <i>Journal of Molecular Biology</i> , 2010, 399, 731-740.	2.0	15
69	Hydrogen/Deuterium Exchange and Molecular Dynamics Analysis of Amyloid Fibrils Formed by a D69K Charge-Pair Mutant of Human Apolipoprotein C-II. <i>Biochemistry</i> , 2015, 54, 4805-4814.	1.2	15
70	Methionine-Oxidized Amyloid Fibrils Are Poor Substrates for Human Methionine Sulfoxide Reductases A and B2. <i>Biochemistry</i> , 2010, 49, 2981-2983.	1.2	14
71	NBD-Labeled Phospholipid Accelerates Apolipoprotein C-II Amyloid Fibril Formation but Is Not Incorporated into Mature Fibrils. <i>Biochemistry</i> , 2011, 50, 9579-9586.	1.2	13
72	Charge and Charge-Pair Mutations Alter the Rate of Assembly and Structural Properties of Apolipoprotein C-II Amyloid Fibrils. <i>Biochemistry</i> , 2015, 54, 1421-1428.	1.2	13

#	ARTICLE	IF	CITATIONS
73	The basis for non-canonical ROK family function in the N-acetylmannosamine kinase from the pathogen <i>Staphylococcus aureus</i> . <i>Journal of Biological Chemistry</i> , 2020, 295, 3301-3315.	1.6	13
74	Cloning, expression, purification, crystallization and preliminary X-ray diffraction studies of N-acetylneuraminidase lyase from methicillin-resistant <i>Staphylococcus aureus</i> . <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2013, 69, 306-312.	0.7	11
75	Identification of a second binding site on the TRIM25 B30.2 domain. <i>Biochemical Journal</i> , 2018, 475, 429-440.	1.7	11
76	The Roc-COR tandem domain of leucine-rich repeat kinase 2 forms dimers and exhibits conventional Ras-like GTPase properties. <i>Journal of Neurochemistry</i> , 2018, 147, 409-428.	2.1	11
77	A highly conserved tryptophan in the N-terminal variable domain regulates disulfide bond formation and oligomeric assembly of adiponectin. <i>FEBS Journal</i> , 2012, 279, 2495-2507.	2.2	10
78	Sedimentation Velocity Analysis of the Size Distribution of Amyloid Oligomers and Fibrils. <i>Methods in Enzymology</i> , 2015, 562, 241-256.	0.4	10
79	Grappling with anisotropic data, pseudo-merohedral twinning and pseudo-translational noncrystallographic symmetry: a case study involving pyruvate kinase. <i>Acta Crystallographica Section D: Structural Biology</i> , 2016, 72, 512-519.	1.1	10
80	Csk-homologous kinase (Chk) is an efficient inhibitor of Src-family kinases but a poor catalyst of phosphorylation of their C-terminal regulatory tyrosine. <i>Cell Communication and Signaling</i> , 2017, 15, 29.	2.7	10
81	Thioflavin T fluorescence in human serum: Correlations with vascular health and cardiovascular risk factors. <i>Clinical Biochemistry</i> , 2010, 43, 278-286.	0.8	8
82	Diagnostics for Amyloid Fibril Formation: Where to Begin?. <i>Methods in Molecular Biology</i> , 2011, 752, 121-136.	0.4	8
83	Cloning, expression, purification, crystallization and preliminary X-ray diffraction analysis of N-acetylmannosamine-6-phosphate 2-epimerase from methicillin-resistant <i>Staphylococcus aureus</i> . <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2014, 70, 650-655.	0.4	8
84	Fluphenazine-HCl and Epigallocatechin Gallate Modulate the Rate of Formation and Structural Properties of Apolipoprotein C-II Amyloid Fibrils. <i>Biochemistry</i> , 2015, 54, 3831-3838.	1.2	8
85	The Role of Lipid in Misfolding and Amyloid Fibril Formation by Apolipoprotein C-II. <i>Advances in Experimental Medicine and Biology</i> , 2015, 855, 157-174.	0.8	7
86	Polymorphism in disease-related apolipoprotein C-II amyloid fibrils: a structural model for rod-like fibrils. <i>FEBS Journal</i> , 2018, 285, 2799-2812.	2.2	6
87	Structure-function analyses of two plant meso-diaminopimelate decarboxylase isoforms reveal that active-site gating provides stereochemical control. <i>Journal of Biological Chemistry</i> , 2019, 294, 8505-8515.	1.6	6
88	Lipid-apolipoprotein interactions in amyloid fibril formation and relevance to atherosclerosis. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2019, 1867, 502-507.	1.1	6
89	Structural Insights into the Unique Modes of Relaxin-Binding and Tethered-Agonist Mediated Activation of RXFP1 and RXFP2. <i>Journal of Molecular Biology</i> , 2021, 433, 167217.	2.0	6
90	Simultaneous Binding of the Anti-Cancer IgM Monoclonal Antibody PAT-SM6 to Low Density Lipoproteins and GRP78. <i>PLoS ONE</i> , 2013, 8, e61239.	1.1	6

#	ARTICLE	IF	CITATIONS
91	Visualization of polymorphism in apolipoprotein C-II amyloid fibrils. <i>Journal of Biochemistry</i> , 2011, 149, 67-74.	0.9	5
92	Cloning, expression, purification, crystallization and preliminary X-ray diffraction analysis of <i>N</i> -acetylmannosamine kinase from methicillin-resistant <i>Staphylococcus aureus</i> . <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2014, 70, 643-649.	0.4	5
93	Solution Conditions Affect the Ability of the K30D Mutation To Prevent Amyloid Fibril Formation by Apolipoprotein C-II: Insights from Experiments and Theoretical Simulations. <i>Biochemistry</i> , 2016, 55, 3815-3824.	1.2	5
94	Intra- and Intersubunit Ion-Pair Interactions Determine the Ability of Apolipoprotein C-II Mutants To Form Hybrid Amyloid Fibrils. <i>Biochemistry</i> , 2017, 56, 1757-1767.	1.2	5
95	Substrate Locking Promotes Dimer-Dimer Docking of an Enzyme Antibiotic Target. <i>Structure</i> , 2018, 26, 948-959.e5.	1.6	5
96	Does domain swapping improve the stability of RNase A?. <i>Biochemical and Biophysical Research Communications</i> , 2009, 382, 114-118.	1.0	4
97	Apolipoprotein C-II Adopts Distinct Structures in Complex with Micellar and Submicellar Forms of the Amyloid-Inhibiting Lipid-Mimetic Dodecylphosphocholine. <i>Biophysical Journal</i> , 2016, 110, 85-94.	0.2	4
98	Unravelling the Carbohydrate Binding Preferences of the Carbohydrate Binding Modules of AMP-Activated Protein Kinase. <i>ChemBioChem</i> , 2018, 19, 229-238.	1.3	3
99	Crystallization and preliminary X-ray diffraction analysis of dihydrodipicolinate synthase 2 from <i>Arabidopsis thaliana</i> . <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2011, 67, 1386-1390.	0.7	2
100	The purification, crystallization and preliminary X-ray diffraction analysis of two isoforms of meso-diaminopimelate decarboxylase from <i>Arabidopsis thaliana</i> . <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2014, 70, 663-668.	0.4	2
101	The Monomeric α -Crystallin Domain of the Small Heat-shock Proteins β -crystallin and Hsp27 Binds Amyloid Fibril Ends. <i>Journal of Molecular Biology</i> , 2022, 434, 167711.	2.0	2
102	Cytokine Receptors and their Ligands. , 2022, , .		1
103	Imaging the Morphology and Structure of Apolipoprotein Amyloid Fibrils. , 2014, , 247-254.		0
104	Structure and Function of the Proteasome Activator PA28 of the Malaria Parasite <i>Plasmodium falciparum</i> . <i>Microscopy and Microanalysis</i> , 2019, 25, 1324-1325.	0.2	0