

Maija Lindgren

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2320676/publications.pdf>

Version: 2024-02-01

49
papers

743
citations

471061

17
h-index

580395

25
g-index

50
all docs

50
docs citations

50
times ranked

1405
citing authors

#	ARTICLE	IF	CITATIONS
1	Is It Possible to Predict the Future in First-Episode Psychosis?. <i>Frontiers in Psychiatry</i> , 2018, 9, 580.	1.3	66
2	The relationship between psychotic-like symptoms and neurocognitive performance in a general adolescent psychiatric sample. <i>Schizophrenia Research</i> , 2010, 123, 77-85.	1.1	52
3	In Vivo Availability of Cannabinoid 1 Receptor Levels in Patients With First-Episode Psychosis. <i>JAMA Psychiatry</i> , 2019, 76, 1074.	6.0	50
4	<i>Toxoplasma gondii</i> infection and common mental disorders in the Finnish general population. <i>Journal of Affective Disorders</i> , 2017, 223, 20-25.	2.0	44
5	Anti-neuronal anti-bodies in patients with early psychosis. <i>Schizophrenia Research</i> , 2018, 192, 404-407.	1.1	38
6	Theory of mind in a first-episode psychosis population using the Hinting Task. <i>Psychiatry Research</i> , 2018, 263, 185-192.	1.7	31
7	Predicting psychosis in a general adolescent psychiatric sample. <i>Schizophrenia Research</i> , 2014, 158, 1-6.	1.1	30
8	Association of cytomegalovirus and Epstein-Barr virus with cognitive functioning and risk of dementia in the general population: 11-year follow-up study. <i>Brain, Behavior, and Immunity</i> , 2018, 69, 480-485.	2.0	29
9	Low verbal ability predicts later violence in adolescent boys with serious conduct problems. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 289-297.	0.7	28
10	The lack of association between herpes simplex virus 1 or <i>Toxoplasma gondii</i> infection and cognitive decline in the general population: An 11-year follow-up study. <i>Brain, Behavior, and Immunity</i> , 2019, 76, 159-164.	2.0	27
11	Aberrant Cortical Integration in First-Episode Psychosis During Natural Audiovisual Processing. <i>Biological Psychiatry</i> , 2018, 84, 655-664.	0.7	26
12	Early insulin resistance predicts weight gain and waist circumference increase in first-episode psychosis – A one year follow-up study. <i>Schizophrenia Research</i> , 2015, 169, 458-463.	1.1	25
13	The association between toxoplasma and the psychosis continuum in a general population setting. <i>Schizophrenia Research</i> , 2018, 193, 329-335.	1.1	24
14	Childhood adversities and clinical symptomatology in first-episode psychosis. <i>Psychiatry Research</i> , 2017, 258, 374-381.	1.7	24
15	Clinical high-risk state does not predict later psychosis in a delinquent adolescent population. <i>Microbial Biotechnology</i> , 2014, 8, 87-90.	0.9	21
16	Suicidality, self-harm and psychotic-like symptoms in a general adolescent psychiatric sample. <i>Microbial Biotechnology</i> , 2017, 11, 113-122.	0.9	21
17	Psychotic-like experiences of young adults in the general population predict mental disorders. <i>Psychiatry Research</i> , 2022, 312, 114543.	1.7	21
18	Immunomodulatory effects of antipsychotic treatment on gene expression in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2019, 109, 18-26.	1.5	20

#	ARTICLE	IF	CITATIONS
19	Association of exposure to <i>Toxoplasma gondii</i> , Epstein-Barr Virus, Herpes Simplex virus Type 1 and Cytomegalovirus with new-onset depressive and anxiety disorders: An 11-year follow-up study. <i>Brain, Behavior, and Immunity</i> , 2020, 87, 238-242.	2.0	16
20	Elevated serum chemokine CCL22 levels in first-episode psychosis: associations with symptoms, peripheral immune state and in vivo brain glial cell function. <i>Translational Psychiatry</i> , 2020, 10, 94.	2.4	16
21	Community-oriented family-based intervention superior to standard treatment in improving depression, hopelessness and functioning among adolescents with any psychosis-risk symptoms. <i>Psychiatry Research</i> , 2016, 237, 9-16.	1.7	15
22	Low-grade inflammation in first-episode psychosis is determined by increased waist circumference. <i>Psychiatry Research</i> , 2018, 270, 547-553.	1.7	15
23	Is cognitive performance associated with anxiety and depression in first-episode psychosis?. <i>Journal of Affective Disorders</i> , 2020, 263, 221-227.	2.0	13
24	Predicting psychosis and psychiatric hospital care among adolescent psychiatric patients with the Prodromal Questionnaire. <i>Schizophrenia Research</i> , 2014, 158, 7-10.	1.1	11
25	Connectivity of the precuneus-posterior cingulate cortex with the anterior cingulate cortex-medial prefrontal cortex differs consistently between control subjects and first-episode psychosis patients during a movie stimulus. <i>Schizophrenia Research</i> , 2018, 199, 235-242.	1.1	11
26	Dissociative symptoms as measured by the Cambridge Depersonalization Scale in patients with a bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 263, 187-192.	2.0	10
27	Exposure to common infections and risk of suicide and self-harm: a longitudinal general population study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 829-839.	1.8	10
28	Neurocognition and Social Cognition Predicting 1-Year Outcomes in First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2020, 11, 603933.	1.3	9
29	Adolescent psychosis risk symptoms predicting persistent psychiatric service use: A 7-year follow-up study. <i>European Psychiatry</i> , 2019, 55, 102-108.	0.1	5
30	Anxiety symptoms in first-episode psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 569-576.	0.9	5
31	Predictive validity of psychosis risk models when applied to adolescent psychiatric patients. <i>Psychological Medicine</i> , 2021, , 1-12.	2.7	4
32	Functional network connectivity and topology during naturalistic stimulus is altered in first-episode psychosis. <i>Schizophrenia Research</i> , 2022, 241, 83-91.	1.1	4
33	Evaluation of verbal list learning as a predictor of psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 171-176.	0.9	3
34	Childhood adversities and cognitive deficits in first-episode psychosis. <i>Schizophrenia Research</i> , 2018, 197, 596-598.	1.1	3
35	Severe conduct problems in adolescence and risk of schizophrenia in early adulthood. <i>Microbial Biotechnology</i> , 2019, 13, 1338-1344.	0.9	3
36	Mental Imagery in Early Psychosis. <i>Imagination, Cognition and Personality</i> , 2022, 41, 299-322.	0.5	3

#	ARTICLE	IF	CITATIONS
37	Psychological, social and role functioning as predictors of psychosis in an adolescent psychiatric sample. <i>Microbial Biotechnology</i> , 2018, 12, 1064-1071.	0.9	2
38	Mental Imagery and Movement Responses to the Rorschach Test Among Young Violent Offenders. <i>Rorschachiana</i> , 2015, 36, 201-220.	0.3	2
39	Cognitive functioning and cannabis use in first-episode psychosis. <i>Nordic Journal of Psychiatry</i> , 2021, , 1-8.	0.7	2
40	Lifetime psychiatric diagnoses among adolescents with severe conduct problems – A register-based follow-up study. <i>Child Abuse and Neglect</i> , 2022, 131, 105765.	1.3	2
41	213. The Association Between Toxoplasma and the Psychosis Continuum in a General Population Setting. <i>Schizophrenia Bulletin</i> , 2017, 43, S108-S109.	2.3	1
42	Factor Structure, Measurement Invariance, and Abbreviated Versions of The Adolescent Dissociative Experiences Scale (A-DES). <i>Journal of Trauma and Dissociation</i> , 2022, 23, 464-479.	1.0	1
43	F166. LOW-GRADE INFLAMMATION IN FIRST-EPISODE PSYCHOSIS IS DETERMINED BY WAIST CIRCUMFERENCE INCREASE. <i>Schizophrenia Bulletin</i> , 2018, 44, S285-S285.	2.3	0
44	S66. THEORY OF MIND IN A FIRST-EPISODE PSYCHOSIS POPULATION USING THE HINTING TASK. <i>Schizophrenia Bulletin</i> , 2018, 44, S349-S350.	2.3	0
45	13.1 CCL22 AS A BIOMARKER OF A HIGH-INFLAMMATION PHENOTYPE IN EARLY PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S108-S109.	2.3	0
46	O13.1. ADOLESCENT PSYCHOSIS RISK SYMPTOMS PREDICT PERSISTENT PSYCHIATRIC SERVICE USE: A 7-YEAR FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S200-S201.	2.3	0
47	Serological evidence of infections does not predict subsequent late-onset psychosis in the general population. <i>Schizophrenia Research</i> , 2020, 218, 306-308.	1.1	0
48	S135. EXPOSURE TO COMMON INFECTIONS AND RISK OF SUICIDE AND SELF-HARM – A LONGITUDINAL GENERAL POPULATION STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S86-S87.	2.3	0
49	Adverse childhood experiences and social and occupational functioning in first-episode psychosis – A one year follow - up. <i>Psychiatry Research</i> , 2022, 311, 114502.	1.7	0