

Maija Lindgren

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2320676/maija-lindgren-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers

858
citations

17
h-index

28
g-index

50
ext. papers

1,122
ext. citations

5.3
avg, IF

4.54
L-index

#	Paper	IF	Citations
48	Functional network connectivity and topology during naturalistic stimulus is altered in first-episode psychosis.. <i>Schizophrenia Research</i> , 2022 , 241, 83-91	3.6	0
47	Psychotic-like experiences of young adults in the general population predict mental disorders.. <i>Psychiatry Research</i> , 2022 , 312, 114543	9.9	0
46	Adverse childhood experiences and social and occupational functioning in first-episode psychosis - A one year follow - up.. <i>Psychiatry Research</i> , 2022 , 311, 114502	9.9	
45	Factor Structure, Measurement Invariance, and Abbreviated Versions of The Adolescent Dissociative Experiences Scale (A-DES).. <i>Journal of Trauma and Dissociation</i> , 2022 , 1-16	2.8	
44	Predictive validity of psychosis risk models when applied to adolescent psychiatric patients.. <i>Psychological Medicine</i> , 2021 , 1-12	6.9	1
43	Anxiety symptoms in first-episode psychosis. <i>Microbial Biotechnology</i> , 2021 , 15, 569-576	3.3	2
42	Cognitive functioning and cannabis use in first-episode psychosis.. <i>Nordic Journal of Psychiatry</i> , 2021 , 1-8	2.3	2
41	Neurocognition and Social Cognition Predicting 1-Year Outcomes in First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2020 , 11, 603933	5	3
40	Elevated serum chemokine CCL22 levels in first-episode psychosis: associations with symptoms, peripheral immune state and in vivo brain glial cell function. <i>Translational Psychiatry</i> , 2020 , 10, 94	8.6	7
39	Serological evidence of infections does not predict subsequent late-onset psychosis in the general population. <i>Schizophrenia Research</i> , 2020 , 218, 306-308	3.6	
38	S135. EXPOSURE TO COMMON INFECTIONS AND RISK OF SUICIDE AND SELF-HARM IN A LONGITUDINAL GENERAL POPULATION STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S86-S87	1.3	78
37	Exposure to common infections and risk of suicide and self-harm: a longitudinal general population study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 829-839	5.1	3
36	Association of exposure to <i>Toxoplasma gondii</i> , Epstein-Barr Virus, Herpes Simplex virus Type 1 and Cytomegalovirus with new-onset depressive and anxiety disorders: An 11-year follow-up study. <i>Brain, Behavior, and Immunity</i> , 2020 , 87, 238-242	16.6	5
35	Dissociative symptoms as measured by the Cambridge Depersonalization Scale in patients with a bipolar disorder. <i>Journal of Affective Disorders</i> , 2020 , 263, 187-192	6.6	5
34	Is cognitive performance associated with anxiety and depression in first-episode psychosis?. <i>Journal of Affective Disorders</i> , 2020 , 263, 221-227	6.6	7
33	13.1 CCL22 AS A BIOMARKER OF A HIGH-INFLAMMATION PHENOTYPE IN EARLY PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S108-S109	1.3	78
32	O13.1. ADOLESCENT PSYCHOSIS RISK SYMPTOMS PREDICT PERSISTENT PSYCHIATRIC SERVICE USE: A 7-YEAR FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S200-S201	1.3	78

31	In Vivo Availability of Cannabinoid 1 Receptor Levels in Patients With First-Episode Psychosis. <i>JAMA Psychiatry</i> , 2019 , 76, 1074-1084	14.5	32
30	Adolescent psychosis risk symptoms predicting persistent psychiatric service use: A 7-year follow-up study. <i>European Psychiatry</i> , 2019 , 55, 102-108	6	3
29	The lack of association between herpes simplex virus 1 or Toxoplasma gondii infection and cognitive decline in the general population: An 11-year follow-up study. <i>Brain, Behavior, and Immunity</i> , 2019 , 76, 159-164	16.6	17
28	Immunomodulatory effects of antipsychotic treatment on gene expression in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2019 , 109, 18-26	5.2	11
27	Severe conduct problems in adolescence and risk of schizophrenia in early adulthood. <i>Microbial Biotechnology</i> , 2019 , 13, 1338-1344	3.3	1
26	Childhood adversities and cognitive deficits in first-episode psychosis. <i>Schizophrenia Research</i> , 2018 , 197, 596-598	3.6	3
25	Association of cytomegalovirus and Epstein-Barr virus with cognitive functioning and risk of dementia in the general population: 11-year follow-up study. <i>Brain, Behavior, and Immunity</i> , 2018 , 69, 480-485	16.6	18
24	Theory of mind in a first-episode psychosis population using the Hinting Task. <i>Psychiatry Research</i> , 2018 , 263, 185-192	9.9	17
23	Connectivity of the precuneus-posterior cingulate cortex with the anterior cingulate cortex-medial prefrontal cortex differs consistently between control subjects and first-episode psychosis patients during a movie stimulus. <i>Schizophrenia Research</i> , 2018 , 199, 235-242	3.6	7
22	Anti-neuronal anti-bodies in patients with early psychosis. <i>Schizophrenia Research</i> , 2018 , 192, 404-407	3.6	28
21	Psychological, social and role functioning as predictors of psychosis in an adolescent psychiatric sample. <i>Microbial Biotechnology</i> , 2018 , 12, 1064-1071	3.3	2
20	The association between toxoplasma and the psychosis continuum in a general population setting. <i>Schizophrenia Research</i> , 2018 , 193, 329-335	3.6	17
19	Aberrant Cortical Integration in First-Episode Psychosis During Natural Audiovisual Processing. <i>Biological Psychiatry</i> , 2018 , 84, 655-664	7.9	13
18	S66. THEORY OF MIND IN A FIRST-EPISEODE PSYCHOSIS POPULATION USING THE HINTING TASK. <i>Schizophrenia Bulletin</i> , 2018 , 44, S349-S350	1.3	78
17	F166. LOW-GRADE INFLAMMATION IN FIRST-EPISEODE PSYCHOSIS IS DETERMINED BY WAIST CIRCUMFERENCE INCREASE. <i>Schizophrenia Bulletin</i> , 2018 , 44, S285-S285	1.3	78
16	Is It Possible to Predict the Future in First-Episode Psychosis?. <i>Frontiers in Psychiatry</i> , 2018 , 9, 580	5	38
15	Low-grade inflammation in first-episode psychosis is determined by increased waist circumference. <i>Psychiatry Research</i> , 2018 , 270, 547-553	9.9	9
14	Evaluation of verbal list learning as a predictor of psychosis. <i>Microbial Biotechnology</i> , 2017 , 11, 171-176	3.3	3

13	Suicidality, self-harm and psychotic-like symptoms in a general adolescent psychiatric sample. <i>Microbial Biotechnology</i> , 2017 , 11, 113-122	3.3	15
12	Toxoplasma gondii infection and common mental disorders in the Finnish general population. <i>Journal of Affective Disorders</i> , 2017 , 223, 20-25	6.6	29
11	213. The Association Between Toxoplasma and the Psychosis Continuum in a General Population Setting. <i>Schizophrenia Bulletin</i> , 2017 , 43, S108-S109	1.3	1
10	Childhood adversities and clinical symptomatology in first-episode psychosis. <i>Psychiatry Research</i> , 2017 , 258, 374-381	9.9	18
9	Community-oriented family-based intervention superior to standard treatment in improving depression, hopelessness and functioning among adolescents with any psychosis-risk symptoms. <i>Psychiatry Research</i> , 2016 , 237, 9-16	9.9	9
8	Early insulin resistance predicts weight gain and waist circumference increase in first-episode psychosis--A one year follow-up study. <i>Schizophrenia Research</i> , 2015 , 169, 458-463	3.6	23
7	Mental Imagery and Movement Responses to the Rorschach Test Among Young Violent Offenders. <i>Rorschachiana</i> , 2015 , 36, 201-220	0.4	0
6	Predicting psychosis in a general adolescent psychiatric sample. <i>Schizophrenia Research</i> , 2014 , 158, 1-6	3.6	29
5	Predicting psychosis and psychiatric hospital care among adolescent psychiatric patients with the Prodromal Questionnaire. <i>Schizophrenia Research</i> , 2014 , 158, 7-10	3.6	9
4	Clinical high-risk state does not predict later psychosis in a delinquent adolescent population. <i>Microbial Biotechnology</i> , 2014 , 8, 87-90	3.3	20
3	Low verbal ability predicts later violence in adolescent boys with serious conduct problems. <i>Nordic Journal of Psychiatry</i> , 2013 , 67, 289-97	2.3	21
2	The relationship between psychotic-like symptoms and neurocognitive performance in a general adolescent psychiatric sample. <i>Schizophrenia Research</i> , 2010 , 123, 77-85	3.6	40
1	Mental Imagery in Early Psychosis. <i>Imagination, Cognition and Personality</i> , 027623662110217	0.8	