

C Amalie G Timmermann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2321227/publications.pdf>

Version: 2024-02-01

30
papers

788
citations

586496

16
h-index

620720

26
g-index

30
all docs

30
docs citations

30
times ranked

1137
citing authors

#	ARTICLE	IF	CITATIONS
1	Pregnancy Exposure to Perfluoroalkyl Substances and Associations With Prolactin Concentrations and Breastfeeding in the Odense Child Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e631-e642.	1.8	21
2	Concentrations of tetanus and diphtheria antibodies in vaccinated Greenlandic children aged 7–12 years exposed to marine pollutants, a cross sectional study. <i>Environmental Research</i> , 2022, 203, 111712.	3.7	16
3	Pregnancy exposure to bisphenol A and duration of breastfeeding. <i>Environmental Research</i> , 2022, 206, 112471.	3.7	6
4	Higher free thyroxine associated with PFAS exposure in first trimester. The Odense Child Cohort.. <i>Environmental Research</i> , 2022, 212, 113492.	3.7	1
5	Prenatal exposure to bisphenol A and autistic- and ADHD-related symptoms in children aged 2 and 5 years from the Odense Child Cohort. <i>Environmental Health</i> , 2021, 20, 24.	1.7	26
6	Exposure to perfluoroalkyl substances during fetal life and hospitalization for infectious disease in childhood: A study among 1,503 children from the Odense Child Cohort. <i>Environment International</i> , 2021, 149, 106395.	4.8	35
7	A Review of Dietary Intake of Acrylamide in Humans. <i>Toxics</i> , 2021, 9, 155.	1.6	48
8	Prenatal exposure to pyrethroid and organophosphate insecticides and language development at age 20–36 months among children in the Odense Child Cohort. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 235, 113755.	2.1	12
9	Neonatal Bacille Calmette-Guérin vaccination and tuberculin skin test reactions at 2- and 6-months: Effects on mortality up to 1 year of age. <i>Vaccine</i> , 2021, 39, 7286-7294.	1.7	4
10	Maternal phthalate exposure associated with decreased testosterone/LH ratio in male offspring during mini-puberty. Odense Child Cohort. <i>Environment International</i> , 2020, 144, 106025.	4.8	19
11	Serum Perfluoroalkyl Substances, Vaccine Responses, and Morbidity in a Cohort of Guinea-Bissau Children. <i>Environmental Health Perspectives</i> , 2020, 128, 87002.	2.8	43
12	Maternal phthalate exposure and asthma, rhinitis and eczema in 552 children aged 5–10 years; a prospective cohort study. <i>Environmental Health</i> , 2020, 19, 32.	1.7	18
13	Prenatal Exposures to Perfluoroalkyl Acids and Associations with Markers of Adiposity and Plasma Lipids in Infancy: An Odense Child Cohort Study. <i>Environmental Health Perspectives</i> , 2020, 128, 77001.	2.8	24
14	Prenatal exposure to perfluorodecanoic acid is associated with lower circulating concentration of adrenal steroid metabolites during mini puberty in human female infants. The Odense Child Cohort. <i>Environmental Research</i> , 2020, 182, 109101.	3.7	11
15	Severity of COVID-19 at elevated exposure to perfluorinated alkylates. <i>PLoS ONE</i> , 2020, 15, e0244815.	1.1	73
16	Severity of COVID-19 at elevated exposure to perfluorinated alkylates. , 2020, 15, e0244815.		0
17	Severity of COVID-19 at elevated exposure to perfluorinated alkylates. , 2020, 15, e0244815.		0
18	Severity of COVID-19 at elevated exposure to perfluorinated alkylates. , 2020, 15, e0244815.		0

#	ARTICLE	IF	CITATIONS
19	Severity of COVID-19 at elevated exposure to perfluorinated alkylates. , 2020, 15, e0244815.		0
20	Environmental chemical exposures among Greenlandic children in relation to diet and residence. International Journal of Circumpolar Health, 2019, 78, 1642090.	0.5	6
21	Association between prenatal exposure to perfluoroalkyl substances and asthma in 5-year-old children in the Odense Child Cohort. Environmental Health, 2019, 18, 97.	1.7	19
22	Perfluoroalkyl substances and glycemic status in pregnant Danish women: The Odense Child Cohort. Environment International, 2018, 116, 101-107.	4.8	39
23	Association between perfluoroalkyl substance exposure and asthma and allergic disease in children as modified by MMR vaccination. Journal of Immunotoxicology, 2017, 14, 39-49.	0.9	41
24	Estimated exposures to perfluorinated compounds in infancy predict attenuated vaccine antibody concentrations at age 5-years. Journal of Immunotoxicology, 2017, 14, 188-195.	0.9	146
25	Shorter duration of breastfeeding at elevated exposures to perfluoroalkyl substances. Reproductive Toxicology, 2017, 68, 164-170.	1.3	47
26	Secondary sex ratio in relation to exposures to polychlorinated biphenyls, dichlorodiphenyl dichloroethylene and methylmercury. International Journal of Circumpolar Health, 2017, 76, 1406234.	0.5	3
27	Asthma and allergy in children with and without prior measles, mumps, and rubella vaccination. Pediatric Allergy and Immunology, 2015, 26, 742-749.	1.1	29
28	Tuberculin reaction and <scp>BCG</scp> scar: association with infant mortality. Tropical Medicine and International Health, 2015, 20, 1733-1744.	1.0	21
29	Associations between Exposure to Persistent Organic Pollutants in Childhood and Overweight up to 12 Years Later in a Low Exposed Danish Population. Obesity Facts, 2015, 8, 282-292.	1.6	17
30	Adiposity and Glycemic Control in Children Exposed to Perfluorinated Compounds. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E608-E614.	1.8	63