

Laura Ricceri

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2322669/laura-ricceri-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

4,003
citations

38
h-index

62
g-index

99
ext. papers

4,630
ext. citations

4.5
avg, IF

5.32
L-index

#	Paper	IF	Citations
92	Postweaning social isolation and autism-like phenotype: a biochemical and behavioral comparative analysis.. <i>Behavioural Brain Research</i> , 2022 , 113891	3.4	0
91	Treatment with the Bacterial Toxin CNF1 Selectively Rescues Cognitive and Brain Mitochondrial Deficits in a Female Mouse Model of Rett Syndrome Carrying a MeCP2-Null Mutation. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
90	Cnf1 Variants Endowed with the Ability to Cross the Blood-Brain Barrier: A New Potential Therapeutic Strategy for Glioblastoma. <i>Toxins</i> , 2020 , 12,	4.9	2
89	Ultrasonic vocalizations as a fundamental tool for early and adult behavioral phenotyping of Autism Spectrum Disorder rodent models. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 116, 31-43	9	14
88	Sex-Dependent Effects of Developmental Lead Exposure in Wistar Rats: Evidence from Behavioral and Molecular Correlates. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
87	Differential Expression of Hippocampal Circular RNAs in the BTBR Mouse Model for Autism Spectrum Disorder. <i>Molecular Neurobiology</i> , 2020 , 57, 2301-2313	6.2	5
86	Maternal Immune Activation in Mice Only Partially Recapitulates the Autism Spectrum Disorders Symptomatology. <i>Neuroscience</i> , 2020 , 445, 109-119	3.9	4
85	Beneficial Effects of Fingolimod on Social Interaction, CNS and Peripheral Immune Response in the BTBR Mouse Model of Autism. <i>Neuroscience</i> , 2020 , 435, 22-32	3.9	1
84	Eye Drop Instillation of the Rac1 Modulator CNF1 Attenuates Retinal Gliosis and Ameliorates Visual Performance in a Rat Model of Hypertensive Retinopathy. <i>Neuroscience</i> , 2019 , 411, 119-129	3.9	2
83	Transposable Elements and Their Epigenetic Regulation in Mental Disorders: Current Evidence in the Field. <i>Frontiers in Genetics</i> , 2019 , 10, 580	4.5	29
82	Endogenous Retroviruses Activity as a Molecular Signature of Neurodevelopmental Disorders. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	8
81	Early Behavioral Alterations and Increased Expression of Endogenous Retroviruses Are Inherited Across Generations in Mice Prenatally Exposed to Valproic Acid. <i>Molecular Neurobiology</i> , 2019 , 56, 3736-3750	6.2	16
80	High expression of Endogenous Retroviruses from intrauterine life to adulthood in two mouse models of Autism Spectrum Disorders. <i>Scientific Reports</i> , 2018 , 8, 629	4.9	18
79	Rodent Vocalization Studies in Animal Models of the Autism Spectrum Disorder. <i>Handbook of Behavioral Neuroscience</i> , 2018 , 25, 445-456	0.7	6
78	Developmental Neurotoxicity of Endocrine Disruptor Chemicals: A Challenge for Behavioral Toxicology. <i>Advances in Neurotoxicology</i> , 2018 , 2, 197-225	1.6	1
77	Persistent Unresolved Inflammation in the -308 Female Mutated Mouse Model of Rett Syndrome. <i>Mediators of Inflammation</i> , 2017 , 2017, 9467819	4.3	12
76	Behavioral Phenotyping in Genetic Mouse Models of Autism Spectrum Disorders: A Translational Outlook 2017 , 271-293		

75	HPLC Determination of Bioactive Sulfur Compounds, Amino Acids and Biogenic Amines in Biological Specimens. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 975 Pt 1, 535-549	3.6	9
74	Comparative Gene Expression Analysis of Two Mouse Models of Autism: Transcriptome Profiling of the BTBR and En2 (-/-) Hippocampus. <i>Frontiers in Neuroscience</i> , 2016 , 10, 396	5.1	21
73	Mouse Behavior and Models for Autism Spectrum Disorders 2016 , 269-293		1
72	Mitochondrial free radical overproduction due to respiratory chain impairment in the brain of a mouse model of Rett syndrome: protective effect of CNF1. <i>Free Radical Biology and Medicine</i> , 2015 , 83, 167-77	7.8	54
71	Modulation of Rho GTPases rescues brain mitochondrial dysfunction, cognitive deficits and aberrant synaptic plasticity in female mice modeling Rett syndrome. <i>European Neuropsychopharmacology</i> , 2015 , 25, 889-901	1.2	37
70	Effects of maternal chlorpyrifos diet on social investigation and brain neuroendocrine markers in the offspring - a mouse study. <i>Environmental Health</i> , 2015 , 14, 32	6	35
69	Multifactorial Origin of Neurodevelopmental Disorders: Approaches to Understanding Complex Etiologies. <i>Toxics</i> , 2015 , 3, 89-129	4.7	42
68	Prenatal exposure to a common organophosphate insecticide delays motor development in a mouse model of idiopathic autism. <i>PLoS ONE</i> , 2015 , 10, e0121663	3.7	40
67	One-carbon metabolism in neurodevelopmental disorders: using broad-based nutraceuticals to treat cognitive deficits in complex spectrum disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2014 , 46 Pt 2, 270-84	9	24
66	Preservation of mitochondrial functional integrity in mitochondria isolated from small cryopreserved mouse brain areas. <i>Analytical Biochemistry</i> , 2014 , 444, 25-31	3.1	16
65	Sex-dimorphic effects of gestational exposure to the organophosphate insecticide chlorpyrifos on social investigation in mice. <i>Neurotoxicology and Teratology</i> , 2014 , 46, 32-9	3.9	22
64	Oxidative brain damage in Mecp2-mutant murine models of Rett syndrome. <i>Neurobiology of Disease</i> , 2014 , 68, 66-77	7.5	86
63	Pharmacological stimulation of the brain serotonin receptor 7 as a novel therapeutic approach for Rett syndrome. <i>Neuropsychopharmacology</i> , 2014 , 39, 2506-18	8.7	52
62	Reduced social interaction, behavioural flexibility and BDNF signalling in the BTBR T+ tf/J strain, a mouse model of autism. <i>Behavioural Brain Research</i> , 2013 , 251, 35-40	3.4	88
61	Neonatal exposure to low dose corticosterone persistently modulates hippocampal mineralocorticoid receptor expression and improves locomotor/exploratory behaviour in a mouse model of Rett syndrome. <i>Neuropharmacology</i> , 2013 , 68, 174-83	5.5	23
60	Rett syndrome treatment in mouse models: searching for effective targets and strategies. <i>Neuropharmacology</i> , 2013 , 68, 106-15	5.5	38
59	Modulation of RhoGTPases improves the behavioral phenotype and reverses astrocytic deficits in a mouse model of Rett syndrome. <i>Neuropsychopharmacology</i> , 2012 , 37, 1152-63	8.7	81
58	Sex dimorphic behaviors as markers of neuroendocrine disruption by environmental chemicals: the case of chlorpyrifos. <i>NeuroToxicology</i> , 2012 , 33, 1420-1426	4.4	51

57	S-adenosylmethionine reduces the progress of the Alzheimer-like features induced by B-vitamin deficiency in mice. <i>Neurobiology of Aging</i> , 2012 , 33, 1482.e1-16	5.6	84
56	Cholinergic hypofunction in MeCP2-308 mice: beneficial neurobehavioural effects of neonatal choline supplementation. <i>Behavioural Brain Research</i> , 2011 , 221, 623-9	3.4	47
55	Unusual repertoire of vocalizations in adult BTBR T+tf/J mice during three types of social encounters. <i>Genes, Brain and Behavior</i> , 2011 , 10, 44-56	3.6	239
54	Foetal and neonatal exposure to chlorpyrifos: biochemical and metabolic alterations in the mouse liver at different developmental stages. <i>Toxicology</i> , 2011 , 280, 98-108	4.4	19
53	The law through the eye of a needle. How and when to apply the new European Directive on animals used in research. <i>EMBO Reports</i> , 2011 , 12, 637-40	6.5	6
52	Early postnatal behavioral changes in the Mecp2-308 truncation mouse model of Rett syndrome. <i>Genes, Brain and Behavior</i> , 2010 , 9, 213-23	3.6	116
51	Investigating Rett Syndrome Through Genetic Mouse Models: Presymptomatic, Clearly Symptomatic Phases, and Innovative Therapeutic Approaches. <i>Neuromethods</i> , 2010 , 151-178	0.4	2
50	Does age matter? Behavioral and neuro-anatomical effects of neonatal and adult basal forebrain cholinergic lesions. <i>Journal of Alzheimer's Disease</i> , 2010 , 20, 207-27	4.3	11
49	Gestational exposure to the organophosphate chlorpyrifos alters social-emotional behaviour and impairs responsiveness to the serotonin transporter inhibitor fluvoxamine in mice. <i>Psychopharmacology</i> , 2010 , 208, 99-107	4.7	44
48	Ultrasonic vocalizations: a tool for behavioural phenotyping of mouse models of neurodevelopmental disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2009 , 33, 508-15	9	303
47	Early social enrichment affects responsiveness to different social cues in female mice. <i>Behavioural Brain Research</i> , 2009 , 196, 304-9	3.4	14
46	Prenatal chlorpyrifos exposure alters motor behavior and ultrasonic vocalization in CD-1 mouse pups. <i>Environmental Health</i> , 2009 , 8, 12	6	54
45	Developmental exposure to chlorpyrifos induces alterations in thyroid and thyroid hormone levels without other toxicity signs in CD-1 mice. <i>Toxicological Sciences</i> , 2009 , 108, 311-9	4.4	95
44	Long-term effects on hypothalamic neuropeptides after developmental exposure to chlorpyrifos in mice. <i>Environmental Health Perspectives</i> , 2009 , 117, 112-6	8.4	46
43	Neonatal exposure to chlorpyrifos affects maternal responses and maternal aggression of female mice in adulthood. <i>Neurotoxicology and Teratology</i> , 2008 , 30, 468-74	3.9	46
42	B-vitamin deprivation induces hyperhomocysteinemia and brain S-adenosylhomocysteine, depletes brain S-adenosylmethionine, and enhances PS1 and BACE expression and amyloid-beta deposition in mice. <i>Molecular and Cellular Neurosciences</i> , 2008 , 37, 731-46	4.8	157
41	Reduced ultrasonic vocalizations in vasopressin 1b knockout mice. <i>Behavioural Brain Research</i> , 2008 , 187, 371-8	3.4	110
40	Altered emotionality, spatial memory and cholinergic function in caveolin-1 knock-out mice. <i>Behavioural Brain Research</i> , 2008 , 188, 255-62	3.4	31

39	Mouse models of Rett syndrome: from behavioural phenotyping to preclinical evaluation of new therapeutic approaches. <i>Behavioural Pharmacology</i> , 2008 , 19, 501-17	2.4	85
38	Unusual repertoire of vocalizations in the BTBR T+tf/J mouse model of autism. <i>PLoS ONE</i> , 2008 , 3, e30673	3.7	381
37	Eicosapentaenoic acid stimulates the expression of myelin proteins in rat brain. <i>Journal of Neuroscience Research</i> , 2008 , 86, 776-84	4.4	82
36	Neonatal basal forebrain cholinergic hypofunction affects ultrasonic vocalizations and fear conditioning responses in preweaning rats. <i>Behavioural Brain Research</i> , 2007 , 183, 111-7	3.4	21
35	Behavioral phenotyping of mouse models of neurodevelopmental disorders: relevant social behavior patterns across the life span. <i>Behavioural Brain Research</i> , 2007 , 176, 40-52	3.4	79
34	A social recognition test for female mice reveals behavioral effects of developmental chlorpyrifos exposure. <i>Neurotoxicology and Teratology</i> , 2006 , 28, 466-71	3.9	43
33	Developmental neurotoxicity of organophosphorous pesticides: fetal and neonatal exposure to chlorpyrifos alters sex-specific behaviors at adulthood in mice. <i>Toxicological Sciences</i> , 2006 , 93, 105-13	4.4	147
32	Scoring learning and memory in developing rodents. <i>Current Protocols in Toxicology / Editorial Board, Mahin D Maines (editor-in-chief) [et Al]</i> , 2006 , Chapter 13, Unit13.11	1	
31	Long-term effects of neonatal basal forebrain cholinergic lesions on radial maze learning and impulsivity in rats. <i>Behavioural Pharmacology</i> , 2006 , 17, 517-24	2.4	11
30	An altered neonatal behavioral phenotype in Mecp2 mutant mice. <i>NeuroReport</i> , 2006 , 17, 541-4	1.7	81
29	Basal forebrain cholinergic lesions in 7-day-old rats alter ultrasound vocalisations and homing behaviour. <i>Behavioural Brain Research</i> , 2005 , 161, 169-72	3.4	17
28	Adequate statistical methods to reduce the number of animals used in behavioural experiments: the analysis of the behavioural transitions. <i>ATLA Alternatives To Laboratory Animals</i> , 2004 , 32 Suppl 1A, 249-57	2.1	1
27	Cognitive and neurological deficits induced by early and prolonged basal forebrain cholinergic hypofunction in rats. <i>Experimental Neurology</i> , 2004 , 189, 162-72	5.7	67
26	Neonatal cholinergic lesions and development of exploration upon administration of the GABA _A receptor agonist muscimol in preweaning rats. <i>Pharmacology Biochemistry and Behavior</i> , 2003 , 76, 213-219	3.9	8
25	Developmental exposure to chlorpyrifos alters reactivity to environmental and social cues in adolescent mice. <i>Toxicology and Applied Pharmacology</i> , 2003 , 191, 189-201	4.6	85
24	Animal models of mental retardation: from gene to cognitive function. <i>Neuroscience and Biobehavioral Reviews</i> , 2003 , 27, 141-53	9	42
23	Behavioral patterns under cholinergic control during development: lessons learned from the selective immunotoxin 192 IgG saporin. <i>Neuroscience and Biobehavioral Reviews</i> , 2003 , 27, 377-84	9	25
22	Early neonatal 192 IgG saporin induces learning impairments and disrupts cortical morphogenesis in rats. <i>Brain Research</i> , 2002 , 954, 160-72	3.7	46

21	Transgenic and knock-out mouse pups: the growing need for behavioral analysis. <i>Genes, Brain and Behavior</i> , 2002 , 1, 135-41	3.6	56
20	NGF induces appearance of adult-like response to spatial novelty in 18-day male mice. <i>Behavioural Brain Research</i> , 2002 , 136, 289-98	3.4	10
19	Prenatal AZT or 3TC and mouse development of locomotor activity and hot-plate responding upon administration of the GABA(A) receptor agonist muscimol. <i>Psychopharmacology</i> , 2001 , 153, 434-42	4.7	9
18	A large outdoor radial maze for comparative studies in birds and mammals. <i>Neuroscience and Biobehavioral Reviews</i> , 2001 , 25, 83-99	9	20
17	Ontogeny of spatial discrimination in mice: a longitudinal analysis in the modified open-field with objects. <i>Developmental Psychobiology</i> , 2000 , 37, 109-18	3	44
16	The acallosal mouse strain I/LnJ: a putative model of ADHD?. <i>Neuroscience and Biobehavioral Reviews</i> , 2000 , 24, 45-50	9	34
15	Temporal and spatial adaptation to food restriction in mice under naturalistic conditions. <i>Behavioural Brain Research</i> , 2000 , 115, 1-8	3.4	38
14	Neonatal 192 IgG-saporin lesions of basal forebrain cholinergic neurons selectively impair response to spatial novelty in adult rats.. <i>Behavioral Neuroscience</i> , 1999 , 113, 1204-1215	2.1	49
13	Neurobehavioral development, adult openfield exploration and swimming navigation learning in mice with a modified beta-amyloid precursor protein gene. <i>Behavioural Brain Research</i> , 1998 , 95, 65-76	3.4	65
12	Postnatal choline supplementation in preweanling mice: Sexually dimorphic behavioral and neurochemical effects.. <i>Behavioral Neuroscience</i> , 1998 , 112, 1387-1392	2.1	43
11	Different effects of postnatal day 1 versus 7 192 immunoglobulin G-saporin lesions on learning, exploratory behaviors, and neurochemistry in juvenile rats.. <i>Behavioral Neuroscience</i> , 1997 , 111, 1292-1302	2.1	36
10	Sexually dimorphic effects of anti-NGF treatment in neonatal rats. <i>Developmental Brain Research</i> , 1997 , 101, 273-6		15
9	Neonatal cocaine alters behavioural responsiveness to scopolamine and cholinergic development in mice. <i>Pharmacology Biochemistry and Behavior</i> , 1997 , 56, 557-63	3.9	8
8	Systemic administration of anti-NGF antibodies to neonatal mice impairs 24-h retention of an inhibitory avoidance task while increasing ChAT immunoreactivity in the medial septum. <i>Behavioural Brain Research</i> , 1996 , 78, 81-91	3.4	18
7	Nerve growth factor affects passive avoidance learning and retention in developing mice. <i>Brain Research Bulletin</i> , 1996 , 39, 219-26	3.9	19
6	Neonatal exposure to anti-nerve growth factor antibodies affects exploratory behavior of developing mice in the hole board. <i>Neurotoxicology and Teratology</i> , 1996 , 18, 141-6	3.9	9
5	Prenatal oxazepam affects passive avoidance performance of preweaning mice. <i>Brain Research Bulletin</i> , 1994 , 33, 267-71	3.9	2
4	Impairment of passive avoidance learning following repeated administrations of antibodies against nerve growth factor in neonatal mice. <i>NeuroReport</i> , 1994 , 5, 1401-1404	1.7	11

3	Postnatal cocaine exposure affects neonatal passive avoidance performance and cholinergic development in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1993 , 45, 283-9	3.9	11
2	Rett syndrome134-145		
1	Active and passive avoidance291-298		2