
Hirofumi Nishikawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2326226/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Modified Citrus Pectin Prevents Blood-Brain Barrier Disruption in Mouse Subarachnoid Hemorrhage by Inhibiting Galectin-3. Stroke, 2018, 49, 2743-2751.	1.0	60
2	Tenascin in brain injuries and edema after subarachnoid hemorrhage: Findings from basic and clinical studies. Journal of Neuroscience Research, 2020, 98, 42-56.	1.3	46
3	Higher Cerebrospinal Fluid pH may Contribute to the Development of Delayed Cerebral Ischemia after Aneurysmal Subarachnoid Hemorrhage. Translational Stroke Research, 2017, 8, 165-173.	2.3	41
4	Possible Role of Inflammation and Galectin-3 in Brain Injury after Subarachnoid Hemorrhage. Brain Sciences, 2018, 8, 30.	1.1	39
5	Increased Plasma Galectin-3 Preceding the Development of Delayed Cerebral Infarction and Eventual Poor Outcome in Non-Severe Aneurysmal Subarachnoid Hemorrhage. Translational Stroke Research, 2018, 9, 110-119.	2.3	38
6	Machine Learning Analysis of Matricellular Proteins and Clinical Variables for Early Prediction of Delayed Cerebral Ischemia After Aneurysmal Subarachnoid Hemorrhage. Molecular Neurobiology, 2019, 56, 7128-7135.	1.9	34
7	Acute-Phase Plasma Osteopontin as an Independent Predictor for Poor Outcome After Aneurysmal Subarachnoid Hemorrhage. Molecular Neurobiology, 2018, 55, 6841-6849.	1.9	33
8	Matricellular proteins as possible biomarkers for early brain injury after aneurysmal subarachnoid hemorrhage. Neural Regeneration Research, 2018, 13, 1175.	1.6	33
9	Implications of periostin in the development of subarachnoid hemorrhage-induced brain injuries. Neural Regeneration Research, 2017, 12, 1982.	1.6	22
10	Characteristics of Blood Blister-Like Aneurysms with a Saccular-Shape Appearance. World Neurosurgery, 2017, 108, 595-602.	0.7	19
11	Toll-Like Receptor 4 and Tenascin-C Signaling in Cerebral Vasospasm and Brain Injuries After Subarachnoid Hemorrhage. Acta Neurochirurgica Supplementum, 2020, 127, 91-96.	0.5	17
12	Morphological Characteristics of Neuronal Death After Experimental Subarachnoid Hemorrhage in Mice Using Double Immunoenzymatic Technique. Journal of Histochemistry and Cytochemistry, 2019, 67, 919-930.	1.3	15
13	Positional Occlusion of Vertebral Artery Due to Cervical Spondylosis as Rare Cause of Wake-up Stroke: Report of Two Cases. World Neurosurgery, 2017, 98, 877.e13-877.e21.	0.7	13
14	The Role of Galectin-3 in Subarachnoid Hemorrhage: A Preliminary Study. Acta Neurochirurgica Supplementum, 2020, 127, 65-68.	0.5	5
15	Relationship of brain edema after deep brain stimulation surgery with motor and cognitive function. Heliyon, 2022, 8, e08900.	1.4	4
16	Novel Transdural Epiarachnoid Approach for Large Central Disk Herniation in Upper Lumbar Spine. Operative Neurosurgery, 2022, 22, e58-e61.	0.4	3
17	Response by Nishikawa and Suzuki to Letter Regarding Article, "Modified Citrus Pectin Prevents Blood-Brain Barrier Disruption in Mouse Subarachnoid Hemorrhage by Inhibiting Galectin-3― Stroke, 2019, 50, e137.	1.0	2
18	Phaeohyphomycosis Due to <i>Exophiala oligosperma</i> in an Immunocompromised Host. Journal of Rheumatology, 2019, 46, 652-652.	1.0	1

#	Article	IF	CITATIONS
19	Response by Nishikawa et al to Letter Regarding Article, "Modified Citrus Pectin Prevents Blood-Brain Barrier Disruption in Mouse Subarachnoid Hemorrhage by Inhibiting Galectin-3― Stroke, 2019, 50, STROKEAHA118024028.	1.0	1